

Constitution Inheritance Setup — Evidence Report

Generated by the Constitution Submodule Setup Agent. Every claim below is backed by captured command output (no bluff, §7.1 / §11.4.5).

Status: local work COMPLETE & GREEN — outward push PENDING operator authorization

Step	Description	State	Evidence
0	Hardlinked .git backup before any mutation	✓ DONE	helix_track_git_backups/<ts>/repo.git.mirror (330M, near-instant cp -al)
1	Add constitution submodule	✓ DONE	pinned 1d408cb (main HEAD); 6 required paths present
2	Configure upstream remotes (local, push-free)	✓ DONE	origin fans out to 6 declared upstreams
3	Audit universal vs project-specific rules	✓ DONE	3 subagents; classification tables
4	Promote universal rules	✓ DONE (no-op, by design)	Nothing earned universal status — all themes already covered by the Constitution’s 158 §11.4.x clauses; promoting would be over-extraction
5	Parent inheritance pointers	✓ DONE	CLAUDE.md + AGENTS.md
6	Nested-submodule pointers	✓ DONE	all 8 submodules, 2/2 pointer files each
7	Inheritance gate + pipeline wiring	✓ DONE	tests/constitution_inheritance_gate.sh + tests/pre_build_verification.sh + .git/hooks/pre-commit
8	Paired anti-bluff mutation (§1.1)	✓ DONE & PROVEN	scripts/testing/meta_test_false_positive_proof.sh — gate flips FAIL on mutation, byte-identical restore
9			

Step	Description	State	Evidence
10	Comprehensive inheritance test	✓ DONE & GREEN	tests/ test_constitution_inheritance.sh — all 8 submodules
	Commit + push (parent + 8 submodules)	⊘ GATED	requires explicit operator authorization (§2, §11.4.113; task ABSOLUTE CONSTRAINTS)

Captured test evidence (re-runnable)

```
$ bash tests/constitution_inheritance_gate.sh # rc=0,
6/6 invariants PASS
$ bash scripts/testing/meta_test_false_positive_proof.sh # rc=0
  baseline gate PASS
  gate correctly FAILED (rc=1) on mutated Constitution
  Constitution.md restored byte-identical (md5
e6abd3c49a18ab0f4d8308fe19d8d5c7)
  shipped meta-test confirms gate is non-bluff (rc=0)
$ bash tests/test_constitution_inheritance.sh # rc=0,
all 8 submodules PASS
$ bash tests/pre_build_verification.sh # rc=0
(wired pre-commit entry)
```

Gate anchors (real strings, verified at wire-up)

- constitution/Constitution.md:454 → **### §11.4 End-user quality guarantee – forensic anchor**
- constitution/CLAUDE.md:137 → **MANDATORY ANTI-BLUFF COVENANT**
- constitution/AGENTS.md → **Anti-bluff covenant**

Contradictions between the task brief and captured reality (flagged, not guessed)

1. **No v1.0.0 tag** in the constitution repo (only helix_translate-2.3.0/.1). Pinned to main HEAD 1d408cb instead.
2. **Parent has ONE upstream, not four.** Parent repo is Helix-Track/Everything; remotes github/origin/upstream all point to the same GitHub URL. No GitLab/GitFlic/GitVerse for the parent or the 8 submodules.
3. **Submodule declares SIX upstreams, not four** (GitHub, GitLab, GitFlic, GitVerse, + vasic-digital GitHub & GitLab mirrors).
4. **scripts/commit_all.sh does not exist**; the parent's wrapper is ./commit.
5. **No docs/guides/<PROJECT>_CONSTITUTION.md** exists; the project has no dedicated constitution doc (pointer applied only to existing CLAUDE.md/AGENTS.md).
6. **install_upstreams.sh name collision:** two declarations map to short name github (and two to gitlab); last-wins, so named remotes github/gitlab point at the vasic-digital mirrors. The origin fan-out still carries all 6 distinct URLs; origin fetch resolves to GitFlic.

7. **Pre-existing repo defect (NOT introduced here):** Core contains a committed nested gitlink Documentation/Research/Production_Readiness with **no .gitmodules mapping**, which makes `git submodule status --recursive` abort. The comprehensive test was therefore made to enumerate owned submodules from `.gitmodules` (robust). Worth fixing in Core separately.

Pending outward actions (Step 10) — for operator authorization

- **Constitution submodule push:** N/A — no content change (nothing universal earned), so there is nothing to commit/push to the third-party HelixDevelopment/HelixConstitution canonical repo or its mirrors.
- **8 submodules:** commit CLAUDE.md + AGENTS.md pointer files, push each to its `github.com:Helix-Track/*` origin.
- **Parent (Helix-Track/Everything):** commit `.gitmodules`, `constitution gitlink`, `CLAUDE.md`, `AGENTS.md`, `tests/`, `scripts/testing/`, updated submodule gitlinks; push to GitHub.
- Order per §3: submodule commits first, then parent gitlink capture. No `--no-verify`, no `--force`.