Issues_Summary

Open workable items (current_location = Issues), regenerated from the SQLite single-source-of-truth (§11.4.12).

Counts by Type × Status

Type	Status	Count
Bug	In progress	2
Bug	Operator-blocked	2
Bug	Queued	102
Bug	Ready for testing	4
Task	Operator-blocked	1
Task	Queued	19
TOTAL		**130**

Items

ATM ID	Type	Status	Severity	Description
HXC-159	Task	Queued	High	**Reported-Via:** §11.4.202 reporting directive `ta` Operator **What (the report, verbatim):** Featu the HelixSkills System (git@github.com:HelixD and HelixAgent, covering ALL of its power-fea OPERATOR REQUIREMENTS (2026-07-29): “Ful HelixAgent the HelixSkills System for all work git@github.com:HelixDevelopment/skills.git , w power-features fully without nothing leftout! F into phases, tasks and subtasks with exhaustiv prepared! Full coverage with ll supported test (suites) is mandatory! Extend and update all ex guides, FAQs, create stunning illustrations, gra all materials! Any gaps, shortcomings, weak sp inconsistencies MUST BE detected in advance c process and properly tackled with comprehens

ATM ID	Type	Status	Severity	Description
				risk-free and safe! Track all progress through t and remebering mechanisms we have! Use Git with bridge to Superpowers used for the imple development mechanism!” PRE-VERIFIED ENV not assumed — §11.4.6): - GitHub SpecKit IS in NOT yet initialized in this repo (no .specify/ an is therefore an explicit early task, not an assur skills.git IS reachable via SSH. `git ls-remote -` catalog-docs, feature/deep-research, feature/te branch/tag inventory MUST be re-derived at re partial listing. - The repository is NOT currentl contains no HelixDevelopment/skills entry; the codex-skills -> vasic-digital/caf-codex-skills.git, not be confused with it. - Both consumers exist (module dev.helix.code) and the submodule su dev.helix.agent). MANDATORY DELIVERY CONS for ALL phases of the incorporation, bridged to executed subagent-driven (§11.4.70 / §11.4.20). tasks -> subtasks, with an exhaustive level of d where the design is load-bearing). - Complete t e2e, full-automation, Challenges (vasic-digital/ (HelixDevelopment/helix_qa) with autonomou concurrency/atomicity, race/deadlock, memory captured evidence (§11.4.5 / §11.4.69); every gu Documentation: extend AND update every exis only new ones. Produce illustrations, graphs a materials. Four-format export discipline per §1 the main README per §11.4.212. - Risk work is note: every gap, shortcoming, weak spot, dang detected DURING planning and each one paire free and safe solution (§11.4.102 systematic-de before rewrite (§11.4.74 / §11.4.28): survey the catalogues on GitHub AND GitLab first; extend duplicating, keeping them project-agnostic and incorporated as a properly-laid-out dependenc level or submodules/, never a nested own-org and HelixAgent must BOTH receive the full fea the other is an incompleteness to be tracked, n through the continuation docs, the memory/kn the workable-items SSoT (§12.10 / §11.4.131 / § 1. A SpecKit specification exists and is initialize feature, with an explicit feature inventory pro repository (an enumerated list, not a sample —

ATM ID	Type	Status	Severity	Description
				implementation plan exists at the stated depth mitigation. 3. Every planned capability is wired consumers, proven by §11.4.108 runtime signa compiled. 4. The full §11.4.169 test-type matrix and HelixQA banks included. 5. All documenta produced diagrams/illustrations incorporated, Independent code review reaches a zero-findi No capability is claimed without runtime evide every closure (§11.4 / §11.4.1 / §11.4.123). §11.4 PROGRAM (scheduled, not yet executed): (a) De scientific papers / open-source projects+codeba to incorporate this feature into the project (§11 debug (§11.4.102) of ALL data obtained to enu zone / inconsistency / imperfection, and design one found. (c) The design MUST ALWAYS be en innovative – never less. (d) MANDATORY exha documents, an implementation plan down to l diagrams / schemes / graphs, illustrations, SQL relevant material (§11.4.65 / §11.4.73). (e) Inves + HelixDevelopment submodules/components freely where genuinely needed while keeping reusable (§11.4.28 / §11.4.74 / §11.4.177). (f) Pla one: every supported test type, the Challenges (§11.4.27 / §11.4.169). (g) Divide the work into p nano-detailed enough to drive integration / im directly. (h) Plan explicitly for enterprise scala the feature has a UI/UX surface, produce full w PSD / PDF, or whatever the project mandates) a §11.4.190). (j) Plan full CodeGraph integration synchronisation (§11.4.78 / §11.4.79 / §11.4.80). items (every detail + reference + attachment) s source-of-truth (§11.4.93 / §11.4.95) + every de related project doc/component + every connec (§11.4.148 D5) – honestly SKIPPING any absent (credentials_absent / tracker_client_absent, §11 Research-doc destination (to be populated whe fully_incorporate_the_helixskills_system_into_ Execution model (§11.4.213 clauses 1-2): this it multi-day research/planning/documentation w project's standing autonomous loop (§11.4.87 / when it claims this item, and MUST be driven t explicitly evidence-backed CLOSED terminal st be left sitting un-wired in the backlog. **Affecte**

ATM ID	Type	Status	Severity	Description
				research/planning – destination: docs/research fully_incorporate_the_helixskills_system_into_ **Reproduction / context:** UNKNOWN: not state established before any fix (§11.4.102 / §11.4.14 research-doc tree exists under docs/research/ fully_incorporate_the_helixskills_system_into_ every enumerated weak-spot/gap/danger-zone implementation plan down to lines-of-code exi are created, and the whole effort is validated p ADDENDUM — BINDING OPERATOR REQUIRE === VERBATIM: "Make sure that SpecKit and S and with all extensons we have created derriv not optional colour on the SpecKit mandate — work MUST compose with rather than duplica BRIDGE EXTENSION (verified to exist, 2026-07- speckit_superpowers/implementation/ — the " Superpowers Bridge". Eight documents, each i IMPLEMENTATION_PLAN, NANO_TASK_ENGIN TDD_INTEGRATION, CONSTITUTION_INTEGRA SEVEN-LAYER architecture: 1 Developer Work SuperSpec bridge (orchestration — github.com (discipline enforcement — speckit-community MCP (execution) 6 Helix LLM (inference — git Distributed host cluster (llama.cpp RPC) CONS MUST BE IN SCOPE (inherited BY REFERENCE diverges silently): constitution/skills/ (7) action reporting-workable-items, scheduled-work-qu constitution/mcp/ (2) media-validator-mcp.json plugins/ (2) helix, scheduled-work constitution system), subagent_tiering.yaml constitution/sc credential_scan_lib.sh, guard-branch-consiste guard-track-branch-label.sh, guard-work-track LOCALLY — do not re-create: .claude/skills/ 10 clarify, constitution, converge, implement, pla workflows/speckit/workflow.yml, integrations/ templates/, memory/ ADDED ACCEPTANCE CR extension above has an explicit disposition — reason. Silence is not an answer (§11.4.118). 9. WIRED vs DESIGNED-ONLY with a captured p evidence a layer is installed — that is precisely and reporting a documented layer as an availa namespace collision risk is addressed with a d skills system, while §11.4.164's post_update_h

ATM ID	Type	Status	Severity	Description
				into .claude/skills/. Two systems registering int and clash handling, not discovery at runtime. non-own-org dependencies (§11.4.74 vendor p supply-chain exposure must be assessed, not a them.
HXC-164	Task	Queued	Medium	The script that brings up the supporting servic directly, rather than going through the shared maintains for exactly this purpose. That compo the same way, gets the same health checking, a repeatedly. Bypassing it means this project car and has already caused one outage of its own. service startups still hide their errors, so a fail was flagged honestly in a commit message, bu obligation anyone will act on, which is why it i routing the startup through the shared compo hiding so a failed start is visible.
HXC-166	Bug	Queued	Medium	When publishing the agent component, the ho outstanding security advisories against the lib 204. That figure turns out to be unreliable in th drifts upward on its own as new advisories are 205 the next day, and 210 on a live re-query on be “the” count. It over-states the work by abou counted once for every dependency file it appe distinct advisories, and the five criticals collap two places this code is published; the other co was never switched on there. The recorded br critical, 88 high, 99 moderate and 18 low. A ful completed, and it changes the picture substant the affected code can actually be reached in so them currently qualify. The Go vulnerability sc actually release, reports our code is affected by against a container library are reachable only in the codebase refers to and that never enters remaining alerts, including three of the four cr third-party project whose container definition cannot start today. Most of the rest belong to a builds. Exactly one alert touches a component defence that advisory asks for has already bee alert stays open only because the dependency related piece of housekeeping was resolved wh files of downloaded third-party library code, in behind one critical advisory, had been commit

ATM ID	Type	Status	Severity	Description
				removed from the tracked files, though they re benefit of finishing this work is that the alarmi the product, and we regain the ability to say h carries a reachable known vulnerability. This i acceptance criterion has not been done: the de findings have not yet been upgraded or remov retire the copied-in project that carries most o
HXC-168	Bug	Operator-blocked	High	The password used to reach the project databa setup and container files, and those files are pu accounts. Anyone who reads the project can re not introduced by recent work; the project's ov it as something that must be replaced, and tha depends on whether the same password is use has not been established either way and shoul value is already public, changing the files alon be changed everywhere it is used, and the setu configuration source rather than containing it. cannot honestly claim its credentials are prote
HXC-171	Bug	Queued	Medium	A complete copy of somebody else's web applic it alone accounts for one hundred and thirty-n dependency security warnings, including thre be built or run: the startup configuration poin that folder, and its supporting packages have n two opposite ways at once. Because it is not bu we actually run today, which is why they rank references it, the setup is broken and misleadi recipe file, all one hundred and thirty-nine wa to whoever does it. Anyone reading our securi distortion, since it currently buries the small n The expected outcome is an explicit decision, r properly maintain and build it, or remove it an a reference to the upstream hosted service. Be approval, the decision must be put to the opera tracked this identical component (submodules separately-minted ticket id with no Duplicate-o recurrence-links-not-mints violation. HXC-225 closed Obsolete (reason duplicate-of, supersed investigation evidence at docs/qa/hxc225_gitm ANALYSIS.md, which identifies both tickets as git-mcp. The operator has approved removal o granted 2026-09-02); this item is no longer awa
HXC-172	Task		High	

ATM ID	Type	Status	Severity	Description
		Operator-blocked		A small companion service we wrote ourselves part of the standard deployment, and it carries supporting packages, two of them rated high. U warnings, these have no mitigating evidence in unshipped, because it demonstrably ships, and whether the affected functionality is ever exer place in the whole review where something w which makes it far more deserving of attention three is not really an upgrade problem at all: i switched off unless explicitly enabled, so upda protection on would leave the exposure in plac deployment running this service benefit. The e assessment of the three warnings, the two stra protective setting explicitly verified as enabled and the service rebuilt and confirmed working
HXC-175	Bug	Queued	Low	The cache that remembers model information where its clock was never configured. That fal the only way to build the cache always configu unexercised. On its own that is harmless. The r if someone later edits it: a plausible-looking ch current time would make every cached entry a in the past that the freshness check reads as a expiry limit. Every entry would then be consid keep serving outdated model information inde The choice is to either add a small test that pin branch entirely and document that there is on
HXC-178	Bug	Queued	Low	When a caller presents an API key, the server c ordinary text comparison. That kind of compa that does not match, so a key sharing the first f reject than one that differs immediately. An at differences across many attempts can recover guessing it outright. Network timing noise mak is low rather than urgent, but it is a genuine w cheap: use the comparison function designed f amount of time regardless of where the differe introduced by recent work.
HXC-179	Task	Queued	Medium	The check that decides which websites may op deliberately allows requests that carry no orig behaviour, because only browsers send that in legitimately omit it. It is safe today only becaus away anyone without valid credentials. The tw nothing records or enforces that coupling: if so

ATM ID	Type	Status	Severity	Description
				login check while working on something unrel information would become completely ungate work here is to add a check that specifically co the connection upgrade, so the dependency is
HXC-180	Task	Queued	Low	Three commits in the current release range do referred to a piece of data that was not added those three points gets a build error. The tip of corrected shortly afterwards. This cannot be re rewriting published history, which the project is for anyone hunting a regression by stepping three points that fail to build for a reason unre may wrongly conclude the fault lies there. The affected points and their shared cause somewh so the failure is recognised immediately as kn from scratch.
HXC-181	Task	Queued	Medium	HXC-160 corrected the 21 stale references to sc scripts/generate_fixed_summary.sh across the added the CM-SUPERSEDED-GENERATOR-NAM sets were deliberately left untouched and are t Constitution.md still carries 14 references acr universal rules that projects other than HelixC records such as the Phase 5 Go-binary-shim pl is a governance amendment that CONST-049 r configured upstream, then re-cascaded and po session that closed HXC-160, and a canon ame drift than the stale wording, so the canon was 45 owned submodules carry cascaded restate correction applied in the parent repo is delibe because the fix names a HelixCode-specific me wording into decoupled, project-agnostic subm them and violate CONST-051(B). The correct se neutral canonical wording that names the wor and push it in the constitution submodule per fleet and bump pointers. Who benefits: every the anchor text, and any agent reading a subm summaries are produced. Acceptance: canon r wording, the change is pushed to every consti are re-cascaded, submodule pointers are bum SUPERSEDED-GENERATOR-NAMING both pass
HXC-188	Task	Queued	Low	The main handbook that tells contributors and organised lists several folders at the top level t when only one is present, and refers to a top-l

ATM ID	Type	Status	Severity	Description
				Anyone following it — a new contributor, or ar orientation — will look for things that are not broken or that they have checked out the wron of the document, which is otherwise the autho The correction is small and purely descriptive section to match, then keep the two in step as t
HXC-189	Task	Queued	Low	One of the external projects this codebase depe configuration still refers to it by its previous na hosting service silently forwards requests fron forwarding is a courtesy, not a guarantee: it di project under the old name, and it is not honou dependency. If it stops working, fetching the p name nobody recognises, which is unusually c project's current canonical name so the refere on a redirect continuing to exist.
HXC-190	Bug	Queued	Low	When a running command is cut short becaus says it was not a timeout. The check that sets t the caller's own deadline, which usually has n stopped the command. Investigation showed t either, because the internal signal it would co cancellation and never a timeout, and the tim mechanism entirely. The effect is that anyone failure and no indication that a time limit was wrong place. A sibling code path that runs com correctly by doing it inside the timer's own ca copy.
HXC-191	Bug	Queued	Low	When a command is cancelled or times out, th but anything it started, by signalling the whole works if the command was placed into its own sandbox enabled — the normal configuration sandbox switched off, the grouping step is skip operating system to signal a group that does n error is discarded. The result is a cancelled co dormant, because the only configuration that so no shipped path reaches it. It is worth fixing would appear only in an unusual configuratio diagnose later.
HXC-192	Bug	Queued	Low	Output from a running command is read line line may be. When a line exceeds that limit the permanently for that stream, because the buff past it. Nothing else takes over the reading. Th until the operating system's own small buffer f

ATM ID	Type	Status	Severity	Description
				someone to read. So one unusually long line, w readable output produce quite naturally, can w is to keep draining and discarding the remaind abandoning the stream, so the producing comr
HXC-196	Task	Queued	Medium	The handbook that describes this project's tech one of its networking libraries. Both parts of th because a security fix required moving off the deliberate; it is the handbook that is now wron a new contributor or an automated helper rea will confidently state a version that has not be same document has already been found descri additional inaccuracy makes the whole docum recorded version to what is actually in use, an reason, so nobody later reverts it believing the
HXC-197	Bug	Queued	Low	One test directory contains a duplicate of its ov files appear twice in the project at two differen renaming exercise that moved a tree while lea the new one. Nothing reads the nested copy, sc anyone searching the project finds two results which is real, and any tool that scans for dupli blocks a useful check from being switched on: duplicates cannot be enabled while this one ex every run. Removing it requires first confirmin nested copy is genuinely the leftover and not t
HXC-200	Bug	Queued	Low	A detector was written to catch a specific kind stuck trying to hand off a result nobody is colle one particular description of what the worker form of the same stall — where the worker wa rather than a single handoff — and the detecto demonstrated rather than theorised: a delibera went completely undetected while the detector does catch is the historical one, so the guard is the newer structure while breaking its escape recognise both descriptions is a small change a defect rather than half of it.
HXC-204	Bug	Queued	Medium	Two long-running tests — one exercising heav one exercising leader election among worker r report failure when the machine is under load own. Measured: during a full test run both fail times consecutively, one finishing in roughly a about a twentieth. Their verdicts are therefore whether the product works. This matters most

ATM ID	Type	Status	Severity	Description
				test run performed before a release is by defin these two will mark a healthy release as broke through. A third test with the same problem w inconclusive run report as skipped rather thar the same treatment fits here. Both should wait than assuming a fixed time is enough.
HXC-206	Bug	Queued	Low	The newly-fixed health refresh deliberately rel provider over the network, so that a slow or ha It then re-acquires the lock and only applies its changed underneath it. There is a narrow rem started again entirely within one probe, the ch applies a verdict formed against the previous i briefly reported unhealthy when it is fine, whi dangerous direction — reporting a stopped pro Worth recording that this is cheap to close rath incremented on each state change is invisible t to any published structure. An earlier note des was wrong and has been retracted.
HXC-207	Bug	Queued	Low	When a model provider record is created, its e shared template by reference rather than copi points at the same underlying settings, includi Nothing writes to those settings today, and the no corruption occurs at present — this was ver record it is that the protection now added to th manager cannot protect a structure shared wit legitimate, properly-locked write to a provider manager's view as well, and the locking will lo when the record is created removes the hazard
HXC-208	Bug	Queued	Low	Four compose entries across two end-to-end te the Slack mock and the LLM-provider mock, bu Any attempt to build those stacks therefore fai which means the containerised form of these t exercised. This was surfaced while fixing an un same two services: the fix could be proven at t against a running container, precisely because produced. That gap matters beyond these two process leaves the deployed-artifact layer unpr failure the four-layer verification discipline ex Dockerfiles, or to remove the build entries if th run containerised, and then to prove the choic
HXC-216	Task	Queued	Low	A blanket rule excluding log files from version evidence, because evidence transcripts are wr

ATM ID	Type	Status	Severity	Description
				corrected so this cannot happen again, and the have been recovered and committed. Thirty-fiv the runs exist only on the machine that produc an evidence folder that appears empty, which never run. Recovering them is not automatic, l seventy-eight megabytes and committing those deserves a deliberate decision rather than a re keep what genuinely substantiates a closed ite ones rather than storing them whole, and reco why, so the gap is visible rather than silent.
HXC-219	Task	Queued	Medium	A recent repair changed how the release gate c evidence really belongs to the change it claims commit on a labelled line rather than merely h somewhere in the text. That new requirement have to follow it: the guide that authors read b the new labelled field, so a contributor followi evidence the gate will reject without understar describing the gate itself has printable and we page was last edited, so all three versions disag describe. Fixing this means updating the autho citation field and regenerating the exported co who benefit are contributors recording eviden have no accurate written description of the ru can follow the written guide and produce evid attempt.
HXC-224	Bug	Queued	High	When we mark a piece of work finished, we re works. Nobody ever checked that those pointe different kinds of rot accumulated silently and report. First, some pointers hold a whole parag there is no way for a machine to follow them. S never created because the person doing the w means the proof exists but nobody can find it f ordinary progress updates rather than to the a notes look like formal proof. The effect is that a backed in every summary and dashboard whi way anyone finds out is by manually hunting f make the completion pointer a checked field: i exists, it must be attached only to real complet must be refused at the moment someone tries later. This protects everyone who relies on our claim of proof that cannot be produced on den
HXC-226	Bug	Queued	Medium	

ATM ID	Type	Status	Severity	Description
				The agent project is mirrored to two hosting ac was only ever switched on for one of them. Qu hundred and ten open alerts while the other re one the main project is configured to pull from of the component we actually consume is show hundred findings sit unseen on the sibling cop the two mirrors hold the same commits. What watched. This is dangerous precisely because t findings is indistinguishable from a report of z the second case is what we have. The work is t from, confirm both then report the same figure the two so a future divergence is noticed rathe statement about this component's vulnerabilit from.
HXC-227	Bug	Operator-blocked	Critical	A design document committed forty-eight days appears to be a genuine access key for an exte placeholder. The section is headed as being cop and described as already configured, and the v placeholder would have: it is fifty-one characte characters, and contains no example or to-be-f the main branch and has therefore been publi day it was written. Anyone with read access to fork made at any point in those forty-eight day now would remove it from the current revisio history is forbidden, and rewriting would in an The only action that actually withdraws the ke replacement, which requires access to the prov within the repository. Until that happens the k revoked, the document should be edited to refe of quoting its contents, and a check added that this shape.
HXC-231	Bug	Queued	High	The HelixLLM gateway downloads large AI mo starts accepting network connections. During t the service as running and healthy, but every a on 2026-08-06 this window lasted thirty-seven actually began listening. Anyone checking the everything is fine while the service is in fact un depends on the gateway will fail for the whole because the download depends on an external one of the two downloads timed out after roug that site were unreachable the gateway might

ATM ID	Type	Status	Severity	Description
				accepting connections first and download mod honest not-ready state while the downloads ar
HXC-232	Bug	Queued	Medium	HelixAgent expects two tables to exist in its da agent_instances, but neither of them has ever anywhere in the project that creates them. As locks once every minute, the database refuses and an error is written to the log. Verified on 2 directly: neither table exists in any of them, an minute period plus a further hundred and thir otherwise runs normally, so nothing visibly br buries genuine problems in the log and means to support is silently doing nothing at all. Fixin these tables were intended to contain to write guessed.
HXC-234	Bug	Queued	Medium	On startup HelixAgent tries to build and launc known as MCP servers, using the container en inside the container fail during their depender operation is abandoned. HelixAgent records a these servers and then continues running nor nothing obviously breaks. The real effect is tha were meant to provide is silently missing, and easy for nobody to notice. Observed live on 20 the build was attempted twice and failed both large container image each time, which also m repairing the dependency installation inside th
HXC-235	Bug	Queued	High	The HelixLLM gateway provides a feature that exact wording. On startup it reports that no re purpose, so it has fallen back to a simple hashi states plainly that this fallback does not captur will be significantly degraded. The important p off or return an error: it keeps answering ever effectively arbitrary rather than relevant. Any from the responses that it is not working prop full platform boot. Resolving this means pointi genuine embedding provider, and deciding wh is acceptable behaviour or whether the featur
HXC-236	Bug	Queued	Medium	The standard library routine that splits a web differently in two parts of this codebase, using the main application it rejects an address who containers component it quietly accepts the sa colon. The cause is that each component decla the newer version tightened this routine; the c

ATM ID	Type	Status	Severity	Description
				one, so it keeps the older, permissive behaviou reasoning about address handling is only valid which has already caused one incorrect conclu Second, and more seriously, the day someone newer language version, addresses it accepts t failure will appear as unreachable services rat change. The work is to make the difference exp deliberately which behaviour each component reader will find it, and add a check that fails if noticing.
HXC-238	Bug	Queued	Low	The safety check that stops half-finished exper an exception for captured proof files, which w satisfy the old exception rule and so could not narrow: the file must sit in the evidence folder saved as non-runnable, and not begin with the Together those make the file inert in normal us deliberately pointing a program interpreter at which no file property can stop. The practical rather than an accident, and the alternative wa proof it is required to keep. Recording it so the than absolute, and so anyone widening it later
HXC-239	Bug	Ready for testing	High	When HelixQA runs a test bank that needs to s sign-in reply, so every test in that bank that ne MECHANISM (the original wording of this item the reply carries the real access pass at the top separate bookkeeping reference for the session session object. The runner looked for the book nothing there, and stopped with a plain compl never handed the server a wrong value and w failed before making a single signed-in reques the wrong value and being rejected, which is n that text were nonetheless correct. A SECOND step had its own copy of the same assumption could not find the pass it simply carried on wit unsigned and the resulting rejections were rec rather than as a failure to sign in — which is w THE OBVIOUS FIX WAS WRONG: the bookkeep different family of about fourteen banks that t access pass genuinely does sit at the top level u names would have repaired one product by br the existing name first and adds fallbacks tried support for reaching a nested location, and rep

ATM ID	Type	Status	Severity	Description
				HOW TO REPRODUCE: run a bank requiring si run stop with a missing-field complaint before OUTCOME: the bank used for measurement we passing and two failing. The two that remain a work: one posts an empty body where the serv with a leftover record created by the very mea original figures, because that bank does not cle the originally reported nine-and-one is no long banks needing sign-in authenticate against bot changes; a failure to find a usable pass is repor service faults; no credential value ever appear proves the behaviour, shown real by a paired r
HXC-240	Bug	Queued	Low	One of the HelixCode test banks signs up a new uses the very same account name, 'hxc_gen_e2 succeeds and the check passes. Every run after the database, the server correctly refuses with recorded as a failure forever after. This was ob run of the bank passed that step, and a second visible in the database timestamped to the mo works under require that automated checks ca the same answer, cleaning up after themselves quietly poisons its own results, so a permanen do with whether the product works. The fix is each run, or to remove the account it created w
HXC-241	Bug	Queued	Low	The checks that confirm HelixCode can genera inside the server's reply, and that comparison Two checks in the generate-e2e bank ask for w with different capitalisation, so they are marke behaved correctly. The most serious case asks reply for 'hello' in small letters; the AI answere working feature was reported as broken. This server: asking it to reply with an invented wor it what seventeen times three is returned fifty- which proves real AI generation is running an reply for 'authorization' in small letters while capital A. Expecting exact capitalisation of free nature. The consequence is false alarms that h time.
HXC-242	Bug	Queued	Medium	Five checks covering the built-in screenshot an against the running HelixCode server, and ever server answers 'QA engine is disabled' and rep server is being honest here rather than misbeh

ATM ID	Type	Status	Severity	Description
				whole advertised area of the product is switch cannot be used by anyone or confirmed as wo listing the available screenshot engines, listing status of a session, starting a new session, and with nothing to run. Because the feature is off, whether the underlying code behind it functio feature is meant to be available, and if so swit behaviour is actually proven; if it is meant to s reporting failures.
HXC-243	Bug	Ready for testing	Critical	Several of the automated test collections that c about what a correct answer looks like. They s and record a pass regardless of the reply. This collection was deliberately aimed at the wrong an error for every request, and it reported bot passes against a service known to be broken c one, so its green result carries no information failing test, because a suite that cannot fail is w where there is none, and it will keep producin every check an explicit expectation — the stat answer must contain — and then prove each o something known to be wrong and confirming the same run: four apparent failures in the wo harness looking for the wrong field name in th and that mismatch should be corrected so rea
HXC-245	Bug	Queued	High	One blocked work item (HXC-172) has its expla has that same explanation written into its own to agree. The tracker rebuilds those stored exp time it regenerates its records, so an explanati the text is discarded the next time the tracker happens today: a regenerate-and-reread cycle then correctly reports the item as blocked-with that explanation is what makes a blocked item what was already tried, and which decision w decision waiting on a person into an item nob keeping the context needed to make the block why the item stalled. The expected outcome is explanation again, the stored and written copi preserves it — proven by the tracker's validat
HXC-246	Bug	Queued	High	A complete run of the agent runtime's automa 12 groups failing, and 74 individual test failur than assumed, because the early evidence poi than at the product. Three patterns account fo

ATM ID	Type	Status	Severity	Description
				the in-memory cache service because they loo container while this machine publishes it on a running service to answer a web request and f and answering correctly when asked by hand; against fixed limits and overshot them by abou jobs and a service rebuild were competing for product is healthy, and none of it proves the pr parallel investigations are now establishing, ea rather than a plausible story. This matters beca reasons is as damaging as one that passes whil everyone to stop trusting the result, and both h operator benefits from a suite whose red mean signal they can act on. The expected outcome i evidence as a genuine product defect, a test de contention artifact, each real defect fixed with returning to a trustworthy state.
HXC-247	Bug	Queued	High	Two separate parts of the system have both be and neither knows about the other. The agent r decides which service gets which port number itself. But a different component, the model ve names port 8100, and because the verifier star agent runtime is launched from a settings file t never even tries to claim the one it was allocat port 8100 for the agent runtime and are answe recognise the requests and rejects them with a runtime as broken when it is running perfectly because it makes a large part of the test suite s names, and because the same collision would r real. Whoever operates or deploys this benefit failing, and a genuinely failing one would look a single place that decides port allocation for e claiming the same number, the agent runtimes and the tests then passing or failing for reason Later evidence settles which of the two sides is deployment is not misconfigured at all. The mo file that starts it on this machine - documents i agreed meeting point between the verifier and gateway looks there by default, and, in as man runs on the other address here. The choice wa down at deployment time, in the verifier's favo clearer than first described: the agent runtime date, still claiming an address that a different,

ATM ID	Type	Status	Severity	Description
				with a note that the old address was abandone still in use. A contributing cause is that the ver so the one mechanism meant to prevent two c not arbitrate a component it had never been to unchanged - the tests inherit the stale claim ar the repair direction is now settled rather than the address it genuinely serves, give the verifie recur, and point the test defaults at the real ad establishes which side is stale and why; it does safe to execute, because that entry is consume change still needs its impact review before it la
HXC-248	Bug	Queued	High	A cleanup step in the automated test suite can the only thing preventing that is a coincidence to stop any containers they started. To avoid st first check whether the agent service is still ru *something* answers on network port 8100, with On this machine port 8100 is held by a differen the check says yes, and the shutdown is skippe different port and is never actually consulted. late, or moved, that same check would say no a live platform out from under whoever was usi also untrue: it reports that the agent is still run all. This matters to anyone running the test sui deployment, which is the normal case here. Th the identity of what is answering - not merely makes its decision on the real condition rather logs is true.
HXC-251	Bug	Queued	Medium	One of our own services could not start while both had been told to use the same network ad conventional default that the wider industry u precisely what makes it the number most likel own machine it was taken, by a supporting dat The result was that the service refused to start client dialling that same well-known address r which completed a perfectly healthy-looking c Because the wrong service was alive rather tha something is unreachable did not skip: they ra our service, which had never been running at twenty test failures that had been attributed to service in the project's central address book so never silently collide again, and it now fails im rather than starting somewhere unexpected. W

ATM ID	Type	Status	Severity	Description
				misleading: the startup message printed for th so anyone reading the log is told the wrong pla platform benefits, and the expected outcome is the rest of the stack and that every message it bound.
HXC-254	Bug	Queued	Medium	Tests in one area of the codebase interfere wit share a single piece of network machinery, so to do with the code it is testing. When each co given its own timeout setting but no connectio library quietly falls back to one shared handle in this area start roughly a hundred and forty- around five hundred cases to run simultaneou at the end of its own test, politely tells that sha because the handler is shared, it also severs co using. The result is a failure that appears in a vanishes when the tests are run one at a time, test setup rather than in the product. It reprod run in ten fails this way. Developers are the pe unpredictably teaches everyone to re-run it ra comfortably inside that noise. The expected ou own connection handler so shutting one prete test, and the suite becomes trustworthy enoug genuinely wrong.
HXC-255	Task	Queued	Medium	Two things are left over in the scripts that run needs a decision from the operator rather tha problem: the end-of-run summary prints “Inte whenever the log file merely exists, regardless which tests genuinely failed still shows a reas most likely to read. The second is deliberate a written to note test failures as warnings and c status even when real tests have failed, which blocks a release. That behaviour was chosen o abort a long run and lose the rest of the inform between gathering everything in one pass and broken. Because it is a deliberate posture rath operator decision about how the project wants be altered silently by whoever happens to tou runs to judge release readiness benefits from only that the script reached the end. The expe reflects the real result rather than the presenc explicit, recorded choice about whether these
HXC-256	Bug	Queued	Low	

ATM ID	Type	Status	Severity	Description
				The tool that regenerates the project's tracker d happens to be run from unless it is explicitly to one optional setting quietly produces a second while the real ones stay out of date. The tool's d optional, which is what invites the omission, a folder rather than the folder where this projec found the hard way during routine work: runn setting created sixteen stray copies at the top o one directory down, kept their old contents. Th someone can look at freshly written files, see t records are current when the versions under v the tracker documents by hand is exposed, wh automated helpers working outside the standa bounded and that bounds the severity: every w destination explicitly, the tool prints the full pa visible to a careful reader, the stray copies sho separate consistency check would eventually n What is missing is the tool itself objecting. The documents without naming a destination eithe or refuses and says so, instead of succeeding so caught this does not exist today: the existing gu supplies the destination explicitly, so it can nev out - adding that second case is the specified fo
HXC-257	Bug	Queued	Medium	The automated check that guards our workabl actually measures, so a reader who trusts its w computed. Internally it names the thing it insp written description states that it proves the co it never consults version control at all - it simp folder, which may contain changes that have n genuinely proves is narrower and still useful: t right now agree with each other. The gap was c the check reported success while the database yet been committed - exactly the situation its o stating plainly is that the underlying behaviou of the pre-release sweep, where the point is to commit is self-consistent, so inspecting the wo there is a documented reason for the copy - op as a side effect. On that reading the repair is th Everyone who reads that check's verdict befor the difference between "what is on your disk is correct" is exactly the difference that matters w name has already spread: the description of th

ATM ID	Type	Status	Severity	Description
				repeats the same claim. The expected outcome and the sentence it prints all describe only wh guarantee is wanted it is added deliberately as control. The test that would have caught this d disagreement between the documents and the between the committed copy and the working adding that case is the specified follow-up.
HXC-258	Bug	Queued	Medium	Our workable-items database keeps a small bo synchronisation ran between the database and That note is only ever written by one of the tw documents into the database - and the value it that actually ran. The path that goes the other database, never updates the note at all. The pr regenerated the note still describes an older ru reading it to find out what happened most rec matters because deciding the direction of a syn can destroy records if it is made backwards, an judgement while being incapable of supportin into-database run dated the eleventh of July w database-into-documents regeneration on the shared tooling that performs the synchronisat genuinely ran on both paths rather than assum hand would be undone by the next run and is
HXC-259	Task	Queued	Low	Every workable item is supposed to accumulat its status changed - opened, reopened, closed - what evidence justified it. A recent repair note no such trail. Measurement across the whole d to those two: eighty-one distinct records cover history entries at all, and all but one of them a filed away. In other words the majority of our account of how it reached that state, which we understand why something was reopened, or t cause is that items created by direct database creation command skip the step that opens the before the trail existed never had one. This is filling: inventing dates and authors for events trail that is worse than an absent one because instead is a decision on how to mark these rec that prevents any newly created item from joi
HXC-260	Bug	Queued	High	The Kubernetes manifests for HelixAgent told 9090, and they set an environment variable ca was true. No Go source in the repository reads

ATM ID	Type	Status	Severity	Description
				the port the server listens on; this was proven bound :8112 while the real variable HELIXAGE 9090 is a port no HelixAgent process ever bind internal/ports registry (HelixAgentGRPC, core by running the built cmd/grpc-server binary a The practical effect is that anyone deploying H manifests would get a Deployment exposing co gRPC traffic to targetPort 9090, and a Network artifacts agreeing with each other and all poin port the server would actually bind was blocke number because the manifest LOOKED config and edited GRPC_PORT would see no change w This item covers correcting all four manifests service.yaml, networkpolicy.yaml, configmap.y the dead variable with the one the server hono limitation: the image this Deployment runs is no gRPC server at all (that is a separate binary, correct but INERT until a grpc-server containe corrected manifests make a one-line change in checking out the pre-fix tree and running the RED_MODE=1, which asserts the dead variable Acceptance criteria: internal/ports/published_ unset (asserting every manifest names the reg outside a comment) and fails on the pre-fix tre
HXC-262	Bug	Queued	Medium	The project keeps a battery of tests whose who catch problems, by deliberately breaking thing assertion in that battery — the one covering a occasionally reports a problem when nothing consecutive runs, and ran correctly six times o intermittent rather than consistently broken. T check itself: it asks the system two separate qu which process is running it, and between those move on, so the two answers describe differen happens the check cannot find a process to exa anything. The practical harm is not a missed d a condition that is not present, and worse, peo it, which quietly erodes the value of the one ba The fix is to read both pieces of information in same instant. This was deliberately left unfixed changes the sampling behaviour of a check tha such a change deserves its own review rather
HXC-263	Bug	Queued	Medium	

ATM ID	Type	Status	Severity	Description
				The project keeps a folder of tests whose purpo genuinely work, by deliberately introducing a check reports a failure. A test like that only has Counting the invocations at the current revisio folder are ever executed by anything; the rema never run. This is the same problem the projec when three safety checks turned out to exist b the same reason: a check nobody runs cannot provide coverage. The presence of these files is counting test files sees protection that is not be look better than it is — five of the files are men mentions are a comment, an entry in a skip lis none of which run anything. Resolving this me to wire it into the release sweep so it runs, or t choice visible rather than leaving the file sittin deliver.
HXC-264	Bug	Queued	Low	A single entry in the project's work tracker ma different ways in three different fields, and the says a required program is not installed on the exists but cannot be found because of where th such file exists anywhere on the system. Those different fixes, so a reader cannot tell from the also proposes a remedy, giving the service a di not what was eventually done: the capability w different service that was already running, an absent from the machine today. This matters b of what was reported and why, and an entry th purpose for anyone reviewing the history later out of step with the database, which is a proble rendered documents faithfully reproduce wha is inside the database entry itself. Resolving it accurate account that records both what was o resolved, without erasing the original report.
HXC-265	Task	Queued	Medium	HelixAgent keeps 36 Go modules nested inside Most of them are never compiled by anything a developer can rename a package, change a s and every build and test still reports green — t That silent-failure surface is what this item tra documentation samples, because the project a documentation example works when copy-pas cannot honour that promise. WHO IS AFFECTE readers who copy a documentation example e

ATM ID	Type	Status	Severity	Description
				verifiable by one command (the quotes are loa the pattern before git sees it and reports 2 inst `git ls-files '*/go.mod' | wc -l` reports 36 r `'challenges/codebase/go_files/*/go.mod' |` challenge-modules recipe walks. By directory t challenges/, 2 under plugins/, 2 under docker/, cli_agents/. THE CLASSIFICATION IS PER-MODU revisions of this item stated a single wrong tota answered by any one command, so each class l COMPILE PATH AT ALL — 25 modules: the 23 u nothing anywhere compiles them, the three ch only run presence checks (test -f, grep -q), and because Go does not cross nested-module boun GATED CONTAINER IMAGES — 2 modules: doc declared as build contexts in docker-compose.y their Dockerfiles, but no test suite or gate exerc rebuilds only when the image is absent, so bre deterministically rather than never. (3) FULLY api: it is required and replaced in the root go.m with no build tags, and built for four platforms increment PHASE_FAILURES and set the exit c needs no work. Note for future readers: `go lis` contain package", which is a true output but ar than whether the module is ever compiled — a one for the other. (4) PARTIALLY INSIDE THE G verifier/startup.go imports Toolkit/Providers/C Toolkit packages, so at least 4 of its 21 package while roughly 17 remain outside. (5) DELIBERA REASON AND A GUARD — 1 module, cli_agents whose header documents why the vendored tr regression guard at tests/regression/cli_agents_ item's second acceptance arm and is terminal. classes (1), (2) and the un-compiled remainder compile-check target the test suite actually run reason in the manner of class (5); and a gate fa is neither built nor explicitly excluded.
HXC-266	Bug	Queued	Medium	The function that builds the URL clients use to "http://%s:%d" without ever bracketing the hos malformed URL. WHY THIS IS REACHABLE RA layer deliberately treats the IPv6 loopback ::1 a configuration that sets the host to ::1 passes ev formatter. HOW IT MANIFESTS: the emitted ad

ATM ID	Type	Status	Severity	Description
				parseable URL — the colons of the address and to any URL parser, so the client fails to connect clear configuration error. WHO IS AFFECTED: IPv6-only or IPv6-preferred host, and any depl IPv6 literal instead of a name. HOW TO REPRO the client base URL, and observe the returned correct bracketed form http://[::1]:7061. ACCEP literals per RFC 3986 so ::1 yields http://[::1]:70 a regression test covers IPv6 literal, bracketed IPv4, and hostname cases.
HXC-267	Bug	Queued	Medium	When HelixQA signs in to run an API test bank but a reply the runner cannot read, the runner sign-in, carries on making requests with no cre faults in the API being tested rather than as its the case where the reply IS readable but carrie this item covers the door that fix left open. WH explanatory finding is nested inside the branch structured data, and that branch has no count unreadable reply skips the reporting entirely. tested service is broken when in fact the runne reads the report to investigate the wrong syste this item originally described two silent shape established by running every case against the out of eleven tested. Silent: an empty reply; an data; bytes that are not valid text; a bare quote an object; a bare true or false; and a very large item's reporting: the literal null, and an empty whether the reply PARSES, not whether it carr narrower descriptions kept undercounting it. HelixQA report for a service whose sign-in rou error pages produced by a proxy or gateway in REPRODUCE: point the pipeline at a test server with a body of empty text or HTML, run the AI in finding is recorded while the later unauthen ACCEPTANCE CRITERIA: an unreadable sign-in finding as an unusable one, naming what was be read; the message never contains any byte standing test covers all nine silent shapes plus paired mutation that removes the new reporti already-working shapes must produce byte-ide change cannot disturb the path that already re
HXC-268	Bug		Medium	

ATM ID	Type	Status	Severity	Description
		Ready for testing		The model verifier builds web addresses by pa colon, without the square brackets that IPv6 ac host is an IPv6 address produces addresses no operators on IPv6-first hosts, and any deploym rather than a name. WHY IT IS REACHABLE: th with no validation, so an IPv6 value passes stra MANIFESTS: the emitted address looks like htt read because the colons of the address are ind the port; the client then fails with a confusing configuration message, sending whoever debu PLACES, AND A CORRECTION WORTH RECORI contains FIFTEEN such build sites, one in each every one reachable from the single dispatch t revision of this item said three. That was wron fifteen sites use only three distinct format SHA plain, one ending in a messages segment), and upstream report were recorded as if they were places. Had the earlier figure stood, the accept with twelve sites still broken. HOW TO REPRO submodule, count occurrences of the formattin file; it reports fifteen, while listing the distinct FIX DIRECTION: do not hand-bracket fifteen pl submodule is introducing a shared endpoint h correctly using the standard library join, inclu YET part of any committed state of the submod nobody should expect to find it there today. Or it, which fixes them uniformly and prevents a Coordinate with that work before starting. SCO capability-config generator is not the whole su appears in at least nine further files elsewhere agent config writers and two unrelated subsys deliberately, but a fixer should know the capab entire problem. ACCEPTANCE CRITERIA: all fif produce properly bracketed addresses for IPv6 are unchanged; an already-bracketed value is the IPv6 literal, already-bracketed, IPv4 and ho mutation that removes the bracketing and mal unbracketed sites in that file is zero, verified b fifteen.
HXC-272	Bug	Queued	High	Two automated checks that start in the same s append to the same running log, so each is jud HAPPENS: each run names its results folder af

ATM ID	Type	Status	Severity	Description
				second, with nothing added to make it unique, outcome lines in that shared log to decide the BOTH WAYS, AND THE SECOND DIRECTION IS lines flip a healthy run red, which wastes inve flip a run that achieved nothing into a reporte success vector sitting in shared infrastructure uses, which places it in the same class as a che OBSERVED: a guard's positive case passed alo neighbour's failures; and two back-to-back ru attempt, with the second run's results file rep plus the first run's four. A SECOND, RELATED pointer meant to indicate the most recent run because the command used to update it follow and drops its contents inside the first run's fol folder's timestamp, so ordering the folders by Measured live: the pointer still names the firs runs existing beside it, with those later runs' p the by-recency listing therefore silently retur reviewers into reading an old run as current. within the same second and observe they sha one's verdict counting the first one's outcome the recent-run pointer still names the first. AC share a results folder or log; the recent-run po recent run; a test starts two runs in the same s independent in BOTH directions, proven real naming and makes the test fail.
HXC-273	Bug	Queued	Medium	Several health checks treat any reply from a s that say the requested thing does not exist. W address but do not ask the fetching tool to trea found reply is indistinguishable from a health places — two in the shared checking framewo HOW IT MANIFESTS: a service that is running on the right port with the wrong application e shape as a check that cannot fail: it consumes almost nothing. RELATIONSHIP TO OTHER W defects closed recently where a check confirm that the RIGHT thing answered; the remedy th service could produce. WHO IS AFFECTED: an a half-broken deployment before it reaches m health check at a server that returns a not-fou check passes. ACCEPTANCE CRITERIA: all thre practical the check asserts something only the

ATM ID	Type	Status	Severity	Description
				merely a successful status; and a test points ea and asserts it fails, proven real by a paired mu behaviour and makes the test fail.
HXC-274	Bug	Queued	Medium	Starting the remote-call server makes real outl provider APIs before it finishes starting, using in the environment. WHAT HAPPENS: start-up automatic discovery; a flag passed there disabl providers but does not disable discovery itself, provider whose credential it finds and enumer across SEVEN providers in a single start-up, dr host shell rather than supplied to the process: twice, because two different credential names eight, six, five, three and two from the rest. WI local server does not expect it to contact extern serving anything; in a sandboxed or air-gappe delay start-up; and the credentials used are wh operator deliberately supplied. IT ALSO CAUSE why the server accepts connections into the op seconds before it actually begins serving them server was not speaking the expected protocol IMPORTANT NOTE FOR WHOEVER FIXES THIS wrong conclusion. The flag that disables verifi outbound behaviour, and the catalogue fetche discovery routine, so an investigation that stop outbound traffic and returned a refutation. On case where the source and the behaviour genu evidence for any claim about it. ACCEPTANCE calls unless explicitly asked to, discovery is opt are taken from deliberate configuration rather begins serving promptly after it begins accepti present and asserts no outbound calls occur, p restores eager discovery and makes the test fa
HXC-275	Bug	Queued	Medium	The automated check that confirms our own re answering has two decision branches that no t either one would not be noticed. WHAT IS NOT test asks the service a deliberately invalid que refusal code AND the service's own wording of proves the real service answered rather than a guard now pins that the two demands stay joi runtime, because doing so needs a stand-in se wording, plus a second path for hosts that hav deliberately cautious fallback branch for a pee

ATM ID	Type	Status	Severity	Description
				in wording we do not recognise; peers built on differently and land exactly there, yet no test e the two branches that decide whether a half-b as ours, which is the failure this whole check e relying on the automated gate to notice a wron testing begins. CORRECTION TO AN EARLIER R logged as unguarded — that the two failure me Measurement shows a full swap IS caught, bec change to the not-speaking-the-protocol messa added assertion would close. HOW TO REPRO it accepts either demand instead of both, and c separately, point the check at a peer that speak refusal wording and observe no test exercises runtime test drives the invalid-question branc the same validation as the real one, with an ho the query tool rather than a silent pass; a seco fallback using a peer that answers every reque protocol message gains its own assertion; and mutation that weakens the branch it covers an
HXC-276	Bug	Queued	Medium	The test-bank machinery copies an excerpt of diagnostics, and unlike the sibling defect just f bank author writes an expectation about reply part of the reply is precisely how the author se bounded only by a fixed character count, with be, so a bank pointed at a sign-in route or any that value into a durable report exactly as the SIMPLY THE SAME FIX: stripping the excerpt w for, turning a useful failure message into an u in kind — the excerpt should stay, but be filter is masked while ordinary content survives inta request executor and one in its structured-asse helper that folds a decoder's own complaint in quotes the input that upset it. WHO IS AFFECT report, since these reports are kept and shared authenticated service. RELATIONSHIP TO OTH mechanical leak in the pipeline's own validatio wanted; the fixer measured these five, judged deliberately rather than silently — this item re HOW TO REPRODUCE: write a bank whose exp route returning a recognisable marker in its b into the recorded result message. ACCEPTANC ordinary content so the diagnostic stays usefu

ATM ID	Type	Status	Severity	Description
				before the excerpt is recorded; the decoder-co rather than quoting input; and a standing test credential-shaped marker never appears, whil proven real by a paired mutation that restores fail, and one that strips the excerpt entirely an
HXC-277	Task	Queued	High	The document that tells a newly-started sessio been updated since the twenty-eighth of July, w commits have changed the very state it describ agreed authority on what is finished, what is in own governing rules class an out-of-date copy that reports success for something broken — b answer that is wrong. WHAT GOES WRONG IN work from it plans against a fortnight-old pictu completion for items that moved on, or misses DRIFTED: the rule requires the record to adva moves the project's state, but the burn-down h whose commits land in other repositories, so t lost. WHO IS AFFECTED: every future session, than reading the commit history themselves. R companion handoff document at the repositor current picture, so the immediate risk of a lost restoring the longer-lived record and, more im current. HOW TO REPRODUCE: compare the d against the dates of the commits made since, a the record is brought level with the current sta left in progress across the gap; the discipline is so that a state-advancing commit which leaves automatically rather than noticed weeks later; making such a commit and confirming it is ref
HXC-279	Bug	Queued	Medium	The check that confirms our remote-call servic solid guard over HOW its decisive test is comp hold — but nothing guards what happens AFT distinct promises are unprotected. THE FIRST the composition exactly as the guard requires, the whole condition, so a pass is recorded pre leaves the condition untouched and simply ex beneath it, with the same inverting effect. THE widening this item's scope: an edit can make t recorded at all — the condition remains a clea composition guard perfectly, while the check s EXISTING GUARD CANNOT COVER EITHER: th about how the question is asked; these two are

ATM ID	Type	Status	Severity	Description
				whether it is written down the right way roun them would blur what any of them certifies, a what produced four rounds of chasing its edg the four live-execution arms all reach their ve and the one that would reach it deliberately r so none of them ever observes the recorded r the automated gate to notice a wrong, foreign begins — an inverted check reports every hea broken one as healthy, while a dead check rep HOW THESE WERE FOUND: while verifying u single edit could still defeat the test; the answ rather than a failed search, but asking the qu asking again surfaced reachability. All three e package with the query tool present, and noth REPRODUCE: negate the decisive condition as statements beneath it, or make the statement observe every check still passing. ACCEPTANC statement is genuinely REACHED and that the taken when the condition holds, with the faili condition, exchanging the branches, or killing real by paired mutations performing each of t the guard fail; and the existing composition g absorbing this one.
HXC-280	Bug	Queued	High	Seven places where we build a network addre defect a sibling item has just repaired everyw the repair would make them worse rather tha for a modern-style numeric host must wrap th appended, or every reader sees a different ho NOT FIT: the shared builder brackets correctl substitutes a default host of our own while KE right for the many places addressing our own address a search database, a log-analysis serv and a message broker: a misconfigured outsid machine on the right port — a connection tha which is worse than one that fails. THE SEVEN by searching for one way of writing an addres appending with a small local number-to-text h could see it. CORRECTION TO AN EARLIER VE seventh site sits in a part of the codebase that therefore must call the underlying routine dir parts of the codebase are already wired togeth import each other today, and a compile check

ATM ID	Type	Status	Severity	Description
				reason the shared builder does not fit is the on user name, a password and a trailing path segr composes. Whoever takes this item should the shared helper on the real facts rather than inh MORE SERIOUS SECOND FACT about that site: without escaping it, so any password containir will either corrupt the address or place secret displayed. That is a credential-handling concer same pass. WHO IS AFFECTED: any deploymer modern-style numeric address, or with a passv ACCEPTANCE CRITERIA: a defaults-free way of by extending the shared helper or otherwise, d difference from the substituting builder stated placed in an address are escaped; each of the s justified per site; an unusable host produces ar substitution; and a standing test proves every paired mutation restoring the old concatenatio and one removing the escaping.
HXC-281	Bug	Queued	Low	One of our streaming tests examines the pieces them carries a fabricated confidence figure — empty, so the check has never actually examin the server it exercises could not reach any pro single piece; the test therefore looped over not unrelated to what it claims to verify. WHY THI LATER: a sibling item has just repaired that ser real pieces to examine, and the check it was w first time. WHAT IT WAS MEANT TO CATCH: a number the underlying provider never suppli way to distinguish from a genuine measureme streamed replies, and anyone reading this test since it currently provides no such evidence. R while repairing the server, and deliberately lef unrelated test inside a critical fix would have REPRODUCE: examine the list the test iterates alternatively, break the property the test claim ACCEPTANCE CRITERIA: the test drives the rep streams more than one piece, so the list it exar real pieces; and it is proven real by a paired m fabricated confidence figure and confirms the
HXC-282	Bug	Queued	High	Before every commit we sweep the working fil and-see experiments, and that sweep searches experiments are supposed to leave behind. It t

ATM ID	Type	Status	Severity	Description
				whole method was to DELETE something, beca WHAT ACTUALLY HAPPENED: an experiment source file was left un-restored on disk. The sw reported clean, and the damage was one stagi and published. It was caught only because an i against a preserved copy rather than searchin MUCH HERE: the rule that had been deleted w secret from being written verbatim into recor damage was not a harmless experiment resid leak that file had just been repaired to preven check called clean. WHY IT ESCAPED EVERYTH it were reported as passing because the passin of what changed shows the file as modified bu modification is wanted; and the phrase-search is spotting experiment leftovers. WHO IS AFFE experiment has ever been run against, which i careful about — the ones with the most guard WHAT IS NEEDED: the leftover check must co good version rather than searching it for phra intend is surfaced whatever its shape — adde record that known-good version before they b and the confirmation must be a comparison, n any experiment that deletes a protective rule, observe it report clean. ACCEPTANCE CRITERI un-restored deletion as reliably as it detects a records a known-good reference before it star against that reference and the verification is c proven by a paired test that deletes a protecti the check refuses the commit.
HXC-283	Bug	Queued	Medium	Where we take an incoming caller's address a split it at the LAST colon rather than using the BREAKS: a modern-style numeric address is fu square brackets, so splitting at the last colon le caller's identity for some requests and not oth can be counted as several different callers, or which is precisely what a request limiter must through by splitting their requests across iden merging them. WHERE: the request-limiting m key from the remote address. RELATIONSHIP a sibling item that has just repaired thirty-one but it is the opposite direction — this one take the sibling work touched it and why searches

ATM ID	Type	Status	Severity	Description
				surface it; it was found by a reviewer sweepin producing side. WHO IS AFFECTED: any caller address, and anyone relying on request limits from a modern-style numeric address and obs bracket punctuation inconsistently across requ address is taken apart with the standard routi addresses; one caller yields exactly one identit standing test proves it for old-style, modern-sty callers, proven real by a paired mutation resto the test fails.
HXC-284	Bug	Queued	Medium	The guard that decides whether a host is a usa protected by a test suite that does not actually be altered and every test still passes. WHY THI future edit can silently remove, and one of the than merely for tidiness — altering it makes th currently rejects, producing a nonsense destin FOUND: a review deliberately broke each rule suite caught; five alterations survived, of whic cannot change behaviour for any possible inpu single-character input space) and three were s specific input that demonstrates the difference address whose zone marker appears twice, wh altered one rejects; an address mixing a plain working guard rejects and the altered one wro zone marker, which the working guard cleans untouched. A RELATED OBSERVATION FROM T a trailing zone marker rather than rejecting it, repair philosophy the rest of the file follows, a WHO IS AFFECTED: every place that composes the sibling repair is all fifteen capability sites p EXISTING PROPERTIES OF THE SUITE, not defe them. ACCEPTANCE CRITERIA: each of the thre demonstrated input, so that altering that rule behaviour is either justified in place or change each new pin is proven real by restoring the al
HXC-285	Bug	Queued	Low	Three separate translation-helper files each ca shared translation package lives in a different without adding a module dependency. THAT A dependency is already declared, the shared pa files in the same module import across that bo entry point that builds and runs. WHY A WRO comment does not merely describe, it JUSTIFIE

ATM ID	Type	Status	Severity	Description
				files defines its own local translation helper in claim is actively holding three duplicate imple deciding whether to consolidate them will reac and leave the duplication alone. HOW IT WAS comment for accuracy traced the module wirin crossable, and found these three making the o already misled one earlier briefing about whic anyone reading these three files to decide whe ACCEPTANCE CRITERIA: the comment in each of the module wiring; if the duplication is still that reason replaces the false one rather than whether to consolidate onto the shared packag inheriting a constraint that does not exist.
HXC-286	Bug	Queued	High	A family of four tracked items covers a defect host and a port together, which breaks for the were scoped to one component, and its publish covers that component only. A survey of the ne CONSUMES the repaired addresses — found ro defect that no item covers. WHY THIS IS THE S the very service kinds one of the four items na what it covers — a search database, a stream p reads as complete while its own named examp them is a second, independent copy of a defect nobody thought to look at. Another twenty-one that was already repaired in the first compone clones. WHO IS AFFECTED: anyone configurin address, which reaches them as a different add ACCEPTANCE CRITERIA: the true scope of the names the components searched rather than a repaired, deliberately deferred with a written published count states which components it co partial census for a complete one.
HXC-287	Bug	Queued	High	A test file whose name declares it checks for ra limiting code at all. Instead it constructs its ow that, so it reports on a thing that does not ship. MERELY WASTEFUL: a genuine bypass was fou for, and this file passed throughout — it could looking at it. A SECOND, INDEPENDENT WAY I checks respond to an unexpected outcome by failure, so even against the right code they wou happened. A THIRD: the whole file sits behind test runs. Any one of the three would be enoug

ATM ID	Type	Status	Severity	Description
				named for; it has all three. WHO IS AFFECTED concluding that rate-limit bypasses are covere the real shipping rate limiter rather than an in than a warning when the outcome is wrong; th and the whole is proven by reintroducing the r red.
HXC-288	Task	Queued	High	A recently landed repair states in its own ticke documentation written alongside it in the sam twenty-four repaired plus seven deferred. A di returns thirty. WHY THE NUMBERS CANNOT S touched files its own ticket had explicitly decla inherited the repair for free from an earlier pi each of the four numbers is measuring a slight which. THE ITEM CANNOT CLOSE UNTIL THIS require the counting command to be re-run an because there is no agreed definition of what i the same ticket already documents one earlier makes a repeat worth treating as a process sig CRITERIA: one published number, stated togetl components it covers; every other published co command recorded so any reader can reprodu
HXC-289	Bug	Queued	Medium	A shared library used by every automated che pointer meant to name the most recent run ne has been repaired in the library. Three individ library for this and each maintain their own co defect. WHY THEY WERE LEFT: the repair was and these three sit outside it, so extending the reviewed piece of work after review. WHAT TH specifically, the most-recent-run pointer contin latest, and anyone reading their results by foll which has already misled two readers when th IS AFFECTED: anyone investigating the results sustained-load, concurrent-load and rate-limit of the three either uses the repaired shared lib the pointer names the genuinely most recent r running each twice and confirming the pointe
HXC-290	Bug	Queued	Low	When work was published to the hosting servi default branch carries two hundred twenty-ni dependencies: five critical, one hundred one h nineteen low. These are published advisories a not defects in code written here. WHY THIS MA component being prepared for release with fiv

ATM ID	Type	Status	Severity	Description
				dependency advisories is carrying known, pub risk into that release, and the count is high enc already reviewed it. WHAT IS NOT YET KNOW from the paths the product actually uses, whic exposure and an inherited advisory on an unu been done and must not be assumed either wa the agent component. ACCEPTANCE CRITERIA: for whether the vulnerable path is reachable i resolved by upgrading or by a documented mi such with the reasoning; and the resulting pos than left to a dashboard nobody reads. DETER database last modified 2026-08-11, symbol/sou negative was trusted): NOT release-blocking, a object than its framing implies. The figure has repository. Its whole committed footprint is pr with no command, no query date, no repositor ancestor counted the entire GitHub repository npm one hundred eighty-three, pip seventeen, with three of them inside a vendored copy. Zer documented that per-manifest counting inflate alerts are one hundred sixty-nine distinct advi agent component this row names is CLEAN acr reachable. The inner application has exactly o to itself plus the standard library. Three hundr paths in the build graph; six apply to the pinne loaded records reports hundreds, version-filte one. THE ONE REACHABLE FINDING is a metri the inner application, gated off by default — th op exporter rather than guessing, so the vulne operator explicitly selects it. Exploitation requ exports to. Fixed by a single minor bump whos exactly the target version in the same manifes exporter was advanced and the metric exporte runtime advisories are daemon-side; this proje markings are a tool artifact — those advisory r every reachable symbol in every imported pac printed traces are package initializers. The ent verified two independent ways each with its o under a renamed module path, so no version c COVERAGE GAPS, stated rather than implied c tree was not scanned because its build needs s six nested Go manifests inside the agent were run, so all non-Go figures are manifest counts

ATM ID	Type	Status	Severity	Description
				FOLLOW-UP is not an upgrade. It is replacing t measurement — a fresh capture, deduplicated the tracker stops carrying a figure no artifact b
HXC-291	Bug	Queued	High	A guard exists to prove that a particular protoc should report failure. It works by taking the ch the rest, then running the remainder twice — failure. The part it discards was recently rewri part still depends on into the discarded part. T immediately on a missing value, under a settin does so SILENTLY because the surrounding loo therefore end in failure, which means it report guards is healthy or broken. A guard that gives certifies nothing at all, and it currently looks li broken instrument. WHY IT WENT UNNOTICE failure it is designed to detect, so a reader seei subject is broken rather than the guard. HOW against two different versions of a shared libra ran it with error output restored to find the re supplies whatever the kept part needs rather t demonstrably reports success in one direction no longer discarded, so a broken instrument ca subject.
HXC-292	Bug	Queued	High	One component decides who a request came fr colon. For the modern numeric address form t to the result, so the same caller is recorded un which path the request arrived by. A SECOND SAME PLACE: when the request carries a head claim is believed exactly as written, with no lis make such a claim. Anyone able to send a requ and mint themselves an unlimited number of identity here is what everything downstream request shape or that a caller can choose freel than real. THIS IS A SEPARATE DEFECT FROM sibling item repaired the same class of proble description actually describes THIS site rather they are in different components, and only one published 2026 advisory records the identical defeat an access check in another product. AC taken apart by the standard routine rather tha yields one identity regardless of the path the r honoured only from intermediaries on an expl and each is proven by a test that fails if the old

ATM ID	Type	Status	Severity	Description
HXC-293	Bug	Queued	Medium	The web framework this project uses has a set servers are allowed to state, on a callers behal setting is never configured anywhere in this co every intermediary and to believe any such cla THE COMPONENT THAT HAS THE PROBLEM T framework, so the permissive default is inheri handling path rather than by one component, on caller origin will inherit it silently without a WHAT LIMITS THE IMPACT RIGHT NOW: the c is not currently connected to the live request p a trap laid for whoever connects it. THAT IS PR IT IS CHEAP — an inherited permissive defaul hard to notice later. ACCEPTANCE CRITERIA: th configured explicitly, with the chosen value wr test proves a claim from a non-permitted inter recorded where someone adding a new reques
HXC-294	Bug	Queued	Low	When an automated check finishes, it seals its cleanup step that runs afterwards then deletes same folder, which updates the folders last-cha sealed. WHY THAT MATTERS AT ALL: one way folders by last-changed time, and a folder touc WHEN IT CAN ACTUALLY BITE: only where tw this cleanup after the later one has already sea cannot happen for runs that do not overlap, ar helper process. THIS IS PRE-EXISTING AND WA REPAIR to the same area — that repair fixed th is the remaining same-run version, which is m either the housekeeping file lives outside the s the sealing step happens after cleanup rather t to be correct for two deliberately overlapping
HXC-295	Bug	Queued	Low	A code comment explains, in the present tense where the pointer to the most recent run neve repaired. The comment now states as current f IT IS NOT SIMPLY DELETED: the advice the co announcement in the log rather than by follow remains correct, but for a different reason tha are still safest resolved from their own annou justification does not. THAT COMBINATION IS stated reason and finds it no longer applies ma along with the stale explanation. WHO IS AFFE checks who reads this comment to decide how CRITERIA: the comment describes the repaired

ATM ID	Type	Status	Severity	Description
				gives is kept, restated against the reason that s reader can confirm the history rather than hav
HXC-296	Bug	Queued	Low	The project handbook lists the web framework version recorded there is older than the versio and actually compiled into the product. WHY A WORTH CORRECTING: contributors consult it w or behaviour is available to them, and behavio versions in areas this project touches, includin contributor reasoning from the stated version correct for that version and wrong for the one needed the exact behaviour of a framework fu assuming, and found the handbook disagreed CRITERIA: the handbook states the version act the single place the version is decided; and any either corrected or changed to point at the dep
HXC-297	Bug	Queued	Low	The checks that run before each commit build control tool using its default settings. Under th characters outside the plain English range com characters escaped, rather than as the name it file under that quoted-and-escaped name, does inspecting it. THE EFFECT IS ALWAYS THE SAM never wrongly rejected, so nobody is ever bloc precisely why it has survived — it produces no checking was one of the ones skipped. WHO IS filenames include accented letters, non-Latin s project with contributors and documentation i EXISTING AND SHARED BY ALL FOUR CHECKS which is why it was deliberately not folded int fixing it properly means changing how the file IS SMALL: ask the version-control tool not to e file whose name contains non-English characte checks exactly as an English-named file would with a problem the checks are meant to catch a gains a new way to reject a file it should accep
HXC-298	Bug	Queued	Medium	A second place in the same component works by believing a header in which the caller states written, with no list of which intermediaries a falls back to the raw connection address inclu under a different identity on every connection access-control audit log, which is the record of caller can both choose the identity recorded ag fragment their own history into unrelated-look

ATM ID	Type	Status	Severity	Description
				ALREADY-REPAIRED DEFECT, NOT THE SAME same class in a different function of the same c consumers of its own function and stopped the across the component, which is how this one a was closed. WHO IS AFFECTED: anyone relying establish who performed an action. ACCEPTAN same way as the repaired sibling, including ho permitted intermediaries and choosing the ent the connection port never forms part of an ide if the old behaviour returns.
HXC-299	Bug	Queued	Medium	A third place in the same component extracts a connection address at its FIRST colon and keep address that happens to work. For the modern square brackets and is full of colons, it returns and the first group of digits — not an address a numbers of unrelated callers. THIS IS WORSE REPAIRED: that one retained surrounding pun so the identity was at least unique per caller. T callers collapse onto the same identity — and a counts them as one. IT ALSO BELIEVES A CLAI list of permitted intermediaries, so a caller ma FOUND: a review of the sibling repair took the that the repair itself had not, and found this an security decision or record keyed on this helpe address is taken apart by the standard routine modern form survives intact; a claimed-origin intermediaries; and a test proves two genuinel collapse onto one identity.
HXC-300	Bug	Queued	Medium	The shared mechanism for looking up which r second of which asks an outside third-party ca does not use that shared mechanism at all: it c three-stage logic, with its own separate call to t PRIVATE COPY MATTERS MORE THAN THE DU mechanism does not reach it. A sibling repair l from the shared path at start-up; this copy is u making them wherever it is reached. WHEN IT operator-triggered refresh, and only when a pa installed on the machine — which it is on the c reachable here today rather than hypothetical refresh on a machine with that tool present, w website that no part of our configuration name shared path traced every call that reaches the

ATM ID	Type	Status	Severity	Description
				through the shared path at all. ACCEPTANCE C shared mechanism or its private copy is broug to how we contact outside services reaches eve proves no path contacts the outside catalogue configured.
HXC-301	Bug	Queued	Medium	A component is constructed with a true-or-fals controls whether providers are checked over t and then never read, anywhere, by anything. I the project history. WHY AN UNREAD SETTIN place that constructs this component passes th reading that line — including three separate re concludes that start-up network checking is sw checking happened regardless, on every start, The setting did not merely fail to help, it active is the reason the underlying problem was desc UNDERLYING PROBLEM IS BEING FIXED SEPA control that hid it. WHAT MUST NOT HAPPEN: without establishing what it was intended to d — it may represent an intention that was neve abandoned. ACCEPTANCE CRITERIA: the proje setting was meant to control; it is then either c removed in its own separate change with the e anywhere in that constructor claims to control
HXC-302	Bug	Queued	Medium	A repair stopped the server from making paid a guard meant to catch anyone reintroducing t empty environment with no credentials presen credentialed providers at all — so the four plac guard only ever observes one of them. WHY T three include the primary path, the loop that h environment credential, which is where the or most likely to put it back. PROVEN, NOT SUSPE left the rest alone; the entire guard suite staye correctly caught, which is what makes the gap WHO IS AFFECTED: anyone who edits this area KNOWN AND SMALL: the test can register a sy address points at a local stand-in server with i only path must then record zero arrivals at tha ACCEPTANCE CRITERIA: each of the four sites, primary path is exercised through a local stan outside call is made to prove any of it.
HXC-303	Bug	Queued	Medium	Providers are ranked by a score out of ten, and comes from the capabilities a provider reports

ATM ID	Type	Status	Severity	Description
				during start-up. A recent repair stopped that c paid calls to outside services on every start — collect them itself. THE CONSEQUENCE: unless first, that portion of every score is now zero, a it. WHAT IT IS NOT: this is not fabricated data. actually applied, and every provider is affecte consistent and the base score dominates. WHA can shift the relative ordering of providers by to change which provider is chosen for a mult happened. WHO IS AFFECTED: any automatic without a refresh first. ACCEPTANCE CRITERIA capabilities from the provider it has just conta refresh is documented where a reader will me whether or not a refresh preceded it, or prove
HXC-304	Bug	Queued	Low	A repair that stopped paid outside calls at star overstate it. THE FIRST: the code says the start activity of any kind. It performs none to any ou which is the property that matters and the one branch still makes a request to a service on th command, both of which pre-date the repair a statement is no third-party and no credentiale description says roughly forty of forty-five pro blends two different populations. Counted pro constructible from an environment credential separately, forty of about fifty provider packag BOTH ARE WORTH CORRECTING RATHER TH first claim finds a local request and may concl recounts the second finds neither number. A c wrong teaches readers to distrust the precise c statements say what the code does; the local-o is not surprised by them; and the counts state
HXC-305	Bug	Queued	High	Test collections exist in two forms: an older pr run, and a newer structured form that actuall whole directory of collections, it silently disca whose prose namesake is also present. No mes from the outside the directory appears fully lo LARGER PROBLEM: because those runnable c hundred and twenty-five of their individual c would report success against any reply whats repaired. Nor did anyone notice that eight of t makes the loader refuse the file outright. Both files were never executed. THE REPAIR TO TH

ATM ID	Type	Status	Severity	Description
				FIXED. Adding a proper expectation to a check what the system actually verifies, so this defec anything at all. There is one path that does rea the command line bypasses the directory scan not. WHO IS AFFECTED: anyone who runs the reported total reflects what was checked. ACC either loads the runnable form in preference t files it declined and why; the count it reports r test proves a collection with both forms preser dropped. REVIEW SHARPENING (2026-08-12): precise state. As STRUCTURAL checks the affec test cycle — a companion repair drives every executor, so their content can no longer rot un service they remain available only when some committed pipeline does so: the release testing entirely. So the outstanding decision is narrow collections into a pipeline that consumes their framework fixtures rather than release gates.
HXC-306	Bug	Queued	Medium	A repair gave every previously-unasserted che and nineteen of them that expectation was the fails when the answer is wrong and passes wh could not be proven, and the reason is a separa address contains a placeholder standing in for fill in, so the run reports them as skipped befo HONEST RATHER THAN HIDDEN — the repair does not claim they were verified — but it leav expectations in a state where nobody has ever HAS WATCHED FAIL IS NOT YET EVIDENCE, w to serve, so this remainder deserves closing ra IT: the ability to capture an identifier from an address, which is already tracked as a known these thirty-three begin being exercised with r AFFECTED: anyone reading the coverage figur live. ACCEPTANCE CRITERIA: the runner can c address; the thirty-three are then proven to fa pass against a right one, exactly as the other h category count returns to zero or is restated w SHARPENING (2026-08-12): twenty-four of the from convention rather than from a direct pre literal precedent disagreed and convention wa unexercised set. So the checks whose expected

ATM ID	Type	Status	Severity	Description
				exactly the ones nobody has yet watched fail. N growing either; asserting its size would stop it
HXC-307	Bug	Queued	Low	A guard runs a fast text-based pre-check befor refuses to proceed whenever the body it scans equals sign, or one of a handful of other constr TRIP IT: a message string that happens to cont parameters, a here-document body, a pattern i program written in another small language, a that creates nothing lasting, a comparison agai reading input appearing anywhere in any strin direction — a refusal, never a wrongly-cheerfu today contains none of the nine, so the shipped for whoever next edits that subject, not a live f the guard now has a runtime check that catche to catch, and catches it correctly, so the pre-ch early warning whose cost is now the only thing RECOMMENDED SHAPE OF THE FIX, from the harness actually supplied each expected value original problem before anything runs and na that refuses on unrecognised constructs carrie remaining benefit, and narrowing or removing CRITERIA: none of the nine harmless shapes ca a genuinely missing value before the run; and previously refused.
HXC-308	Task	Queued	Medium	The rule that decides which address a request the same component: once on the path that is l connected. The second copy was made delibera the first copy cannot be called from where the components dependency direction upside dow THE LINK BETWEEN THEM: no test loads both against each, and nothing compares their answ other, everything stays green. WHY THAT IS M the SAME setting to decide which intermediari that one setting and reasonably expects both p second path is connected, any difference betw inconsistency that the setting itself gives no hi EITHER COPY: the shared rule can live in a low downward, which removes the duplication wi available when the second copy was made onl frozen at the time. ACCEPTANCE CRITERIA: eit use, or a test loads both copies and checks the difference cannot pass unnoticed; and the wri

ATM ID	Type	Status	Severity	Description
				presents the duplication as unavoidable when change.
HXC-309	Bug	Queued	High	Before every commit, a check searches staged by deliberate break-it-and-see experiments. It search command through a pipe. WHY IT SILE the search command stops as soon as it finds a feeding it is then killed by that closure; and be one result, a killed feeder is reported as failure FOUND. On small files the feeder finishes writi problem never appears. MEASURED: files of fo files of sixteen, thirty-two and sixty-four kiloby POINTED EXAMPLE: the check's own source fi staged with leftover damage in it, it would pas RATHER THAN THEORETICAL: this is the check experiment damage before it reaches a commi exactly the substantial source files most likely IT IS PRE-EXISTING, not introduced by any rec neighbouring checks — one in the direction of allowing. HOW IT WAS FOUND: a review of a r directly rather than reading the code. ACCEPT inspected correctly; a test proves a file well ab refused; and the neighbouring checks with the share it. CONTESTED — DO NOT ACT ON THIS 2026-08-12). Two independent parties reprodu threshold; a third could not reproduce it at all. ships — feeding the content with an explicit fo every size from four kilobytes to one megabyt instrument validated by correctly reporting no phrases. The two that did reproduce it ran a st NOT YET CONFIRMED: the two shapes differ m format specifier treats that content as a forma is both a separate defect and changes the timi reproductions used that second shape and the as filed describes a defect the shipped code do difference itself. RESOLUTION REQUIRED BEF reproduction conditions — the precise invocat which of the two shapes each party used. Ther genuinely reproduces, or close it as not-a-defe on two measurements was reasonable; leaving would not be. CONTEST RESOLVED (2026-08-1 CORRECT, AND THE ITEM STANDS WITH A RE isolated, each verified directly. FIRST: the failu

ATM ID	Type	Status	Severity	Description
				writing command, not the external program o otherwise identical pipeline gave the killed-wr clean result every time with the external one. the finding rather than retracting it. SECOND, disagreement: the size at which it begins depe hold before a writer blocks. This host holds eig assumed, which is well below the sixty-four ki The failure needs the writer to block on a full match and exited, so on a host with a larger pi of content — plausibly more than the one meg reached, which explains a clean result there w THRESHOLD IS NOW PINNED EXACTLY on thi thousand two hundred and eighty-eight bytes hundred and above never does. Deterministic, validated as required — content genuinely fre at every size from four kilobytes to one megab KILOBYTES; that was directionally right and q universal figure when it is host-dependent. RE any size is inspected correctly regardless of ho depend on the writer being either the built-in above the threshold with a planted phrase is r against; and the two neighbouring checks sha share it. WORTH RECORDING FOR THE NEXT reproduce it initially also could not because a reader command, and that shadow does NOT same environment-mismatch class this check encountered twice in one night from opposite PENDING REVIEW (2026-08-13). A repair roun the mechanism precisely: the searching comm the feeding command is killed by that closure; pipeline as one result, the killed feeder is read reads the SEARCHER own status rather than th that CANNOT ANSWER now refuses the comm end through a real commit: a thirty-kilobyte fi ALLOWED before the change and REFUSED af IS NOT SETTLED — three measurements now the failure belongs to the shell built-in form of states an external command reproduces it ide AT ALL: four different writers, forty kilobytes, run reported a correct match. That third probe have matched the shipped code path at all, so i mean the cause attribution rests on measurem against the SHIPPED invocation. WHATEVER S

ATM ID	Type	Status	Severity	Description
				SHIPPED CHECK ITSELF, citing its line number to-end refusal evidence stands independently VERIFIED (2026-08-13): a scan of every commit — ninety-five commits — found ZERO added li phrase. So although this check was failing ope have reached a commit. That scan can only se works by DELETING code leaves no phrase to f neighbouring item exists to close. SETTLED (20 AND TWO EARLIER CONCLUSIONS RECORDED paragraph in preference to everything above i earlier "pinned exactly" figures were an artefa size: at twelve thousand nine hundred and sev time; at twenty thousand and eighteen it fails and eighteen it fails open SIXTEEN times out o transition band. It also depends on WHERE th fixed thirty-kilobyte file, a phrase early in the the file does not. The governing quantity is ho matching line compared with how much the p its own apparent threshold, which is why thre IS NOT SPECIFIC TO THE SHELL BUILT-IN WR disproved: the same failure was reproduced w in, all showing the identical killed-writer sign conclusion was measuring the race, not the w REPRODUCE IT WAS WRONG, AND THE REAS single enormous line with no line breaks. The cannot stop early on one unbroken line — it m condition under which the fault cannot occur. detecting the thing it was testing for, and its cl re-testing this MUST use content containing li phrase positions, because a single lucky probe WHAT REMAINS TRUE: the repair is correct a commits, with a fresh repository for each vers carrying the phrase was allowed before and re encoding and very large single-line files conti refused.
HXC-310	Bug	Queued	High	A component exists whose job is to limit how complete, it is tested, and a genuine bypass in connected to the running service. THREE INDE single place that assembles the live request pa handling, compression, a concurrency cap, a b and not this. The second way the service can b lives in. No connection to it exists anywhere o

ATM ID	Type	Status	Severity	Description
				THE REPAIR THAT WAS JUST MADE: the bypas concern a component no request currently pas today and the original defect endangered noth should be weighed. A SECOND LAYER MAKES I setting that decides which intermediaries may framework default of believing everyone appli claim a different origin and evade the limit an configuring that setting would deliver a limit t anyone assuming request-rate limiting is in for component is either connected to the live requ intermediary setting, or it is recorded plainly a rate limiting is deliberately not in force; and w state rather than the intended one.
HXC-311	Task	Queued	Medium	A suite of adversarial tests exists which, until t imitation of the real component rather than th the suite is now genuinely capable of failing. W INVOKED: the only thing requiring it to run be document, which a person marks by hand. No never run, and nothing refuses if it ran and fai THAN YESTERDAY: while the suite could not fa because running it proved nothing either way. fail and must-run is the whole of its value — a protects exactly as little as one that cannot fail for a check that BLOCKS a release rather than WORTH DECIDING: the same suite is deliberat because it is slower and drives real requests — so the fix is to require it at the release boundar AFFECTED: anyone reading a completed check passed. ACCEPTANCE CRITERIA: the release pa not run or has failed; the tick-box either reflec nobody is asked to vouch by hand for somethi refusal by making the suite fail deliberately.
HXC-312	Bug	Queued	Low	The check that inspects every test collection no level. That is the correct behaviour and it was one narrow weakness: if any file with a collect that folder cannot be read as a collection, the i that one problem. The other roughly one hund examined and nothing says so. WHY IT IS ONL nobody is told everything is fine when it is not sub-folder the inspection currently reaches ho filtered out before reading. A file of the right e an ordinary thing for someone to drop into a f

ATM ID	Type	Status	Severity	Description
				FIXING RATHER THAN ACCEPTING: the value c and a single unreadable stray silently reduces reach first while still appearing to have run. Th one more problem to report and carry on, rath CRITERIA: an unreadable file is reported as its through every remaining file; the report name problems found; and a test proves it by placing genuine problem and confirming both are rep
HXC-313	Bug	Queued	High	The rule that works out which address a reque origin header by asking for it once. The standa FIRST line of that header when a caller sends i header twice: their own forged value first, and the first and never sees the second. MEASURED first resolved to the forged address. WHY IT DI careful right-to-left walk over the chain, skippi — and it is applied to the wrong line. All the ca chain the attacker got to choose. THE CORRECT header and join them, which is what the stand defined to mean the same thing as one header IT APPLIES: this shape was identical in all thre three have just been consolidated into a single than three — which is the clearest argument y IS AFFECTED: anything keying on caller identi security audit record, wherever the shared rul CRITERIA: every line of the header is considere sends the header twice with a forged value firs and the same test proves a single-line header i
HXC-314	Bug	Queued	Low	The enterprise service defines a handler whos make requests. Its body discards the caller ide through untouched, with comments saying a r it passes through for demonstration purposes. handler names are registered and a fourth is c one is written into the registry and never read nothing if reached, and it is not reached. WHY placeholder text of this kind in code that is not rules, and a handler named for a protection th leads a reader to believe a protection exists. Th unreachable from any shipped program, which but if that service is ever connected, this handl AFFECTED: anyone auditing what protections CRITERIA: the handler either does what its nar

ATM ID	Type	Status	Severity	Description
				it is removed with the reasoning recorded per placeholder or demonstration text remains in
HXC-315	Bug	Queued	High	When the runner loads cases from a folder, it w one at a time with no handling for the two-forr collection. Both forms of a twin therefore load keyed by case identifier, so whichever loads las the runnable form first and the descriptive for wins and the runnable one is discarded. WHY case decides two things. It decides which steps decides whether a case contains a step that ma condition that is supposed to PREVENT a resul skipped to passed. When the descriptive form assertion is seen as containing only prose, so n result is promoted to a pass it never earned. Tl PROJECT HAS SPENT THIS ENTIRE CYCLE CLO not a check that cannot fail, but a check whose CONCRETE EXAMPLE WAS MEASURED: a spec form carries a request step is loaded as descrip SEPARATE from the folder-loading defect bein that loader at all, so repairing it does not help prefers the runnable form of a twin, or refuses asserting step blocks the upgrade; and a test pr change which form wins.
HXC-316	Bug	Queued	Medium	The script that runs this product test collectior that ends in a hyphen. Two collections declare this product, but their filenames use an unders position, so the selection never matches them ITSELF IS CORRECT AND DELIBERATE: it exists consumers, which rely on their own services, The defect is that two of OUR OWN collections naming inconsistency nobody noticed. WHY IT GENERAL: one of the two was among the colle every check a real expectation. That repair wa longer pass regardless of the answer — and th does not reach it. HOW IT WAS FOUND: a revie belonging to another product were correctly e while confirming it noticed these two are inco ACCEPTANCE CRITERIA: both collections are n selection matches both spellings; a run proves prevents a future collection declaring this proc
HXC-317	Bug	Queued	Low	The main run path does not use the folder load collections through a loader belonging to a dif

ATM ID	Type	Status	Severity	Description
				file it finds and lets the last one written win, w contains pairs of files describing the same case MILDER HERE than in the sibling defect, becau carry executable steps at all — so what is lost i ability to run something. WHY IT IS STILL WO folder loader does not reach this path either, so the main run actually sees will be wrong if the loading paths with two different sets of blind s is a fact about this system that deserves to be w ACCEPTANCE CRITERIA: the main run path eit twin files with the same rule; the choice is reco proves which form of a twin the main run actu
HXC-318	Bug	Queued	High	The only web server the shipped program star them in nothing. The component that serves th protective handlers — one limiting how often who did what, one setting protective response one cleaning outgoing content. NONE of the fiv reference anywhere in the codebase at all, not in a neighbouring package has no caller whats limiter cannot be reached even in principle. W tests for these handlers construct each one dir one of them passes. A reader looking at the tes reader looking at the request path finds none o about the mechanisms — it is silent about whe anywhere reports that gap. HOW THE PATTER during one cycle, each judged serious on its sh that never runs — an entire enterprise service a request limiter attached to no route, a record behind it, a limiter that is a placeholder, and n lower severity as the evidence arrived. The six errors but one architectural fact. WHY IT MAT statement about this system is not that its vuln were never reachable, AND that the protection force are not applied to any request. Both halv because the second half is what an operator w CRITERIA: every defined protective handler is recorded plainly as deliberately not applied, w it; a test asserts which protections a real reque one without applying it can no longer pass unr resulting position rather than leaving it to be i
HXC-319	Bug	Queued	High	One helper composes the address for every ser it does so by joining the host and the port with

ATM ID	Type	Status	Severity	Description
				items has been repairing elsewhere, but this in the nine just fixed. WHY IT IS MORE CONSEQU twice, by the service-discovery path and by the across roughly eighteen configured services, ea configuration file with an environment-variab modern numeric form at any of them. Several with the documentation stating plainly that sta single operator setting the modern form on a r starting, with an error that points at the servic for it. AND THE HALVES OF ONE PATH NOW D settings from this very configuration package, helper, which serves the same package, was no compose addresses by different rules — which was trying to eliminate. HOW IT WAS FOUND: the work itself had not, and ranked this above CRITERIA: this helper composes addresses thro sites use; a test proves a required service confi reachable rather than fatal at start-up; and a c package composing addresses differently from
HXC-320	Bug	Queued	High	The set-up path for the message broker builds account name and password, and when that p error it returns. Any handler that records or fo password with it. THIS IS THE SAME CLASS AS ALREADY TRACKED as our most serious open not a secret committed into a file, but a secret something goes wrong — which is precisely wh captured, forwarded and kept. WHAT LIMITS before the address is used to connect, so it is n That makes it lower urgency than a secret alre address-composition defect it was found along rather than a failure to connect. HOW IT WAS composition sites noticed this one carries a cre treating it as one more instance of the address access to logs or error reports from a failed bro error, log line, or returned message contains th inside a larger address; a test proves a delibera containing neither the password nor anything surrounding paths are checked for the same sh corrected.
HXC-321	Bug	Queued	High	WHAT THIS IS: when someone signs in to the m machine the sign-in came from and stores that from the web framework it is built on. That fra

ATM ID	Type	Status	Severity	Description
				intermediaries are allowed to tell it “this reque out of the box the framework trusts EVERY ser never changes that setting, so the address it wr it is. HOW IT MANIFESTS: a person signing in c naming any origin address they like, and the sy shows that invented address rather than the re account or permission is needed first — anyon The recorded value is checked for being a well arbitrary text getting stored; the danger is nar completely legitimate while being entirely cho history is what anyone reviewing a security in access come from”. If that record can be set by merely go missing — it actively misleads, and c address. Any future feature that reasons abou new locations, restricting access by region, thr forged input. HOW TO REPRODUCE: start the s carrying a header that states a different origin record. The stored address matches the invent AFFECTED: anyone relying on sign-in records - future origin-based protection built on top of t framework is told explicitly which intermedia none, using the real sender directly). A test pro claim from an untrusted sender records the R setting is removed again. RELATED BUT DISTI fixed in a different component under HXC-292 component in that component own security no path, which is why this is filed separately rath HXC-318 concern protections not being connec that IS connected but is fed an attacker-chosen
HXC-322	Bug	Queued	Medium	WHAT THIS IS: a group of tests in the quality-a no direct checks. Each carries a written note e of them give the same reason: that a special de catch the specific class of problem they exist to the detector is switched on. The command the tests does not switch it on. Switching it on live be asked for by name. HOW IT MANIFESTS: ru tests finish in about eight thousandths of a sec anything. Run the separate command and the the detector really is working. Both report suc find. The difference is invisible in the result ar MATTERS: these four tests exist specifically to several things happen at once — the kind that

ATM ID	Type	Status	Severity	Description
				to diagnose after the fact. Someone who introd command will be told everything passes. The p people actually use, which is worse than havin result is mistaken for coverage. A SECOND, RE than filed separately: about twenty-three furth justifying themselves on the grounds that the c own standards say plainly that nothing failing Unlike the four above, these have no detector t to enable. They may still have modest value as counted as coverage, and whether they stay as defect to repair. FOR COMPARISON: the two sib in their ordinary test command. The quality-as is optional, which is most likely an oversight ra run the ordinary test command against the aff run the detector-enabled command and note i written justification on each of the four tests n AFFECTED: anyone relying on the ordinary tes work, and anyone reading a passing result as e ACCEPTANCE CRITERIA: either the ordinary te packages, or the four tests state plainly that th command and something mechanically preve otherwise. A check proves the four are actuall project treats as its standard, and that check fa
HXC-323	Bug	Queued	Low	WHAT THIS IS: an operator can list which ups request really came from somewhere else". If a system cannot understand, it logs a warning s match. There is one address form — the kind u link, which carries a trailing interface name — Such an entry is correctly ignored, which is th emit the warning sits AFTER an earlier check t address form, so for this one case the warning THE WORST ONE TO BE SILENT ABOUT: a dire in which an operator would write an entry of t always fails is also the single form that produc "the upstream machine I explicitly listed is bei configured anything" — which is precisely the HOW IT MANIFESTS: configure an allowed-up a request from that machine carrying a claime is ignored (correct) and that no warning of an ONLY LOW SEVERITY: the behaviour is safe. It trusting, so nothing is exposed. What is lost is t established that this ordering is INHERITED —

ATM ID	Type	Status	Severity	Description
				consolidation had exactly the same sequence – introduced, and it was deliberately left out of t THE FIX IS SMALL: the warning depends only machine is calling, so it can be emitted before cost is one inexpensive read per decision, and suppression still prevents log spam. WHO IS A directly-attached local-network proxy, who wo silent non-match. ACCEPTANCE CRITERIA: the this form, proven by a test that captures the lo still refused trust, so improving the diagnostic
HXC-324	Bug	Ready for testing	Medium	WHAT THIS IS: before every commit, a check c exemption reserved for captured-evidence file control system for the file record, then reads th that the question it asks is interpreted as a PAT contains characters that happen to be pattern — the question can match SEVERAL files, and t first line then describes a DIFFERENT file than PROVEN: a file literally named with a question an unrelated decoy that sorts ahead of it. The c wrong permission for the file it was actually as confirmed directly: one such query returned tv IT MATTERS: this is one of the checks that stop commit. The exemption exists so genuinely cap decision can be made on a neighbouring file, a through on the strength of a different file entir direction, which is the worse of the two. REAC SHOULD NOT BE ASSUMED: this needs a filena evidence directory. Nothing in the project is kn require deliberate action rather than arising b reflects that it is a permissive failure in a prote be triggered in normal use. Several items this s defect and later found to sit in paths that neve stated rather than discovered later. RELATED I replaced a check that looked at the working co is a different mistake in the same file — asking wrong file — and it survived that repair. HOW contains a question mark inside the evidence c that sorts before it, and observe that the permi its real permission. ACCEPTANCE CRITERIA: th rather than by pattern, so it can never describe character filename beside a decoy and proves if the lookup reverts to the pattern form. CONF

ATM ID	Type	Status	Severity	Description
				(2026-08-13), AND IT IS WORSE THAN FILED IN UNKNOWN HAZARD, IT IS A DOCUMENTED O lines further down, the SAME FILE explains w an exact-object lookup instead of the pattern f characters could otherwise fail to match and r here does precisely what that comment warns edge case to a known hazard left unguarded in SECOND — THERE IS A SECOND SYMPTOM, IN report covered the permissive failure: a file th on a neighbour record. The reverse also happe ordinary kind that should qualify, can be DEN because the neighbour whose record is read is opposite polarity: one lets the wrong thing thr second is a usability failure on exactly the cap require us to commit. THIRD — THE TRIGGER DESCRIBED. The neighbouring file does not ne needs to already exist in version control. An o added file with a pattern character in its name IT IS ALREADY PROVEN. Marking the lookup a the permissive failure, and the legitimate exen the neighbouring test suite still fully passing. S ESTIMATED: there are currently ZERO tracked names contain pattern characters, against rou evidence files. So this cannot be triggered toda still matters is that the check fails in the permi moment such a name appears, and the eviden generated names accumulate. Reachability tod Filing it rather than fixing it inside an unrelat
HXC-325	Bug	Queued	Medium	WHAT THIS IS: some test banks exist as two fil of two formats. When both describe the same keep. It picks by counting how many steps in e — a content-protection check — the two versio break keeps the default version. The trouble is version that was DISCARDED contained an act the version that was KEPT contains a step of a which is reported as pending rather than run. used to genuinely exercise the device now run told. The test still appears in the catalogue and ESCAPES EVERY EXISTING SAFEGUARD: one sa worse than the one discarded — it compares t one, and is satisfied. Another safeguard check is exactly what happened, correctly. Both are w

ATM ID	Type	Status	Severity	Description
				counting treats a step the runner skips as if it w genuinely different things are counted as equa and twelve cases decided this way, two hundre kept version is genuinely the better one and th text. This is the single case where the trade goe vague note about the counting into a real asser than at some later point. WHY THE FIX WAS D BATCH: the correct repair is to rank genuinely- of counting them together. That repair is right, treated as the default for the largest bank in th bank recorded name, version, and the order it change and deserves its own review with a bef catalogue, rather than being appended to an u MEANWHILE: this specific case is now pinned that falls into the same trap fails immediately a acceptance test for the repair — when the repa and its removal must leave everything passing content-protection test as evidence that the fea ACCEPTANCE CRITERIA: runnable steps outran two versions of the same test; the content-prot real device command; a before-and-after comp case changed unintentionally; and the by-nam passing.
HXC-326	Bug	Queued	High	WHAT THIS IS: one of the security-repair comm problems it has found. Before doing so it anno folder. That folder IS created — and nothing is run. The tool then overwrites each affected sou ESTABLISHED: the backup folder name is refer — once where the name is composed, once wh the message announcing success. There is no f it. Meanwhile the repair step writes modified c halves were read directly rather than inferred ORDINARY BUG: the danger is not that the bac TOLD it exists. Someone running a repair tool announced backup as their way out if the repa repair is incorrect, or is applied to the wrong f standards require a recoverable copy before a the shape that rule exists to prevent — with th actively discourages taking an independent co THE SAME PLACE: if creating that folder fails, to modify files anyway. Nothing stops the destr could not be set up. That is moot while the fold

ATM ID	Type	Status	Severity	Description
				left in place once the backup is made real. A Tl from the current time to the nearest second, so share it. That is a genuine flaw but the least of the folder actually holds anything. REACHABIL buildable command in the application tree and named in the project manual. It compiles clear often anyone runs it, or whether the repair ste severity here reflects that the destructive path not a demonstration that it has already caused command against a tree containing at least one backup folder is created and remains empty, a place. ACCEPTANCE CRITERIA: every file the to backup folder before it is touched; failure to cr rather than warning and continuing; the folde and a test proves that after a run the backup fo modified file, failing if the copy step is remove
HXC-327	Bug	Queued	Low	WHAT THIS IS: addresses for the newer numb name, separated by a percent sign. Because the sequence in web addresses, it has to be escape the escape for a percent sign itself begins with ambiguity: when the system sees an interface r digits, it cannot tell whether the operator wrot an already-escaped percent sign followed by a latter, which silently rewrites the name — an i two-five-one becomes one, and so on. The addr DIFFERENT interface than the operator config FIX: the ambiguity is inherent, not an oversigh treating those digits as part of the name — was being stable when fed through the system twic limit. So there is no version of “escape it corre change to what the function PROMISES about i change rather than a repair. A THIRD OPTION REJECTED: refuse such input outright, which is other ambiguous or malformed host it is given be narrowed to the ambiguous case — it would escaped form that operators use routinely. Reje one is the wrong trade, but the reasoning shou IMPORTANT CONSTRAINT ON ANY FIX: a sibli and currently produces byte-identical output f other would leave two parts of the system quie configured address means — which is the exac exists to eliminate. Any repair must land in bo

ATM ID	Type	Status	Severity	Description
				rewriting behaviour AND the agreement betw one alone fails loudly rather than silently dive this needs an interface name that literally begi index of two hundred and fifty or above, or a r twenty-five-gigabit link. Neither is common, bu interfaces are named that way in practice. Low SEPARATELY RATHER THAN FIXED IN PLACE: correct repair spans two components, and leav hundred-line source comment meant it was di own standards treat work that stays un-wired which is why it now carries an identifier. ACCE on which reading the contract guarantees; bot together; the test pinning current behaviour is proves the two components still agree byte for
HXC-328	Bug	Queued	Low	WHAT THIS IS: when two files describe the sar the other aside, and reports which individual c list of left-out cases to the file that was SET ASI from the file that was KEPT. So the message na the other. HOW IT WAS PROVEN: one particula all of one format, and in no file of the other for directly. Yet the system reports that identifier a format, which do not contain it anywhere. WH naming individual cases in these messages is s component own documentation states plainly were excluded FROM THAT FILE. Anyone follo contain the case they were sent to find, and ha misnamed, or the message is wrong. A diagnos than one that says nothing, because it costs the misleading. WHAT IS NOT AFFECTED: the cata verifies no case is lost combines the lists from attribution cancels out there and no case actua not a data-loss fault, which is why it is filed at shipped behaviour. WHY NO TEST CAUGHT IT: set-aside entries for the identifier it expects, ra should belong to. Under that check, an identifi found. This is the same shape as several other something is present somewhere, when the th CRITERIA: the list of excluded cases is attached from; a test asserts the identifier appears on th sibling entry; and the existing test is tightened satisfies it.
HXC-329	Bug		High	

ATM ID	Type	Status	Severity	Description
		In progress		WHAT THIS IS: before every commit, a check r and inspects each one for tell-tale phrases left experiments. The command that produces tha filename contains anything outside plain ASCI backslash, a tab — it does not print the name a with the unusual characters replaced by escap decorated string to the next command as thou exists, that command fails, and the check treat moves on to the next file. The file is never insp files were prepared with byte-identical conten only in their names. The plain-ASCII one was c accented letter was ALLOWED, the check print phrase is present in the resulting commit. WH FAMILY: it fails in the PERMISSIVE direction — accomplice file, no unusual repository state, an character in a filename is the entire requireme completely ordinary. A closely related fault fou named neighbouring file to exist and currently the repository; this one can be triggered by an own language. IT ALSO CONTRADICTS A CLAI comment written during an earlier repair exp precisely BECAUSE it reads the staged content match and re-open a permissive hole". That se the reasoning to follow. It is wrong: the looku is fooled by the decorated name, and the resul impossible. THE REACH IS WIDER THAN THE consumed by a second check that verifies expe and by two earlier classification steps. All of th of them silently mis-handle such files. That sec work item exists to build. HOW TO REPRODUC accented character and whose contents carry a succeeds with no output from the check, and t Repeat with a plain-ASCII name and observe t CRITERIA: the file list is read in a form that ca readable, separator-delimited form — at every test stages an accented filename carrying a pla plain-ASCII controls proving nothing was over form returns; and the false comment is correc
HXC-330	Bug	In progress	High	WHAT THIS IS: before every commit a separat committed and refuses the commit if it finds s password. It builds its own list of those files us containing an accent, a quotation mark, a bac

ATM ID	Type	Status	Severity	Description
				marks and replacing the unusual characters w by that decorated name. No such file exists, the failure as “skip this one” and moves on. The fil INFERRED: two files were prepared with the sa only in their names. The plain-ASCII one was c The one with a single accented letter was ALLC is present in the resulting commit. WHY THIS I almost identical fault was found the same nigh damage, and repaired. This is the same mecha is worse — a leaked credential is a release bloc mortem under our own standards, whereas le problem. The repair of the sibling explicitly cla list; this consumer was overlooked, and the cla list is used. WHY IT WAS NOT CAUGHT: the sca building logic rather than sharing the one that accented-filename problem exercise the two cl scanner, so nothing failed when the scanner w SAME PLACE: when the scanner cannot read a report” and continues. A scanner that cannot r examine it, and those are different outcomes. T so. HOW TO REPRODUCE: place a synthetic acc accented character, stage it, and commit. The c appears. Repeat with a plain-ASCII name and t anyone who names a file naturally in a langua — no unusual setup or deliberate action is req builds its file list in the machine-readable, sepa names; an unreadable file blocks the commit w silently; a test places a key in an accented-nam a plain-ASCII control proving nothing was ove decorated form returns.
HXC-331	Bug	Queued	High	A full tracked-tree scan by the project’s own cr across four documentation HTML exports and pre-fix scanner, so this is pre-existing and was It matters because docs/audit/bypass_events.m their evidence that the tree is secret-clean; tha actually runs today. WHAT IT IS: either the tra strings that were never triaged, or the scanner does not cover. Nobody has determined which item. WHY IT MATTERS: if any finding is a rea requiring operator rotation and a post-morten positives, the bypass audit trail still rests on ar produce, so the audit evidence needs correctin

ATM ID	Type	Status	Severity	Description
				cited as proof, but which does not actually exit TRIAGE: run the scanner in tree mode and list finding WITHOUT printing the matched value credential into a log or a ticket). Classify each a documentation example or pattern definition synthetic planted fixture (allowlist by path). Al minutes for the scan: tree mode spawns 16 gre WHO BENEFITS: the operator, who currently h the tooling does not corroborate. EXPECTED O allowlist extended with a recorded reason for to operator rotation; and the bypass_events.m genuinely exits as described. INSTRUMENT NO separately matched only the scanner itself and contain the patterns as pattern definitions. Tha hypothesis but does not establish it, and is not CORRECTION (round 19, measured): the frami case in two ways, and both are now proven. (1 scope claim. Row 1 cites “both FILES verified s named files, which passes raw argv and was n (2) The repo contains ZERO non-ASCII tracked tree-mode fail-open could not have manifested trail and the scanner is caused entirely by the defect. The item still stands: a full tracked-tree files (four documentation HTML exports plus s the pre-fix scanner produces an identical seve directly, not inferred), and all five files predate 2026-05-16). So row 2 is contradicted by the sca tree scan takes 645 seconds (10.75 minutes) on PATTERNS holds 13 entries, not 16; tracked file (2026-08-13, triage complete): ZERO real crede findings resolved with affirmative evidence, n documentation examples (PEM BEGIN-headers table, with zero base64 body lines anywhere i header plus a literal ellipsis), and five syntheti planted secret that must be detected, at 43 cha two rendered Go tests asserting a redaction fil allowlist already documents as intentional fak planted key body is an English sentence descr on the pattern shape, never on a value, shows and never changed afterwards, so none was ev ROOT CAUSE: the allowlist lists every markdow and no entry for the meta-test script. The docu 2026-06-10; the allowlist entries were authore

ATM ID	Type	Status	Severity	Description
				sources and never extended the same decision Note: the PDF twins are silent for a different re not allowlisted. They are not covered, merely u moment was reconstructed (scanner blob, allo cited push) and re-run: it exits 1, with a clean c was already false when written. The safety hal corroborated by this triage. Row 1 is NOT impl paths, which returns 0 both today and at its ow REMAINING WORK: apply the validated allowl deliberately not a wildcard — a wildcard was n in that directory, while the explicit form still re correct the audit-trail sentence. Both are propo REVIEW CORRECTION (2026-08-13, independen path and label): the determination of ZERO RE on composition and context, both re-verified in recorded above are however wrong and are re is FALSE and was never valid. Re-derived by th enters in eight commits, the PEM literal in six, apiece. One of the overlooked commits is titled ephemeral generation", which is exactly the w asserted had never happened. Independently c established non-realness, because a genuine ke (2) The evidence that a file contains zero long l probe blind to material embedded inline in co finds 28 runs in that file. All 28 are benign — tw are file paths — and none sits near the flagged stated evidence does not. (3) The PDF twins res extraction mangles the dash runs in one docum recover its single match. SCOPE BOUNDARY: "Z about THESE SEVEN FINDINGS, not about the w roughly ninety allowlist entries suppress entir line containing certain words is skipped by con proof. BOTH PROPOSED CHANGES ARE BLOCK restatement names a finding count that only to at the cited revision had no path allowlist at al the allowlist proposal would permanently blin content marker achieves the same result with export entries are sound and stand as propose DISCREPANCY EXPLAINED (independent re-de fix commit, with the scanner verified byte-iden at head): the true number is SEVEN findings ac correct and needs no reconciliation. The recur wrong only as a whole-tree claim. Six findings

ATM ID	Type	Status	Severity	Description
				which were remediated by ALLOWLIST ENTRI and was remediated by an IN-CONTENT MARK mechanisms — and the control used to verify t entries and confirming the findings return, wh no entry to delete. A second contributor stacks rather than the index, so a run made after the only six. CORRECTION TO A DETAIL OF THE CO history must not be rewritten: the sub-classific and five synthetic fixtures does not map to the documentation-context findings (the prior tria whose body is an ellipsis) and FOUR synthetic redaction unit-test fixtures, and the gate meta- and remains correct. The stale note in the scan for is UNCOMMITTED working-tree text, and th same change: the audit document states six in script for seven total, and names its line. Repla decomposition is tracked with the scanner stre
HXC-332	Bug	Queued	Medium	When a documentation source is triaged and a applies only to that one path. Every generated future format — still carries the same strings a notion that one path is a rendering of another. traced to exactly this. The allowlist lists every r globs. The exports were committed 2026-06-10 2026-07-11 and covered only sources. Nobody had no way to travel to the twins. WHY IT MAT files, so the gap reopens every time documenta triaged example to a document introduces a fr — a directory wildcard — was measured to sile directory, which is worse than the problem. HO flat list of paths and globs. It has no relationshi two are independent decisions that must be m WHO BENEFITS: whoever next triages a docum know that the export exists and remember to l scanner derives twin coverage — a path allowl generated forms — so one triage decision cove file in the same directory still fires. This is a sca belongs with the scanner work rather than wit not currently fire, but not because they are cov unreadable to the scanner. A future scanner th whole set again, so binary-skip must not be mi
HXC-333	Bug	Queued	Critical	The kubernetes MCP container was built witho directory for something executable, finds noth

ATM ID	Type	Status	Severity	Description
				policy then starts it again, several times a seco directly by running the image — the directory executables. Each attempt lives about 89 micro 291,505 and was climbing by roughly four per MATTERS: the service has never been availabl degraded since it was first deployed. Separatel continuously on a shared host for as long as th help; only rebuilding the image with its progra relying on that capability, who currently has n except a restart counter nobody reads. ACTION the CPU burn, after confirming it belongs to th its program. The counter froze and held across container was already incapable of serving, so OUTCOME: the image is rebuilt so it contains t answers a real protocol request, and a check e without its payload.
HXC-334	Bug	Queued	High	The health check used across the service fleet if the connection is accepted. It never sends a distinguish a working server from a process th fifteen of twenty-nine services do not answer a HEALTHY while silent — verified with a positiv answered correctly through the identical instr two requires credentials, so credential-gating MATTERS: a green health check over a broken failure this project treats as a critical defect cla healthy fleet. Separately, twenty-six of the fort check at all, so their silence carries no informa nor bad. HOW IT SHOULD WORK: the check sh a well-formed reply, so that a process holding WHO BENEFITS: anyone who trusts the health most common way a service breaks. EXPECTE genuine round-trip; the fifteen silent services broken; and the twenty-six without any check deliberately unchecked.
HXC-335	Bug	Queued	High	The repository-root helper script is documente inspect the platform. Run against a host with f platform is not created and advises starting it. deployment described by a different compose status check looks for a container by an exact documented subcommand does not exist at all Five subcommands exist but are undocumente stack despite looking like read-only inspection

ATM ID	Type	Status	Severity	Description
				instructs an operator to use this script. Followi healthy system, and three of its commands hav script also refers throughout to a container too because a compatibility shim happens to exist requiring the sanctioned runtime. RELATED D a smoke-test address whose port is wrong. The documented one is held by a different user on manual probes a foreign service and reports o any operator or agent following the document confident wrong answer. EXPECTED OUTCOMI that actually exists or is marked retired; the do including side effects; the smoke-test address i match the sanctioned tool.
HXC-336	Bug	Queued	High	Across the service fleet, eighteen entries read a service. Two are outright swapped: one service versa. Another reads a variable named for an INVISIBLE TODAY: no configuration file exists, falls back to its own default. The mismatch has moment anyone creates that file and sets one v service they named. WHY IT CANNOT BE FIXE readers has been noticed before and partially reads the variable belonging to the first, so ren collision between them. The set has to be corre collisions resolved together. WHO BENEFITS: w who currently has no way to discover the mism watching the wrong thing move. EXPECTED OU named after itself; no two services read the sa service references a variable belonging to ano
HXC-337	Bug	Queued	High	Nine of twenty-seven services fail for reasons They cannot be repaired by editing settings; th BY GROUP: two install a dependency compiled environment expecting another — the compile because the name the interpreter looks for an Three have no build output at all: one director source that the runtime refuses to load, needin Two point their entry at a library file that only while the real entry sits beside it unused. One completely different execution environment a supposed to speak. One runs a command-line p own help text and exits successfully. WHY IT W pattern that tries one installer, falls back to an failure so the build always reports success. A b

ATM ID	Type	Status	Severity	Description
				same green build. WHO BENEFITS: everyone r have been unavailable since first deployment OUTCOME: each image is rebuilt so the progra a real protocol request; and the build fails lou discarding the error.
HXC-338	Bug	Queued	High	Across the tracked deployment there are two h referencing two hundred twenty-nine distinct digest. Sixty-six of them float on a moving late vector databases, the metrics stack and a head tags that also move. The package surface is the manifests only six have a lockfile beside them, time for the other twenty-four. Three images in disabled, and two more install in a way that le hundred twenty-two Python requirements, fift are entirely unpinned. WHY IT MATTERS: this lives. A separate analysis established that the l that every one of the critical-severity advisorie unmeasured surface rather than in the compil that passed testing and the artifact that ships c and no record of what actually ran. HOW IT S resolves to a digest, so a rebuild produces the s manifest has a committed lockfile that installa an install failure fails the build instead of bein has to answer what was actually deployed, wh repository alone. EXPECTED OUTCOME: image documented update mechanism; lockfiles exis patterns are removed; and a check fails when manifest is introduced.
HXC-339	Task	Queued	Medium	A single source file is the entire reason the pro container-runtime client library. That file has ways, each with its own positive control, and c closure of every shipped binary while present is no build tag, no feature flag and no configur WHY IT MATTERS TWICE OVER. First, it is the advisories in the dependency graph — unresol a renamed module path, so no version of the c Removing or rewiring the file drops all five. Se its execute path passes a caller-supplied comm and its file-transfer paths take unvalidated hos writable mount. None of that is reachable toda WHAT MUST NOT HAPPEN: it must not simply importers is a lead, not a finding — the project

ATM ID	Type	Status	Severity	Description
				history where it was meant to be used and hov evidence, before any removal. It may be unfin is intended to be wired then the shell-injection first, with tests. EXPECTED OUTCOME: a docun meant to connect and why it never did; then ei citing that history, or the wiring completed wit covered by tests. Either way the dependency re
HXC-340	Bug	Queued	High	The agent service publishes three separate hea — but all three are wired to the exact same pie 'the process is alive' from 'the process is ready a server can be running perfectly well and stil answer a request. This matters because load b where to send live user traffic based on the rea the HTTP status code rather than the message 200 (success) even while the body honestly say taking roughly seven minutes. For that whole v is ready and sends it real user requests, which place: once the server has reported itself ready permanently and never revisited, so if a deper advertising itself as ready forever. Who benefi otherwise hit a failed request during a deployn currently have no reliable signal for when a ro returns a failure status code whenever the ser separate and always succeeds while the proces false when a dependency is lost.
HXC-341	Bug	Queued	High	The main server exposes a health endpoint tha service and everything it depends on are work database and cache when those are configured unreachable. However, when no database is w skips the entire checking block, then reports su language-model providers, even though servin purpose. The written documentation for this e dependencies, which is not true in either respe documentation is what an operator reasons fro signal means anything: a deployment missing perfectly healthy, and so will one whose model benefits: operators and on-call responders wh an incident, and anyone automating deployme the endpoint reports an honest failure when a unreachable rather than treating absence as su verdict, and the documentation is corrected to
HXC-342	Bug	Queued	Medium	

ATM ID	Type	Status	Severity	Description
				The agent service exposes a health endpoint th success response. It performs no check whatso provider, any connection, or any internal state which it could return anything other than succ health check, which means anyone reading the reasonably assumes a green result carries info agent returns exactly the same response as a p that any monitoring, alerting, or automated ga stay green through any outage. This is the leas because a companion endpoint on the same se remains actively misleading while it is labelled building monitoring on this service, and any a Expected outcome: either the endpoint perform or it is explicitly relabelled as a liveness-only s documentation so that nobody mistakes it for a
HXC-343	Bug	Queued	High	The project keeps its list of work items in a dat documents are generated from that database. between the database record and the documen severe and silent: if anyone regenerates the tra the normal supported command, those fifty-six with no warning, no error, and no indication th still hold them, but every human-readable view anyone reading the trackers would reasonably not happened yet only because the regeneratio does detect and report the problem, which is h it: everyone who reads the trackers to underst needs to regenerate the documents without fir outcome: the missing links are restored for all gaps, and a regeneration can be run and verifi item the database holds.
HXC-344	Task	Queued	Medium	During the security-hook work a file was prod an earlier, deliberately-broken version of a scr version detects the old fault. Two sibling files up: each carries a header marking it as an inte a named test. This third file has neither. Nothin such header, so the commit safety check correc point of view it is indistinguishable from leftov experiment. Two outcomes are possible and th baseline whose wiring was never finished, in w and add the header its siblings have; or it is ge retired deliberately. Guessing either way is wr checker would make the checker agree with a

ATM ID	Type	Status	Severity	Description
				without proof risks discarding real work. The r outside the project and removed from the wor while the question is settled. Who benefits: any mean what it says, and whoever next needs th origin is traced through project history, a decis and the file is either restored and properly wir in its own clearly-labelled change.