Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (§11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	212
Bug	Obsolete (→ Fixed.md)	4
Feature	Implemented (→ Fixed.md)	95
Task	Completed (→ Fixed.md)	84
Task	Fixed (→ Fixed.md)	3
TOTAL		**398**

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19 — CONST-046 i18n ar design; Option D (nicksnyder/go-i18n
2	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#1 — pkg/i18n core fo Bundle/Localizer + sentinel errors
3	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#10 — This task added texts shown in the command-line too those brief descriptions can eventual instead of being locked to English.
4	Medium	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#11 — challenges/pkg/ evaluators.go migration

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
5	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#12 — challenges/pkg/ challenge_recorded_ai_testgen.go × 1
6	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#13 — challenges/pkg/ migration
7	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#14 — challenges/pkg/ user-facing migration
8	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#15 — challenges/pkg/ challenge_recorded_mobile.go × 7 ur
9	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#16 — CONST-046 i18n doc
10	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#17 — This task added the project's tracking document into PDF files, using standard document-c for team members and stakeholders needing to open raw text files.
11	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#18 — helix_code/cmd
12	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#19 — This task began (translation) support to the helix_qa component, so any text it shows to us other languages instead of only Engli
13	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#2 — CONST-046 audit scan 57,345 violations across 21,937 f
14	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#20 — CONST-052 ren (HXC-001 plan, ex-ISSUE-005)
15	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#21 — This task starte the LLMOrchestrator component, wh several different AI language models error messages were converted into

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
16	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#22 — This task began line text shown by the LLMsVerifier t model providers) into a translatable multiple languages. Only a small nur tool were converted in this first pass.
17	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#23 — This task starte HelixSpecifier tool so that its user-fac languages other than English.
18	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#24 — This task starte Storage component of the system, wh retrieving data, so its messages can e languages.
19	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#25 — This task starte LLMOps component, which manages language models the system relies or shown in multiple languages.
20	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#26 — This task starte VectorDB component, which is the da specialized AI-related data, so its mes multiple languages.
21	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#27 — This task starte Observability component, the part of health and performance, so its messa multiple languages.
22	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#28 — This task added module, the part of the system that c hardcoded English error and status r translatable format, fully completing left over.
23	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#29 — This task added component, converting five hardcode translatable format so the messaging different languages for users.
24	Medium	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#3 — This task built th individual sub-component of the syst system, including a working example Serbian. This lays the groundwork so remaining user-facing text across the

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
25	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#30 — This task added Middleware component, converting t messages about authentication and r translatable format.
26	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#31 — This task added component, the part of the system th converting five hardcoded messages sandboxing into a translatable forma
27	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#32 — This task added component, which handles live, real- converting five hardcoded connectio format.
28	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#33 — This task added groundwork to the Watcher compone file and event changes. This was a be component's outward labels are inter directly read.
29	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#34 — This task starte conversation component, which mar with users, so its messages can event
30	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#35 — This task added component, the part of the system th converting nine hardcoded status an format and reducing the number of r that area from 73 to 64.
31	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#36 — This task added component's privilege-check feature, warning and description messages in reduction in the untranslated messag
32	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#37 — helix_code/cmd round 24)
33	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#38 — This task starte AutoTemp component so its message languages.
34	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#39 — This task starte Auth (login and authentication) com be shown in multiple languages.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
35	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#4 — This task conver templates used by the SelfImprove co asking the AI model to review and im translatable format.
36	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#40 — helix_code/cmd 4 round 27)
37	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#41 — This task added groundwork, including 36 translation PliniusCommon library, so that any t and can safely support many people
38	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#42 — helix_code/appl migration (Phase 4 round 30)
39	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#43 — helix_code/appl 29)
40	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#44 — helix_code/appl (Phase 4 round 31)
41	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#45 — helix_code/appl (Phase 4 round 32)
42	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#46 — helix_code/appl migration (Phase 4 round 33)
43	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#47 — helix_code/cmd round 34)
44	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#48 — helix_code/cmd round 35)
45	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#49 — helix_code/cmd round 36)
46	Low		Feature	—	FIX-2026-05-19#5 — This task conver messages in the HelixLLM tool into a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			small new capability that other parts same kind of translation work.
47	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#50 — helix_code/cmd migration (Phase 4 round 37)
48	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#51 — helix_code/cmd migration (Phase 4 round 38)
49	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#52 — helix_code/inte 4 round 39)
50	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#53 — helix_code/inte 4 round 40)
51	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#54 — helix_code/inte round 41)
52	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#55 — helix_code/inte 4 round 42)
53	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#56 — helix_code/inte round 43)
54	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#57 — helix_code/inte round 44)
55	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#58 — helix_code/inte round 45)
56	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#59 — helix_code/inte round 47)
57	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#6 — This task conver shown in the command-line interfac into a translatable format, so users o headers.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
58	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#60 — helix_code/inte (Phase 4 round 46)
59	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#61 — helix_code/inte 48)
60	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#62 — helix_code/inte 49)
61	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#63 — helix_code/inte 50)
62	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#64 — helix_code/inte round 51)
63	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#65 — Round 74-87 re round-74 FAILs closed (helix_qa+panoptic+LLMsVerifier+Ol
64	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#66 — This task addec release testing script that lets it skip t local setup, such as a missing tool or genuine problem in the code. This ke blocked by environment issues outsi
65	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#67 — This task check project to confirm their names follov rules and that every reference to the finding and correcting three sub-com drifted out of sync.
66	—	Fixed (→ Fixed.md)	Bug	—	FIX-2026-05-19#68 — challenges go.n `containers`
67	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#69 — LLMOrchestrat opencode/claudecode/qwencode CLI
68	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#7 — DocProcessor CL runCLI(); 6 tests + mutation; Upstrear
69	High		Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			FIX-2026-05-19#70 — 4-vendor GPU t (NVIDIA+AMD+Apple+Intel)
70	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#71 — This task made different AI-model providers the syst cloud AI services, correctly reports d something goes wrong, instead of fai error message.
71	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#8 — This task conver across the Planning component, whic the VisionEngine component, which format. Two additional issues were d for later attention.
72	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#9 — This task built ar codebase for any newly added hardc translation system, and blocks the ch recorded baseline of roughly 55,000 migrated over time.
73	—	Fixed (→ Fixed.md)	Bug	—	HXA-001 — helix_agent handler tests
74	—	Fixed (→ Fixed.md)	Bug	—	HXA-001 — HXA-001 (ex-ISSUE-009):
75	—	Fixed (→ Fixed.md)	Bug	—	HXA-002 — helix_agent debate/llmpr
76	—	Fixed (→ Fixed.md)	Bug	—	HXA-002 — HXA-002 (ex-ISSUE-010): sibling-submodule API drift
77	—	Fixed (→ Fixed.md)	Bug	—	HXA-003 — venice `TestGetCapabiliti`
78	—	Fixed (→ Fixed.md)	Bug	—	HXA-003 — HXA-003 (ex-ISSUE-011): CONST-037 model-list drift
79	—	Completed (→ Fixed.md)	Task	—	HXC-001 — CONST-052 rename progr PascalCase — CLOSED (→ Fixed.md)
80	—	Completed (→ Fixed.md)	Task	—	HXC-001 — HXC-001 (ex-ISSUE-005): rename programme — all owned-org dirs renamed
81	—		Bug	—	HXC-002 — Round-74 residual LOGIC

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			
82	—	Fixed (→ Fixed.md)	Bug	—	HXC-002 — HXC-002 (ex-ISSUE-006) (FAIL cleanup
83	—	Completed (→ Fixed.md)	Task	—	HXC-002#1 — HXC-002 (ex-ISSUE-006 confirms clean
84	—	Fixed (→ Fixed.md)	Bug	—	HXC-002#2 — HXC-002 (ex-ISSUE-006 FAIL cleanup
85	High	Implemented (→ Fixed.md)	Feature	—	HXC-003 — CONST-046 i18n migratio docs/Fixed.md)
86	High	Implemented (→ Fixed.md)	Feature	—	HXC-003 — HXC-003: CONST-046 i18r text hardcoded as static string literal
87	—	Fixed (→ Fixed.md)	Bug	—	HXC-004 — Recovery-batch under-ve round-193 audit)
88	—	Fixed (→ Fixed.md)	Bug	—	HXC-004 — HXC-004: recovery-batch logo + notification test-assertion drif break)
89	—	Fixed (→ Fixed.md)	Bug	—	HXC-005 — `cmd/performance_optimiz` CONST-035 simulation bluff
90	—	Fixed (→ Fixed.md)	Bug	—	HXC-005 — HXC-005: `cmd/performance` a CONST-035 simulation bluff
91	High	Implemented (→ Fixed.md)	Feature	—	HXC-006 — HelixCode Speed Progran Fixed.md)
92	High	Implemented (→ Fixed.md)	Feature	—	HXC-006 — HXC-006: HelixCode Spee competitor AI CLI agents (6-phase / 3
93	—	Completed (→ Fixed.md)	Task	—	HXC-007 — Constitution §11.4.68/70- CLOSED (migrated to docs/Fixed.md)
94	—	Completed (→ Fixed.md)	Task	—	HXC-007 — HXC-007: Constitution §1 bump
95	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-008 — CONST-055 G1 governanc pull validation sweep — CLOSED (mi
96	—	Fixed (→ Fixed.md)	Bug	—	HXC-008 — HXC-008: CONST-055 G1 g constitution-pull validation sweep
97	—	Completed (→ Fixed.md)	Task	—	HXC-009 — Owned-submodule GitHu reconciliation — CLOSED (migrated t
98	—	Completed (→ Fixed.md)	Task	—	HXC-009 — HXC-009: Owned-submod divergence reconciliation
99	—	Completed (→ Fixed.md)	Task	—	HXC-010 — End-to-end Kimi CLI + Qv CLOSED (migrated to docs/Fixed.md)
100	—	Completed (→ Fixed.md)	Task	—	HXC-010 — HXC-010: End-to-end Kim verification (operator-blocked on LLI
101	—	Fixed (→ Fixed.md)	Bug	—	HXC-011 — HXC-011: helix_qa runne "PASSED" rows for desktop-platform case's `action`:
102	—	Fixed (→ Fixed.md)	Bug	—	HXC-012 — HXC-012: data race in `hel` `load_balancer.go` background stat-co
103	—	Implemented (→ Fixed.md)	Feature	—	HXC-013 — Adopt SQLite-backed sing (§11.4.93/95)
104	—	Completed (→ Fixed.md)	Task	—	HXC-014 — Stress + chaos test covera
105	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-014b — Systemic unguarded i18 crash (cross-package)
106	—	Completed (→ Fixed.md)	Task	—	HXC-015 — Cross-platform parity (§1 subagent-driven §11.
107	—	Completed (→ Fixed.md)	Task	—	HXC-016 — §11.4.69–97 governance c (CONST-047/§3) — CLOSED (→ Fixed.
108	—		Task	—	HXC-016 — HXC-016: §11.4.69–97 gov submodules + mechanical propagatic

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			
109	—	Completed (→ Fixed.md)	Task	—	HXC-017 — CodeGraph own-org subr (§11.4.79/80) — CLOSED (→ Fixed.md
110	—	Completed (→ Fixed.md)	Task	—	HXC-017 — HXC-017: CodeGraph ind (blanket `dependencies/**`) + config.js §11.4.80
111	—	Completed (→ Fixed.md)	Task	—	HXC-018 — Obsolete status (§11.4.90) tracker tooling
112	—	Completed (→ Fixed.md)	Task	—	HXC-019 — docs/qa/ end-user eviden
113	—	Fixed (→ Fixed.md)	Bug	—	HXC-021 — HXC-021 + HXC-014a + H `Assert(true,"...skipped")` bluffs (1 report green while exercising nothin
114	—	Fixed (→ Fixed.md)	Bug	—	HXC-022 — test_bank platform + inte existing) — CLOSED (→ Fixed.md)
115	—	Fixed (→ Fixed.md)	Bug	—	HXC-022 — HXC-022: test_bank platf compile — half-written stubs + root p uncompilable test package never run
116	—	Fixed (→ Fixed.md)	Bug	—	HXC-023 — `Assert(true,…)` / `AssertTr` test_bank — CLOSED (→ Fixed.md)
117	—	Fixed (→ Fixed.md)	Bug	—	HXC-023 — HXC-023: literal-true `Asse` bluffs across the e2e test banks (repo
118	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-024 — internal/llm `-tags=integr` reference deleted providers)
119	—	Completed (→ Fixed.md)	Task	—	HXC-025 — Constitution §11.4.98/99/1
120	—	Completed (→ Fixed.md)	Task	—	HXC-026 — workable-items md↔db s
121	—		Task	—	HXC-027 — §11.4.98 live-test full-auto

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			
122	—	Completed (→ Fixed.md)	Task	—	HXC-028 — §11.4.99 latest-source doc (README)
123	—	Completed (→ Fixed.md)	Task	—	HXC-029 — §11.4.98 full-automation integration/e2e/Challenge test (no hu Fixed.md)
124	—	Completed (→ Fixed.md)	Task	—	HXC-029 — HXC-029: §11.4.98 full-au every live/integration/e2e/Challenge the-loop
125	—	Completed (→ Fixed.md)	Task	—	HXC-030 — §11.4.99 forward: latest-s sweep across all operator-facing docs
126	—	Completed (→ Fixed.md)	Task	—	HXC-030 — HXC-030: §11.4.99 latest-s sweep across all operator-facing docs
127	—	Completed (→ Fixed.md)	Task	—	HXC-031 — Deferred long-tail: CONST remain) + Codex/Cline reference-age
128	—	Completed (→ Fixed.md)	Task	—	HXC-031 — HXC-031: Deferred long-t — none remain) + Codex/Cline refere
129	High	Fixed (→ Fixed.md)	Bug	—	HXC-032 — LLMOrchestrator submod markers break `helix_agent` build — (
130	—	Fixed (→ Fixed.md)	Bug	—	HXC-032 — HXC-032: LLMOrchestrat conflict markers in 5 Go files (26 hun §11.4 build-layer PASS-bluff already (
131	High	Fixed (→ Fixed.md)	Bug	—	HXC-033 — codegraph 0.9.7 update: f submodules dropped from the index Fixed.md)
132	—	Fixed (→ Fixed.md)	Bug	—	HXC-033 — HXC-033: codegraph 0.9.7 submodules from the index + full ind regression)
133	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			HXC-034 — Cascade constitution §11. implement CM-COVENANT-114-102-P Fixed.md)
134	—	Completed (→ Fixed.md)	Task	—	HXC-034 — HXC-034: Cascade constit systematic-debugging + always-loade dependency availability) into every c COVENANT-114-102-PROPAGATION e
135	High	Fixed (→ Fixed.md)	Bug	—	HXC-035 — `POST /api/v1/auth/regis` `internal_auth_failed_create_user` or authenticated flows) — CLOSED (→ F
136	—	Fixed (→ Fixed.md)	Bug	—	HXC-035 — HXC-035: `POST /api/v1/au` `internal_auth_failed_create_user` or authenticated flows
137	—	Fixed (→ Fixed.md)	Task	—	HXC-036 — Systemic CONST-046 i18n message-ID keys because boot-time t implemented — CLOSED (→ Fixed.m
138	—	Fixed (→ Fixed.md)	Bug	—	HXC-036 — HXC-036: Systemic CONST emitted raw message-ID keys to user wiring was never implemented (a §1
139	High	Completed (→ Fixed.md)	Task	—	HXC-037 — §11.4.103-141 + CONST-04 owned submodules (verify-governan
140	—	Completed (→ Fixed.md)	Task	—	HXC-037 — HXC-037: §11.4.103-141 + backfill into 7 owned submodules (ve
141	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-038 — docs_chain G14: fixed.yar mismatch + stale state.json baseline f
142	—	Fixed (→ Fixed.md)	Bug	—	HXC-038 — HXC-038: docs_chain G14 transform-contract mismatch + stale issues context
143	Medium	Completed (→ Fixed.md)	Task	—	HXC-039 — G7 §11.4.83 docs/qa evide lack docs/qa// directories
144	—	Completed (→ Fixed.md)	Task	—	HXC-039 — HXC-039: G7 §11.4.83 doc commits lack docs/qa// directories
145	Low		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-040 — CLAUDE.md §9/§3.4 anti-I (527 i18n/test hits) + case-sensitivity r
146	—	Fixed (→ Fixed.md)	Bug	—	HXC-040 — HXC-040: CLAUDE.md §9/ alarm (527 i18n/test hits) + case-sensi
147	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-041 — helixqa standalone HTTP http) drives http: banks vs live serve
148	—	Implemented (→ Fixed.md)	Feature	—	HXC-041 — HXC-041: helixqa standal (helixqa http) drives http: banks vs li
149	Medium	Completed (→ Fixed.md)	Task	—	HXC-042 — CONST-050(B) challenge-c scripts in debate_orchestrator + helix ux)
150	—	Completed (→ Fixed.md)	Task	—	HXC-042 — HXC-042: CONST-050(B) c challenge scripts in debate_orchestra scaling/ui/ux)
151	High	Fixed (→ Fixed.md)	Bug	—	HXC-043 — auth Login nil-DB panic c graceful no-DB operation but first /ap
152	—	Fixed (→ Fixed.md)	Bug	—	HXC-043 — HXC-043: auth Login nil-I advertises graceful no-DB operation l dereferences nil s.db
153	Medium	Obsolete (→ Fixed.md)	Bug	—	HXC-044 — internal/cognee: AMD-GP sentinel instead of parsed GPU-use va
154	—	Obsolete (→ Fixed.md)	Bug	—	HXC-044 — HXC-044: internal/cognee returns -1 sentinel instead of parsed
155	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-045 — internal/hooks: cancelled duration unset (should always be pop
156	—	Fixed (→ Fixed.md)	Bug	—	HXC-045 — HXC-045: internal/hooks: leaves duration unset (should always
157	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-046 — internal/memory/provide under fast back-to-back calls (timesta
158	—	Fixed (→ Fixed.md)	Bug	—	HXC-046 — HXC-046: internal/memor unique under fast back-to-back calls collision)
159	Low	Completed (→ Fixed.md)	Task	—	HXC-047 — internal/redis TestNewCli with no SKIP-OK guard (§11.4.98) + i1 Redis

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
160	—	Completed (→ Fixed.md)	Task	—	HXC-047 — HXC-047: internal/redis T live-Redis with no SKIP-OK guard (§1 contains literal Redis
161	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-048 — helixcode-system.yaml H for the non-auth server surface (heal providers + negatives)
162	—	Implemented (→ Fixed.md)	Feature	—	HXC-048 — HXC-048: helixcode-syste http cases for the non-auth server su status/llm-providers + negatives)
163	Low	Fixed (→ Fixed.md)	Bug	—	HXC-049 — doc_processor TestAutom 'Upstreams' but canonical dir is lowe drift, deterministic FAIL)
164	—	Fixed (→ Fixed.md)	Bug	—	HXC-049 — HXC-049: doc_processor T capital 'Upstreams' but canonical dir case drift, deterministic FAIL)
165	Low	Completed (→ Fixed.md)	Task	—	HXC-050 — event_bus NATS env-gate markers required by the no-silent-sk
166	—	Completed (→ Fixed.md)	Task	—	HXC-050 — HXC-050: event_bus NATS SKIP-OK markers required by the no-
167	Low	Fixed (→ Fixed.md)	Bug	—	HXC-051 — helix_llm + helix_memory non-existent ../../vasic-digital/* sibling layout)
168	—	Fixed (→ Fixed.md)	Bug	—	HXC-051 — HXC-051: helix_llm + heli point to non-existent ../../vasic-digital dependency-layout)
169	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-052 — background_tasks go.mod paths
170	—	Fixed (→ Fixed.md)	Bug	—	HXC-052 — HXC-052: background_tas replace paths
171	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-053 — conversation go.mod bui Messaging
172	—	Fixed (→ Fixed.md)	Bug	—	HXC-053 — HXC-053: conversation go replace path ../Messaging
173	Low	Fixed (→ Fixed.md)	Bug	—	HXC-054 — leak_detector parallel tes

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
174	—	Fixed (→ Fixed.md)	Bug	—	HXC-054 — HXC-054: leak_detector p determinism
175	Low	Fixed (→ Fixed.md)	Bug	—	HXC-055 — formatters brittle cat –ve go build
176	—	Fixed (→ Fixed.md)	Bug	—	HXC-055 — HXC-055: formatters britt fixtures break go build
177	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-056 — 7 submodules: CONST-05 PliniusCommon (dir is plinius_comm
178	—	Fixed (→ Fixed.md)	Bug	—	HXC-056 — HXC-056: 7 submodules: PliniusCommon (dir is plinius_comm
179	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-057 — recovery go.mod missing digital.vasic.concurrency (pkg/breake
180	—	Fixed (→ Fixed.md)	Bug	—	HXC-057 — HXC-057: recovery go.mo digital.vasic.concurrency (pkg/breake
181	Low	Fixed (→ Fixed.md)	Bug	—	HXC-058 — helix_agent go build fails continue test fixture (quarantine)
182	—	Fixed (→ Fixed.md)	Bug	—	HXC-058 — HXC-058: helix_agent go l cli_agents/continue test fixture (quar
183	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-059 — debate_orchestrator sand child process tree on non-Linux (§11
184	—	Fixed (→ Fixed.md)	Bug	—	HXC-059 — HXC-059: debate_orchest to kill child process tree on non-Linu
185	Low	Fixed (→ Fixed.md)	Bug	—	HXC-060 — debate_orchestrator chal cancel not called on all return paths
186	—	Fixed (→ Fixed.md)	Bug	—	HXC-060 — HXC-060: debate_orchest context cancel not called on all retur
187	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-061 — helix_agent legacy unit-te stale 2-arg signature (won't compile)
188	—	Fixed (→ Fixed.md)	Bug	—	HXC-061 — HXC-061: helix_agent lega memory.GetRelevant with stale 2-arg
189	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-062 — helix_specifier pkg/metri lock-copy, concurrency hazard)
190	—	Fixed (→ Fixed.md)	Bug	—	HXC-062 — HXC-062: helix_specifier p value (vet lock-copy, concurrency ha
191	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-063 — panoptic StartRecording: after early return nil — recorder nev

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
192	—	Fixed (→ Fixed.md)	Bug	—	HXC-063 — HXC-063: panoptic StartR bootstrap after early return nil — rec
193	Low	Fixed (→ Fixed.md)	Bug	—	HXC-064 — cognee AMD-GPU parser smi fake subprocess signal-killed bef
194	—	Fixed (→ Fixed.md)	Bug	—	HXC-064 — HXC-064: cognee AMD-GI load (rocm-smi fake subprocess signa
195	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-065 — cache/pkg/postgres: finite (expires_at clock/timezone skew vs r
196	—	Fixed (→ Fixed.md)	Bug	—	HXC-065 — HXC-065: cache/pkg/postg immediate Get (expires_at clock/time
197	Low	Fixed (→ Fixed.md)	Bug	—	HXC-066 — inner internal/database i localhost:5433/helix_test, never read
198	—	Fixed (→ Fixed.md)	Bug	—	HXC-066 — HXC-066: inner internal/c localhost:5433/helix_test, never read
199	Low	Fixed (→ Fixed.md)	Bug	—	HXC-067 — inner internal/redis stres (default :6379) not HELIX_REDIS_HO
200	—	Fixed (→ Fixed.md)	Bug	—	HXC-067 — HXC-067: inner internal/r TEST_REDIS_HOST/PORT (default :63
201	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-068 — speckit debate adapter w
202	—	Implemented (→ Fixed.md)	Feature	—	HXC-068 — HXC-068: speckit debate a flow
203	High	Implemented (→ Fixed.md)	Feature	—	HXC-069 — HelixMemory default-on fallback
204	—	Implemented (→ Fixed.md)	Feature	—	HXC-069 — HXC-069: HelixMemory d graceful fallback
205	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-070 — HelixMemory persist log failure
206	—	Fixed (→ Fixed.md)	Bug	—	HXC-070 — HXC-070: HelixMemory p success on failure
207	Medium		Task	—	HXC-071 — Web LLM handler httptes

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			
208	—	Completed (→ Fixed.md)	Task	—	HXC-071 — HXC-071: Web LLM hand stream
209	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-072 — CLI /undo and /diff slash substrate
210	—	Implemented (→ Fixed.md)	Feature	—	HXC-072 — HXC-072: CLI /undo and / substrate
211	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-073 — The CLI keeps an automa makes so users can review and safel established that autocommit substra
212	—	Implemented (→ Fixed.md)	Feature	—	HXC-073 — HXC-073: Autocommit gi
213	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-074 — Mobile gomobile Genera
214	—	Implemented (→ Fixed.md)	Feature	—	HXC-074 — HXC-074: Mobile gomobi LLM calls
215	Low	Completed (→ Fixed.md)	Task	—	HXC-075 — Phase-1 CLI-Agent Fusion state
216	—	Completed (→ Fixed.md)	Task	—	HXC-075 — HXC-075: Phase-1 CLI-Ag delivered state
217	High	Implemented (→ Fixed.md)	Feature	—	HXC-076 — Web /llm/generate + /llm/ (partial — e2e pending)
218	—	Implemented (→ Fixed.md)	Feature	—	HXC-076 — HXC-076: Web /llm/gener frontend (partial — e2e pending)
219	Low		Feature	—	HXC-077 — T1.5 context-window per

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			
220	—	Implemented (→ Fixed.md)	Feature	—	HXC-077 — HXC-077: T1.5 context-wi
221	Medium	Completed (→ Fixed.md)	Task	—	HXC-078 — T1.6 SKILL.md precedenc
222	—	Completed (→ Fixed.md)	Task	—	HXC-078 — HXC-078: T1.6 SKILL.md p
223	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-079 — debate_orchestrator cons
224	—	Fixed (→ Fixed.md)	Bug	—	HXC-079 — HXC-079: debate_orchestr i18n key
225	High	Fixed (→ Fixed.md)	Bug	—	HXC-080 — /debate and /specify brok
226	—	Fixed (→ Fixed.md)	Bug	—	HXC-080 — HXC-080: /debate and /sp agent vs 2-min
227	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-081 — helix_specifier speckit to verb mismatch
228	—	Fixed (→ Fixed.md)	Bug	—	HXC-081 — HXC-081: helix_specifier s format-verb mismatch
229	High	Fixed (→ Fixed.md)	Bug	—	HXC-082 — performance optimizer fa sleep and return Success true
230	—	Fixed (→ Fixed.md)	Bug	—	HXC-082 — HXC-082: performance op methods sleep and return Success tru
231	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-083 — production_deployer fab validation and strategy differentiatio
232	—	Fixed (→ Fixed.md)	Bug	—	HXC-083 — HXC-083: production_dep server-validation and strategy differe
233	High	Fixed (→ Fixed.md)	Bug	—	HXC-084 — challenge scripts use GNU on macOS BSD grep
234	—	Fixed (→ Fixed.md)	Bug	—	HXC-084 — HXC-084: challenge script — breaks on macOS BSD grep

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
235	High	Fixed (→ Fixed.md)	Bug	—	HXC-085 — 14 LLM providers Health ignoring injected baseURL
236	—	Fixed (→ Fixed.md)	Bug	—	HXC-085 — HXC-085: 14 LLM provide production URL ignoring injected ba
237	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-086 — SSE broker client-ID Unix connect
238	—	Fixed (→ Fixed.md)	Bug	—	HXC-086 — HXC-086: SSE broker clie concurrent connect
239	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-087 — skill_registry randomStri identical chars and colliding IDs
240	—	Fixed (→ Fixed.md)	Bug	—	HXC-087 — HXC-087: skill_registry ra produces identical chars and collidin
241	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-088 — llm_orchestrator openco cmd.WaitDelay unset
242	—	Fixed (→ Fixed.md)	Bug	—	HXC-088 — HXC-088: llm_orchestrato cmd.WaitDelay unset
243	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-089 — panoptic web Element in frames
244	—	Fixed (→ Fixed.md)	Bug	—	HXC-089 — HXC-089: panoptic web E recorder zero-frames
245	Low	Fixed (→ Fixed.md)	Bug	—	HXC-090 — panoptic tracks test-gene (CONST-053 hygiene)
246	—	Fixed (→ Fixed.md)	Bug	—	HXC-090 — HXC-090: panoptic tracks (CONST-053 hygiene)
247	Low	Fixed (→ Fixed.md)	Bug	—	HXC-091 — containers custom health resolution flake)
248	—	Fixed (→ Fixed.md)	Bug	—	HXC-091 — HXC-091: containers cust (timer-resolution flake)
249	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-092 — debate_orchestrator 30s models on multi-round /specify
250	—	Fixed (→ Fixed.md)	Bug	—	HXC-092 — HXC-092: debate_orchest capable models on multi-round /spec
251	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-093 — helix_code module graph + private transitive blocking go list -r
252	—	Fixed (→ Fixed.md)	Bug	—	HXC-093 — HXC-093: helix_code mod requires + private transitive blocking

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
253	High	Implemented (→ Fixed.md)	Feature	—	HXC-094 — F12 workspace checkpoi safety net
254	—	Implemented (→ Fixed.md)	Feature	—	HXC-094 — HXC-094: F12 workspace undo safety net
255	High	Fixed (→ Fixed.md)	Bug	—	HXC-095 — CLI binary generate/deba local ollama
256	—	Fixed (→ Fixed.md)	Bug	—	HXC-095 — HXC-095: CLI binary gene against live local ollama
257	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-096 — desktop nogui prints raw mismatch in status/help
258	—	Fixed (→ Fixed.md)	Bug	—	HXC-096 — HXC-096: desktop nogui p format mismatch in status/help
259	High	Fixed (→ Fixed.md)	Bug	—	HXC-097 — SYSTEMIC: standalone bi database never wire i18n Translator
260	—	Fixed (→ Fixed.md)	Bug	—	HXC-097 — HXC-097: SYSTEMIC: stan internal/database never wire i18n Tr
261	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-098 — out-of-box config fails 've client status/system commands
262	—	Fixed (→ Fixed.md)	Bug	—	HXC-098 — HXC-098: out-of-box conf — blocks client status/system comma
263	—	Completed (→ Fixed.md)	Task	—	HXC-099 — Systemic i18n raw-key sw regression-free, with default-translat
264	—	Completed (→ Fixed.md)	Task	—	HXC-099 — HXC-099: Systemic i18n r corrected, regression-free, with defau
265	—	Completed (→ Fixed.md)	Task	—	HXC-100 — Resync docs/CONTINUAT the 32k-token line-1 header (CONST-(
266	—	Completed (→ Fixed.md)	Task	—	HXC-100 — HXC-100: Resync docs/CO de-bloat the 32k-token line-1 header hygiene)
267	—	Fixed (→ Fixed.md)	Bug	—	HXC-101 — security/security_test.go network dependency + nil-deref pan binary

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
268	—	Fixed (→ Fixed.md)	Bug	—	HXC-101 — HXC-101: security/securit external-network dependency + nil-d test binary
269	—	Fixed (→ Fixed.md)	Bug	—	HXC-102 — harmony_os main_nogui. ('Goodbye!', 'Error: %v') bypass i18n
270	—	Fixed (→ Fixed.md)	Bug	—	HXC-102 — HXC-102: harmony_os ma ('Goodbye!', 'Error: %v') bypass i18n
271	—	Completed (→ Fixed.md)	Task	—	HXC-103 — Web-client runtime e2e p LLM provider round-trip for /api/v1/l (CONTINUATION honest gap)
272	—	Completed (→ Fixed.md)	Task	—	HXC-103 — HXC-103: Web-client runt -> server -> LLM provider round-trip (CONTINUATION honest gap)
273	—	Fixed (→ Fixed.md)	Bug	—	HXC-104 — streamLLM /api/v1/llm/st never closed, [DONE] never emitted (
274	—	Fixed (→ Fixed.md)	Bug	—	HXC-104 — HXC-104: streamLLM /api chunkChan never closed, [DONE] nev by web e2e)
275	—	Completed (→ Fixed.md)	Task	—	HXC-105 — Runtime e2e for server P real spec output via live provider (sp
276	—	Completed (→ Fixed.md)	Task	—	HXC-105 — HXC-105: Runtime e2e for server -> real spec output via live pro
277	—	Completed (→ Fixed.md)	Task	—	HXC-106 — helix_agent durable mem fallback is NOT disk-durable — recal honest gap)
278	—	Completed (→ Fixed.md)	Task	—	HXC-106 — HXC-106: helix_agent dur memory fallback is NOT disk-durable (CONTINUATION honest gap)
279	—	Completed (→ Fixed.md)	Task	—	HXC-107 — Feature Status docs progr per-feature inventory across all comp cli_agents, docs_chain-synced
280	—	Completed (→ Fixed.md)	Task	—	HXC-108 — Video-QA program: recor strongest models + ensemble -> /Volu analyze + fix
281	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-109 — Mobile apps are scaffolds AndroidManifest, iOS has no Xcode p recordable)
282	—	Fixed (→ Fixed.md)	Bug	—	HXC-109 — HXC-109: Mobile apps are build.gradle/AndroidManifest, iOS ha not recordable)
283	—	Completed (→ Fixed.md)	Task	—	HXC-110 — Extend containers submo (operator-directed Apple-support me
284	—	Completed (→ Fixed.md)	Task	—	HXC-110 — HXC-110: Extend containe simulators (operator-directed Apple-
285	—	Fixed (→ Fixed.md)	Bug	—	HXC-111 — Desktop GUI shows raw i _activity_title) — CONST-046 gap
286	—	Fixed (→ Fixed.md)	Bug	—	HXC-111 — HXC-111: Desktop GUI sh (desktop_dashboard_header/_activity
287	—	Completed (→ Fixed.md)	Task	—	HXC-112 — Desktop GUI feature-reco osascript synthetic clicks — need clic LLM-chat in-GUI
288	—	Fixed (→ Fixed.md)	Bug	—	HXC-113 — MCP tool names use 'serv compatible providers (DeepSeek/etc.) chat with MCP enabled
289	—	Fixed (→ Fixed.md)	Bug	—	HXC-113 — HXC-113: MCP tool names compatible providers (DeepSeek/etc.) chat with MCP enabled
290	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-114 — Wire facade (/v1/chat/cor authentication — unauthenticated, p reachable on 0.0.0.0
291	High	Fixed (→ Fixed.md)	Bug	—	HXC-115 — The automated check tha hardcoded user-facing text stores its paths tied to one specific machine. O location those paths no longer match as a brand-new violation and exits w governance safety-net everywhere e stores the known-good list using path check works anywhere. This restores developer and automated run.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
292	Medium	Completed (→ Fixed.md)	Task	—	HXC-116 — The multi-track developn command-line tool both direct reade exist in the repository. Anyone trying development tracks has no authorita with the shared storage drives. The t covering the track layout, how to sta precautions. Operators can then run documented steps.
293	High	Fixed (→ Fixed.md)	Bug	—	HXC-117 — Governance rule CONST- capability a model supports be repor rather than hardcoded. Today the ve supports embeddings; the other six c verifier-sourced but are not impleme cannot truthfully tell users which mo work adds these capability fields to t product read them from there. Users of-truth capability information.
294	High	Implemented (→ Fixed.md)	Feature	—	HXC-118 — A dedicated Retrieval-Au maintained as its own reusable modu import or use it anywhere. A capabil (answering using retrieved documen to end users despite the code existin RAG module into the application, wi exposes its capability flag. Users gai answers instead of an orphaned, unu
295	High	Implemented (→ Fixed.md)	Feature	—	HXC-119 — Governance rule CONST- among required capabilities, but the anywhere in the codebase. Any user connectivity currently cannot use it. real ACP support, or, if it proves stru with cited evidence. The platform wi or hold an honest, evidenced positio
296	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-120 — A safety test for the web browser requests are answered with website to call the API. The server wa explicit list of trusted sites, so the old expectation. The fix updates the test listed sites allowed, others refused) v

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					The test suite now protects the secur insecure one.
297	Medium	Completed (→ Fixed.md)	Task	—	HXC-121 — The code connecting the Together AI model services shipped change could silently break how req and nothing would catch it. The wor client code against a simulated provi request, the parsed reply, and error become protected against silent regr
298	Medium	Completed (→ Fixed.md)	Task	—	HXC-122 — Two categories of tests, m automation, skip most of their cases server or special environment flags these areas are largely unverified ev The work provides a documented, re infrastructure so they actually execu and automation behavior then becor merely scaffolded.
299	Low	Completed (→ Fixed.md)	Task	—	HXC-123 — The command-line secur automated tests covering its behavio real scan produces wrong results. Th core scanning and reporting logic. Th protected against silent breakage.
300	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-124 — One automated quality-a server workflows has a documented token needed to finish the workflow does not meet the fully-automated n work provides an automated way to the workflow runs unattended. The automated and re-runnable.
301	Low	Completed (→ Fixed.md)	Task	—	HXC-125 — A large set of integration an ordinary test run never compiles signal is absent from routine checks. so this is a visibility gap, not a broke standard test command or a docume status is always visible. Everyday tes coverage.
302	Medium	Completed (→ Fixed.md)	Task	—	HXC-126 — Eleven work items mark issues document and are missing fro the two views disagree about their st

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					work regenerates the tracker docum so finished items appear only in the trackers then accurately reflect the t
303	Low	Completed (→ Fixed.md)	Task	—	HXC-127 — When an item is retired a recorded reason, date, and supersed these details is completely empty, inc item. This leaves retirements unexpl populates the required justification retired item carries an auditable rea
304	Low	Completed (→ Fixed.md)	Task	—	HXC-128 — Thirty-six tracked items minimum length needed to convey w cannot understand them without rea into clear plain-language description why it matters. Every item then beco developers and stakeholders.
305	Low	Completed (→ Fixed.md)	Task	—	HXC-129 — Seventy-nine finished fe so risk-ordered validation and repor The work backfills an appropriate se content and impact. Risk-based orde correctly across the full item set.
306	Medium	Completed (→ Fixed.md)	Task	—	HXC-130 — A full build fails on a cle mobile graphical apps need system g that are neither installed nor docum build error with no guidance. The w packages required, the command to graphics build path used for develop Anyone can then build the project o without surprise failures.
307	Medium	Obsolete (→ Fixed.md)	Bug	—	HXC-131 — The client that talks to th completing its login and caching the endpoint is never called and no bear calls would fail. This means memory authenticate reliably. The work is to flow and prove it with the existing a access to Cognee-backed memory.
308	Medium	Completed (→ Fixed.md)	Task	—	HXC-132 — The full-infrastructure te server container because its build re does not exist, and many memory an because they look for a server on a f

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					override it. As a result a whole class o server. The work is to fix the contain URL configurable so those tests execu coverage of server-dependent feature
309	Low	Fixed (→ Fixed.md)	Bug	—	HXC-133 — One Azure-provider test d being present in the environment; w test setup the test's assumptions no lo fragile and can give misleading resul The work is to make the test hermeti the sibling test already fixed. This ma regardless of how it is run.
310	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-134 — The central model-verifie numeric value, while HelixCode expe that can break how verified models a is to align the two so the id is consiste identity keeps verification, listing, an
311	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-135 — HelixCode is now wired t indicators (tool protocols, code intell the central verifier, but the verifier's those fields, so the flags always read the verifier publish these capability v users see accurate per-model capabil
312	Medium	Completed (→ Fixed.md)	Task	—	HXC-136 — Several mandated autom service, scaling, stress and chaos, and not exercised in the latest real-infras is unconfirmed. The work is to run ea infrastructure and capture proof of t promised full test-type coverage and load and adverse conditions.
313	Medium	Completed (→ Fixed.md)	Task	—	HXC-137 — The project depends on m health check of all of them (does each tests) did not finish in the latest sessi health sweep and record the result fo whole codebase, not just the main ap
314	Low	Completed (→ Fixed.md)	Task	—	HXC-138 — The end-to-end challenge scenarios (a missing option was just f be executed against a live server with complete user journeys work. The wo

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					challenges, capturing the results. Thi headline user workflows function en
315	High	Fixed (→ Fixed.md)	Bug	—	HXC-139 — A vendored copy of a thi Continue project) includes a Go sour not exist, and because that file has n swept into the helix_agent module's checks for the whole module. This bl the agent module. The work is to isol they are not compiled as part of our module marker). Developers regain a
316	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-140 — The quality-assurance m containing a lock (a mutex) instead o flags as unsafe and can cause subtle that loads real test banks is failing. T value by reference (pointer) instead the failing test-bank test. This makes its tests green.
317	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-141 — The MCP module's Docke error when asked to stop a containe exist, instead of returning cleanly. Th a safe no-op. The work is to guard th container is handled gracefully. The before-start and missing-container si
318	High	Fixed (→ Fixed.md)	Bug	—	HXC-142 — The automation-tagged t mandated test type cannot execute a during the 2026-07-12 real-infra rete (isRateLimitError/contains declared files) and deeper API drift where the and NewProviderManager which no package. The work is to reconcile the provider API and remove the duplica runs against real infrastructure. Evi infra_retest_20260712_hxc122_138/a
319	High	Fixed (→ Fixed.md)	Bug	—	HXC-143 — The e2e-tagged test pack getEnvOrDefault is declared more th mandated test type cannot execute. declaration (consolidate to a single s compiles and can run end-to-end ag

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the 2026-07-12 real-infra retest. Evide infra_retest_20260712_hxc122_138/E
320	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-144 — Under the sustained requ running server, the goroutine count tolerance of 4, signalling a goroutine the server is hammered. Left unaddr server stability under load. The work (likely an unclosed channel, context, fix it so the count stays within tolerar infra_retest_20260712_hxc122_138/E
321	Low	Fixed (→ Fixed.md)	Bug	—	HXC-145 — During the real-infra rete failed 2 of 5 because the model id co rejected by the live Xiaomi API, indic stale or wrong. Users selecting the Xi get errors. The work is to determine (from the provider or the verifier as configuration so Xiaomi requests suc infra_retest_20260712_hxc122_138/E
322	Medium	Fixed (→ Fixed.md)	Task	—	HXC-146 — The e2e challenge runner (cli, rest, tui, websocket) but none of server's real HTTP API during a run, runner's own logic rather than the sh documentation-versus-implementati proof. The work is to wire the challe call the running server's HTTP API so facing endpoints work. Discovered 2 docs/qa/infra_retest_20260712_hxc12
323	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-147 — Running the (now-compi the live OpenRouter API, TestAllFree Provider_OpenRouter BasicGeneratio dereference: the configured free mod rejected and the code path is missing the response. Users of the OpenRoute would hit the same crash. The work i id (sourced from the verifier as singl nil-check so a rejected model degrad NOTE this environment has live prov spend real money; guard/skip accord
324	Low		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-148 — HXC-118 wired Retrieval- native server generate and stream en compatible and Anthropic-compatibl completions and /v1/messages) still b those compatibility surfaces do not g it is enabled. The work is to apply the those facade handlers so RAG behave surface. This is a smaller secondary s fixed. Found during HXC-118 review
325	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-149 — The main repository git i submodule gitlinks at pre-rename pa HelixDevelopment/, *dependencies/vas* helix_qa/panoptic/security) with no . historical path-rename to the submo submodule status and git submodule submodule mapping found in .gitmo maintenance script that walks all sub work is to remove ALL stale cached g the submodule set is consistent with tooling completes. This is a git-index- Found by the 2026-07-12 release-read blocks release automation.
326	Low	Fixed (→ Fixed.md)	Bug	—	HXC-150 — The load/DDoS test harne TEST_PG_* and TEST_REDIS_* enviro Postgres and Redis, but the projects . HELIX_DATABASE_* and HELIX_RED the container credentials. So under t workflow the suite falsely SKIPs ever ran once the correct credentials were 2026-07-12 retest). The work is to alig with .env.full-test so load/DDoS execu harness only.
327	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-151 — Several regression tests i RED_MODE switch whose job is to pr it guards. In these cases the RED half that lives inside the test file itself, ins that copy is part of the test and never the check produces the same result o working one, the broken one, and an and proves nothing about the produc

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					reads a green result as evidence that in fact inert: the original defect could green. The confirmed cases are hand a test-local preFixSystemStatusHealt getSystemStatus handler, so the nil-d bypassed by construction), handlers_ (hand-rolls the locking sequence in r rather than calling the shipped hand library property), llm_rag_test.go (de its retrieval step, so the 'prompt was by the test's own omission), and llm_ no RED branch at all, and another ca touched). To reproduce: revert the m test with RED_MODE=1; the branch s work is to rewrite each RED branch s exactly as was done for the three sib llm_default_model_regression_test.g Done means that for every listed test with only its own fix reverted and fa four-way result is captured as evider enumerated search finds no remaini
328	High	Fixed (→ Fixed.md)	Bug	—	HXC-152 — One test file in the server the old bug' mode and 'confirm the fi environment variable, but its default unset — which is how the suite runs — it selects the old-bug mode. The pr confirming the fixed behaviour neve reports success, so the team sees a gr actually verified. The behaviour left that is supposed to hide models whic quality threshold, or have no API key anti-bluff filtering the original fix wa the same file simply skips itself outri provider key-gate is unguarded too. I package defaults the opposite way, so neighbours and will mislead anyone To reproduce: run the package norm assertions are never reached while b default is flipped so the fix-verifying reproduce-the-old-bug mode still wor

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					captured evidence shows those asser genuinely fail when the filtering is re
329	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-153 — A regression test in the se proves the system-status endpoint be IS attached, but the test actually buil then only checks that the response co runs the same no-database case a ne the database-present path it advertis whatsoever. This matters because th deciding whether a behaviour is gua would reasonably conclude the with- not. It is the same documentation-ve where a file's comment disagreed wi independent reviewer of that batch. honestly defer coverage to another fi about the product — the defect is co means the test either is renamed to d is given a fake-database seam so it ea choice backed by a captured run.
330	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-154 — A QA-session test checks the status 'pending', but the value it is racing to change to 'running' at tha JSON encoder the same live session o the response says 'pending' or 'runni goroutine wins, and under load or w worker can win. The result is a test t fails for reasons unrelated to any rea in the suite and trains readers to dis once during unrelated work, then pa race runs afterwards, so it is genuine The underlying product behaviour is may legitimately see either state — s make the assertion accept either valu synchronised read instead. Done mea goroutine scheduling, proven by rep with the reproduction captured first.
331	Low	Completed (→ Fixed.md)	Task	—	HXC-155 — The server package's regr that flips them between reproducing return, but the switch is spelled four read through three different helper s

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					genuinely useful, because each guard fix and testers need to flip them one the goal is not to collapse them into o inconsistency has already caused rea its default set the wrong way round s and another shipped with a commen code did. Both were fixed, but the dri work is to agree one naming pattern every guard in the package, and reco the next guard author copies someth follows the documented pattern, eve direction, and a check exists that wou convention.
332	High	Fixed (→ Fixed.md)	Bug	—	HXC-156 — The Harmony OS desktop system monitor that samples process seconds. To decide whether to keep g plain on/off marker, while the applic the very same marker off from a diff nothing coordinating the two. Two th same moment with no coordination can be missed entirely, leaving the m shared state after the application bel some machines the value read is not new one. This was not theoretical; it failure, with the Harmony OS test sui single run once race detection was en Harmony OS test package with the G report names the monitor loop and t conflicting parties. The same audit fo same problem in the same componen temperature and power figures were the system-monitoring screen read th coordination, which could paint a scr different sampling rounds. The fix m shutdown channel the rest of the app shared figures and the status marker wait for the monitor to confirm it has proceeding. Acceptance: the Harmon races over repeated consecutive runs

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					deliberately restoring the old code m proving the guard is real and not me
333	High	Fixed (→ Fixed.md)	Bug	—	HXC-157 — The Harmony OS and Au perform slow work in the backgroun answer, polling provider health, refr the server — and each of those backg straight into an on-screen element. T uses does not permit that: on-screen the single thread that draws them, ar update over to be applied there. Doir can be reading an element at the exa rewrites it, which is a data race that crash the application outright. The pr hidden: in both applications the offer comment stating 'Update UI on main it is the identical false comment alrea end when this same defect class was factors were found by auditing every rather than only the reported line: se screen elements to decide what to do them, and several ran on endless tim modifying elements belonging to a w and leaked for the lifetime of the pro through the shared dispatch helper i keeps each read-and-then-write pair cannot be left behind, moves the rea the drawing thread where they belor place so a later edit is not invited to u makes the endless timers stop when Acceptance: both packages build and over repeated runs, no background w screen element without going throug end's behaviour is unchanged.
334	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-158 — The Harmony OS and Au corrected so that background worker elements directly. That correction is, evidence. No test in either package e screens, so the background workers while the tests run, and the race dete opportunity to observe the very code

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					running the Aurora OS package unde races both before and after the fix — but because nothing under test reach failure that was reproduced and fixe the background system monitor, whi that a future edit could silently reintr a background worker in either file ar exactly the situation the anti-bluff po suite would then be certifying behav Closing this requires a test that build the chat worker, the provider-health resource timers — with the race dete observation rather than by inspectio variant proving the new test genuine back. Acceptance: a test in each pack background workers against real wic repeated runs, and demonstrably fai removed from any one of those sites. specific sites should be described as r
335	—	Completed (→ Fixed.md)	Task	—	HXC-160 — The project's agent manu CLAUDE.md, AGENTS.md, QWEN.md repository root, their copies under h and the cascaded copies inside the fo submodules — still tell every reader docs/Fixed_Summary.md are produc generate_issues_summary.sh and scr has not been true since the workable single source of truth: both summari database by the constitution submod scripts derive them from the Markdo drops every item recorded as a head The practical harm is that an agent d destroys tracked state: on 2026-07-29 closed-item tally from 344 to 188, con replaced the full per-item table with gate caught it. The scripts themselve run, so the immediate danger is close so every new agent is still given the v refusal only by tripping over it. Fixin and section 11.4.91 anchor text in ev

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					exporter as the generator, which spa copies inside submodules that other five carriers in lockstep per section 1 engineer who reads a manual to lear summary, and everyone relying on t state. Reproduce by opening any liste generate_fixed_summary.sh — the su current generator with no mention o carrier names the DB exporter, no ca current, the five root carriers stay in would fail if a manual reintroduced t
336	—	Fixed (→ Fixed.md)	Bug	—	HXC-161 — The guard at scripts/gates checks that every closed item writter also appears as a row in that file's su failures, and it was already failing be are reproducible against the last com standing red gate rather than someth is a change in how the file is produce the workable-items database, and th which single surface form it takes: so and others as detail sections, never b when the table was maintained by ha appear in both places, so it is now as deliberately no longer provides. Two not be guessed between: either the g to assert what the generator actually genuinely dropping rows that ought catching real data loss. Deciding whi representation handling and confirm deliberately not resolved here — wea without that investigation is exactly t forbids. Who benefits: anyone relyin vanishing from the closed-items sum was created to prevent after one iten by running bash scripts/gates/fixed_h repository root and observing 58 fail and HXC-119. Acceptance: the correc evidence, the guard passes for the rig softened, its paired mutation still ma broken, and if the generator was at f

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
337	—	Fixed (→ Fixed.md)	Bug	—	HXC-162 — When a user types a requ command-line client, the feature tha matches a known skill and run it aut decides which skill applies is created discarded without ever being connec what the user types. To the user this does not exist in the CLI, even though present, correct and documented. Th product is meant to turn a plain-lang the user learning any commands. An reasonably conclude the feature is in unnoticed. The fix is to connect the d input is handled, and prove it with a and observes the skill actually run. R SOURCE-layer inspection; still needs
338	—	Fixed (→ Fixed.md)	Bug	—	HXC-163 — The project ships seven r shared governance component and a project that uses it. In practice none running system, so not one of them c agent. The effect is that work the org maintains sits unused, and each proj skills already solve. Separately, one e storage location that only exists on a broken link that resolves to nothing. catalogue looks populated from the c Closing this means registering the se mechanism, repairing or removing th that fails if a shipped skill is present
339	—	Fixed (→ Fixed.md)	Bug	—	HXC-165 — One of the performance s over a reference file that is stored in The reference file is supposed to be t measurements are compared agains yardstick silently becomes whatever most recently. That destroys the com on a busy shared machine the numbe also leaves the project permanently s trains everyone to ignore that signal corrupted baseline likely. A reviewer committing it during unrelated work

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					location that is not version controlle read-only.
340	High	Fixed (→ Fixed.md)	Bug	—	HXC-167 — Before a recorded test co cleanup step is supposed to remove a cleanup has two weaknesses. First, it script itself already knew about, so a back to us — a session cookie, a retur is unknown to the cleanup and is sav that kind has actually leaked so far, b happen to return one, but the protec worse, the cleanup can fail silently: t replacement tool in a way that treats so a secret containing one of those ch failure is deliberately discarded rath that stays in the file with no warning replacement treat secrets as plain tex silent, and add a scan of the finished remote side sent us.
341	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-169 — The agent can run user-s container for safety, and it drives tha library. Four publicly documented fla parts we use — in particular the file and for three of them the vendor has so there is nothing to upgrade to. We affected operations rather than mere analysis traced the calls from our ow functions. This matters because the f onto the machine that hosts it, which exists to prevent. What remains unkn whether an outsider can actually infl way we deploy them, and whether th real deployments at all. The expected by evidence: either a demonstration in our configuration, or a concrete co the feature, constraining the copy pa container service. Because no upgrad decision is the only way to resolve th
342	High	Completed (→ Fixed.md)	Task	—	HXC-170 — Eight of the agent's suppo that fix known weaknesses, and ever bug-fix-level release within the same

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					authors are committing to not breaki they close eleven of the eighteen kno compiled program, including four wo genuinely reaches during normal ope single highest-value change available bumps that measurably shrinks our anything. One of the eight also fixes a automated safety checks route untru no advisory service had flagged at al on the agent benefits, and the review enough to actually read. The expecte project rebuilt, its tests run, and a fre weaknesses no longer appear, with th as evidence. Two of the eight are min deserve a slightly closer look at build
343	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-173 — One of the tests that chec its on-screen values safely will repor it is under heavy load, and passes cle underlying feature is fine — this was in isolation, where it passes — so the defect in the product. This still matte unrelated to the code teaches everyo time it fails for a real reason nobody problem for release preparation, wh many other jobs are active. The fix is condition it cares about rather than a a fixed window, so that a slow machi false failure.
344	High	Fixed (→ Fixed.md)	Bug	—	HXC-174 — The text-based terminal i assurance sessions and their progres the shared session objects at the mor background worker is simultaneousl Nothing coordinates the two, so the s The sharpest case is the elapsed-time time has been recorded and then imm two steps the background worker ma use a value that is not fully there yet. briefly nonsensical timings, and on a interface. This is not new and was no now the only place in the project tha

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the code follows and that the session to take a consistent copy of each sess the screen from that copy.
345	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-176 — The shared governance c creating a shortcut that points at whe sit on the machine doing the install. I specific location rather than a locatio only works on the computer that crea broken in this project: it had been cre external drive, so on this Linux mach had never once worked here. That si repaired, but the installer that produ recreates the same problem. A guard is a safety net rather than a cure. The component: record the location relat works on every machine that checks
346	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-177 — One of the skills shipped blank placeholder in a form the syste only substitutes placeholders written never replaced. The consequence is t onward to the AI model as part of the meaningless noise rather than as the The user sees a lower-quality answer found while working on unrelated sk work. The fix is to correct the placeh add a check that refuses to ship a ski cannot resolve, so the same mistake c
347	High	Fixed (→ Fixed.md)	Bug	—	HXC-182 — The file that records the r measurements are compared against and now holds this machine's numbe not been committed, so the correct va project history and can be restored w many people and automated helpers at once, and any of them running a c once would sweep the corrupted file reference would silently become a bu later comparison against it would be warning. The underlying cause is bei stop writing the file, but that fix does present. This needs the file restored r

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					everyone working in this copy rather message where no one will see it.
348	High	Fixed (→ Fixed.md)	Bug	—	HXC-183 — When the product stream background worker hands results ba caller gives up early — the user canc must notice and stop. Six providers w and each got a test proving it. One pr results back without checking wheth worker blocks forever and both it an never released. Every cancelled requ more of the machine's capacity until mechanical, because the correct patt and there is a shared test harness it c independent review noticing that the short of covering every affected prov
349	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-184 — A recent change made th pipes to close rather than for the com normally the same moment, but not t running in the background: the back so the wait never ended. The request consumed one of a small fixed numb commands stopped the facility accep ROUNDS. Round one added a bounde reaped, then stopped reading and rel review accepted the mechanism but somewhere unmeasured: an adversa command with no background proce following the documented pattern, d previous code delivered all 5000. The the consumer kept pace, not when th Round two replaced the fixed grace w restarts whenever a line was actually window in which nothing at all was c then tested an objection the review h revive the original hang — and show requires a consumer that is still liste consuming within two windows by c remains genuinely unbounded is a ca a background process that keeps pro than hidden, because cutting it off w

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					reading. Three smaller findings were the truncation flag from a recorded e branch ran, so no scheduling coincid
350	High	Fixed (→ Fixed.md)	Bug	—	HXC-185 — Modern internet address combined with a port number it has result is unreadable to the software t recently corrected to do this properly places that build addresses the same address from configuration or from s illustration sits inside a single file tha ways: the connection check carefully the web-request check a few lines aw same service. The others cover the lo service, the notification service, work infrastructure. Each is a one-line cha handles this correctly. Left alone, any addresses sees confusing partial failu others fail against the same healthy s
351	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-186 — Every shipped change mu and a check enforces that by looking evidence files. The evidence files also project's current position was at the r stamp is an identifier of exactly the k evidence file written while the projec change can, purely by coincidence, b even though it demonstrates somethi yet happened, because every recordi sat at a position that requires no evid to every recording the shared tooling check accept only identifiers delibera for, ignoring the incidental position s tightening the rule may withdraw ac recorded, so it is a deliberate decision
352	High	Fixed (→ Fixed.md)	Bug	—	HXC-187 — The project declares the s once at the top level and once for the that, one particular internal name re pieces of code — a five-line placehold kilobyte subsystem inside. They shar piece of code actually receives depen build was started from, which is not

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					expect or notice. Nothing is broken to placeholder has no users, but that is time someone adds one the behaviou the same source with no error to exp module a distinct identity so the colli placeholder is a separate decision an this.
353	High	Fixed (→ Fixed.md)	Bug	—	HXC-193 — One of the small services health check that asks a web address service is alive. Three facts combine reads no configuration from its envir supposed to tell it which port to lister ever listens on the port the container that same port. So the check queries answer, and reports the container ur service is actually working. Anything containers will do so endlessly. This v unrelated security advisories in the s because it means nobody had exercis written.
354	High	Fixed (→ Fixed.md)	Bug	—	HXC-194 — One of our own small ser rather than using the toolkit that shi doing so it tells every browser that ar to it, and it never checks who is askin by someone on the same machine or service and read its responses. This i advisory describes for the library's o rolled our version instead of using th fix ours — the advisory and our defe look alike. That distinction matters, b make the warning disappear while le to check the origin of incoming requ and reject anything else.
355	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-195 — The container definition intended to tell the service which net reads any settings from its environm The result is a setting that looks like container definition where anyone w has no effect — so a person adjusting change and no error, and would hav

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					cascades: the published port and the written to match that inert setting, so service actually does. Either the serv setting should be removed and the re inert knob in place is the worst of the
356	High	Fixed (→ Fixed.md)	Bug	—	HXC-198 — A serious defect was rece that leaves a background process beh permanently consume one of a small function in the very same file, used fo while they run, has the identical defe output readers to finish before waitin time limit and no give-up path, so the open indefinitely. The route that runs reaches this function, so the hang is r time in one working cycle that a corr not to its sibling a few lines away, wh routinely ask what else in the same fi already exists and is proven next doo rather than designing anything.
357	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-199 — A recent change gave one that two different pieces of code coul diagnostic script that checks whether the old name as a fragment of text, an as a prefix — so the check still match unfixed even though it is fixed. Anyo work that is already done, and might worked. The project handbook also s three places. The fix is to make the ch than a fragment, and to update the h code actually does now.
358	High	Fixed (→ Fixed.md)	Bug	—	HXC-201 — The command the projec tracker documents does not put them one directory and is told to write out root, but the build step also changes t lands inside the tool's own folder ins destinations and reports success, leav and several hours stale, and it create wrong location. This replaced an ear that was outright invalid and failed l visible error became a silent one. It a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					previously found in that folder and a correction is to give an absolute outp output against the project root regard to update the manuals and the check form.
359	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-202 — A recent change taught th modern internet addresses when con was applied where the server decide the desktop application for one platfo connects to from the very same two c address configured, the server starts constructs an unusable address and c like the server is down when it is run exists in a maintenance tool that con is newly broken; both were simply ou change examined, so nothing was ma one working cycle that a correct chan to a sibling doing the same thing nea review habit rather than seven separ
360	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-203 — The component that track offers a method to report their status also writes to the shared records it re provider's health and stamps a last-c coordinates those writes, and the con so two callers asking at the same mo caught by the race detector during a false alarms, so it is a real defect rath further problems compound it: the m collection itself instead of a copy, so e can also modify; and the health check network calls while holding no lock, the window. The consequence for a u healthy provider as unhealthy or the corrupted records shared across the protect the shared records with a loc collection, and separate the act of ref reporting it.
361	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-205 — A sibling component that model providers has the same defect additional twist: this one actually dec

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					then writes provider health, process three other places without holding it no lock at all, because a reader of the reasonably assumes it is applied thro as the defect already fixed next door overwrite each other, and a provider stopped or stopped when it is runnin same pattern after fixing the first one working cycle that a defect has had a the same shape as the one already pr writes only, never across process star
362	—	Fixed (→ Fixed.md)	Bug	—	HXC-209 — The shell tool validates ea policy before running it, and does so The background path does not call th chooses background execution with a tool, anyone able to request a shell co in the background, and in doing so st allowlist. The protection is therefore absent, while the tool presents the sa that a different and unguarded route fixing an unrelated hang in the same judged it more serious than the defec correct reading: a hang costs an exec security boundary. The fix is to route same validation the foreground path blocked command stays blocked whe
363	—	Fixed (→ Fixed.md)	Bug	—	HXC-210 — The shell tool accepts a w one name in its published schema ar background path reads a different na value therefore never arrives, and ev executes in whatever directory the p the one the caller asked for. Nothing warning, and no fallback message, so target a particular checkout or works operate somewhere else entirely. The failures to a command succeeding ag more dangerous outcome because it the same parameter name the schem asserting that a background comman given rather than merely accepting t

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
364	—	Fixed (→ Fixed.md)	Bug	—	HXC-211 — The hang just repaired w survives in four other places in the sa forever under conditions the code al synchronous execution path and bec switched off or when no timeout is su through documented usage rather th the output-streaming helper and are single existing caller happens to resc that helper the obvious way reprodu site in the background task manager this code with no timeout and no wa found by sweeping the whole packag function named in the report, which defect and its already-fixed twin turn reviewer re-reading the same file wo
365	—	Fixed (→ Fixed.md)	Bug	—	HXC-212 — A configuration fix lande actually listen on the network for the ever spoke over standard input and r correct and was needed. The consequ network path it switched on tells eve may call it, on both the preflight and who is asking. So a weakness that wa is now reachable on a published port path by default. This is the classic pa defect activates a second one that wa why a change should be assessed for for what it repairs. The same any-ori sibling services in the main reposito this one because it lives in a separate closed while this instance remained. those siblings: check the origin again anything else, covering both the pref
366	—	Fixed (→ Fixed.md)	Bug	—	HXC-213 — A component that tracks deployment declares a lock for prote then uses that lock in exactly one pla seventy-eight others. This is the same elsewhere, and it is not speculative: a real race was previously detected he made at that time guarded only the s point at, leaving every other access u

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					though it is synchronised, which is m at all, because a reader sees the mech Concurrent deployment phases can t status, and a deployment can report remedy is the one already proven tw access to the shared record under the from any long-running call, and add detector.
367	—	Fixed (→ Fixed.md)	Bug	—	HXC-214 — Four provider integration method whose name promises only t health record and hand the caller a p than a copy. Two faults follow from o according to its name but writes in p places that assume it is safe, so the w concurrent callers overwrite each ot the live pointer rather than a copy, an given silently changes the provider's reasonably expect. The result is that when it is failing, or the reverse, and corrupt that judgement without ever matches the two fixes already landed under the lock and return a copy, the fails if the returned value is ever alia
368	—	Fixed (→ Fixed.md)	Bug	—	HXC-215 — The gate that checks whe be built reported a failure on two sep commit each time, and in both cases when the gate's own command is re- packages it reported as broken were commits changed, which was the firs these were real non-zero results at th a run that was cut short. What distin a reproduction is that it builds five co throwaway checkout, all of them sha reproduction builds one. That points consecutive builds rather than at any though the precise mechanism is not assumed. This matters more than an because the gate blocks releases: a ch teaches people to dismiss it, and the broken commit that habit will let the

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					make the gate produce the same verc input, and to prove that by running i tree.
369	Low	Fixed (→ Fixed.md)	Bug	—	HXC-217 — When an item is closed, t hold the location of the captured pro it and so that a machine can confirm closures that field instead contains a proved. The descriptions are substan underlying evidence does exist elsew missing and no closure is unfounded be verified mechanically: a check tha something real will report them as p indistinguishable from a closure with ambiguity is the defect, and it matter well-documented closure from an en about the wrong one. The work is to description where it belongs, put the and add a check that refuses a closur resolve.
370	High	Fixed (→ Fixed.md)	Bug	—	HXC-218 — When the security scann supporting services, it checks whethe a network address from a host and a works, but modern IPv6 addresses co must be wrapped in square brackets container code does not do that wrap builds is malformed and the health c machine. A companion fix already re START goes through a different path was not covered, which means opera for what looks like no reason. The ob address is unsafe, because another p raw unwrapped form when deciding wrapping it would silently break tha properly is that operators running or the scanner normally instead of hitti means the start command completes exactly as it does on an IPv4 one.
371	High	Completed (→ Fixed.md)	Task	—	HXC-220 — A diagnostic script used t shared the same module name, wher was that it looked for the shorter nar

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					comparing the two names as wholes, them different was still reported as a corrected and behaves properly toda was ever added to keep it correct. Th check is easy to rewrite carelessly du comparison came back nobody woul engineer that finished work was unfi correct change. The project requires standing test that fails if the defect re still missing here. The people who be diagnostic to tell them the true state registered test exists that passes on th the loose name matching is ever rein
372	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-221 — The agent component iss service. It builds each key from sixte randomness, which is correct. But if fails to answer, the code does not sto clock reading and hands back a key c made that way is guessable by anyon issued, and the caller receiving it is t key and is accepted as one. The funct to its caller, so the ability to refuse sa likelihood of the randomness source this has gone unnoticed, but the cons starts issuing predictable credentials wrong. Failing loudly is the correct b an error can retry or abort, whereas no way to know it must. The fix is to reading, and to add a test that forces confirms no key is produced.
373	Low	Fixed (→ Fixed.md)	Bug	—	HXC-222 — The agent component ha party libraries committed into versio toolkit and 1,037 under its plugin ser These are not our code. They are fetc registry using the manifest files that one of them can be recreated on dem stored. Committing them makes ever larger and makes it hard to see our o any routine dependency update rewr project already has a rule against ver

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					mechanism can regenerate, and the i folders, so nothing prevented them fi tracking both folders, add them to th documented install step still reprodu — the last part matters, because rem recreation path is proven to work.
374	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-223 — Before every commit, a c for markers left behind by a delibera where a working safeguard is tempo notices. Leaving such a marker in rea blocking it is correct. But the same ex it did, and that record necessarily qu its proof. The check cannot tell the di broken and a written account of code so it refuses the account. The two rul one demands the proof be captured, This is not hypothetical — it happene left out of its own commit, which is e quietly goes missing. The fix is to tea markers inside a recorded transcript description of past work, while the sa hazard. The check must keep refusin first, and must be tested against both everything or accepting everything.
375	—	Fixed (→ Fixed.md)	Bug	—	HXC-228 — When the whole system i checks its four mandatory dependen the fourth, the knowledge-graph com treats that as fatal, prints a boot-bloc start the dependencies by hand, and supervisor then restarts it fifteen sec knowledge-graph component has fin succeeds. The end state looks healthy but every cold boot produces a genui log, and fifteen seconds during which is that the service unit does not decla knowledge-graph component, so the same moment and the race is decided instruction the service prints when it operator to start the dependencies m starting and simply have not finished

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the supervisor waits, and to make th component that is still coming up rat permanent absence.
376	—	Obsolete (→ Fixed.md)	Bug	—	HXC-230 — Every time the Helix plat state, the HelixAgent service crashes on the automatic retry about sixteen problem: the infrastructure service r the container engine has been asked Cognee knowledge-graph container r can actually answer requests. HelixA Cognee, is refused, treats the refusal Systemd then restarts it and the seco is that a restart of the platform alwa permanent restart count against the harder to spot; and if Cognee were ev the platform would stay down instea 2026-08-06: a full stop and start of th failure seen in an earlier run from 20 infrastructure service wait for its co reporting success, rather than report created.
377	High	Fixed (→ Fixed.md)	Bug	—	HXC-237 — The command the projec records, workable-items validate, ru was last rebuilt on 27 July. A new saf 6 August: it refuses any closed item w actually lead to a real file. Because th that check is simply not present in th the source code containing it looks c running both against the same delibe with everything else held identical: t everything fine and exited successfu correctly found and described the ba This matters because the checker is t unproven work from being marked f using it since 6 August carries less as means the ticket that introduced the The fix is to rebuild the program file, when the built copy is older than its
378	High	Fixed (→ Fixed.md)	Bug	—	HXC-244 — The gateway is the servic talks to when it needs an AI model, a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					automated systems and on-call staff p address always answered "healthy" w and it would have answered exactly underneath. The cause was a single n collects health verdicts was created a was ever registered with it to check, and "healthy" was the only verdict it cache, the vector store, the model ver all have been dead and this address w fine. This matters more than a plainly with no health address is an honest g one that asserts a state it never verifi deciding where to send traffic, by sup and by whoever gets woken at night. problem: the corrected code had bee program actually running was still th the source code reported success whi Everyone who depends on the platfo call responder most directly, because reflects reality. The outcome achieved names the four dependencies it check really took, and a standing guard fail so the endpoint can no longer claim a
379	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-249 — The script the project run reporting success on tests that never agent runtime and then waits for it to waited at the wrong address - the one verifier, happens to occupy. The verif anything it does not recognise, and th at all as proof the agent was ready, so up without ever having reached it. Th the agent at that same wrong address excused themselves rather than failin failures, the whole run finished with passed" having validated nothing. Th problem found in the same session, b that could mislead, while this one is t decides a release is good, and it was a on this machine with nothing special on a green validation run before ship

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					being told the system had been checl readiness check confirm the identity that something answered, points the actually bound, tells them that in thi is a real failure rather than an accep executed zero tests fail outright. The from this script means the tests genu and a run that validates nothing can
380	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-253 — Three automated safety c specific problems from coming back, ever ran them. Checks like these are problem is prevented from silently r particular behaviour and complains checking system has no automatic di runs if some other script explicitly ca never named anywhere. They had th looking like protection while providi been formally closed on the strength executed a single time. This is a quie makes the project's safety net appea present, discoverable by anyone bro coverage, while doing nothing. Every regression protection benefits from c a check that exists and a check that r The three are now called explicitly b each was first proven able to fail bef a check that merely always passes. T that the sweep is started by a person checks now run whenever someone improvement but is not the same as
381	—	Fixed (→ Fixed.md)	Bug	—	HXL-001 — HelixLLM `internal/agent` absolute path
382	—	Fixed (→ Fixed.md)	Bug	—	HXL-001 — HXL-001 (ex-ISSUE-003): path
383	—	Fixed (→ Fixed.md)	Bug	—	HXL-002 — HelixLLM `internal/gatew` returns 500
384	—	Fixed (→ Fixed.md)	Bug	—	HXL-002 — HXL-002 (ex-ISSUE-004):
385	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXQ-001 — helix_qa intermittent Tes sensitive)
386	—	Fixed (→ Fixed.md)	Bug	—	HXQ-001 — HXQ-001 (ex-ISSUE-008): flake (host-load-sensitive)
387	—	Fixed (→ Fixed.md)	Bug	—	HXQ-002 — HXQ-002: helix_qa `pkg/au` drift blocks helix_agent `tests/integr`
388	—	Fixed (→ Fixed.md)	Bug	—	HXV-001 — HXV-001: LLMsVerifier 1 integration + verification/scoring)
389	—	Fixed (→ Fixed.md)	Bug	—	HXV-002 — LLMsVerifier `verificatio` failures
390	—	Fixed (→ Fixed.md)	Bug	—	HXV-002 — HXV-002: LLMsVerifier `v` test failures
391	—	Fixed (→ Fixed.md)	Bug	—	HXV-003 — HXV-003: LLMsVerifier `P` is a CONST-050(A) production mock-l
392	—	Fixed (→ Fixed.md)	Bug	—	OPS-001 — OPS-001: LLMOps 2 pre-e failures
393	—	Fixed (→ Fixed.md)	Bug	—	PAN-001 — panoptic `appendJSONStrin` bytes (`TestResult.MarshalJSON` corru
394	—	Fixed (→ Fixed.md)	Bug	—	PAN-001 — PAN-001: panoptic `append` UTF-8 runes to bytes (`TestResult.Mar`
395	—	Completed (→ Fixed.md)	Task	—	VEN-001 — VisionEngine `helix-gitla` CLOSED (→ Fixed.md)
396	—	Completed (→ Fixed.md)	Task	—	VEN-001 — VEN-001 (ex-ISSUE-001): (was misconfigured, not missing)
397	—	Fixed (→ Fixed.md)	Bug	—	VEN-002 — VEN-002 (ex-ISSUE-002): fork lineage divergent at SHA 93c830
398	—	Fixed (→ Fixed.md)	Bug	—	VEN-002#1 — VEN-002 (ex-ISSUE-002 fork lineage divergent at SHA 93c830