Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (§11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	200
Bug	Obsolete (→ Fixed.md)	3
Feature	Implemented (→ Fixed.md)	95
Task	Completed (→ Fixed.md)	83
Task	Fixed (→ Fixed.md)	3
TOTAL		**384**

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19 — CONST-046 design; Option D (nicksnyder
2	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#1 — pkg/i18n Bundle/Localizer + sentinel e
3	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#10 — This tas texts shown in the command those brief descriptions can instead of being locked to En
4	Medium	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#11 — challen evaluators.go migration

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
5	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#12 — challen challenge_recorded_ai_testg
6	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#13 — challen migration
7	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#14 — challen user-facing migration
8	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#15 — challen challenge_recorded_mobile.
9	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#16 — CONST- doc
10	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#17 — This tas the project's tracking docum PDF files, using standard doc for team members and stake needing to open raw text file
11	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#18 — helix_c
12	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#19 — This tas (translation) support to the h component, so any text it sho other languages instead of o
13	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#2 — CONST-0 scan 57,345 violations across
14	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#20 — CONST- (HXC-001 plan, ex-ISSUE-005
15	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#21 — This tas the LLMOrchestrator compo several different AI language error messages were conver

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
16	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#22 — This tas line text shown by the LLMs model providers) into a tran multiple languages. Only a s tool were converted in this fi
17	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#23 — This tas HelixSpecifier tool so that its languages other than English
18	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#24 — This tas Storage component of the sy retrieving data, so its messag languages.
19	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#25 — This tas LLMOps component, which r language models the system shown in multiple languages
20	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#26 — This tas VectorDB component, which specialized AI-related data, s multiple languages.
21	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#27 — This tas Observability component, th health and performance, so i multiple languages.
22	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#28 — This tas module, the part of the syste hardcoded English error and translatable format, fully co left over.
23	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#29 — This tas component, converting five l translatable format so the m different languages for users
24	Medium	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#3 — This task individual sub-component of system, including a working Serbian. This lays the ground remaining user-facing text a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
25	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#30 — This tas Middleware component, con messages about authenticati translatable format.
26	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#31 — This tas component, the part of the sy converting five hardcoded m sandboxing into a translatab
27	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#32 — This tas component, which handles li converting five hardcoded co format.
28	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#33 — This tas groundwork to the Watcher file and event changes. This component's outward labels directly read.
29	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#34 — This tas conversation component, wh with users, so its messages ca
30	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#35 — This tas component, the part of the sy converting nine hardcoded s format and reducing the nur that area from 73 to 64.
31	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#36 — This tas component's privilege-check warning and description me reduction in the untranslate
32	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#37 — helix_c round 24)
33	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#38 — This tas AutoTemp component so its languages.
34	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#39 — This tas Auth (login and authenticati be shown in multiple langua

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
35	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#4 — This tas templates used by the SelfIm asking the AI model to revie translatable format.
36	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#40 — helix_c 4 round 27)
37	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#41 — This tas groundwork, including 36 tr PliniusCommon library, so th and can safely support many
38	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#42 — helix_c migration (Phase 4 round 30
39	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#43 — helix_c 29)
40	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#44 — helix_c (Phase 4 round 31)
41	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#45 — helix_c (Phase 4 round 32)
42	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#46 — helix_c migration (Phase 4 round 33
43	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#47 — helix_c round 34)
44	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#48 — helix_c round 35)
45	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#49 — helix_c round 36)
46	Low		Feature	—	FIX-2026-05-19#5 — This tas messages in the HelixLLM to

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			small new capability that oth same kind of translation wor
47	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#50 — helix_c migration (Phase 4 round 37
48	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#51 — helix_c migration (Phase 4 round 38
49	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#52 — helix_c 4 round 39)
50	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#53 — helix_c 4 round 40)
51	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#54 — helix_c round 41)
52	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#55 — helix_c 4 round 42)
53	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#56 — helix_c round 43)
54	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#57 — helix_c round 44)
55	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#58 — helix_c round 45)
56	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#59 — helix_c round 47)
57	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#6 — This task shown in the command-line into a translatable format, sc headers.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
58	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#60 — helix_c (Phase 4 round 46)
59	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#61 — helix_c 48)
60	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#62 — helix_c 49)
61	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#63 — helix_c 50)
62	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#64 — helix_c round 51)
63	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#65 — Round round-74 FAILs closed (helix_qa+panoptic+LLMsVe
64	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#66 — This tas release testing script that let local setup, such as a missing genuine problem in the code blocked by environment issu
65	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#67 — This tas project to confirm their nam rules and that every referen finding and correcting three drifted out of sync.
66	—	Fixed (→ Fixed.md)	Bug	—	FIX-2026-05-19#68 — challen `containers`
67	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#69 — LLMOr opencode/claudecode/qwenc
68	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#7 — DocProc runCLI(); 6 tests + mutation;
69	High		Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			FIX-2026-05-19#70 — 4-vend (NVIDIA+AMD+Apple+Intel)
70	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#71 — This tas different AI-model providers cloud AI services, correctly r something goes wrong, inste error message.
71	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#8 — This task across the Planning compon the VisionEngine component format. Two additional issue for later attention.
72	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#9 — This task codebase for any newly adde translation system, and block recorded baseline of roughly migrated over time.
73	—	Fixed (→ Fixed.md)	Bug	—	HXA-001 — helix_agent hand
74	—	Fixed (→ Fixed.md)	Bug	—	HXA-001 — HXA-001 (ex-ISSU
75	—	Fixed (→ Fixed.md)	Bug	—	HXA-002 — helix_agent deba
76	—	Fixed (→ Fixed.md)	Bug	—	HXA-002 — HXA-002 (ex-ISSU sibling-submodule API drift
77	—	Fixed (→ Fixed.md)	Bug	—	HXA-003 — venice `TestGetCa`
78	—	Fixed (→ Fixed.md)	Bug	—	HXA-003 — HXA-003 (ex-ISSU CONST-037 model-list drift
79	—	Completed (→ Fixed.md)	Task	—	HXC-001 — CONST-052 renar PascalCase — CLOSED (→ Fi
80	—	Completed (→ Fixed.md)	Task	—	HXC-001 — HXC-001 (ex-ISSU rename programme — all ov dirs renamed
81	—		Bug	—	HXC-002 — Round-74 residu

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			
82	—	Fixed (→ Fixed.md)	Bug	—	HXC-002 — HXC-002 (ex-ISSU FAIL cleanup
83	—	Completed (→ Fixed.md)	Task	—	HXC-002#1 — HXC-002 (ex-IS confirms clean
84	—	Fixed (→ Fixed.md)	Bug	—	HXC-002#2 — HXC-002 (ex-IS FAIL cleanup
85	High	Implemented (→ Fixed.md)	Feature	—	HXC-003 — CONST-046 i18n r docs/Fixed.md)
86	High	Implemented (→ Fixed.md)	Feature	—	HXC-003 — HXC-003: CONST- text hardcoded as static strir
87	—	Fixed (→ Fixed.md)	Bug	—	HXC-004 — Recovery-batch u round-193 audit)
88	—	Fixed (→ Fixed.md)	Bug	—	HXC-004 — HXC-004: recover logo + notification test-assert break)
89	—	Fixed (→ Fixed.md)	Bug	—	HXC-005 — `cmd/performance_` CONST-035 simulation bluff
90	—	Fixed (→ Fixed.md)	Bug	—	HXC-005 — HXC-005: `cmd/per` a CONST-035 simulation bluf
91	High	Implemented (→ Fixed.md)	Feature	—	HXC-006 — HelixCode Speed Fixed.md)
92	High	Implemented (→ Fixed.md)	Feature	—	HXC-006 — HXC-006: HelixCo competitor AI CLI agents (6-p
93	—	Completed (→ Fixed.md)	Task	—	HXC-007 — Constitution §11. CLOSED (migrated to docs/Fi
94	—	Completed (→ Fixed.md)	Task	—	HXC-007 — HXC-007: Constit bump
95	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-008 — CONST-055 G1 go pull validation sweep — CLC
96	—	Fixed (→ Fixed.md)	Bug	—	HXC-008 — HXC-008: CONST- constitution-pull validation s
97	—	Completed (→ Fixed.md)	Task	—	HXC-009 — Owned-submodu reconciliation — CLOSED (m
98	—	Completed (→ Fixed.md)	Task	—	HXC-009 — HXC-009: Owned divergence reconciliation
99	—	Completed (→ Fixed.md)	Task	—	HXC-010 — End-to-end Kimi CLOSED (migrated to docs/Fi
100	—	Completed (→ Fixed.md)	Task	—	HXC-010 — HXC-010: End-to- verification (operator-blocke
101	—	Fixed (→ Fixed.md)	Bug	—	HXC-011 — HXC-011: helix_q "PASSED" rows for desktop-p case's `action`:
102	—	Fixed (→ Fixed.md)	Bug	—	HXC-012 — HXC-012: data ra `load_balancer.go` backgroun
103	—	Implemented (→ Fixed.md)	Feature	—	HXC-013 — Adopt SQLite-bac (§11.4.93/95)
104	—	Completed (→ Fixed.md)	Task	—	HXC-014 — Stress + chaos tes
105	Medium (latent: requires SetTranslator() concurrent with tr(); existing -race tests pass because SetTranslator is boot-only in practice)	Fixed (→ Fixed.md)	Bug	—	HXC-014b — Systemic ungua crash (cross-package)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
106	—	Completed (→ Fixed.md)	Task	—	HXC-015 — Cross-platform p subagent-driven §11.
107	—	Completed (→ Fixed.md)	Task	—	HXC-016 — §11.4.69–97 gove (CONST-047/§3) — CLOSED (
108	—	Completed (→ Fixed.md)	Task	—	HXC-016 — HXC-016: §11.4.6 submodules + mechanical pr
109	—	Completed (→ Fixed.md)	Task	—	HXC-017 — CodeGraph own- (§11.4.79/80) — CLOSED (→ F
110	—	Completed (→ Fixed.md)	Task	—	HXC-017 — HXC-017: CodeGr (blanket `dependencies/**`) + c §11.4.80
111	—	Completed (→ Fixed.md)	Task	—	HXC-018 — Obsolete status (§ tracker tooling
112	—	Completed (→ Fixed.md)	Task	—	HXC-019 — docs/qa/ end-use
113	—	Fixed (→ Fixed.md)	Bug	—	HXC-021 — HXC-021 + HXC-0 `Assert(true,"...skipped")` b report green while exercisin
114	—	Fixed (→ Fixed.md)	Bug	—	HXC-022 — test_bank platfor existing) — CLOSED (→ Fixe
115	—	Fixed (→ Fixed.md)	Bug	—	HXC-022 — HXC-022: test_ba compile — half-written stubs uncompilable test package n
116	—	Fixed (→ Fixed.md)	Bug	—	HXC-023 — `Assert(true,…)` / test_bank — CLOSED (→ Fixe
117	—	Fixed (→ Fixed.md)	Bug	—	HXC-023 — HXC-023: literal-t bluffs across the e2e test ban
118	Medium (CONST-050(B): the llm integration suite	Fixed (→ Fixed.md)	Bug	—	HXC-024 — internal/llm `-tag` reference deleted providers)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
	cannot compile/ run; masks integration regressions + blocks the new ollama integration stress/chaos tests from running via the normal path)				
119	—	Completed (→ Fixed.md)	Task	—	HXC-025 — Constitution §11.
120	—	Completed (→ Fixed.md)	Task	—	HXC-026 — workable-items r
121	—	Completed (→ Fixed.md)	Task	—	HXC-027 — §11.4.98 live-test
122	—	Completed (→ Fixed.md)	Task	—	HXC-028 — §11.4.99 latest-so (README)
123	—	Completed (→ Fixed.md)	Task	—	HXC-029 — §11.4.98 full-auto integration/e2e/Challenge tes Fixed.md)
124	—	Completed (→ Fixed.md)	Task	—	HXC-029 — HXC-029: §11.4.9 every live/integration/e2e/Ch the-loop
125	—	Completed (→ Fixed.md)	Task	—	HXC-030 — §11.4.99 forward sweep across all operator-fac
126	—	Completed (→ Fixed.md)	Task	—	HXC-030 — HXC-030: §11.4.9 sweep across all operator-fac
127	—	Completed (→ Fixed.md)	Task	—	HXC-031 — Deferred long-tai remain) + Codex/Cline refere

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
128	—	Completed (→ Fixed.md)	Task	—	HXC-031 — HXC-031: Deferre — none remain) + Codex/Clir
129	High (breaks `helix_agent go build ./...`; a §11.4 PASS-bluff at the build layer — tracked source does not compile)	Fixed (→ Fixed.md)	Bug	—	HXC-032 — LLMOrchestrator markers break `helix_agent` b
130	—	Fixed (→ Fixed.md)	Bug	—	HXC-032 — HXC-032: LLMOr conflict markers in 5 Go files §11.4 build-layer PASS-bluff a
131	High (§11.4.79 release-blocker — AI agents querying the code-graph get NO own-org submodule symbols; index also unbuildable)	Fixed (→ Fixed.md)	Bug	—	HXC-033 — codegraph 0.9.7 u submodules dropped from th Fixed.md)
132	—	Fixed (→ Fixed.md)	Bug	—	HXC-033 — HXC-033: codegra submodules from the index regression)
133	—	Completed (→ Fixed.md)	Task	—	HXC-034 — Cascade constitu implement CM-COVENANT-1 Fixed.md)
134	—	Completed (→ Fixed.md)	Task	—	HXC-034 — HXC-034: Cascade systematic-debugging + alwa dependency availability) into COVENANT-114-102-PROPAG
135	High (no user can register → no JWT mintable → every	Fixed (→ Fixed.md)	Bug	—	HXC-035 — `POST /api/v1/aut` `internal_auth_failed_create` authenticated flows) — CLOS

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
	authenticated API path is undrivable; blocks the positive-path coverage of all 4 HXC-029 API banks)				
136	—	Fixed (→ Fixed.md)	Bug	—	HXC-035 — HXC-035: `POST /a` `internal_auth_failed_create` authenticated flows
137	—	Fixed (→ Fixed.md)	Task	—	HXC-036 — Systemic CONST- message-ID keys because bo implemented — CLOSED (→
138	—	Fixed (→ Fixed.md)	Bug	—	HXC-036 — HXC-036: System emitted raw message-ID keys wiring was never implemen
139	High	Completed (→ Fixed.md)	Task	—	HXC-037 — §11.4.103-141 + C owned submodules (verify-g
140	—	Completed (→ Fixed.md)	Task	—	HXC-037 — HXC-037: §11.4.1 backfill into 7 owned submo
141	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-038 — docs_chain G14: mismatch + stale state.json b
142	—	Fixed (→ Fixed.md)	Bug	—	HXC-038 — HXC-038: docs_ch transform-contract mismatc issues context
143	Medium	Completed (→ Fixed.md)	Task	—	HXC-039 — G7 §11.4.83 docs/ lack docs/qa// directories
144	—	Completed (→ Fixed.md)	Task	—	HXC-039 — HXC-039: G7 §11. commits lack docs/qa// direct
145	Low	Fixed (→ Fixed.md)	Bug	—	HXC-040 — CLAUDE.md §9/§ (527 i18n/test hits) + case-se
146	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-040 — HXC-040: CLAUD alarm (527 i18n/test hits) + ca
147	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-041 — helixqa standalo http) drives http: banks vs liv
148	—	Implemented (→ Fixed.md)	Feature	—	HXC-041 — HXC-041: helixqa (helixqa http) drives http: ba
149	Medium	Completed (→ Fixed.md)	Task	—	HXC-042 — CONST-050(B) ch scripts in debate_orchestrato ux)
150	—	Completed (→ Fixed.md)	Task	—	HXC-042 — HXC-042: CONST- challenge scripts in debate_o scaling/ui/ux)
151	High	Fixed (→ Fixed.md)	Bug	—	HXC-043 — auth Login nil-DI graceful no-DB operation bu
152	—	Fixed (→ Fixed.md)	Bug	—	HXC-043 — HXC-043: auth Lo advertises graceful no-DB op dereferences nil s.db
153	Medium	Obsolete (→ Fixed.md)	Bug	—	HXC-044 — internal/cognee: sentinel instead of parsed GI
154	—	Obsolete (→ Fixed.md)	Bug	—	HXC-044 — HXC-044: interna returns -1 sentinel instead of
155	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-045 — internal/hooks: c duration unset (should alway
156	—	Fixed (→ Fixed.md)	Bug	—	HXC-045 — HXC-045: interna leaves duration unset (shoul
157	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-046 — internal/memory under fast back-to-back calls
158	—	Fixed (→ Fixed.md)	Bug	—	HXC-046 — HXC-046: interna unique under fast back-to-ba collision)
159	Low	Completed (→ Fixed.md)	Task	—	HXC-047 — internal/redis Te with no SKIP-OK guard (§11. Redis
160	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			HXC-047 — HXC-047: interna live-Redis with no SKIP-OK g contains literal Redis
161	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-048 — helixcode-system for the non-auth server surfa providers + negatives)
162	—	Implemented (→ Fixed.md)	Feature	—	HXC-048 — HXC-048: helixco http cases for the non-auth s status/llm-providers + negati
163	Low	Fixed (→ Fixed.md)	Bug	—	HXC-049 — doc_processor Te 'Upstreams' but canonical di drift, deterministic FAIL)
164	—	Fixed (→ Fixed.md)	Bug	—	HXC-049 — HXC-049: doc_pro capital 'Upstreams' but cano case drift, deterministic FAIL
165	Low	Completed (→ Fixed.md)	Task	—	HXC-050 — event_bus NATS markers required by the no-
166	—	Completed (→ Fixed.md)	Task	—	HXC-050 — HXC-050: event_b SKIP-OK markers required b
167	Low	Fixed (→ Fixed.md)	Bug	—	HXC-051 — helix_llm + helix_ non-existent ../../vasic-digital layout)
168	—	Fixed (→ Fixed.md)	Bug	—	HXC-051 — HXC-051: helix_ll point to non-existent ../../vasi dependency-layout)
169	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-052 — background_task paths
170	—	Fixed (→ Fixed.md)	Bug	—	HXC-052 — HXC-052: backgro replace paths
171	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-053 — conversation go.r Messaging
172	—	Fixed (→ Fixed.md)	Bug	—	HXC-053 — HXC-053: convers replace path ../Messaging
173	Low	Fixed (→ Fixed.md)	Bug	—	HXC-054 — leak_detector pa

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
174	—	Fixed (→ Fixed.md)	Bug	—	HXC-054 — HXC-054: leak_de determinism
175	Low	Fixed (→ Fixed.md)	Bug	—	HXC-055 — formatters brittle go build
176	—	Fixed (→ Fixed.md)	Bug	—	HXC-055 — HXC-055: formatt fixtures break go build
177	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-056 — 7 submodules: C PliniusCommon (dir is pliniu
178	—	Fixed (→ Fixed.md)	Bug	—	HXC-056 — HXC-056: 7 subm PliniusCommon (dir is pliniu
179	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-057 — recovery go.mod digital.vasic.concurrency (pk
180	—	Fixed (→ Fixed.md)	Bug	—	HXC-057 — HXC-057: recover digital.vasic.concurrency (pk
181	Low	Fixed (→ Fixed.md)	Bug	—	HXC-058 — helix_agent go bu continue test fixture (quaran
182	—	Fixed (→ Fixed.md)	Bug	—	HXC-058 — HXC-058: helix_a cli_agents/continue test fixtu
183	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-059 — debate_orchestra child process tree on non-Lir
184	—	Fixed (→ Fixed.md)	Bug	—	HXC-059 — HXC-059: debate_ to kill child process tree on n
185	Low	Fixed (→ Fixed.md)	Bug	—	HXC-060 — debate_orchestra cancel not called on all retur
186	—	Fixed (→ Fixed.md)	Bug	—	HXC-060 — HXC-060: debate_ context cancel not called on
187	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-061 — helix_agent legac stale 2-arg signature (won't c
188	—	Fixed (→ Fixed.md)	Bug	—	HXC-061 — HXC-061: helix_a memory.GetRelevant with sta
189	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-062 — helix_specifier pl lock-copy, concurrency hazar
190	—	Fixed (→ Fixed.md)	Bug	—	HXC-062 — HXC-062: helix_sp value (vet lock-copy, concurr
191	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-063 — panoptic StartRe after early return nil — recor

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
192	—	Fixed (→ Fixed.md)	Bug	—	HXC-063 — HXC-063: panopt bootstrap after early return r
193	Low	Fixed (→ Fixed.md)	Bug	—	HXC-064 — cognee AMD-GPU smi fake subprocess signal-k
194	—	Fixed (→ Fixed.md)	Bug	—	HXC-064 — HXC-064: cognee load (rocm-smi fake subproc
195	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-065 — cache/pkg/postgr (expires_at clock/timezone sl
196	—	Fixed (→ Fixed.md)	Bug	—	HXC-065 — HXC-065: cache/p immediate Get (expires_at cl
197	Low	Fixed (→ Fixed.md)	Bug	—	HXC-066 — inner internal/da localhost:5433/helix_test, nev
198	—	Fixed (→ Fixed.md)	Bug	—	HXC-066 — HXC-066: inner in localhost:5433/helix_test, nev
199	Low	Fixed (→ Fixed.md)	Bug	—	HXC-067 — inner internal/re (default :6379) not HELIX_RE
200	—	Fixed (→ Fixed.md)	Bug	—	HXC-067 — HXC-067: inner in TEST_REDIS_HOST/PORT (de
201	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-068 — speckit debate ad
202	—	Implemented (→ Fixed.md)	Feature	—	HXC-068 — HXC-068: speckit flow
203	High	Implemented (→ Fixed.md)	Feature	—	HXC-069 — HelixMemory de fallback
204	—	Implemented (→ Fixed.md)	Feature	—	HXC-069 — HXC-069: HelixM graceful fallback
205	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-070 — HelixMemory pe failure
206	—	Fixed (→ Fixed.md)	Bug	—	HXC-070 — HXC-070: HelixM success on failure
207	Medium		Task	—	HXC-071 — Web LLM handle

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			
208	—	Completed (→ Fixed.md)	Task	—	HXC-071 — HXC-071: Web LI stream
209	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-072 — CLI /undo and /di substrate
210	—	Implemented (→ Fixed.md)	Feature	—	HXC-072 — HXC-072: CLI /un substrate
211	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-073 — The CLI keeps an makes so users can review a established that autocommit
212	—	Implemented (→ Fixed.md)	Feature	—	HXC-073 — HXC-073: Autoco
213	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-074 — Mobile gomobile
214	—	Implemented (→ Fixed.md)	Feature	—	HXC-074 — HXC-074: Mobile LLM calls
215	Low	Completed (→ Fixed.md)	Task	—	HXC-075 — Phase-1 CLI-Ager state
216	—	Completed (→ Fixed.md)	Task	—	HXC-075 — HXC-075: Phase-1 delivered state
217	High	Implemented (→ Fixed.md)	Feature	—	HXC-076 — Web /llm/generat (partial — e2e pending)
218	—	Implemented (→ Fixed.md)	Feature	—	HXC-076 — HXC-076: Web /ll frontend (partial — e2e penc
219	Low		Feature	—	HXC-077 — T1.5 context-win

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			
220	—	Implemented (→ Fixed.md)	Feature	—	HXC-077 — HXC-077: T1.5 co
221	Medium	Completed (→ Fixed.md)	Task	—	HXC-078 — T1.6 SKILL.md pr
222	—	Completed (→ Fixed.md)	Task	—	HXC-078 — HXC-078: T1.6 SK
223	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-079 — debate_orchestra
224	—	Fixed (→ Fixed.md)	Bug	—	HXC-079 — HXC-079: debate_ i18n key
225	High	Fixed (→ Fixed.md)	Bug	—	HXC-080 — /debate and /spec
226	—	Fixed (→ Fixed.md)	Bug	—	HXC-080 — HXC-080: /debate agent vs 2-min
227	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-081 — helix_specifier sp verb mismatch
228	—	Fixed (→ Fixed.md)	Bug	—	HXC-081 — HXC-081: helix_sp format-verb mismatch
229	High	Fixed (→ Fixed.md)	Bug	—	HXC-082 — performance opt sleep and return Success tru
230	—	Fixed (→ Fixed.md)	Bug	—	HXC-082 — HXC-082: perforn methods sleep and return Su
231	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-083 — production_deplo validation and strategy differ
232	—	Fixed (→ Fixed.md)	Bug	—	HXC-083 — HXC-083: produc server-validation and strateg
233	High	Fixed (→ Fixed.md)	Bug	—	HXC-084 — challenge scripts on macOS BSD grep
234	—	Fixed (→ Fixed.md)	Bug	—	HXC-084 — HXC-084: challen — breaks on macOS BSD gre

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
235	High	Fixed (→ Fixed.md)	Bug	—	HXC-085 — 14 LLM provider ignoring injected baseURL
236	—	Fixed (→ Fixed.md)	Bug	—	HXC-085 — HXC-085: 14 LLM production URL ignoring inj
237	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-086 — SSE broker client connect
238	—	Fixed (→ Fixed.md)	Bug	—	HXC-086 — HXC-086: SSE bro concurrent connect
239	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-087 — skill_registry ran identical chars and colliding
240	—	Fixed (→ Fixed.md)	Bug	—	HXC-087 — HXC-087: skill_re produces identical chars and
241	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-088 — llm_orchestrator cmd.WaitDelay unset
242	—	Fixed (→ Fixed.md)	Bug	—	HXC-088 — HXC-088: llm_orc cmd.WaitDelay unset
243	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-089 — panoptic web Ele frames
244	—	Fixed (→ Fixed.md)	Bug	—	HXC-089 — HXC-089: panopt recorder zero-frames
245	Low	Fixed (→ Fixed.md)	Bug	—	HXC-090 — panoptic tracks t (CONST-053 hygiene)
246	—	Fixed (→ Fixed.md)	Bug	—	HXC-090 — HXC-090: panopt (CONST-053 hygiene)
247	Low	Fixed (→ Fixed.md)	Bug	—	HXC-091 — containers custo resolution flake)
248	—	Fixed (→ Fixed.md)	Bug	—	HXC-091 — HXC-091: contain (timer-resolution flake)
249	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-092 — debate_orchestra models on multi-round /spec
250	—	Fixed (→ Fixed.md)	Bug	—	HXC-092 — HXC-092: debate_ capable models on multi-rou
251	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-093 — helix_code modu + private transitive blocking
252	—	Fixed (→ Fixed.md)	Bug	—	HXC-093 — HXC-093: helix_c requires + private transitive

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
253	High	Implemented (→ Fixed.md)	Feature	—	HXC-094 — F12 workspace cl safety net
254	—	Implemented (→ Fixed.md)	Feature	—	HXC-094 — HXC-094: F12 wo undo safety net
255	High	Fixed (→ Fixed.md)	Bug	—	HXC-095 — CLI binary gener local ollama
256	—	Fixed (→ Fixed.md)	Bug	—	HXC-095 — HXC-095: CLI bin against live local ollama
257	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-096 — desktop nogui pr mismatch in status/help
258	—	Fixed (→ Fixed.md)	Bug	—	HXC-096 — HXC-096: desktop format mismatch in status/h
259	High	Fixed (→ Fixed.md)	Bug	—	HXC-097 — SYSTEMIC: stand database never wire i18n Tra
260	—	Fixed (→ Fixed.md)	Bug	—	HXC-097 — HXC-097: SYSTEM internal/database never wire
261	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-098 — out-of-box config client status/system comman
262	—	Fixed (→ Fixed.md)	Bug	—	HXC-098 — HXC-098: out-of-b — blocks client status/system
263	—	Completed (→ Fixed.md)	Task	—	HXC-099 — Systemic i18n rav regression-free, with default
264	—	Completed (→ Fixed.md)	Task	—	HXC-099 — HXC-099: System corrected, regression-free, w
265	—	Completed (→ Fixed.md)	Task	—	HXC-100 — Resync docs/CON the 32k-token line-1 header (
266	—	Completed (→ Fixed.md)	Task	—	HXC-100 — HXC-100: Resync de-bloat the 32k-token line-1 hygiene)
267	—	Fixed (→ Fixed.md)	Bug	—	HXC-101 — security/security network dependency + nil-de binary

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
268	—	Fixed (→ Fixed.md)	Bug	—	HXC-101 — HXC-101: security external-network dependenc test binary
269	—	Fixed (→ Fixed.md)	Bug	—	HXC-102 — harmony_os mai ('Goodbye!', 'Error: %v') bypa
270	—	Fixed (→ Fixed.md)	Bug	—	HXC-102 — HXC-102: harmor ('Goodbye!', 'Error: %v') bypa
271	—	Completed (→ Fixed.md)	Task	—	HXC-103 — Web-client runtir LLM provider round-trip for (CONTINUATION honest gap)
272	—	Completed (→ Fixed.md)	Task	—	HXC-103 — HXC-103: Web-cli -> server -> LLM provider ro (CONTINUATION honest gap)
273	—	Fixed (→ Fixed.md)	Bug	—	HXC-104 — streamLLM /api/v never closed, [DONE] never e
274	—	Fixed (→ Fixed.md)	Bug	—	HXC-104 — HXC-104: streaml chunkChan never closed, [DO by web e2e)
275	—	Completed (→ Fixed.md)	Task	—	HXC-105 — Runtime e2e for s real spec output via live prov
276	—	Completed (→ Fixed.md)	Task	—	HXC-105 — HXC-105: Runtim server -> real spec output via
277	—	Completed (→ Fixed.md)	Task	—	HXC-106 — helix_agent dura fallback is NOT disk-durable honest gap)
278	—	Completed (→ Fixed.md)	Task	—	HXC-106 — HXC-106: helix_a memory fallback is NOT disk (CONTINUATION honest gap)
279	—	Completed (→ Fixed.md)	Task	—	HXC-107 — Feature Status do per-feature inventory across cli_agents, docs_chain-synced
280	—	Completed (→ Fixed.md)	Task	—	HXC-108 — Video-QA progra strongest models + ensemble analyze + fix
281	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-109 — Mobile apps are AndroidManifest, iOS has no recordable)
282	—	Fixed (→ Fixed.md)	Bug	—	HXC-109 — HXC-109: Mobile build.gradle/AndroidManifes not recordable)
283	—	Completed (→ Fixed.md)	Task	—	HXC-110 — Extend containe (operator-directed Apple-sup
284	—	Completed (→ Fixed.md)	Task	—	HXC-110 — HXC-110: Extend simulators (operator-directe
285	—	Fixed (→ Fixed.md)	Bug	—	HXC-111 — Desktop GUI sho _activity_title) — CONST-046
286	—	Fixed (→ Fixed.md)	Bug	—	HXC-111 — HXC-111: Deskto (desktop_dashboard_header
287	—	Completed (→ Fixed.md)	Task	—	HXC-112 — Desktop GUI feat osascript synthetic clicks — LLM-chat in-GUI
288	—	Fixed (→ Fixed.md)	Bug	—	HXC-113 — MCP tool names compatible providers (Deep chat with MCP enabled
289	—	Fixed (→ Fixed.md)	Bug	—	HXC-113 — HXC-113: MCP to compatible providers (Deep chat with MCP enabled
290	Critical (production/ release blocker — unauthenticated real, paid LLM-provider generation, reachable on every interface per every shipped config's	Fixed (→ Fixed.md)	Bug	—	HXC-114 — Wire facade (/v1 authentication — unauthent reachable on 0.0.0.0

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
	server.address: “0.0.0.0”)				
291	High	Fixed (→ Fixed.md)	Bug	—	HXC-115 — The automated cl hardcoded user-facing text st paths tied to one specific ma location those paths no longe as a brand-new violation and governance safety-net every stores the known-good list us check works anywhere. This developer and automated ru
292	Medium	Completed (→ Fixed.md)	Task	—	HXC-116 — The multi-track d command-line tool both dire exist in the repository. Anyon development tracks has no a with the shared storage drive covering the track layout, ho precautions. Operators can t documented steps.
293	High	Fixed (→ Fixed.md)	Bug	—	HXC-117 — Governance rule capability a model supports l rather than hardcoded. Toda supports embeddings; the ot verifier-sourced but are not i cannot truthfully tell users w work adds these capability fi product read them from ther of-truth capability informati
294	High	Implemented (→ Fixed.md)	Feature	—	HXC-118 — A dedicated Retri maintained as its own reusal import or use it anywhere. A (answering using retrieved d to end users despite the code RAG module into the applica exposes its capability flag. Us answers instead of an orpha
295	High	Implemented (→ Fixed.md)	Feature	—	HXC-119 — Governance rule among required capabilities, anywhere in the codebase. A

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					connectivity currently canno real ACP support, or, if it pro with cited evidence. The plat or hold an honest, evidenced
296	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-120 — A safety test for t browser requests are answer website to call the API. The s explicit list of trusted sites, s expectation. The fix updates listed sites allowed, others re The test suite now protects t insecure one.
297	Medium	Completed (→ Fixed.md)	Task	—	HXC-121 — The code connect Together AI model services s change could silently break l and nothing would catch it. T client code against a simulat request, the parsed reply, an become protected against sil
298	Medium	Completed (→ Fixed.md)	Task	—	HXC-122 — Two categories o automation, skip most of the server or special environme these areas are largely unver The work provides a docume infrastructure so they actual and automation behavior the merely scaffolded.
299	Low	Completed (→ Fixed.md)	Task	—	HXC-123 — The command-lin automated tests covering its real scan produces wrong re core scanning and reporting protected against silent brea
300	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-124 — One automated g server workflows has a docu token needed to finish the w does not meet the fully-auto work provides an automated the workflow runs unattend automated and re-runnable.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
301	Low	Completed (→ Fixed.md)	Task	—	HXC-125 — A large set of inte an ordinary test run never co signal is absent from routine so this is a visibility gap, not standard test command or a status is always visible. Every coverage.
302	Medium	Completed (→ Fixed.md)	Task	—	HXC-126 — Eleven work item issues document and are mis the two views disagree abou work regenerates the tracker so finished items appear only trackers then accurately refle
303	Low	Completed (→ Fixed.md)	Task	—	HXC-127 — When an item is recorded reason, date, and su these details is completely en item. This leaves retirements populates the required justif retired item carries an audit
304	Low	Completed (→ Fixed.md)	Task	—	HXC-128 — Thirty-six tracked minimum length needed to c cannot understand them wit into clear plain-language des why it matters. Every item th developers and stakeholders
305	Low	Completed (→ Fixed.md)	Task	—	HXC-129 — Seventy-nine fini so risk-ordered validation ar The work backfills an approp content and impact. Risk-bas correctly across the full item
306	Medium	Completed (→ Fixed.md)	Task	—	HXC-130 — A full build fails o mobile graphical apps need s that are neither installed nor build error with no guidance packages required, the comm graphics build path used for Anyone can then build the pr without surprise failures.
307	Medium		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Obsolete (→ Fixed.md)			HXC-131 — The client that ta completing its login and cach endpoint is never called and calls would fail. This means authenticate reliably. The wo flow and prove it with the ex access to Cognee-backed mer
308	Medium	Completed (→ Fixed.md)	Task	—	HXC-132 — The full-infrastru server container because its does not exist, and many me because they look for a serve override it. As a result a who server. The work is to fix the URL configurable so those te coverage of server-dependen
309	Low	Fixed (→ Fixed.md)	Bug	—	HXC-133 — One Azure-provi being present in the environ test setup the test's assumpti fragile and can give misleadi The work is to make the test the sibling test already fixed regardless of how it is run.
310	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-134 — The central mode numeric value, while HelixC that can break how verified is to align the two so the id is identity keeps verification, li
311	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-135 — HelixCode is now indicators (tool protocols, co the central verifier, but the v those fields, so the flags alwa the verifier publish these cap users see accurate per-mode
312	Medium	Completed (→ Fixed.md)	Task	—	HXC-136 — Several mandate service, scaling, stress and ch not exercised in the latest re is unconfirmed. The work is infrastructure and capture p

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					promised full test-type cover load and adverse conditions.
313	Medium	Completed (→ Fixed.md)	Task	—	HXC-137 — The project depe health check of all of them (c tests) did not finish in the lat health sweep and record the whole codebase, not just the
314	Low	Completed (→ Fixed.md)	Task	—	HXC-138 — The end-to-end cl scenarios (a missing option w be executed against a live se complete user journeys work challenges, capturing the res headline user workflows fun
315	High	Fixed (→ Fixed.md)	Bug	—	HXC-139 — A vendored copy Continue project) includes a not exist, and because that fi swept into the helix_agent m checks for the whole module the agent module. The work they are not compiled as par module marker). Developers
316	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-140 — The quality-assur containing a lock (a mutex) i flags as unsafe and can caus that loads real test banks is f value by reference (pointer) the failing test-bank test. Thi its tests green.
317	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-141 — The MCP module error when asked to stop a c exist, instead of returning cl a safe no-op. The work is to g container is handled gracefu before-start and missing-con
318	High	Fixed (→ Fixed.md)	Bug	—	HXC-142 — The automation-t mandated test type cannot ex during the 2026-07-12 real-ir (isRateLimitError/contains d files) and deeper API drift wl

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					and NewProviderManager w package. The work is to reco provider API and remove the runs against real infrastructu infra_retest_20260712_hxc12
319	High	Fixed (→ Fixed.md)	Bug	—	HXC-143 — The e2e-tagged te getEnvOrDefault is declared mandated test type cannot e declaration (consolidate to a compiles and can run end-to the 2026-07-12 real-infra rete infra_retest_20260712_hxc12
320	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-144 — Under the sustai running server, the goroutin tolerance of 4, signalling a go the server is hammered. Left server stability under load. T (likely an unclosed channel, fix it so the count stays withi infra_retest_20260712_hxc12
321	Low	Fixed (→ Fixed.md)	Bug	—	HXC-145 — During the real-i failed 2 of 5 because the mod rejected by the live Xiaomi A stale or wrong. Users selecti get errors. The work is to de (from the provider or the ve configuration so Xiaomi requ infra_retest_20260712_hxc12
322	Medium	Fixed (→ Fixed.md)	Task	—	HXC-146 — The e2e challeng (cli, rest, tui, websocket) but server's real HTTP API durin runner's own logic rather th documentation-versus-imple proof. The work is to wire th call the running server's HT facing endpoints work. Disc docs/qa/infra_retest_202607
323	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-147 — Running the (no the live OpenRouter API, Tes

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Provider_OpenRouter BasicC dereference: the configured rejected and the code path is the response. Users of the Op would hit the same crash. Th id (sourced from the verifier nil-check so a rejected model NOTE this environment has spend real money; guard/ski
324	Low	Fixed (→ Fixed.md)	Task	—	HXC-148 — HXC-118 wired R native server generate and s compatible and Anthropic-co completions and /v1/message those compatibility surfaces it is enabled. The work is to a those facade handlers so RA surface. This is a smaller sec fixed. Found during HXC-118
325	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-149 — The main reposit submodule gitlinks at pre-re HelixDevelopment/, *depende* helix_qa/panoptic/security) w historical path-rename to the submodule status and git sub submodule mapping found i maintenance script that wall work is to remove ALL stale the submodule set is consiste tooling completes. This is a g Found by the 2026-07-12 rele blocks release automation.
326	Low	Fixed (→ Fixed.md)	Bug	—	HXC-150 — The load/DDoS te TEST_PG_* and TEST_REDIS_ Postgres and Redis, but the p HELIX_DATABASE_* and HE the container credentials. So workflow the suite falsely SK ran once the correct credent 2026-07-12 retest). The work

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					with .env.full-test so load/DD harness only.
327	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-151 — Several regressio RED_MODE switch whose jol it guards. In these cases the I that lives inside the test file i that copy is part of the test a the check produces the same working one, the broken one and proves nothing about th reads a green result as evide in fact inert: the original def green. The confirmed cases a a test-local preFixSystemStat getSystemStatus handler, so bypassed by construction), h (hand-rolls the locking seque rather than calling the shipp library property), llm_rag_te its retrieval step, so the 'pro by the test's own omission), a no RED branch at all, and an touched). To reproduce: reve test with RED_MODE=1; the l work is to rewrite each RED exactly as was done for the t llm_default_model_regressio Done means that for every li with only its own fix reverte four-way result is captured a enumerated search finds no
328	High	Fixed (→ Fixed.md)	Bug	—	HXC-152 — One test file in th the old bug' mode and 'confi environment variable, but it unset — which is how the su — it selects the old-bug mode confirming the fixed behavio reports success, so the team actually verified. The behavi that is supposed to hide mod

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					quality threshold, or have no anti-bluff filtering the origin the same file simply skips its provider key-gate is unguard package defaults the opposit neighbours and will mislead To reproduce: run the packa assertions are never reached default is flipped so the fix-v reproduce-the-old-bug mode captured evidence shows tho genuinely fail when the filter
329	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-153 — A regression test proves the system-status end IS attached, but the test actu then only checks that the res runs the same no-database c the database-present path it whatsoever. This matters be deciding whether a behaviou would reasonably conclude t not. It is the same documenta where a file's comment disag independent reviewer of tha honestly defer coverage to a about the product — the def means the test either is rena is given a fake-database sea choice backed by a captured
330	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-154 — A QA-session test the status 'pending', but the is racing to change to 'runni JSON encoder the same live s the response says 'pending' o goroutine wins, and under lo worker can win. The result is fails for reasons unrelated to in the suite and trains reade once during unrelated work, race runs afterwards, so it is

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					The underlying product beha may legitimately see either s make the assertion accept eit synchronised read instead. D goroutine scheduling, prover with the reproduction captu
331	Low	Completed (→ Fixed.md)	Task	—	HXC-155 — The server packa that flips them between repr return, but the switch is spel read through three different genuinely useful, because ea fix and testers need to flip th the goal is not to collapse the inconsistency has already ca its default set the wrong way and another shipped with a c code did. Both were fixed, bu work is to agree one naming every guard in the package, a the next guard author copies follows the documented patt direction, and a check exists convention.
332	High	Fixed (→ Fixed.md)	Bug	—	HXC-156 — The Harmony OS system monitor that samples seconds. To decide whether t plain on/off marker, while th the very same marker off fro nothing coordinating the two same moment with no coord can be missed entirely, leavi shared state after the applica some machines the value rea new one. This was not theore failure, with the Harmony OS single run once race detectio Harmony OS test package wi report names the monitor lo conflicting parties. The same same problem in the same co

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					temperature and power figu the system-monitoring scree coordination, which could pa different sampling rounds. T shutdown channel the rest o shared figures and the status wait for the monitor to confi proceeding. Acceptance: the races over repeated consecu deliberately restoring the old proving the guard is real and
333	High	Fixed (→ Fixed.md)	Bug	—	HXC-157 — The Harmony OS perform slow work in the ba answer, polling provider hea the server — and each of tho straight into an on-screen ele uses does not permit that: or the single thread that draws update over to be applied the can be reading an element a rewrites it, which is a data ra crash the application outrigh hidden: in both applications comment stating 'Update UI it is the identical false comm end when this same defect c factors were found by auditi rather than only the reporte screen elements to decide w them, and several ran on end modifying elements belongin and leaked for the lifetime o through the shared dispatch keeps each read-and-then-w cannot be left behind, moves the drawing thread where th place so a later edit is not inv makes the endless timers sto Acceptance: both packages b over repeated runs, no backg

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					screen element without goin end's behaviour is unchange
334	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-158 — The Harmony OS corrected so that backgrounc elements directly. That corre evidence. No test in either pa screens, so the background w while the tests run, and the r opportunity to observe the v running the Aurora OS packa races both before and after t but because nothing under te failure that was reproduced the background system moni that a future edit could silen a background worker in eith exactly the situation the anti suite would then be certifyin Closing this requires a test th the chat worker, the provide resource timers — with the r observation rather than by in variant proving the new test back. Acceptance: a test in ea background workers against repeated runs, and demonstr removed from any one of tho specific sites should be descr
335	—	Completed (→ Fixed.md)	Task	—	HXC-160 — The project's age CLAUDE.md, AGENTS.md, QV repository root, their copies and the cascaded copies insic submodules — still tell every docs/Fixed_Summary.md are generate_issues_summary.sh has not been true since the w single source of truth: both s database by the constitution scripts derive them from the drops every item recorded a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					The practical harm is that an destroys tracked state: on 20 closed-item tally from 344 to replaced the full per-item tab gate caught it. The scripts the run, so the immediate dange so every new agent is still giv refusal only by tripping over and section 11.4.91 anchor te exporter as the generator, wh copies inside submodules tha five carriers in lockstep per s engineer who reads a manua summary, and everyone rely state. Reproduce by opening generate_fixed_summary.sh current generator with no m carrier names the DB export current, the five root carriers would fail if a manual reintr
336	—	Fixed (→ Fixed.md)	Bug	—	HXC-161 — The guard at scri checks that every closed item also appears as a row in that failures, and it was already f are reproducible against the standing red gate rather than is a change in how the file is the workable-items database which single surface form it and others as detail sections, when the table was maintain appear in both places, so it is deliberately no longer provid not be guessed between: eith to assert what the generator genuinely dropping rows tha catching real data loss. Decid representation handling and deliberately not resolved her without that investigation is

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					forbids. Who benefits: anyor vanishing from the closed-ite was created to prevent after by running bash scripts/gate repository root and observin and HXC-119. Acceptance: th evidence, the guard passes fo softened, its paired mutation broken, and if the generator
337	—	Fixed (→ Fixed.md)	Bug	—	HXC-162 — When a user type command-line client, the fea matches a known skill and ru decides which skill applies is discarded without ever being what the user types. To the u does not exist in the CLI, eve present, correct and docume product is meant to turn a pl the user learning any comma reasonably conclude the feat unnoticed. The fix is to conn input is handled, and prove i and observes the skill actual SOURCE-layer inspection; sti
338	—	Fixed (→ Fixed.md)	Bug	—	HXC-163 — The project ships shared governance compone project that uses it. In practic running system, so not one o agent. The effect is that work maintains sits unused, and e skills already solve. Separate storage location that only ex broken link that resolves to r catalogue looks populated fr Closing this means registerin mechanism, repairing or ren that fails if a shipped skill is
339	—	Fixed (→ Fixed.md)	Bug	—	HXC-165 — One of the perfor over a reference file that is s The reference file is suppose

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					measurements are comparec yardstick silently becomes w most recently. That destroys on a busy shared machine th also leaves the project perma trains everyone to ignore tha corrupted baseline likely. A r committing it during unrelat location that is not version c read-only.
340	High	Fixed (→ Fixed.md)	Bug	—	HXC-167 — Before a recordec cleanup step is supposed to r cleanup has two weaknesses script itself already knew ab back to us — a session cooki is unknown to the cleanup ar that kind has actually leaked happen to return one, but th worse, the cleanup can fail si replacement tool in a way th so a secret containing one of failure is deliberately discarc that stays in the file with no replacement treat secrets as silent, and add a scan of the remote side sent us.
341	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-169 — The agent can ru container for safety, and it dı library. Four publicly docum parts we use — in particular and for three of them the ver so there is nothing to upgrad affected operations rather th analysis traced the calls fron functions. This matters becau onto the machine that hosts exists to prevent. What rema whether an outsider can actu way we deploy them, and wh real deployments at all. The

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					by evidence: either a demons in our configuration, or a co the feature, constraining the container service. Because n decision is the only way to re
342	High	Completed (→ Fixed.md)	Task	—	HXC-170 — Eight of the agen that fix known weaknesses, a bug-fix-level release within t authors are committing to no they close eleven of the eight compiled program, including genuinely reaches during no single highest-value change a bumps that measurably shri anything. One of the eight als automated safety checks rou no advisory service had flag on the agent benefits, and th enough to actually read. The project rebuilt, its tests run, a weaknesses no longer appea as evidence. Two of the eight deserve a slightly closer look
343	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-173 — One of the tests t its on-screen values safely w it is under heavy load, and p underlying feature is fine — in isolation, where it passes defect in the product. This st unrelated to the code teache time it fails for a real reason problem for release prepara many other jobs are active. T condition it cares about rath a fixed window, so that a slo false failure.
344	High	Fixed (→ Fixed.md)	Bug	—	HXC-174 — The text-based te assurance sessions and their the shared session objects at background worker is simult

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Nothing coordinates the two The sharpest case is the elap time has been recorded and two steps the background wo use a value that is not fully t briefly nonsensical timings, a interface. This is not new an now the only place in the pro the code follows and that the to take a consistent copy of e the screen from that copy.
345	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-176 — The shared gover creating a shortcut that poin sit on the machine doing the specific location rather than only works on the computer broken in this project: it had external drive, so on this Lin had never once worked here repaired, but the installer th recreates the same problem. is a safety net rather than a c component: record the locat works on every machine tha
346	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-177 — One of the skills blank placeholder in a form only substitutes placeholder never replaced. The consequ onward to the AI model as p meaningless noise rather tha The user sees a lower-qualit found while working on unr work. The fix is to correct th add a check that refuses to s cannot resolve, so the same
347	High	Fixed (→ Fixed.md)	Bug	—	HXC-182 — The file that reco measurements are compare and now holds this machine' not been committed, so the c project history and can be re

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					many people and automated at once, and any of them run once would sweep the corru reference would silently bec later comparison against it w warning. The underlying cau stop writing the file, but that present. This needs the file r everyone working in this cop message where no one will s
348	High	Fixed (→ Fixed.md)	Bug	—	HXC-183 — When the produc background worker hands re caller gives up early — the u must notice and stop. Six pro and each got a test proving it results back without checkin worker blocks forever and b never released. Every cancel more of the machine's capac mechanical, because the cor and there is a shared test ha independent review noticing short of covering every affec
349	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-184 — A recent change pipes to close rather than for normally the same moment, running in the background: so the wait never ended. The consumed one of a small fixe commands stopped the facili ROUNDS. Round one added a reaped, then stopped reading review accepted the mechan somewhere unmeasured: an command with no backgrou following the documented pa previous code delivered all 5 the consumer kept pace, not Round two replaced the fixe restarts whenever a line was

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					window in which nothing at then tested an objection the revive the original hang — a requires a consumer that is s consuming within two windo remains genuinely unbound a background process that k than hidden, because cutting reading. Three smaller findin the truncation flag from a re branch ran, so no scheduling
350	High	Fixed (→ Fixed.md)	Bug	—	HXC-185 — Modern internet combined with a port numbe result is unreadable to the so recently corrected to do this places that build addresses t address from configuration c illustration sits inside a singl ways: the connection check c the web-request check a few same service. The others cov service, the notification serv infrastructure. Each is a one- handles this correctly. Left al addresses sees confusing par others fail against the same l
351	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-186 — Every shipped ch and a check enforces that by evidence files. The evidence project's current position wa stamp is an identifier of exac evidence file written while t change can, purely by coinci even though it demonstrates yet happened, because every sat at a position that require to every recording the share check accept only identifiers for, ignoring the incidental p

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					tightening the rule may with recorded, so it is a deliberate
352	High	Fixed (→ Fixed.md)	Bug	—	HXC-193 — One of the small health check that asks a web service is alive. Three facts c reads no configuration from supposed to tell it which por ever listens on the port the c that same port. So the check answer, and reports the cont service is actually working. A containers will do so endless unrelated security advisories because it means nobody ha written.
353	High	Fixed (→ Fixed.md)	Bug	—	HXC-194 — One of our own s rather than using the toolkit doing so it tells every browse to it, and it never checks wh by someone on the same ma service and read its response advisory describes for the lib rolled our version instead of fix ours — the advisory and look alike. That distinction m make the warning disappear to check the origin of incomi and reject anything else.
354	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-195 — The container de intended to tell the service w reads any settings from its e The result is a setting that lo container definition where a has no effect — so a person a change and no error, and wo cascades: the published port written to match that inert s service actually does. Either setting should be removed a inert knob in place is the wo

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
355	High	Fixed (→ Fixed.md)	Bug	—	HXC-198 — A serious defect v that leaves a background pro permanently consume one o function in the very same fil while they run, has the ident output readers to finish befo time limit and no give-up pat open indefinitely. The route t reaches this function, so the time in one working cycle th not to its sibling a few lines a routinely ask what else in th already exists and is proven rather than designing anythi
356	High	Fixed (→ Fixed.md)	Bug	—	HXC-201 — The command th tracker documents does not p one directory and is told to w root, but the build step also c lands inside the tool's own fo destinations and reports succ and several hours stale, and wrong location. This replace that was outright invalid and visible error became a silent previously found in that fold correction is to give an absol output against the project ro to update the manuals and th form.
357	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-202 — A recent change modern internet addresses w was applied where the serve the desktop application for o connects to from the very sa address configured, the serve constructs an unusable addr like the server is down when exists in a maintenance tool is newly broken; both were s change examined, so nothing

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					one working cycle that a cor to a sibling doing the same th review habit rather than sev
358	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-203 — The component t offers a method to report the also writes to the shared rec provider's health and stamps coordinates those writes, and so two callers asking at the s caught by the race detector d false alarms, so it is a real de further problems compound collection itself instead of a c can also modify; and the hea network calls while holding the window. The consequenc healthy provider as unhealth corrupted records shared ac protect the shared records w collection, and separate the a reporting it.
359	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-205 — A sibling compon model providers has the sam additional twist: this one act then writes provider health, three other places without h no lock at all, because a read reasonably assumes it is app as the defect already fixed n overwrite each other, and a p stopped or stopped when it i same pattern after fixing the working cycle that a defect h the same shape as the one al writes only, never across pro
360	—	Fixed (→ Fixed.md)	Bug	—	HXC-209 — The shell tool val policy before running it, and The background path does n chooses background executi tool, anyone able to request a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					in the background, and in do allowlist. The protection is th absent, while the tool presen that a different and unguard fixing an unrelated hang in t judged it more serious than t correct reading: a hang costs security boundary. The fix is same validation the foregrou blocked command stays bloc
361	—	Fixed (→ Fixed.md)	Bug	—	HXC-210 — The shell tool acc one name in its published sc background path reads a diff value therefore never arrive executes in whatever directo the one the caller asked for. I warning, and no fallback me target a particular checkout operate somewhere else enti failures to a command succe more dangerous outcome be the same parameter name th asserting that a background given rather than merely acc
362	—	Fixed (→ Fixed.md)	Bug	—	HXC-211 — The hang just rep survives in four other places forever under conditions the synchronous execution path switched off or when no time through documented usage r the output-streaming helper single existing caller happen that helper the obvious way site in the background task r this code with no timeout an found by sweeping the whol function named in the repor defect and its already-fixed t reviewer re-reading the sam
363	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-212 — A configuration f actually listen on the networ ever spoke over standard inp correct and was needed. The network path it switched on may call it, on both the prefli who is asking. So a weakness is now reachable on a publis path by default. This is the cl defect activates a second one why a change should be asse for what it repairs. The same sibling services in the main r this one because it lives in a closed while this instance re those siblings: check the orig anything else, covering both
364	—	Fixed (→ Fixed.md)	Bug	—	HXC-213 — A component tha deployment declares a lock f then uses that lock in exactly seventy-eight others. This is elsewhere, and it is not specu real race was previously dete made at that time guarded o point at, leaving every other though it is synchronised, wh at all, because a reader sees Concurrent deployment phas status, and a deployment ca remedy is the one already pr access to the shared record u from any long-running call, a detector.
365	—	Fixed (→ Fixed.md)	Bug	—	HXC-214 — Four provider in method whose name promis health record and hand the c than a copy. Two faults follow according to its name but wr places that assume it is safe, concurrent callers overwrite

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the live pointer rather than a given silently changes the pr reasonably expect. The resul when it is failing, or the reve corrupt that judgement with matches the two fixes alread under the lock and return a fails if the returned value is
366	—	Fixed (→ Fixed.md)	Bug	—	HXC-215 — The gate that che be built reported a failure or commit each time, and in bo when the gate's own comma packages it reported as brok commits changed, which wa these were real non-zero res a run that was cut short. Wh a reproduction is that it buil throwaway checkout, all of t reproduction builds one. Tha consecutive builds rather tha though the precise mechanis assumed. This matters more because the gate blocks relea teaches people to dismiss it, broken commit that habit wi make the gate produce the sa input, and to prove that by r tree.
367	—	Fixed (→ Fixed.md)	Bug	—	HXL-001 — HelixLLM `intern` absolute path
368	—	Fixed (→ Fixed.md)	Bug	—	HXL-001 — HXL-001 (ex-ISSU path
369	—	Fixed (→ Fixed.md)	Bug	—	HXL-002 — HelixLLM `intern` returns 500
370	—	Fixed (→ Fixed.md)	Bug	—	HXL-002 — HXL-002 (ex-ISSU
371	—	Fixed (→ Fixed.md)	Bug	—	HXQ-001 — helix_qa intermi sensitive)
372	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXQ-001 — HXQ-001 (ex-ISSU flake (host-load-sensitive)
373	—	Fixed (→ Fixed.md)	Bug	—	HXQ-002 — HXQ-002: helix_q drift blocks helix_agent `test`
374	—	Fixed (→ Fixed.md)	Bug	—	HXV-001 — HXV-001: LLMsV integration + verification/sco
375	—	Fixed (→ Fixed.md)	Bug	—	HXV-002 — LLMsVerifier `ver` failures
376	—	Fixed (→ Fixed.md)	Bug	—	HXV-002 — HXV-002: LLMsV test failures
377	—	Fixed (→ Fixed.md)	Bug	—	HXV-003 — HXV-003: LLMsV is a CONST-050(A) productio
378	—	Fixed (→ Fixed.md)	Bug	—	OPS-001 — OPS-001: LLMOps failures
379	—	Fixed (→ Fixed.md)	Bug	—	PAN-001 — panoptic `appendJ` bytes (`TestResult.MarshalJS`
380	—	Fixed (→ Fixed.md)	Bug	—	PAN-001 — PAN-001: panopti UTF-8 runes to bytes (`TestRe`
381	—	Completed (→ Fixed.md)	Task	—	VEN-001 — VisionEngine `hel` CLOSED (→ Fixed.md)
382	—	Completed (→ Fixed.md)	Task	—	VEN-001 — VEN-001 (ex-ISSU (was misconfigured, not miss
383	—	Fixed (→ Fixed.md)	Bug	—	VEN-002 — VEN-002 (ex-ISSU fork lineage divergent at SHA
384	—	Fixed (→ Fixed.md)	Bug	—	VEN-002#1 — VEN-002 (ex-IS fork lineage divergent at SHA