

Issues_Summary

Open workable items (current_location = Issues), regenerated from the SQLite single-source-of-truth (§11.4.12).

Counts by Type × Status

Type	Status	Count
Bug	Queued	30
Task	Operator-blocked	1
Task	Queued	8
TOTAL		39

Items

ATM ID	Type	Status	Severity	Description
				Reported-Via: §11.4.202 reporting directive to HelixSkills System (git@github.com:HelixDevelopment/skills.git , v1.0.0) and HelixAgent, covering ALL of its power-features fully without nothing leftout! Full coverage with ll supported test (suites) is mandatory! Extend and update all existing guides, FAQs, create stunning illustrations, graphics, all materials! Any gaps, shortcomings, weak spots, inconsistencies MUST BE detected in advance of the development process and properly tackled with comprehensive risk-free and safe! Track all progress through the development mechanism!" PRE-VERIFIED ENVIRONMENT
HXC-159	Task	Queued	High	

ATM ID	Type	Status	Severity	Description
				not assumed — §11.4.6): - GitHub SpecKit IS in NOT yet initialized in this repo (no .specify/ and is therefore an explicit early task, not an assurance. skills.git IS reachable via SSH. git ls-remote - catalog-docs, feature/deep-research, feature/te branch/tag inventory MUST be re-derived at re partial listing. - The repository is NOT currently contains no HelixDevelopment/skills entry; the codex-skills -> vasic-digital/caf-codex-skills.git, not be confused with it. - Both consumers exist (module dev.helix.code) and the submodule su dev.helix.agent). MANDATORY DELIVERY CON for ALL phases of the incorporation, bridged to executed subagent-driven (§11.4.70 / §11.4.20). tasks -> subtasks, with an exhaustive level of d where the design is load-bearing). - Complete t e2e, full-automation, Challenges (vasic-digital/ (HelixDevelopment/helix_qa) with autonomou concurrency/atomicity, race/deadlock, memory captured evidence (§11.4.5 / §11.4.69); every gu Documentation: extend AND update every exist only new ones. Produce illustrations, graphs and materials. Four-format export discipline per § the main README per §11.4.212. - Risk work is note: every gap, shortcoming, weak spot, dang detected DURING planning and each one paire free and safe solution (§11.4.102 systematic-de before rewrite (§11.4.74 / §11.4.28): survey the catalogues on GitHub AND GitLab first; extend duplicating, keeping them project-agnostic and incorporated as a properly-laid-out dependenc level or submodules/, never a nested own-org and HelixAgent must BOTH receive the full fea the other is an incompleteness to be tracked, n through the continuation docs, the memory/kn the workable-items SSoT (§12.10 / §11.4.131 / § 1. A SpecKit specification exists and is initialize feature, with an explicit feature inventory pro repository (an enumerated list, not a sample — implementation plan exists at the stated depth mitigation. 3. Every planned capability is wire consumers, proven by §11.4.108 runtime signa compiled. 4. The full §11.4.169 test-type matrix

ATM ID	Type	Status	Severity	Description
				and HelixQA banks included. 5. All documentation produced diagrams/illustrations incorporated, Independent code review reaches a zero-finding. No capability is claimed without runtime evidence every closure (§11.4 / §11.4.1 / §11.4.123). §11.4. PROGRAM (scheduled, not yet executed): (a) Do scientific papers / open-source projects+codebase to incorporate this feature into the project (§11.4.102) of ALL data obtained to ensure zone / inconsistency / imperfection, and design one found. (c) The design MUST ALWAYS be innovative – never less. (d) MANDATORY exhaustive documents, an implementation plan down to diagrams / schemes / graphs, illustrations, SQL relevant material (§11.4.65 / §11.4.73). (e) Invest + HelixDevelopment submodules/components freely where genuinely needed while keeping reusable (§11.4.28 / §11.4.74 / §11.4.177). (f) Plan one: every supported test type, the Challenges (§11.4.27 / §11.4.169). (g) Divide the work into nano-detailed enough to drive integration / implementation directly. (h) Plan explicitly for enterprise scale the feature has a UI/UX surface, produce full work PSD / PDF, or whatever the project mandates) at §11.4.190). (j) Plan full CodeGraph integration + synchronisation (§11.4.78 / §11.4.79 / §11.4.80). items (every detail + reference + attachment) source-of-truth (§11.4.93 / §11.4.95) + every design related project doc/component + every connection (§11.4.148 D5) – honestly SKIPPING any absent (credentials_absent / tracker_client_absent, §11.4.148 D5) Research-doc destination (to be populated when fully_incorporate_the_helixskills_system_into_Execution model (§11.4.213 clauses 1-2): this is a multi-day research/planning/documentation work project's standing autonomous loop (§11.4.87 / §11.4.148 D5) when it claims this item, and MUST be driven to explicitly evidence-backed CLOSED terminal state be left sitting un-wired in the backlog. Affected research/planning – destination: docs/research/fully_incorporate_the_helixskills_system_into_Execution Reproduction / context: UNKNOWN: not state established before any fix (§11.4.102 / §11.4.148 D5)

ATM ID	Type	Status	Severity	Description
				research-doc tree exists under docs/research/ fully_incorporate_the_helixskills_system_into_ every enumerated weak-spot/gap/danger-zone implementation plan down to lines-of-code exi are created, and the whole effort is validated p ADDENDUM — BINDING OPERATOR REQUIRE === VERBATIM: “Make sure that SpecKit and S and with all extensons we have created derivi not optional colour on the SpecKit mandate — work MUST compose with rather than duplica BRIDGE EXTENSION (verified to exist, 2026-07- speckit_superpowers/implementation/ — the “ Superpowers Bridge”. Eight documents, each i IMPLEMENTATION_PLAN, NANO_TASK_ENGIN TDD_INTEGRATION, CONSTITUTION_INTEGRA SEVEN-LAYER architecture: 1 Developer Work SuperSpec bridge (orchestration — github.com (discipline enforcement — speckit-community MCP (execution) 6 Helix LLM (inference — gith Distributed host cluster (llama.cpp RPC) CONST MUST BE IN SCOPE (inherited BY REFERENCE diverges silently): constitution/skills/ (7) action reporting-workable-items, scheduled-work-qu constitution/mcp/ (2) media-validator-mcp.json plugins/ (2) helix, scheduled-work constitution system), subagent_tiering.yaml constitution/sc credential_scan_lib.sh, guard-branch-consister guard-track-branch-label.sh, guard-work-track LOCALLY — do not re-create: .claude/skills/ 10 clarify, constitution, converge, implement, plan workflows/speckit/workflow.yml, integrations/ templates/, memory/ ADDED ACCEPTANCE CRI extension above has an explicit disposition — reason. Silence is not an answer (§11.4.118). 9. WIRED vs DESIGNED-ONLY with a captured pr evidence a layer is installed — that is precisely and reporting a documented layer as an availa namespace collision risk is addressed with a d skills system, while §11.4.164’s post_update_ho into .claude/skills/. Two systems registering int and clash handling, not discovery at runtime. non-own-org dependencies (§11.4.74 vendor p

ATM ID	Type	Status	Severity	Description
				supply-chain exposure must be assessed, not a them.
HXC-164	Task	Queued	—	The script that brings up the supporting service directly, rather than going through the shared maintains for exactly this purpose. That compo the same way, gets the same health checking, a repeatedly. Bypassing it means this project can and has already caused one outage of its own. service startups still hide their errors, so a fail was flagged honestly in a commit message, but obligation anyone will act on, which is why it i routing the startup through the shared compo hiding so a failed start is visible.
HXC-166	Bug	Queued	—	When publishing the agent component, the ho security advisories affecting the libraries it dep moderate and 19 low. These are known, public code the product ships and runs, so anyone wh our deployment too. Nothing here was introdu been accumulating and was surfaced by a routi unquantified for us specifically, because a pub code path is actually reachable in how we use full advisory list, separate the ones we genuin upgrade or replace the dependencies behind th triage is done we cannot honestly claim the co
HXC-168	Bug	Queued	High	The password used to reach the project databa setup and container files, and those files are pr accounts. Anyone who reads the project can re not introduced by recent work; the project's ov it as something that must be replaced, and tha depends on whether the same password is use has not been established either way and shoul value is already public, changing the files alon be changed everywhere it is used, and the setu configuration source rather than containing it. cannot honestly claim its credentials are prote
HXC-169	Bug	Queued	Critical	The agent can run user-supplied code inside a drives that container through a third-party lib. library affect exactly the parts we use — in par operations — and for three of them the vendor so there is nothing to upgrade to. We confirme rather than merely shipping the library: an au own sandbox code to the affected functions. Th

ATM ID	Type	Status	Severity	Description
				sandbox escaping onto the machine that hosts it exists to prevent. What remains unknown, and can actually influence those copy operations in sandbox feature is switched on in real deployment written decision backed by evidence: either a unreachable in our configuration, or a concrete feature, constraining the copy paths, or isolating no upgrade can close these, a deliberate decision. A complete copy of somebody else's web application it alone accounts for one hundred and thirty-nine dependency security warnings, including three that can be built or run: the startup configuration pointing to that folder, and its supporting packages have not been updated in two opposite ways at once. Because it is not built for the version we actually run today, which is why they rank high. references it, the setup is broken and misleading. The recipe file, all one hundred and thirty-nine warnings, to whoever does it. Anyone reading our security report is a distortion, since it currently buries the small number of warnings. The expected outcome is an explicit decision, not a reference to properly maintain and build it, or remove it and replace it with a reference to the upstream hosted service. Before we get approval, the decision must be put to the operator. A small companion service we wrote ourselves as part of the standard deployment, and it carries a number of supporting packages, two of them rated high. Under the dependency warnings, these have no mitigating evidence in the report, unshipped, because it demonstrably ships, and the report doesn't show whether the affected functionality is ever exercised. place in the whole review where something was mentioned, which makes it far more deserving of attention than the other three is not really an upgrade problem at all: it is a feature that is switched off unless explicitly enabled, so updating the service protection on would leave the exposure in place. The current deployment running this service benefit. The evidence for the assessment of the three warnings, the two strategies for the protective setting explicitly verified as enabled, the service and the service rebuilt and confirmed working. The cache that remembers model information is not updated where its clock was never configured. That falls outside the only way to build the cache always configured, but is unexercised. On its own that is harmless. The report doesn't mention it.
HXC-171	Bug	Queued	Medium	
HXC-172	Task	Operator-blocked	High	
HXC-175	Bug	Queued	Low	

ATM ID	Type	Status	Severity	Description
				if someone later edits it: a plausible-looking change to the current time would make every cached entry a lie in the past that the freshness check reads as a failure at expiry limit. Every entry would then be considered stale and keep serving outdated model information indefinitely. The choice is to either add a small test that pins the time to a branch entirely and document that there is one, or to accept the risk. When a caller presents an API key, the server does a simple ordinary text comparison. That kind of comparison is brittle: a key that does not match, so a key sharing the first few characters is more reject than one that differs immediately. An attacker could exploit differences across many attempts can recover the key by guessing it outright. Network timing noise makes this attack cheap: use the comparison function designed for this purpose is low rather than urgent, but it is a genuine weakness. A cheap: use the comparison function designed for this purpose regardless of where the difference was introduced by recent work.
HXC-178	Bug	Queued	Low	
HXC-179	Task	Queued	Medium	The check that decides which websites may open connections deliberately allows requests that carry no origin information, because only browsers send that information and it is legitimate to omit it. It is safe today only because we reject anything away anyone without valid credentials. The two checks are nothing records or enforces that coupling: if someone bypasses the login check while working on something unrelated, the origin information would become completely ungated. The goal of this work here is to add a check that specifically covers the case of the connection upgrade, so the dependency is removed.
HXC-180	Task	Queued	Low	Three commits in the current release range do not refer to a piece of data that was not added in the previous range: those three points gets a build error. The tip of the range is corrected shortly afterwards. This cannot be rectified without rewriting published history, which the project does not want to do. It is for anyone hunting a regression by stepping through those three points that fail to build for a reason unrelated to the three points may wrongly conclude the fault lies there. The goal of this work here is to add a check that specifically covers the case of the connection upgrade, so the dependency is removed.
HXC-181	Task	Queued	Medium	HXC-160 corrected the 21 stale references to scripts/generate_fixed_summary.sh across the repository. The new scripts/generate_fixed_summary.sh added the CM-SUPERSEDED-GENERATOR-NAMES variable. The old scripts/generate_fixed_summary.sh sets were deliberately left untouched and are still used in some places.

ATM ID	Type	Status	Severity	Description
				Constitution.md still carries 14 references across universal rules that projects other than HelixCode records such as the Phase 5 Go-binary-shim plan. This is a governance amendment that CONST-049 reconfigured upstream, then re-cascaded and postponed a session that closed HXC-160, and a canon amendment that drifted than the stale wording, so the canon was not updated. 45 owned submodules carry cascaded restatement of the correction applied in the parent repo is deliberate, because the fix names a HelixCode-specific mechanism of rewording into decoupled, project-agnostic submodules that do not them and violate CONST-051(B). The correct solution is to use neutral canonical wording that names the wordings as they are and push it in the constitution submodule per the current fleet and bump pointers. Who benefits: every contributor to the anchor text, and any agent reading a submodule's summaries are produced. Acceptance: canon rewording, the change is pushed to every constitution submodule and are re-cascaded, submodule pointers are bumped, and SUPERSEDED-GENERATOR-NAMING both pass. Every shipped change must carry recorded proof of the change by looking for the change's identifier inside the project's automatically stamp in whatever the project's changes were recorded. That stamp is an identifier of evidence file written while the project happened. If, by coincidence, be accepted as that change's proof, it is completely unrelated. This has not yet happened. The change made while the project sat at a position that rewording was available to every recording the shared tooling. The tooling accept only identifiers deliberately declared as evidence in an incidental position stamp. This needs care because the acceptance from evidence already recorded, so the change is a quiet correction. The main handbook that tells contributors and contributors organised lists several folders at the top level to use when only one is present, and refers to a top-level folder. Anyone following it — a new contributor, or an existing contributor — orientation — will look for things that are not broken or that they have checked out the wrong way. The author of the document, which is otherwise the author of the document. The correction is small and purely descriptive. The section to match, then keep the two in step as the project evolves.
HXC-186	Bug	Queued	Medium	
HXC-188	Task	Queued	Low	

ATM ID	Type	Status	Severity	Description
HXC-189	Task	Queued	Low	One of the external projects this codebase depends on has a configuration that still refers to it by its previous name. The hosting service silently forwards requests from the old name, so forwarding is a courtesy, not a guarantee: it disappears if the project under the old name, and it is not honored as a dependency. If it stops working, fetching the project by its old name nobody recognises, which is unusually common for a project's current canonical name so the reference to the old name on a redirect continuing to exist. When a running command is cut short because of a timeout, it says it was not a timeout. The check that sets the timeout is the caller's own deadline, which usually has not expired, so it stopped the command. Investigation showed that the command was either, because the internal signal it would complete was cancelled and never a timeout, and the timeout was not a mechanism entirely. The effect is that anyone who uses the command failure and no indication that a time limit was reached. It was in the wrong place. A sibling code path that runs correctly by doing it inside the timer's own callback.
HXC-190	Bug	Queued	Low	When a command is cancelled or times out, the command is not cancelled, but anything it started, by signalling the whole command, it works if the command was placed into its own sandbox enabled — the normal configuration — the sandbox switched off, the grouping step is skipped. The operating system to signal a group that does not exist, an error is discarded. The result is a cancelled command that is dormant, because the only configuration that could have reached it so no shipped path reaches it. It is worth fixing this, but it would appear only in an unusual configuration and is hard to diagnose later.
HXC-191	Bug	Queued	Low	Output from a running command is read line by line. The limit on a line may be. When a line exceeds that limit the command is permanently for that stream, because the buffer is full and past it. Nothing else takes over the reading. The command is not until the operating system's own small buffer full, and someone to read. So one unusually long line, which is readable output produce quite naturally, can write a command is to keep draining and discarding the remainder of the command, abandoning the stream, so the producing command is not read.
HXC-192	Bug	Queued	Low	Output from a running command is read line by line. The limit on a line may be. When a line exceeds that limit the command is permanently for that stream, because the buffer is full and past it. Nothing else takes over the reading. The command is not until the operating system's own small buffer full, and someone to read. So one unusually long line, which is readable output produce quite naturally, can write a command is to keep draining and discarding the remainder of the command, abandoning the stream, so the producing command is not read.
HXC-193	Bug	Queued	High	Output from a running command is read line by line. The limit on a line may be. When a line exceeds that limit the command is permanently for that stream, because the buffer is full and past it. Nothing else takes over the reading. The command is not until the operating system's own small buffer full, and someone to read. So one unusually long line, which is readable output produce quite naturally, can write a command is to keep draining and discarding the remainder of the command, abandoning the stream, so the producing command is not read.

ATM ID	Type	Status	Severity	Description
				One of the small services we ship in a container address on a specific port to confirm the service is healthy. The service reads no configuration that is supposed to tell it which port to listen on, so it listens on the port the container publishes. And because the check queries an address where nothing can be unhealthy no matter how well the service is actually doing, replacing unhealthy containers will do so endlessly. This is an unrelated security advisory in the same service, but if nobody had exercised the health check since it was added, it would have been impossible to notice. One of our own small services builds its web service around a library that ships with the library it is based on. In doing so, it at all may make requests to it, and it never checks if the site visited by someone on the same machine could be the same and read its responses. This is the same weakness as the library's own toolkit, but because we handle the problem of upgrading the library would not fix ours — the two are problems that merely look alike. That distinction is important, as it would make the warning disappear while leaving the origin of incoming requests against a list of addresses. The container definition for one of our services specifies which network port to use. The service never reads that value does nothing at all. The result is a security issue in the container definition where anyone would be able to change the effect — so a person adjusting it to move the service to a different port and would have no way to tell why. This also could be a health check were both written to match that in the service actually does. Either the service should be removed and the real behaviour documented, or it should be the worst of the three options. The handbook that describes this project's technology includes one of its networking libraries. Both parts of the handbook are because a security fix required moving off the old one, but deliberate; it is the handbook that is now wrong. If a new contributor or an automated helper reads the handbook will confidently state a version that has not been used. The same document has already been found describing the same additional inaccuracy makes the whole document more accurate, recorded version to what is actually in use, and the handbook is the reason, so nobody later reverts it believing the handbook is wrong. One test directory contains a duplicate of its own files. The files appear twice in the project at two different locations.
HXC-194	Bug	Queued	High	
HXC-195	Bug	Queued	Medium	
HXC-196	Task	Queued	Medium	
HXC-197	Bug	Queued	Low	

ATM ID	Type	Status	Severity	Description
				renaming exercise that moved a tree while leaving the new one. Nothing reads the nested copy, so anyone searching the project finds two results which is real, and any tool that scans for duplicates blocks a useful check from being switched on: duplicates cannot be enabled while this one exists every run. Removing it requires first confirming the nested copy is genuinely the leftover and not the original.
HXC-198	Bug	Queued	High	A serious defect was recently fixed where running a process behind would hang forever and permanently block execution slots. A second function in the very same progress while they run, has the identical defect: readers to finish before waiting for the command to reach the path, so the same background process holds it. When the commands in the background reaches this function, this is the sixth time in one working cycle that it does not to its sibling a few lines away, which suggests that what else in the same file shares the pattern. The fix is a door, so this is a matter of applying it rather than a new one.
HXC-199	Bug	Queued	Medium	A recent change gave one part of the project a new identity. The code could stop claiming the same identity. A corner case problem still exists searches for the old name and the new one contains the old one as a prefix — so the check for the new one as unfixed even though it is fixed. Anyone re-running the already done, and might undo the fix believing the new one also still describes the old arrangement in three parts of the whole name rather than a fragment, and to be sure what the code actually does now.
HXC-200	Bug	Queued	Low	A detector was written to catch a specific kind of error: stuck trying to hand off a result nobody is collecting. In one particular description of what the worker does, it is in the form of the same stall — where the worker waits for a result rather than a single handoff — and the detector was demonstrated rather than theorised: a deliberate test went completely undetected while the detector was active. What it does catch is the historical one, so the guard is not the newer structure while breaking its escape. A detector that recognise both descriptions is a small change and a fix, a defect rather than half of it.
HXC-201	Bug	Queued	High	The command the project's manuals give for running the tool is put them where it says. It builds the tool from the source file path relative to the project root, but the build system

ATM ID	Type	Status	Severity	Description
				the output lands inside the tool's own folder in destinations and reports success, leaving the stale, and it creates empty placeholder files in version of the same command that was outright is now worse: a visible error became a silent one previously found in that folder and attributed to give an absolute output path, or to make the tool regardless of where it was built, and then to up currently enforces the broken form. A recent change taught the product to correctly combining them with a port number. It was an address to listen on, but not in the desktop app address it connects to from the very same two address configured, the server starts up correctly unusable address and cannot reach it — a failure is running perfectly. A second instance exists in analysis service. Neither is newly broken; both original change examined, so nothing was made working cycle that a correct change was applied same thing nearby, which is worth treating as oversights. Two long-running tests — one exercising heavy one exercising leader election among worker nodes report failure when the machine is under load own. Measured: during a full test run both fail times consecutively, one finishing in roughly a about a twentieth. Their verdicts are therefore whether the product works. This matters most test run performed before a release is by definition these two will mark a healthy release as broken through. A third test with the same problem with inconclusive run report as skipped rather than the same treatment fits here. Both should wait than assuming a fixed time is enough. A sibling component that manages automatic defect just fixed in its counterpart, with an additional lock and uses it in two places, then writes proven checked times in three other places without having no lock at all, because a reader of the code sees is applied throughout. The consequence is the — concurrent status updates overwrite each other when it has stopped or stopped when it is running
HXC-202	Bug	Queued	Medium	
HXC-204	Bug	Queued	Medium	
HXC-205	Bug	Queued	Critical	

ATM ID	Type	Status	Severity	Description
				same pattern after fixing the first one, and it is proven: hold the lock around the field writes or the readiness poll. The newly-fixed health refresh deliberately re-probe the provider over the network, so that a slow or hazy probe is proven. It then re-acquires the lock and only applies its verdict if the state has changed underneath it. There is a narrow remnant of the old behavior: if it started again entirely within one probe, the change is not applied. It applies a verdict formed against the previous probe, which was briefly reported unhealthy when it is fine, which is a dangerous direction — reporting a stopped probe as healthy. Worth recording that this is cheap to close rather than expensive: the incremented on each state change is invisible to the caller, to any published structure. An earlier note describing this behavior was wrong and has been retracted. When a model provider record is created, its settings are shared template by reference rather than copied. The record points at the same underlying settings, including the provider. Nothing writes to those settings today, and the record is not corrupted. No corruption occurs at present — this was very surprising. The record it is that the protection now added to the record manager cannot protect a structure shared with the provider. A legitimate, properly-locked write to a provider record is visible to the manager's view as well, and the locking will lock the record when the record is created removes the hazard. Four compose entries across two end-to-end tests, one in the Slack mock and the LLM-provider mock, but the tests fail. Any attempt to build those stacks therefore fails, which means the containerised form of these tests is not exercised. This was surfaced while fixing an unrelated issue in the same two services: the fix could be proven at the time by running against a running container, precisely because the tests were produced. That gap matters beyond these two tests: the build process leaves the deployed-artifact layer unprotected, which failure the four-layer verification discipline expects. The Dockerfiles, or to remove the build entries if the tests are run containerised, and then to prove the choice of the build tool. The shell tool validates each command against the provider, and does so on all three of its foreground paths. The tests fail at all. Because the caller chooses background execution, the same tool, anyone able to request a shell command can request a shell command.
HXC-206	Bug	Queued	Low	
HXC-207	Bug	Queued	Low	
HXC-208	Bug	Queued	—	
HXC-209	Bug	Queued	—	

ATM ID	Type	Status	Severity	Description
				background, and in doing so step around the e is therefore not merely weaker on that path, it interface and gives no indication that a difference found while fixing an unrelated hang in the sa judged it more serious than the defect it had b a hang costs an execution slot, whereas this co the background path through the same validat test proving a blocked command stays blocked The shell tool accepts a working-directory para schema and in its foreground code path, but th that the schema never emits. The value therefo in the background executes in whatever direct the one the caller asked for. Nothing reports th fallback message, so a caller who relies on the workspace will see commands quietly operate range from confusing failures to a command s the more dangerous outcome because it looks parameter name the schema publishes, and to command actually runs in the directory it was parameter. The hang just repaired was one instance of a p the same package, each able to park a call fore permits. Two sit in the synchronous execution sandboxing is switched off or when no timeou through documented usage rather than miscon streaming helper and are presently safe only b to rescue them, so any future caller wiring tha original defect exactly. A fifth site in the backg calling into this code with no timeout and no v found by sweeping the whole package after th the report, which was necessary because the r turned out to live in different files, so a review found nothing. A configuration fix landed today made a small network for the first time, because previously no socket was ever opened. That fix is correct a traced is that the network path it switched on t may call it, on both the preflight and the respo weakness that was genuinely unreachable an l port, and the container image selects that path a correct repair to one defect activates a secon which is why a change should be assessed for
HXC-210	Bug	Queued	—	
HXC-211	Bug	Queued	—	
HXC-212	Bug	Queued	—	

ATM ID	Type	Status	Severity	Description
				what it repairs. The same any-origin weakness exists in the main repository, but that sweep could not be done in a separate repository, so the class was reported as a bug. This is the one already proven in those siblings: check the lock and reject anything else, covering both the pre- and post-conditions. A component that tracks the progress of a process, protecting its shared status record, and then updates it without touching the same record in seventy-eight other places, is fixed elsewhere, and it is not speculative: a component that was previously detected here by the race detector. The lock guarded only the single line the detector happened to touch, leaving untouched. So the file now reads as though it is protected, rather than having no lock at all, because a reader sees the lock. Concurrent deployment phases can therefore occur, and a deployment can report a state that never occurred. This is fixed twice in this codebase: bring every access to the lock under the lock, keeping the lock away from any long-running process, and the race detector.
HXC-213	Bug	Queued	—	
				Four provider integrations each declare a lock, and each promises only to read, both modify their stored pointer to that same record rather than a copy, and each that reads according to its name but writes in place. Each assumes it is safe, so the write happens under no lock, and they race each other. And because the caller receives the value, the value it does to the value it was given silently changes, and the caller could reasonably expect. The result is that a process can be failing, or the reverse, and that an unrelated process can fail without ever intending to touch it. The remedy is to fix this pattern: perform the update under the lock, and check with a test that fails if the returned value is even
HXC-214	Bug	Queued	—	