

Issues_Summary

Issues_Summary

Open workable items (current_location = Issues), regenerated from the SQLite single-source-of-truth (§11.4.12).

Counts by Type × Status

Type	Status	Count
Bug	Queued	5
Task	Queued	2
TOTAL		7

Items

ATM ID	Type	Status	Severity	Description
HXC-154	Bug	Queued	Medium	A QA-session test checks that a freshly started session value it reads is one that a background worker is racing at the moment. The server hands the JSON encoder the same value, so whether the response says ‘pending’ or ‘ready’, the goroutine wins, and under load or with the race detector the result is a test that usually passes and occasionally fails. This is a product defect, which erodes trust in the suite and trust in the product. It was observed failing once during unrelated work, the test was added, the package race runs afterwards, so it is genuinely rare. The underlying product behaviour is not necessarily wrong, but it is in either state — so the likely correct outcome is to make the test to observe the status through a synchronised read instead. This depends on goroutine scheduling, proven by repeated reproductions. The reproduction captured first.
HXC-158	Bug	Queued	Medium	The Harmony OS and Aurora OS front-ends were just updated, and background workers no longer modify on-screen elements directly, which is partly backed by evidence. No test in either package checks that the screens, so the background workers that paint them are not updated, and the race detector therefore never gets the opportunity to detect that were changed. Concretely, running the Aurora OS test reported zero races both before and after the fix — not after.

ATM ID	Type	Status	Severity	Description
				because nothing under test reaches it; the corresponding reproduced and fixed came from a different component which tests do start. The practical risk is that a future direct on-screen write from a background worker in green, exactly the situation the anti-bluff policy exists then be certifying behaviour nobody has actually executed that builds the tabs and drives those workers — the controller and the dashboard and resource timers — with proven by observation rather than by inspection, together variant proving the new test genuinely fails when the a test in each package starts the previously-unexercised widgets, passes with zero races over repeated runs, a dispatch helper is removed from any one of those sites specific sites should be described as review-justified,
HXC-159	Task	Queued	High	Reported-Via: §11.4.202 reporting directive task on Operator What (the report, verbatim): Feature description the HelixSkills System (git@github.com:HelixDevelopment and HelixAgent, covering ALL of its power-features with OPERATOR REQUIREMENTS (2026-07-29): “Fully incorporate HelixAgent the HelixSkills System for all work with Skills git@github.com:HelixDevelopment/skills.git , we MUST power-features fully without nothing leftout! Full explanation into phases, tasks and subtasks with exhaustive amount prepared! Full coverage with all supported test types, (suites) is mandatory! Extend and update all existing guides, FAQs, create stunning illustrations, graphs and all materials! Any gaps, shortcomings, weak spots, data inconsistencies MUST BE detected in advance during process and properly tackled with comprehensive risk-free and safe! Track all progress through the control and remembering mechanisms we have! Use GitHub SpecKit with bridge to Superpowers used for the implementation development mechanism!” PRE-VERIFIED ENVIRONMENT not assumed — §11.4.6): - GitHub SpecKit IS installed NOT yet initialized in this repo (no .specify/ and no spec is therefore an explicit early task, not an assumption. skills.git IS reachable via SSH. git ls-remote --help feature/catalog-docs, feature/deep-research, feature/development full branch/tag inventory MUST be re-derived at release this partial listing. - The repository is NOT currently a .gitmodules contains no HelixDevelopment/skills or is cli_agents/codex-skills -> vasic-digital/caf-codex-skills

ATM ID	Type	Status	Severity	Description
				repository and must not be confused with it. - Both code module helix_code/ (module dev.helix.code) and the subagent (module dev.helix.agent). MANDATORY DELIVERY CODES: GitHub SpecKit for ALL phases of the incorporation, implementation, executed subagent-driven (§11.4.70). The design is structured as phases -> tasks -> subtasks, with an emphasis on off-code and micro-POCs where the design is load-bearing. §11.4.169: unit, integration, e2e, full-automation, Chaos Engineering. HelixQA banks (HelixDevelopment/helix_qa) with automated stress + chaos, concurrency/atomicity, race/deadlock, and carries captured evidence (§11.4.5 / §11.4.69); every gap in Documentation: extend AND update every existing document only new ones. Produce illustrations, graphs and diagrams materials. Four-format export discipline per §11.4.65. Update the main README per §11.4.212. - Risk work is a PLAN: note: every gap, shortcoming, weak spot, danger zone detected DURING planning and each one paired with a free and safe solution (§11.4.102 systematic-debugging before rewrite (§11.4.74 / §11.4.28): survey the vasic-catalogues on GitHub AND GitLab first; extend owned catalogues, duplicating, keeping them project-agnostic and decoupled, incorporated as a properly-laid-out dependency per §11.4.108 level or submodules/, never a nested own-org chain. - HelixCode and HelixAgent must BOTH receive the full feature set, the other is an incompleteness to be tracked, not silenced through the continuation docs, the memory/knowledge, the workable-items SSoT (§12.10 / §11.4.131 / §11.4.93). 1. A SpecKit specification exists and is initialized in-repository, with an explicit feature inventory proven complete repository (an enumerated list, not a sample — §11.4.102). 2. Implementation plan exists at the stated depth, with evidence of mitigation. 3. Every planned capability is wired and evidence of consumers, proven by §11.4.108 runtime signatures of code compiled. 4. The full §11.4.169 test-type matrix is green and HelixQA banks included. 5. All documentation is produced diagrams/illustrations incorporated, and reviewed. Independent code review reaches a zero-finding GO point. No capability is claimed without runtime evidence — every closure (§11.4 / §11.4.1 / §11.4.123). §11.4.213 FEASIBILITY PROGRAM (scheduled, not yet executed): (a) Deep web scientific papers / open-source projects+codebases / repositories to incorporate this feature into the project (§11.4.8 / §11.4.102) debug (§11.4.102) of ALL data obtained to enumerate

ATM ID	Type	Status	Severity	Description
				zone / inconsistency / imperfection, and design a risk one found. (c) The design MUST ALWAYS be enterpris innovative – never less. (d) MANDATORY exhaustive documents, an implementation plan down to lines-of diagrams / schemes / graphs, illustrations, SQL definit relevant material (§11.4.65 / §11.4.73). (e) Investigate + HelixDevelopment submodules/components BEFORE freely where genuinely needed while keeping them fr reusable (§11.4.28 / §11.4.74 / §11.4.177). (f) Plan from one: every supported test type, the Challenges submo (§11.4.27 / §11.4.169). (g) Divide the work into phases nano-detailed enough to drive integration / implemen directly. (h) Plan explicitly for enterprise scalability a the feature has a UI/UX surface, produce full wirefram PSD / PDF, or whatever the project mandates) authore §11.4.190). (j) Plan full CodeGraph integration with re synchronisation (§11.4.78 / §11.4.79 / §11.4.80). (k) Cre items (every detail + reference + attachment) synced source-of-truth (§11.4.93 / §11.4.95) + every derived w related project doc/component + every connected ext (§11.4.148 D5) – honestly SKIPPING any absent tracke (credentials_absent / tracker_client_absent, §11.4.10) Research-doc destination (to be populated when this fully_incorporate_the_helixskills_system_into_helixco Execution model (§11.4.213 clauses 1-2): this item is S multi-day research/planning/documentation work ab project’s standing autonomous loop (§11.4.87 / §11.4.9 when it claims this item, and MUST be driven to a gen explicitly evidence-backed CLOSED terminal state un be left sitting un-wired in the backlog. Affected scope research/planning – destination: docs/research/ fully_incorporate_the_helixskills_system_into_helixco Reproduction / context: UNKNOWN: not stated in th established before any fix (§11.4.102 / §11.4.146 / §11. research-doc tree exists under docs/research/ fully_incorporate_the_helixskills_system_into_helixco every enumerated weak-spot/gap/danger-zone carrie implementation plan down to lines-of-code exists, the are created, and the whole effort is validated per §11. ADDENDUM — BINDING OPERATOR REQUIREMENT === VERBATIM: “Make sure that SpecKit and Superpo and with all extensons we have created derrived from not optional colour on the SpecKit mandate — it nam

ATM ID	Type	Status	Severity	Description
				work MUST compose with rather than duplicate (§11.4.160). BRIDGE EXTENSION (verified to exist, 2026-07-29): composition speckit_superpowers/implementation/ — the “Helix Core Superpowers Bridge”. Eight documents, each in .md/.json/.yaml/.yml/.toml/.ini/.xml/.xhtml/.htm/.html/.css/.js/.jsx/.ts/.tsx/.vue/.njk/.liquid/.erb/.slim/.haml/.jinja/.mustache/.twig/.blade.php/.php/.php5/.php7/.php8/.php9/.php10/.php11/.php12/.php13/.php14/.php15/.php16/.php17/.php18/.php19/.php20/.php21/.php22/.php23/.php24/.php25/.php26/.php27/.php28/.php29/.php30/.php31/.php32/.php33/.php34/.php35/.php36/.php37/.php38/.php39/.php40/.php41/.php42/.php43/.php44/.php45/.php46/.php47/.php48/.php49/.php50/.php51/.php52/.php53/.php54/.php55/.php56/.php57/.php58/.php59/.php60/.php61/.php62/.php63/.php64/.php65/.php66/.php67/.php68/.php69/.php70/.php71/.php72/.php73/.php74/.php75/.php76/.php77/.php78/.php79/.php80/.php81/.php82/.php83/.php84/.php85/.php86/.php87/.php88/.php89/.php90/.php91/.php92/.php93/.php94/.php95/.php96/.php97/.php98/.php99/.php100/.php101/.php102/.php103/.php104/.php105/.php106/.php107/.php108/.php109/.php110/.php111/.php112/.php113/.php114/.php115/.php116/.php117/.php118/.php119/.php120/.php121/.php122/.php123/.php124/.php125/.php126/.php127/.php128/.php129/.php130/.php131/.php132/.php133/.php134/.php135/.php136/.php137/.php138/.php139/.php140/.php141/.php142/.php143/.php144/.php145/.php146/.php147/.php148/.php149/.php150/.php151/.php152/.php153/.php154/.php155/.php156/.php157/.php158/.php159/.php160/.php161/.php162/.php163/.php164/.php165/.php166/.php167/.php168/.php169/.php170/.php171/.php172/.php173/.php174/.php175/.php176/.php177/.php178/.php179/.php180/.php181/.php182/.php183/.php184/.php185/.php186/.php187/.php188/.php189/.php190/.php191/.php192/.php193/.php194/.php195/.php196/.php197/.php198/.php199/.php200/.php201/.php202/.php203/.php204/.php205/.php206/.php207/.php208/.php209/.php210/.php211/.php212/.php213/.php214/.php215/.php216/.php217/.php218/.php219/.php220/.php221/.php222/.php223/.php224/.php225/.php226/.php227/.php228/.php229/.php230/.php231/.php232/.php233/.php234/.php235/.php236/.php237/.php238/.php239/.php240/.php241/.php242/.php243/.php244/.php245/.php246/.php247/.php248/.php249/.php250/.php251/.php252/.php253/.php254/.php255/.php256/.php257/.php258/.php259/.php260/.php261/.php262/.php263/.php264/.php265/.php266/.php267/.php268/.php269/.php270/.php271/.php272/.php273/.php274/.php275/.php276/.php277/.php278/.php279/.php280/.php281/.php282/.php283/.php284/.php285/.php286/.php287/.php288/.php289/.php290/.php291/.php292/.php293/.php294/.php295/.php296/.php297/.php298/.php299/.php300/.php301/.php302/.php303/.php304/.php305/.php306/.php307/.php308/.php309/.php310/.php311/.php312/.php313/.php314/.php315/.php316/.php317/.php318/.php319/.php320/.php321/.php322/.php323/.php324/.php325/.php326/.php327/.php328/.php329/.php330/.php331/.php332/.php333/.php334/.php335/.php336/.php337/.php338/.php339/.php340/.php341/.php342/.php343/.php344/.php345/.php346/.php347/.php348/.php349/.php350/.php351/.php352/.php353/.php354/.php355/.php356/.php357/.php358/.php359/.php360/.php361/.php362/.php363/.php364/.php365/.php366/.php367/.php368/.php369/.php370/.php371/.php372/.php373/.php374/.php375/.php376/.php377/.php378/.php379/.php380/.php381/.php382/.php383/.php384/.php385/.php386/.php387/.php388/.php389/.php390/.php391/.php392/.php393/.php394/.php395/.php396/.php397/.php398/.php399/.php400/.php401/.php402/.php403/.php404/.php405/.php406/.php407/.php408/.php409/.php410/.php411/.php412/.php413/.php414/.php415/.php416/.php417/.php418/.php419/.php420/.php421/.php422/.php423/.php424/.php425/.php426/.php427/.php428/.php429/.php430/.php431/.php432/.php433/.php434/.php435/.php436/.php437/.php438/.php439/.php440/.php441/.php442/.php443/.php444/.php445/.php446/.php447/.php448/.php449/.php450/.php451/.php452/.php453/.php454/.php455/.php456/.php457/.php458/.php459/.php460/.php461/.php462/.php463/.php464/.php465/.php466/.php467/.php468/.php469/.php470/.php471/.php472/.php473/.php474/.php475/.php476/.php477/.php478/.php479/.php480/.php481/.php482/.php483/.php484/.php485/.php486/.php487/.php488/.php489/.php490/.php491/.php492/.php493/.php494/.php495/.php496/.php497/.php498/.php499/.php500/.php501/.php502/.php503/.php504/.php505/.php506/.php507/.php508/.php509/.php510/.php511/.php512/.php513/.php514/.php515/.php516/.php517/.php518/.php519/.php520/.php521/.php522/.php523/.php524/.php525/.php526/.php527/.php528/.php529/.php530/.php531/.php532/.php533/.php534/.php535/.php536/.php537/.php538/.php539/.php540/.php541/.php542/.php543/.php544/.php545/.php546/.php547/.php548/.php549/.php550/.php551/.php552/.php553/.php554/.php555/.php556/.php557/.php558/.php559/.php560/.php561/.php562/.php563/.php564/.php565/.php566/.php567/.php568/.php569/.php570/.php571/.php572/.php573/.php574/.php575/.php576/.php577/.php578/.php579/.php580/.php581/.php582/.php583/.php584/.php585/.php586/.php587/.php588/.php589/.php590/.php591/.php592/.php593/.php594/.php595/.php596/.php597/.php598/.php599/.php600/.php601/.php602/.php603/.php604/.php605/.php606/.php607/.php608/.php609/.php610/.php611/.php612/.php613/.php614/.php615/.php616/.php617/.php618/.php619/.php620/.php621/.php622/.php623/.php624/.php625/.php626/.php627/.php628/.php629/.php630/.php631/.php632/.php633/.php634/.php635/.php636/.php637/.php638/.php639/.php640/.php641/.php642/.php643/.php644/.php645/.php646/.php647/.php648/.php649/.php650/.php651/.php652/.php653/.php654/.php655/.php656/.php657/.php658/.php659/.php660/.php661/.php662/.php663/.php664/.php665/.php666/.php667/.php668/.php669/.php670/.php671/.php672/.php673/.php674/.php675/.php676/.php677/.php678/.php679/.php680/.php681/.php682/.php683/.php684/.php685/.php686/.php687/.php688/.php689/.php690/.php691/.php692/.php693/.php694/.php695/.php696/.php697/.php698/.php699/.php700/.php701/.php702/.php703/.php704/.php705/.php706/.php707/.php708/.php709/.php710/.php711/.php712/.php713/.php714/.php715/.php716/.php717/.php718/.php719/.php720/.php721/.php722/.php723/.php724/.php725/.php726/.php727/.php728/.php729/.php730/.php731/.php732/.php733/.php734/.php735/.php736/.php737/.php738/.php739/.php740/.php741/.php742/.php743/.php744/.php745/.php746/.php747/.php748/.php749/.php750/.php751/.php752/.php753/.php754/.php755/.php756/.php757/.php758/.php759/.php760/.php761/.php762/.php763/.php764/.php765/.php766/.php767/.php768/.php769/.php770/.php771/.php772/.php773/.php774/.php775/.php776/.php777/.php778/.php779/.php780/.php781/.php782/.php783/.php784/.php785/.php786/.php787/.php788/.php789/.php790/.php791/.php792/.php793/.php794/.php795/.php796/.php797/.php798/.php799/.php800/.php801/.php802/.php803/.php804/.php80

ATM ID	Type	Status	Severity	Description
				from that database by the constitution submodule's G derive them from the Markdown trackers instead, wh recorded as a heading section rather than a table row doing exactly what the manual says destroys tracked invocation rewrote the closed-item tally from 344 to 1 and replaced the full per-item table with aggregate co caught it. The scripts themselves have now been char immediate danger is closed, but the manuals still poin given the wrong instruction and discovers the refusal means updating the CONST-057 and section 11.4.91 an names the database exporter as the generator, which copies inside submodules that other repositories own lockstep per section 11.4.157. Who benefits: any agen learn how to regenerate a tracker summary, and ever see true project state. Reproduce by opening any liste generate_fixed_summary.sh — the surrounding sente generator with no mention of supersession. Acceptan exporter, no carrier presents the shell scripts as curre lockstep, and a check exists that would fail if a manu
HXC-161	Bug	Queued	—	The guard at scripts/gates/fixed_h2_pipe_row_parity_ written in docs/Fixed.md as a detail section also appe table. It currently reports 58 failures, and it was alrea same failures are reproducible against the last comm standing red gate rather than something a recent cha how the file is produced. The tracker is now generate and the database records for each item which single s written as table rows and others as detail sections, ne earlier, when the table was maintained by hand and both places, so it is now asserting a relationship the d provides. Two outcomes are possible and they must r guard is stale and should be rewritten to assert what the generator is genuinely dropping rows that ought catching real data loss. Deciding which requires read handling and confirming against the database, so this weakening or deleting a failing guard without that in the constitution forbids. Who benefits: anyone relyi vanishing from the closed-items summary, which is th prevent after one item went missing twice over. Repr fixed_h2_pipe_row_parity_gate.sh from the repository naming sections such as HXC-013 and HXC-119. Accep with captured evidence, the guard passes for the righ

ATM ID	Type	Status	Severity	Description
				softened, its paired mutation still makes it fail when the generator was at fault the affected items are restored
HXC-162	Bug	Queued	—	When a user types a request in the HelixCode interaction that is supposed to notice the request matches a known skill, the skill never fires. The code that decides which skill applies to the request is immediately discarded without ever being connected to the user or what the user types. To the user this looks like the skill is not in the CLI, even though the underlying machinery is present and working. It matters because skills are how the product is meant to be used in real work without the user learning any commands. A reasonable conclusion is that the feature is implemented, which is a good fix is to connect the dispatcher to the place where user requests are a test that types a matching request and observes the result. See cli/main.go:1060 by SOURCE-layer inspection; still needs to be fixed in 11.4.108.
HXC-163	Bug	Queued	—	The project ships seven ready-made skills that come from a single component and are meant to be available to every project. The seven is registered with the running system, so no one can add a user or by an agent. The effect is that work the organization maintains sits unused, and each project quietly re-solves the problem. Separately, one entry in the skills folder points to a file on a Mac, so on this Linux machine it is a broken link. The problems compound: the catalogue looks populated for a while in practice. Closing this means registering the seven skills, repairing or removing the broken link, and adding a file that is present on disk but unreachable at runtime.