

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (§11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	221
Bug	Obsolete (→ Fixed.md)	4
Feature	Implemented (→ Fixed.md)	95
Task	Completed (→ Fixed.md)	84
Task	Fixed (→ Fixed.md)	3
Task	Obsolete (→ Fixed.md)	1
TOTAL		408

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19 — CONST-046 i18n ar design; Option D (nicksnyder/go-i18n)
2	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#1 — pkg/i18n core for Bundle/Localizer + sentinel errors
3	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#10 — This task added texts shown in the command-line tool; those brief descriptions can eventually instead of being locked to English.
4	Medium	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#11 — challenges/pkg/evaluators.go migration
5	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#12 — challenges/pkg/challenge_recorded_ai_testgen.go × 1

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
6	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#13 — challenges/pkg/migration
7	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#14 — challenges/pkg/user-facing migration
8	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#15 — challenges/pkg/challenge_recorded_mobile.go × 7 un
9	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#16 — CONST-046 i18n doc
10	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#17 — This task added the project’s tracking document into PDF files, using standard document-c for team members and stakeholders needing to open raw text files.
11	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#18 — helix_code/cmd
12	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#19 — This task began (translation) support to the helix_qa component, so any text it shows to us other languages instead of only English.
13	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#2 — CONST-046 audit scan 57,345 violations across 21,937 f
14	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#20 — CONST-052 ren (HXC-001 plan, ex-ISSUE-005)
15	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#21 — This task starte the LLMOrchestrator component, wh several different AI language models error messages were converted into
16	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#22 — This task began line text shown by the LLMsVerifier t model providers) into a translatable multiple languages. Only a small nur tool were converted in this first pass.
17	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#23 — This task starte HelixSpecifier tool so that its user-fac languages other than English.
18	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#24 — This task starte Storage component of the system, wh

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					retrieving data, so its messages can e languages.
19	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#25 — This task starte LLMOps component, which manages language models the system relies on shown in multiple languages.
20	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#26 — This task starte VectorDB component, which is the da specialized AI-related data, so its mes multiple languages.
21	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#27 — This task starte Observability component, the part of health and performance, so its messa multiple languages.
22	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#28 — This task added module, the part of the system that c hardcoded English error and status m translatable format, fully completing left over.
23	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#29 — This task added component, converting five hardcode translatable format so the messaging different languages for users.
24	Medium	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#3 — This task built th individual sub-component of the syst system, including a working example Serbian. This lays the groundwork so remaining user-facing text across the
25	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#30 — This task added Middleware component, converting r messages about authentication and n translatable format.
26	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#31 — This task added component, the part of the system th converting five hardcoded messages sandboxing into a translatable forma
27	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#32 — This task added component, which handles live, real-

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					converting five hardcoded connection format.
28	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#33 — This task added groundwork to the Watcher component file and event changes. This was a be component's outward labels are inter directly read.
29	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#34 — This task started conversation component, which mar with users, so its messages can event
30	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#35 — This task added component, the part of the system th converting nine hardcoded status an format and reducing the number of n that area from 73 to 64.
31	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#36 — This task added component's privilege-check feature, warning and description messages in reduction in the untranslated messag
32	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#37 — helix_code/cmd round 24)
33	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#38 — This task started AutoTemp component so its message languages.
34	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#39 — This task started Auth (login and authentication) comp be shown in multiple languages.
35	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#4 — This task conver templates used by the SelfImprove co asking the AI model to review and im translatable format.
36	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#40 — helix_code/cmd 4 round 27)
37	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#41 — This task added groundwork, including 36 translation PliniusCommon library, so that any t and can safely support many people

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
38	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#42 — helix_code/app migration (Phase 4 round 30)
39	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#43 — helix_code/app 29)
40	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#44 — helix_code/app (Phase 4 round 31)
41	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#45 — helix_code/app (Phase 4 round 32)
42	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#46 — helix_code/app migration (Phase 4 round 33)
43	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#47 — helix_code/cmd round 34)
44	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#48 — helix_code/cmd round 35)
45	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#49 — helix_code/cmd round 36)
46	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#5 — This task conver messages in the HelixLLM tool into a small new capability that other parts same kind of translation work.
47	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#50 — helix_code/cmd migration (Phase 4 round 37)
48	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#51 — helix_code/cmd migration (Phase 4 round 38)
49	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#52 — helix_code/inte 4 round 39)
50	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#53 — helix_code/inte 4 round 40)
51	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#54 — helix_code/inte round 41)
52	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#55 — helix_code/inte 4 round 42)
53	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#56 — helix_code/inte round 43)
54	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#57 — helix_code/inte round 44)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
55	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#58 — helix_code/inte round 45)
56	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#59 — helix_code/inte round 47)
57	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#6 — This task conver shown in the command-line interface into a translatable format, so users o headers.
58	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#60 — helix_code/inte (Phase 4 round 46)
59	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#61 — helix_code/inte 48)
60	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#62 — helix_code/inte 49)
61	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#63 — helix_code/inte 50)
62	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#64 — helix_code/inte round 51)
63	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#65 — Round 74-87 re round-74 FAILs closed (helix_qa+panoptic+LLMsVerifier+OL
64	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#66 — This task added release testing script that lets it skip t local setup, such as a missing tool or genuine problem in the code. This ke blocked by environment issues outsid
65	—	Completed (→ Fixed.md)	Task	—	FIX-2026-05-19#67 — This task check project to confirm their names follow rules and that every reference to the finding and correcting three sub-com drifted out of sync.
66	—	Fixed (→ Fixed.md)	Bug	—	FIX-2026-05-19#68 — challenges go.m containers
67	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#69 — LLMOrchestrat opencode/claudecode/qwencode CLI
68	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#7 — DocProcessor CL runCLI(); 6 tests + mutation; Upstream

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
69	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#70 — 4-vendor GPU t (NVIDIA+AMD+Apple+Intel)
70	High	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#71 — This task made different AI-model providers the syst cloud AI services, correctly reports d something goes wrong, instead of fai error message.
71	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#8 — This task conver across the Planning component, whic the VisionEngine component, which format. Two additional issues were d for later attention.
72	Low	Implemented (→ Fixed.md)	Feature	—	FIX-2026-05-19#9 — This task built a codebase for any newly added hardc translation system, and blocks the ch recorded baseline of roughly 55,000 c migrated over time.
73	—	Fixed (→ Fixed.md)	Bug	—	HXA-001 — helix_agent handler tests
74	—	Fixed (→ Fixed.md)	Bug	—	HXA-001 — HXA-001 (ex-ISSUE-009):
75	—	Fixed (→ Fixed.md)	Bug	—	HXA-002 — helix_agent debate/llmpr
76	—	Fixed (→ Fixed.md)	Bug	—	HXA-002 — HXA-002 (ex-ISSUE-010): sibling-submodule API drift
77	—	Fixed (→ Fixed.md)	Bug	—	HXA-003 — venice TestGetCapabilit
78	—	Fixed (→ Fixed.md)	Bug	—	HXA-003 — HXA-003 (ex-ISSUE-011): CONST-037 model-list drift
79	—	Completed (→ Fixed.md)	Task	—	HXC-001 — CONST-052 rename progr PascalCase — CLOSED (→ Fixed.md)
80	—	Completed (→ Fixed.md)	Task	—	HXC-001 — HXC-001 (ex-ISSUE-005): c rename programme — all owned-org dirs renamed
81	—	Fixed (→ Fixed.md)	Bug	—	HXC-002 — Round-74 residual LOGIC
82	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-002 — HXC-002 (ex-ISSUE-006) (FAIL cleanup
83	—	Completed (→ Fixed.md)	Task	—	HXC-002#1 — HXC-002 (ex-ISSUE-006) confirms clean
84	—	Fixed (→ Fixed.md)	Bug	—	HXC-002#2 — HXC-002 (ex-ISSUE-006) FAIL cleanup
85	High	Implemented (→ Fixed.md)	Feature	—	HXC-003 — CONST-046 i18n migration docs/Fixed.md)
86	High	Implemented (→ Fixed.md)	Feature	—	HXC-003 — HXC-003: CONST-046 i18n text hardcoded as static string literal
87	—	Fixed (→ Fixed.md)	Bug	—	HXC-004 — Recovery-batch under-ver round-193 audit)
88	—	Fixed (→ Fixed.md)	Bug	—	HXC-004 — HXC-004: recovery-batch logo + notification test-assertion drift break)
89	—	Fixed (→ Fixed.md)	Bug	—	HXC-005 — cmd/performance_optimiz CONST-035 simulation bluff
90	—	Fixed (→ Fixed.md)	Bug	—	HXC-005 — HXC-005: cmd/performance a CONST-035 simulation bluff
91	High	Implemented (→ Fixed.md)	Feature	—	HXC-006 — HelixCode Speed Program Fixed.md)
92	High	Implemented (→ Fixed.md)	Feature	—	HXC-006 — HXC-006: HelixCode Speed competitor AI CLI agents (6-phase / 3
93	—	Completed (→ Fixed.md)	Task	—	HXC-007 — Constitution §11.4.68/70-7 CLOSED (migrated to docs/Fixed.md)
94	—	Completed (→ Fixed.md)	Task	—	HXC-007 — HXC-007: Constitution §1 bump
95	—	Fixed (→ Fixed.md)	Bug	—	HXC-008 — CONST-055 G1 governance pull validation sweep — CLOSED (mi
96	—	Fixed (→ Fixed.md)	Bug	—	HXC-008 — HXC-008: CONST-055 G1 g constitution-pull validation sweep
97	—	Completed (→ Fixed.md)	Task	—	HXC-009 — Owned-submodule GitHub reconciliation — CLOSED (migrated t
98	—	Completed (→ Fixed.md)	Task	—	HXC-009 — HXC-009: Owned-submod divergence reconciliation
99	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			HXC-010 — End-to-end Kimi CLI + Qv CLOSED (migrated to docs/Fixed.md)
100	—	Completed (→ Fixed.md)	Task	—	HXC-010 — HXC-010: End-to-end Kimi verification (operator-blocked on LL)
101	—	Fixed (→ Fixed.md)	Bug	—	HXC-011 — HXC-011: helix_qa runner “PASSED” rows for desktop-platform case’s action:
102	—	Fixed (→ Fixed.md)	Bug	—	HXC-012 — HXC-012: data race in helix load_balancer.go background stat-co
103	—	Implemented (→ Fixed.md)	Feature	—	HXC-013 — Adopt SQLite-backed sing (\$11.4.93/95)
104	—	Completed (→ Fixed.md)	Task	—	HXC-014 — Stress + chaos test covera
105	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-014b — Systemic unguarded i18n crash (cross-package)
106	—	Completed (→ Fixed.md)	Task	—	HXC-015 — Cross-platform parity (\$11.4.93/95) subagent-driven \$11.
107	—	Completed (→ Fixed.md)	Task	—	HXC-016 — \$11.4.69–97 governance c (CONST-047/\$3) — CLOSED (→ Fixed.m
108	—	Completed (→ Fixed.md)	Task	—	HXC-016 — HXC-016: \$11.4.69–97 gov submodules + mechanical propagation
109	—	Completed (→ Fixed.md)	Task	—	HXC-017 — CodeGraph own-org subr (\$11.4.79/80) — CLOSED (→ Fixed.md)
110	—	Completed (→ Fixed.md)	Task	—	HXC-017 — HXC-017: CodeGraph inde (blanket dependencies/**) + config.js \$11.4.80
111	—	Completed (→ Fixed.md)	Task	—	HXC-018 — Obsolete status (\$11.4.90) tracker tooling
112	—	Completed (→ Fixed.md)	Task	—	HXC-019 — docs/qa/ end-user eviden
113	—	Fixed (→ Fixed.md)	Bug	—	HXC-021 — HXC-021 + HXC-014a + HXC-014b Assert(true, "...skipped") bluffs (11.4.93/95) report green while exercising nothin
114	—	Fixed (→ Fixed.md)	Bug	—	HXC-022 — test_bank platform + inte existing) — CLOSED (→ Fixed.md)
115	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-022 — HXC-022: test_bank platform compile — half-written stubs + root package uncompileable test package never run
116	—	Fixed (→ Fixed.md)	Bug	—	HXC-023 — Assert(true,...) / AssertTrue test_bank — CLOSED (→ Fixed.md)
117	—	Fixed (→ Fixed.md)	Bug	—	HXC-023 — HXC-023: literal-true Assertion bluffs across the e2e test banks (reported)
118	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-024 — internal/llm -tags=integration reference deleted providers)
119	—	Completed (→ Fixed.md)	Task	—	HXC-025 — Constitution §11.4.98/99/100
120	—	Completed (→ Fixed.md)	Task	—	HXC-026 — workable-items md↔db sync
121	—	Completed (→ Fixed.md)	Task	—	HXC-027 — §11.4.98 live-test full-automation
122	—	Completed (→ Fixed.md)	Task	—	HXC-028 — §11.4.99 latest-source docs (README)
123	—	Completed (→ Fixed.md)	Task	—	HXC-029 — §11.4.98 full-automation integration/e2e/Challenge test (no human) Fixed.md)
124	—	Completed (→ Fixed.md)	Task	—	HXC-029 — HXC-029: §11.4.98 full-automation every live/integration/e2e/Challenge test the-loop
125	—	Completed (→ Fixed.md)	Task	—	HXC-030 — §11.4.99 forward: latest-source sweep across all operator-facing docs
126	—	Completed (→ Fixed.md)	Task	—	HXC-030 — HXC-030: §11.4.99 latest-source sweep across all operator-facing docs
127	—	Completed (→ Fixed.md)	Task	—	HXC-031 — Deferred long-tail: CONSTRUCT remain) + Codex/Cline reference-age
128	—	Completed (→ Fixed.md)	Task	—	HXC-031 — HXC-031: Deferred long-tail — none remain) + Codex/Cline reference
129	High	Fixed (→ Fixed.md)	Bug	—	HXC-032 — LLMOrchestrator submodules markers break helix_agent build — CLOSED
130	—	Fixed (→ Fixed.md)	Bug	—	HXC-032 — HXC-032: LLMOrchestrator conflict markers in 5 Go files (26 hunks) §11.4 build-layer PASS-bluff already closed

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
131	High	Fixed (→ Fixed.md)	Bug	—	HXC-033 — codegraph 0.9.7 update: fix submodules dropped from the index (→ Fixed.md)
132	—	Fixed (→ Fixed.md)	Bug	—	HXC-033 — HXC-033: codegraph 0.9.7 submodules from the index + full index regression)
133	—	Completed (→ Fixed.md)	Task	—	HXC-034 — Cascade constitution §11.4.103-141 implement CM-COVENANT-114-102-PROPAGATION (→ Fixed.md)
134	—	Completed (→ Fixed.md)	Task	—	HXC-034 — HXC-034: Cascade constitution systematic-debugging + always-loaded dependency availability) into every COVENANT-114-102-PROPAGATION e
135	High	Fixed (→ Fixed.md)	Bug	—	HXC-035 — POST /api/v1/auth/register internal_auth_failed_create_user ON authenticated flows) — CLOSED (→ F
136	—	Fixed (→ Fixed.md)	Bug	—	HXC-035 — HXC-035: POST /api/v1/auth/internal_auth_failed_create_user ON authenticated flows
137	—	Fixed (→ Fixed.md)	Task	—	HXC-036 — Systemic CONST-046 i18n message-ID keys because boot-time t implemented — CLOSED (→ Fixed.md)
138	—	Fixed (→ Fixed.md)	Bug	—	HXC-036 — HXC-036: Systemic CONST-046 emitted raw message-ID keys to user wiring was never implemented (a §11.4.103-141
139	High	Completed (→ Fixed.md)	Task	—	HXC-037 — §11.4.103-141 + CONST-046 owned submodules (verify-governan
140	—	Completed (→ Fixed.md)	Task	—	HXC-037 — HXC-037: §11.4.103-141 + backfill into 7 owned submodules (ve
141	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-038 — docs_chain G14: fixed.yam mismatch + stale state.json baseline f
142	—	Fixed (→ Fixed.md)	Bug	—	HXC-038 — HXC-038: docs_chain G14 transform-contract mismatch + stale issues context
143	Medium	Completed (→ Fixed.md)	Task	—	HXC-039 — G7 §11.4.83 docs/qa evidence lack docs/qa// directories
144	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Completed (→ Fixed.md)			HXC-039 — HXC-039: G7 §11.4.83 docs commits lack docs/qa// directories
145	Low	Fixed (→ Fixed.md)	Bug	—	HXC-040 — CLAUDE.md §9/§3.4 anti- (527 i18n/test hits) + case-sensitivity
146	—	Fixed (→ Fixed.md)	Bug	—	HXC-040 — HXC-040: CLAUDE.md §9/ alarm (527 i18n/test hits) + case-sens
147	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-041 — helixqa standalone HTTP http) drives http: banks vs live server
148	—	Implemented (→ Fixed.md)	Feature	—	HXC-041 — HXC-041: helixqa standal (helixqa http) drives http: banks vs li
149	Medium	Completed (→ Fixed.md)	Task	—	HXC-042 — CONST-050(B) challenge- scripts in debate_orchestrator + helix ux)
150	—	Completed (→ Fixed.md)	Task	—	HXC-042 — HXC-042: CONST-050(B) c challenge scripts in debate_orchestra scaling/ui/ux)
151	High	Fixed (→ Fixed.md)	Bug	—	HXC-043 — auth Login nil-DB panic c graceful no-DB operation but first /ap
152	—	Fixed (→ Fixed.md)	Bug	—	HXC-043 — HXC-043: auth Login nil-DB advertises graceful no-DB operation n dereferences nil s.db
153	Medium	Obsolete (→ Fixed.md)	Bug	—	HXC-044 — internal/cognee: AMD-GP sentinel instead of parsed GPU-use v
154	—	Obsolete (→ Fixed.md)	Bug	—	HXC-044 — HXC-044: internal/cognee returns -1 sentinel instead of parsed
155	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-045 — internal/hooks: cancelled duration unset (should always be po
156	—	Fixed (→ Fixed.md)	Bug	—	HXC-045 — HXC-045: internal/hooks: leaves duration unset (should always
157	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-046 — internal/memory/provider under fast back-to-back calls (timesta
158	—	Fixed (→ Fixed.md)	Bug	—	HXC-046 — HXC-046: internal/memor unique under fast back-to-back calls collision)
159	Low	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					HXC-047 — internal/redis TestNewCl with no SKIP-OK guard (§11.4.98) + i1 Redis
160	—	Completed (→ Fixed.md)	Task	—	HXC-047 — HXC-047: internal/redis T live-Redis with no SKIP-OK guard (§1 contains literal Redis
161	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-048 — helixcode-system.yaml H for the non-auth server surface (heal providers + negatives)
162	—	Implemented (→ Fixed.md)	Feature	—	HXC-048 — HXC-048: helixcode-syste http cases for the non-auth server su status/llm-providers + negatives)
163	Low	Fixed (→ Fixed.md)	Bug	—	HXC-049 — doc_processor TestAutom ‘Upstreams’ but canonical dir is lowe drift, deterministic FAIL)
164	—	Fixed (→ Fixed.md)	Bug	—	HXC-049 — HXC-049: doc_processor T capital ‘Upstreams’ but canonical dir case drift, deterministic FAIL)
165	Low	Completed (→ Fixed.md)	Task	—	HXC-050 — event_bus NATS env-gate markers required by the no-silent-sk
166	—	Completed (→ Fixed.md)	Task	—	HXC-050 — HXC-050: event_bus NATS SKIP-OK markers required by the no
167	Low	Fixed (→ Fixed.md)	Bug	—	HXC-051 — helix_llm + helix_memory non-existent ../../vasic-digital/* sibling layout)
168	—	Fixed (→ Fixed.md)	Bug	—	HXC-051 — HXC-051: helix_llm + heli point to non-existent ../../vasic-digital dependency-layout)
169	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-052 — background_tasks go.mod paths
170	—	Fixed (→ Fixed.md)	Bug	—	HXC-052 — HXC-052: background_tas replace paths
171	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-053 — conversation go.mod buil Messaging
172	—	Fixed (→ Fixed.md)	Bug	—	HXC-053 — HXC-053: conversation go replace path ../Messaging
173	Low		Bug	—	HXC-054 — leak_detector parallel tes

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			
174	—	Fixed (→ Fixed.md)	Bug	—	HXC-054 — HXC-054: leak_detector p determinism
175	Low	Fixed (→ Fixed.md)	Bug	—	HXC-055 — formatters brittle cat -ve go build
176	—	Fixed (→ Fixed.md)	Bug	—	HXC-055 — HXC-055: formatters brittle fixtures break go build
177	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-056 — 7 submodules: CONST-05 PliniusCommon (dir is plinius_comm
178	—	Fixed (→ Fixed.md)	Bug	—	HXC-056 — HXC-056: 7 submodules: PliniusCommon (dir is plinius_comm
179	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-057 — recovery go.mod missing digital.vasic.concurrency (pkg/break
180	—	Fixed (→ Fixed.md)	Bug	—	HXC-057 — HXC-057: recovery go.mod digital.vasic.concurrency (pkg/break
181	Low	Fixed (→ Fixed.md)	Bug	—	HXC-058 — helix_agent go build fails continue test fixture (quarantine)
182	—	Fixed (→ Fixed.md)	Bug	—	HXC-058 — HXC-058: helix_agent go cli_agents/continue test fixture (quar
183	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-059 — debate_orchestrator sand child process tree on non-Linux (\$11
184	—	Fixed (→ Fixed.md)	Bug	—	HXC-059 — HXC-059: debate_orchestr to kill child process tree on non-Linu
185	Low	Fixed (→ Fixed.md)	Bug	—	HXC-060 — debate_orchestrator chal cancel not called on all return paths
186	—	Fixed (→ Fixed.md)	Bug	—	HXC-060 — HXC-060: debate_orchestr context cancel not called on all retur
187	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-061 — helix_agent legacy unit-te stale 2-arg signature (won't compile)
188	—	Fixed (→ Fixed.md)	Bug	—	HXC-061 — HXC-061: helix_agent lega memory.GetRelevant with stale 2-arg
189	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-062 — helix_specifier pkg/metri lock-copy, concurrency hazard)
190	—	Fixed (→ Fixed.md)	Bug	—	HXC-062 — HXC-062: helix_specifier value (vet lock-copy, concurrency ha

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
191	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-063 — panoptic StartRecording: after early return nil — recorder new
192	—	Fixed (→ Fixed.md)	Bug	—	HXC-063 — HXC-063: panoptic StartR bootstrap after early return nil — re
193	Low	Fixed (→ Fixed.md)	Bug	—	HXC-064 — cognee AMD-GPU parser smi fake subprocess signal-killed bef
194	—	Fixed (→ Fixed.md)	Bug	—	HXC-064 — HXC-064: cognee AMD-G load (rocm-smi fake subprocess signa
195	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-065 — cache/pkg/postgres: finite (expires_at clock/timezone skew vs r
196	—	Fixed (→ Fixed.md)	Bug	—	HXC-065 — HXC-065: cache/pkg/postg immediate Get (expires_at clock/time
197	Low	Fixed (→ Fixed.md)	Bug	—	HXC-066 — inner internal/database i localhost:5433/helix_test, never read
198	—	Fixed (→ Fixed.md)	Bug	—	HXC-066 — HXC-066: inner internal/c localhost:5433/helix_test, never read
199	Low	Fixed (→ Fixed.md)	Bug	—	HXC-067 — inner internal/redis stres (default :6379) not HELIX_REDIS_HO
200	—	Fixed (→ Fixed.md)	Bug	—	HXC-067 — HXC-067: inner internal/r TEST_REDIS_HOST/PORT (default :63
201	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-068 — speckit debate adapter w
202	—	Implemented (→ Fixed.md)	Feature	—	HXC-068 — HXC-068: speckit debate a flow
203	High	Implemented (→ Fixed.md)	Feature	—	HXC-069 — HelixMemory default-on fallback
204	—	Implemented (→ Fixed.md)	Feature	—	HXC-069 — HXC-069: HelixMemory d graceful fallback
205	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-070 — HelixMemory persist log failure
206	—	Fixed (→ Fixed.md)	Bug	—	HXC-070 — HXC-070: HelixMemory p success on failure
207	Medium	Completed (→ Fixed.md)	Task	—	HXC-071 — Web LLM handler httpres
208	—	Completed (→ Fixed.md)	Task	—	HXC-071 — HXC-071: Web LLM hand stream

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
209	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-072 — CLI /undo and /diff slash substrate
210	—	Implemented (→ Fixed.md)	Feature	—	HXC-072 — HXC-072: CLI /undo and /substrate
211	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-073 — The CLI keeps an automa makes so users can review and safely established that autocommit substrat
212	—	Implemented (→ Fixed.md)	Feature	—	HXC-073 — HXC-073: Autocommit git
213	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-074 — Mobile gomobile Generat
214	—	Implemented (→ Fixed.md)	Feature	—	HXC-074 — HXC-074: Mobile gomobil LLM calls
215	Low	Completed (→ Fixed.md)	Task	—	HXC-075 — Phase-1 CLI-Agent Fusion state
216	—	Completed (→ Fixed.md)	Task	—	HXC-075 — HXC-075: Phase-1 CLI-Age delivered state
217	High	Implemented (→ Fixed.md)	Feature	—	HXC-076 — Web /llm/generate + /llm/ (partial — e2e pending)
218	—	Implemented (→ Fixed.md)	Feature	—	HXC-076 — HXC-076: Web /llm/gener frontend (partial — e2e pending)
219	Low	Implemented (→ Fixed.md)	Feature	—	HXC-077 — T1.5 context-window per
220	—	Implemented (→ Fixed.md)	Feature	—	HXC-077 — HXC-077: T1.5 context-wi
221	Medium	Completed (→ Fixed.md)	Task	—	HXC-078 — T1.6 SKILL.md precedenc
222	—	Completed (→ Fixed.md)	Task	—	HXC-078 — HXC-078: T1.6 SKILL.md j
223	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-079 — debate_orchestrator cons
224	—	Fixed (→ Fixed.md)	Bug	—	HXC-079 — HXC-079: debate_orchestr i18n key
225	High	Fixed (→ Fixed.md)	Bug	—	HXC-080 — /debate and /specify brok
226	—		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-080 — HXC-080: /debate and /sp agent vs 2-min
227	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-081 — helix_specifier speckit to verb mismatch
228	—	Fixed (→ Fixed.md)	Bug	—	HXC-081 — HXC-081: helix_specifier : format-verb mismatch
229	High	Fixed (→ Fixed.md)	Bug	—	HXC-082 — performance optimizer fa sleep and return Success true
230	—	Fixed (→ Fixed.md)	Bug	—	HXC-082 — HXC-082: performance op methods sleep and return Success tru
231	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-083 — production_deployer fabr validation and strategy differentiation
232	—	Fixed (→ Fixed.md)	Bug	—	HXC-083 — HXC-083: production_dep server-validation and strategy differ
233	High	Fixed (→ Fixed.md)	Bug	—	HXC-084 — challenge scripts use GNU on macOS BSD grep
234	—	Fixed (→ Fixed.md)	Bug	—	HXC-084 — HXC-084: challenge script — breaks on macOS BSD grep
235	High	Fixed (→ Fixed.md)	Bug	—	HXC-085 — 14 LLM providers Health ignoring injected baseURL
236	—	Fixed (→ Fixed.md)	Bug	—	HXC-085 — HXC-085: 14 LLM provide production URL ignoring injected ba
237	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-086 — SSE broker client-ID Unix connect
238	—	Fixed (→ Fixed.md)	Bug	—	HXC-086 — HXC-086: SSE broker clien concurrent connect
239	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-087 — skill_registry randomStri identical chars and colliding IDs
240	—	Fixed (→ Fixed.md)	Bug	—	HXC-087 — HXC-087: skill_registry ra produces identical chars and collidin
241	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-088 — llm_orchestrator openco cmd.WaitDelay unset
242	—	Fixed (→ Fixed.md)	Bug	—	HXC-088 — HXC-088: llm_orchestrato cmd.WaitDelay unset
243	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-089 — panoptic web Element in frames

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
244	—	Fixed (→ Fixed.md)	Bug	—	HXC-089 — HXC-089: panoptic web E recorder zero-frames
245	Low	Fixed (→ Fixed.md)	Bug	—	HXC-090 — panoptic tracks test-gene (CONST-053 hygiene)
246	—	Fixed (→ Fixed.md)	Bug	—	HXC-090 — HXC-090: panoptic tracks (CONST-053 hygiene)
247	Low	Fixed (→ Fixed.md)	Bug	—	HXC-091 — containers custom health resolution flake)
248	—	Fixed (→ Fixed.md)	Bug	—	HXC-091 — HXC-091: containers cust (timer-resolution flake)
249	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-092 — debate_orchestrator 30s I models on multi-round /specify
250	—	Fixed (→ Fixed.md)	Bug	—	HXC-092 — HXC-092: debate_orchestr capable models on multi-round /spec
251	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-093 — helix_code module graph + private transitive blocking go list -r
252	—	Fixed (→ Fixed.md)	Bug	—	HXC-093 — HXC-093: helix_code mod requires + private transitive blocking
253	High	Implemented (→ Fixed.md)	Feature	—	HXC-094 — F12 workspace checkpoint safety net
254	—	Implemented (→ Fixed.md)	Feature	—	HXC-094 — HXC-094: F12 workspace undo safety net
255	High	Fixed (→ Fixed.md)	Bug	—	HXC-095 — CLI binary generate/deba local ollama
256	—	Fixed (→ Fixed.md)	Bug	—	HXC-095 — HXC-095: CLI binary gene against live local ollama
257	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-096 — desktop nogui prints raw mismatch in status/help
258	—	Fixed (→ Fixed.md)	Bug	—	HXC-096 — HXC-096: desktop nogui p format mismatch in status/help
259	High	Fixed (→ Fixed.md)	Bug	—	HXC-097 — SYSTEMIC: standalone bi database never wire i18n Translator
260	—	Fixed (→ Fixed.md)	Bug	—	HXC-097 — HXC-097: SYSTEMIC: stan internal/database never wire i18n Tr
261	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-098 — out-of-box config fails ‘ve client status/system commands

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
262	—	Fixed (→ Fixed.md)	Bug	—	HXC-098 — HXC-098: out-of-box conf — blocks client status/system comma
263	—	Completed (→ Fixed.md)	Task	—	HXC-099 — Systemic i18n raw-key sw regression-free, with default-translat
264	—	Completed (→ Fixed.md)	Task	—	HXC-099 — HXC-099: Systemic i18n r corrected, regression-free, with defa
265	—	Completed (→ Fixed.md)	Task	—	HXC-100 — Resync docs/CONTINUAT the 32k-token line-1 header (CONST-C
266	—	Completed (→ Fixed.md)	Task	—	HXC-100 — HXC-100: Resync docs/CO de-bloat the 32k-token line-1 header hygiene)
267	—	Fixed (→ Fixed.md)	Bug	—	HXC-101 — security/security_test.go 7 network dependency + nil-deref pan. binary
268	—	Fixed (→ Fixed.md)	Bug	—	HXC-101 — HXC-101: security/securit external-network dependency + nil-d test binary
269	—	Fixed (→ Fixed.md)	Bug	—	HXC-102 — harmony_os main_nogui. ('Goodbye!', 'Error: %v') bypass i18n
270	—	Fixed (→ Fixed.md)	Bug	—	HXC-102 — HXC-102: harmony_os ma ('Goodbye!', 'Error: %v') bypass i18n
271	—	Completed (→ Fixed.md)	Task	—	HXC-103 — Web-client runtime e2e p LLM provider round-trip for /api/v1/ (CONTINUATION honest gap)
272	—	Completed (→ Fixed.md)	Task	—	HXC-103 — HXC-103: Web-client runt -> server -> LLM provider round-trip (CONTINUATION honest gap)
273	—	Fixed (→ Fixed.md)	Bug	—	HXC-104 — streamLLM /api/v1/llm/st never closed, [DONE] never emitted (
274	—	Fixed (→ Fixed.md)	Bug	—	HXC-104 — HXC-104: streamLLM /ap chunkChan never closed, [DONE] nev by web e2e)
275	—	Completed (→ Fixed.md)	Task	—	HXC-105 — Runtime e2e for server P real spec output via live provider (sp
276	—	Completed (→ Fixed.md)	Task	—	HXC-105 — HXC-105: Runtime e2e for server -> real spec output via live pro

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
277	—	Completed (→ Fixed.md)	Task	—	HXC-106 — helix_agent durable mem fallback is NOT disk-durable — recall honest gap)
278	—	Completed (→ Fixed.md)	Task	—	HXC-106 — HXC-106: helix_agent dur memory fallback is NOT disk-durable (CONTINUATION honest gap)
279	—	Completed (→ Fixed.md)	Task	—	HXC-107 — Feature Status docs progr per-feature inventory across all comp cli_agents, docs_chain-synced
280	—	Completed (→ Fixed.md)	Task	—	HXC-108 — Video-QA program: recor strongest models + ensemble -> /Volum analyze + fix
281	—	Fixed (→ Fixed.md)	Bug	—	HXC-109 — Mobile apps are scaffolds AndroidManifest, iOS has no Xcode p recordable)
282	—	Fixed (→ Fixed.md)	Bug	—	HXC-109 — HXC-109: Mobile apps are build.gradle/AndroidManifest, iOS ha not recordable)
283	—	Completed (→ Fixed.md)	Task	—	HXC-110 — Extend containers submo (operator-directed Apple-support me
284	—	Completed (→ Fixed.md)	Task	—	HXC-110 — HXC-110: Extend containe simulators (operator-directed Apple-
285	—	Fixed (→ Fixed.md)	Bug	—	HXC-111 — Desktop GUI shows raw i _activity_title) — CONST-046 gap
286	—	Fixed (→ Fixed.md)	Bug	—	HXC-111 — HXC-111: Desktop GUI sh (desktop_dashboard_header/_activity
287	—	Completed (→ Fixed.md)	Task	—	HXC-112 — Desktop GUI feature-reco osascript synthetic clicks — need clic LLM-chat in-GUI
288	—	Fixed (→ Fixed.md)	Bug	—	HXC-113 — MCP tool names use ‘serv compatible providers (DeepSeek/etc. chat with MCP enabled
289	—	Fixed (→ Fixed.md)	Bug	—	HXC-113 — HXC-113: MCP tool names compatible providers (DeepSeek/etc. chat with MCP enabled
290	Critical	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					HXC-114 — Wire facade (/v1/chat/completions) authentication — unauthenticated, publicly reachable on 0.0.0.0
291	High	Fixed (→ Fixed.md)	Bug	—	HXC-115 — The automated check that hardcoded user-facing text stores its paths tied to one specific machine. On location those paths no longer match as a brand-new violation and exits with governance safety-net everywhere except stores the known-good list using paths check works anywhere. This restores developer and automated run.
292	Medium	Completed (→ Fixed.md)	Task	—	HXC-116 — The multi-track development command-line tool both direct readers exist in the repository. Anyone trying development tracks has no authority with the shared storage drives. The tool covering the track layout, how to start precautions. Operators can then run documented steps.
293	High	Fixed (→ Fixed.md)	Bug	—	HXC-117 — Governance rule CONST- capability a model supports be reported rather than hardcoded. Today the verifiers supports embeddings; the other six capabilities verifier-sourced but are not implemented cannot truthfully tell users which model work adds these capability fields to the product read them from there. Users of-truth capability information.
294	High	Implemented (→ Fixed.md)	Feature	—	HXC-118 — A dedicated Retrieval-Augmented maintained as its own reusable module import or use it anywhere. A capability (answering using retrieved documents) to end users despite the code existing in RAG module into the application, which exposes its capability flag. Users gain answers instead of an orphaned, unused
295	High	Implemented (→ Fixed.md)	Feature	—	HXC-119 — Governance rule CONST- among required capabilities, but then

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
296	Medium	Fixed (→ Fixed.md)	Bug	—	anywhere in the codebase. Any user connectivity currently cannot use it. real ACP support, or, if it proves structured with cited evidence. The platform will or hold an honest, evidenced position. HXC-120 — A safety test for the web browser requests are answered with website to call the API. The server was explicit list of trusted sites, so the old expectation. The fix updates the test listed sites allowed, others refused) v The test suite now protects the security insecure one.
297	Medium	Completed (→ Fixed.md)	Task	—	HXC-121 — The code connecting the Together AI model services shipped with change could silently break how requests and nothing would catch it. The work client code against a simulated provider request, the parsed reply, and error handling become protected against silent regression.
298	Medium	Completed (→ Fixed.md)	Task	—	HXC-122 — Two categories of tests, manual automation, skip most of their cases server or special environment flags in these areas are largely unverified even. The work provides a documented, reproducible infrastructure so they actually execute and automation behavior then becomes merely scaffolded.
299	Low	Completed (→ Fixed.md)	Task	—	HXC-123 — The command-line security automated tests covering its behavior real scan produces wrong results. The core scanning and reporting logic. The protected against silent breakage.
300	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-124 — One automated quality-assurance server workflows has a documented token needed to finish the workflow does not meet the fully-automated no work provides an automated way to

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					the workflow runs unattended. The C automated and re-runnable.
301	Low	Completed (→ Fixed.md)	Task	—	HXC-125 — A large set of integration an ordinary test run never compiles signal is absent from routine checks. so this is a visibility gap, not a broken standard test command or a document status is always visible. Everyday test coverage.
302	Medium	Completed (→ Fixed.md)	Task	—	HXC-126 — Eleven work items marked issues document and are missing from the two views disagree about their status work regenerates the tracker document so finished items appear only in the new trackers then accurately reflect the true
303	Low	Completed (→ Fixed.md)	Task	—	HXC-127 — When an item is retired a recorded reason, date, and superseded these details is completely empty, including item. This leaves retirements unexplained populates the required justification of retired item carries an auditable reason
304	Low	Completed (→ Fixed.md)	Task	—	HXC-128 — Thirty-six tracked items have minimum length needed to convey work cannot understand them without reading into clear plain-language descriptions why it matters. Every item then becomes developers and stakeholders.
305	Low	Completed (→ Fixed.md)	Task	—	HXC-129 — Seventy-nine finished features so risk-ordered validation and reporting The work backfills an appropriate set content and impact. Risk-based ordering correctly across the full item set.
306	Medium	Completed (→ Fixed.md)	Task	—	HXC-130 — A full build fails on a clear mobile graphical apps need system graphics that are neither installed nor documented build error with no guidance. The work packages required, the command to install graphics build path used for development

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Anyone can then build the project or without surprise failures.
307	Medium	Obsolete (→ Fixed.md)	Bug	—	HXC-131 — The client that talks to the completing its login and caching the endpoint is never called and no bearer calls would fail. This means memory authenticate reliably. The work is to flow and prove it with the existing access to Cognition-backed memory.
308	Medium	Completed (→ Fixed.md)	Task	—	HXC-132 — The full-infrastructure server container because its build does not exist, and many memory because they look for a server on a file override it. As a result a whole class server. The work is to fix the container URL configurable so those tests execution coverage of server-dependent features.
309	Low	Fixed (→ Fixed.md)	Bug	—	HXC-133 — One Azure-provider test being present in the environment; with test setup the test's assumptions no longer fragile and can give misleading results. The work is to make the test hermetic the sibling test already fixed. This makes regardless of how it is run.
310	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-134 — The central model-verification numeric value, while HelixCode expects that can break how verified models are is to align the two so the id is consistent identity keeps verification, listing, and
311	Medium	Implemented (→ Fixed.md)	Feature	—	HXC-135 — HelixCode is now wired to indicators (tool protocols, code intelligence the central verifier, but the verifier's those fields, so the flags always read the verifier publish these capability values users see accurate per-model capabilities
312	Medium	Completed (→ Fixed.md)	Task	—	HXC-136 — Several mandated automation service, scaling, stress and chaos, and not exercised in the latest real-infra is unconfirmed. The work is to run e

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					infrastructure and capture proof of the test-type coverage and load and adverse conditions.
313	Medium	Completed (→ Fixed.md)	Task	—	HXC-137 — The project depends on many health check of all of them (does each tests) did not finish in the latest session health sweep and record the result for whole codebase, not just the main app.
314	Low	Completed (→ Fixed.md)	Task	—	HXC-138 — The end-to-end challenge scenarios (a missing option was just to be executed against a live server with complete user journeys work. The work challenges, capturing the results. This headline user workflows function end.
315	High	Fixed (→ Fixed.md)	Bug	—	HXC-139 — A vendored copy of a third Continue project) includes a Go source not exist, and because that file has not swept into the helix_agent module's checks for the whole module. This block the agent module. The work is to isolate they are not compiled as part of our module marker). Developers regain a
316	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-140 — The quality-assurance module containing a lock (a mutex) instead of flags as unsafe and can cause subtle error that loads real test banks is failing. The value by reference (pointer) instead of the failing test-bank test. This makes its tests green.
317	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-141 — The MCP module's Docker error when asked to stop a container exist, instead of returning cleanly. The a safe no-op. The work is to guard the container is handled gracefully. The before-start and missing-container situation
318	High	Fixed (→ Fixed.md)	Bug	—	HXC-142 — The automation-tagged test mandated test type cannot execute a during the 2026-07-12 real-infra rete (isRateLimitError/contains declared

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
319	High	Fixed (→ Fixed.md)	Bug	—	files) and deeper API drift where the and NewProviderManager which no package. The work is to reconcile the provider API and remove the duplica runs against real infrastructure. Evid infra_retest_20260712_hxc122_138/a
320	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-143 — The e2e-tagged test packa getEnvOrDefault is declared more th mandated test type cannot execute. T declaration (consolidate to a single sh compiles and can run end-to-end aga the 2026-07-12 real-infra retest. Evid infra_retest_20260712_hxc122_138/E
321	Low	Fixed (→ Fixed.md)	Bug	—	HXC-144 — Under the sustained requ running server, the goroutine count g of 4, signalling a goroutine leak in a n server is hammered. Left unaddresse stability under load. The work is to fi unclosed channel, context, or connec count stays within tolerance under fl infra_retest_20260712_hxc122_138/E
322	Medium	Fixed (→ Fixed.md)	Task	—	HXC-145 — During the real-infra rete failed 2 of 5 because the model id cor rejected by the live Xiaomi API, indic stale or wrong. Users selecting the Xi get errors. The work is to determine (from the provider or the verifier as configuration so Xiaomi requests suc infra_retest_20260712_hxc122_138/E
323	Medium		Bug	—	HXC-146 — The e2e challenge runner (cli, rest, tui, websocket) but none of server's real HTTP API during a run, runner's own logic rather than the sh documentation-versus-implementation proof. The work is to wire the challer call the running server's HTTP API so facing endpoints work. Discovered 2 docs/qa/infra_retest_20260712_hxc12

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-147 — Running the (now-compil the live OpenRouter API, TestAllFree Provider_OpenRouter BasicGeneratio dereference: the configured free mod rejected and the code path is missing the response. Users of the OpenRoute would hit the same crash. The work i id (sourced from the verifier as single nil-check so a rejected model degrad NOTE this environment has live prov spend real money; guard/skip accord
324	Low	Fixed (→ Fixed.md)	Task	—	HXC-148 — HXC-118 wired Retrieval- native server generate and stream en compatible and Anthropic-compatible completions and /v1/messages) still b those compatibility surfaces do not g it is enabled. The work is to apply the those facade handlers so RAG behave surface. This is a smaller secondary s fixed. Found during HXC-118 review
325	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-149 — The main repository git i submodule gitlinks at pre-rename pa HelixDevelopment/, <i>dependencies/va helix_qa/panoptic/security</i>) with no . historical path-rename to the submo submodule status and git submodule submodule mapping found in .gitmo maintenance script that walks all sub work is to remove ALL stale cached g the submodule set is consistent with tooling completes. This is a git-index- Found by the 2026-07-12 release-read blocks release automation.
326	Low	Fixed (→ Fixed.md)	Bug	—	HXC-150 — The load/DDoS test harne TEST_PG_* and TEST_REDIS_* enviro Postgres and Redis, but the projects . HELIX_DATABASE_* and HELIX_RED the container credentials. So under t workflow the suite falsely SKIPS even ran once the correct credentials were

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					2026-07-12 retest). The work is to align with .env.full-test so load/DDoS execution harness only.
327	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-151 — Several regression tests in RED_MODE switch whose job is to prove it guards. In these cases the RED half that lives inside the test file itself, instead that copy is part of the test and never the check produces the same result of working one, the broken one, and another and proves nothing about the product reads a green result as evidence that in fact inert: the original defect could green. The confirmed cases are handled a test-local preFixSystemStatusHealth getSystemStatus handler, so the nil-d bypassed by construction), handlers_ (hand-rolls the locking sequence in r rather than calling the shipped handler library property), llm_rag_test.go (de its retrieval step, so the ‘prompt was by the test’s own omission), and llm_ no RED branch at all, and another ca touched). To reproduce: revert the m test with RED_MODE=1; the branch s work is to rewrite each RED branch s exactly as was done for the three sibl llm_default_model_regression_test.go Done means that for every listed test with only its own fix reverted and fa four-way result is captured as eviden enumerated search finds no remaini HXC-152 — One test file in the server the old bug’ mode and ‘confirm the fi environment variable, but its default unset — which is how the suite runs — it selects the old-bug mode. The pr confirming the fixed behaviour neve reports success, so the team sees a gr actually verified. The behaviour left
328	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					that is supposed to hide models which are below a certain quality threshold, or have no API key. The fix was anti-bluff filtering the original fix was to make the same file simply skips itself out of the list. The provider key-gate is unguarded too. The fix was to make package defaults the opposite way, so that the package and its neighbours and will mislead anyone. To reproduce: run the package normally. The fix is that assertions are never reached while the fix is in place. The default is flipped so the fix-verifying test can be used to reproduce-the-old-bug mode still works. The fix is captured evidence shows those assertions are not genuinely fail when the filtering is removed. HXC-153 — A regression test in the system-status endpoint proves the system-status endpoint behaviour. The test is attached, but the test actually builds a test case that then only checks that the response code is 200. The test runs the same no-database case a new test case that the database-present path it advertises. The test is whatsoever. This matters because the test is about deciding whether a behaviour is guaranteed. The test would reasonably conclude the without-database case is not. It is the same documentation-verifying test case where a file's comment disagreed with the test case. An independent reviewer of that batch. The test is honestly defer coverage to another file. The test is about the product — the defect is correct. The test means the test either is renamed to check the test is given a fake-database seam so it easily fails. The test choice backed by a captured run. HXC-154 — A QA-session test checks the status 'pending', but the value it returns is racing to change to 'running' at the time the JSON encoder the same live session of the response says 'pending' or 'running'. The test goroutine wins, and under load or with a slow worker can win. The result is a test that fails for reasons unrelated to any reason. The test in the suite and trains readers to distrust the test once during unrelated work, then passes.
329	Medium	Fixed (→ Fixed.md)	Bug	—	
330	Medium	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
331	Low	Completed (→ Fixed.md)	Task	—	race runs afterwards, so it is genuine. The underlying product behaviour is that may legitimately see either state — so make the assertion accept either value synchronised read instead. Done means goroutine scheduling, proven by reproduction with the reproduction captured first. HXC-155 — The server package's registry that flips them between reproducing return, but the switch is spelled four read through three different helper s genuinely useful, because each guard fix and testers need to flip them one the goal is not to collapse them into c inconsistency has already caused real its default set the wrong way round s and another shipped with a comment code did. Both were fixed, but the driver work is to agree one naming pattern every guard in the package, and record the next guard author copies something follows the documented pattern, even direction, and a check exists that won convention. HXC-156 — The Harmony OS desktop system monitor that samples process seconds. To decide whether to keep g plain on/off marker, while the applica very same marker off from a different coordinating the two. Two threads to moment with no coordination is a da missed entirely, leaving the monitor state after the application believes it machines the value read is not guaranteed. This was not theoretical; it surfaced with the Harmony OS test suite failing run once race detection was enabled test package with the Go race detector monitor loop and the cleanup routine same audit found a second, quieter in
332	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
333	High	Fixed (→ Fixed.md)	Bug	—	same component: the measured power figures were written by the monitoring screen read them for display which could paint a screen mixing n rounds. The fix makes the monitor st rest of the application already uses, p status marker with a lock, and makes confirm it has genuinely finished bef Harmony OS test package completes consecutive runs under the race dete old code makes the identical race rea not merely agreeable. HXC-157 — The Harmony OS and Au perform slow work in the background answer, polling provider health, refr the server — and each of those backg straight into an on-screen element. T uses does not permit that: on-screen the single thread that draws them, an update over to be applied there. Doir can be reading an element at the exa rewrites it, which is a data race that crash the application outright. The p hidden: in both applications the offer comment stating ‘Update UI on main it is the identical false comment alrea end when this same defect class was factors were found by auditing every rather than only the reported line: se screen elements to decide what to do them, and several ran on endless tim modifying elements belonging to a w and leaked for the lifetime of the pro through the shared dispatch helper i keeps each read-and-then-write pair cannot be left behind, moves the rea the drawing thread where they belon place so a later edit is not invited to u makes the endless timers stop when Acceptance: both packages build and

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					over repeated runs, no background worker screen element without going through the end's behaviour is unchanged. HXC-158 — The Harmony OS and Aurora OS corrected so that background workers can access elements directly. That correction is, however, evidence. No test in either package ever runs on screens, so the background workers can't fail while the tests run, and the race detector has no opportunity to observe the very code that's running the Aurora OS package under test. I ran races both before and after the fix — but because nothing under test reached failure that was reproduced and fixed. I added the background system monitor, which can detect that a future edit could silently reintroduce a background worker in either file and reproduce exactly the situation the anti-bluff position test suite would then be certifying behaviour. Closing this requires a test that builds a race between the chat worker, the provider-health worker, and resource timers — with the race detector observing rather than by inspection. I added a variant proving the new test genuine. I added back. Acceptance: a test in each package that runs background workers against real world repeated runs, and demonstrably fails. I added removed from any one of those sites. I added specific sites should be described as n HXC-160 — The project's agent manuals CLAUDE.md, AGENTS.md, QWEN.md are in the repository root, their copies under harmony and the cascaded copies inside the for submodules — still tell every reader that docs/Fixed_Summary.md are produced by generate_issues_summary.sh and screen has not been true since the workable single source of truth: both summaries are in the database by the constitution submodules. I added scripts derive them from the Markdo
334	Medium	Fixed (→ Fixed.md)	Bug	—	
335	—	Completed (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
336	—	Fixed (→ Fixed.md)	Bug	—	drops every item recorded as a head. The practical harm is that an agent destroys tracked state: on 2026-07-29 closed-item tally from 344 to 188, core replaced the full per-item table with gate caught it. The scripts themselves run, so the immediate danger is closed so every new agent is still given the v refusal only by tripping over it. Fixing and section 11.4.91 anchor text in ev exporter as the generator, which spans copies inside submodules that other five carriers in lockstep per section 1 engineer who reads a manual to learn summary, and everyone relying on the state. Reproduce by opening any listed generate_fixed_summary.sh — the su current generator with no mention of carrier names the DB exporter, no ca current, the five root carriers stay in would fail if a manual reintroduced t HXC-161 — The guard at scripts/gates checks that every closed item written also appears as a row in that file's su failures, and it was already failing be are reproducible against the last com standing red gate rather than someth is a change in how the file is produce the workable-items database, and the which single surface form it takes: sc and others as detail sections, never b when the table was maintained by ha appear in both places, so it is now as deliberately no longer provides. Two not be guessed between: either the g to assert what the generator actually genuinely dropping rows that ought catching real data loss. Deciding whi representation handling and confirm deliberately not resolved here — wea

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					without that investigation is exactly t forbids. Who benefits: anyone relyin vanishing from the closed-items sum was created to prevent after one item by running bash scripts/gates/fixed_h repository root and observing 58 fail and HXC-119. Acceptance: the correc evidence, the guard passes for the rig softened, its paired mutation still ma broken, and if the generator was at f
337	—	Fixed (→ Fixed.md)	Bug	—	HXC-162 — When a user types a requ command-line client, the feature tha matches a known skill and run it aut decides which skill applies is created discarded without ever being connect what the user types. To the user this does not exist in the CLI, even though present, correct and documented. Th product is meant to turn a plain-lang the user learning any commands. An reasonably conclude the feature is in unnoticed. The fix is to connect the d input is handled, and prove it with a and observes the skill actually run. R SOURCE-layer inspection; still needs
338	—	Fixed (→ Fixed.md)	Bug	—	HXC-163 — The project ships seven r shared governance component and a project that uses it. In practice none running system, so not one of them c agent. The effect is that work the org maintains sits unused, and each proj skills already solve. Separately, one e storage location that only exists on a broken link that resolves to nothing. catalogue looks populated from the c Closing this means registering the se mechanism, repairing or removing th that fails if a shipped skill is present
339	—	Fixed (→ Fixed.md)	Bug	—	HXC-165 — One of the performance s over a reference file that is stored in

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					The reference file is supposed to be the baseline for all measurements are compared against. If the baseline yardstick silently becomes whatever is in the file most recently. That destroys the comparison. On a busy shared machine the number of comparisons also leaves the project permanently slow. It trains everyone to ignore that signal and the baseline is corrupted baseline likely. A reviewer might be committing it during unrelated work in a location that is not version controlled and the file is read-only. HXC-167 — Before a recorded test completes, a cleanup step is supposed to remove all test artifacts. The cleanup has two weaknesses. First, it doesn't know what script itself already knew about, so a cleanup might happen back to us — a session cookie, a return value, etc. is unknown to the cleanup and is saved. Second, the cleanup that kind has actually leaked so far, but it might happen to return one, but the protection is not there. Worse, the cleanup can fail silently: the replacement tool in a way that treats secrets as plain text so a secret containing one of those characters might fail. A failure is deliberately discarded rather than a warning that stays in the file with no warning. The replacement tool treats secrets as plain text and fails silently, and add a scan of the finished file to the remote side sent us. HXC-169 — The agent can run user-space code in a container for safety, and it drives that code through a library. Four publicly documented flaws in the library parts we use — in particular the file operations and for three of them the vendor has not released a fix so there is nothing to upgrade to. We have seen affected operations rather than mere crashes. Our analysis traced the calls from our own code to the functions. This matters because the flaw is in the code onto the machine that hosts it, which is not the machine that exists to prevent. What remains unknown is whether an outsider can actually influence the code the way we deploy them, and whether the code is safe.
340	High	Fixed (→ Fixed.md)	Bug	—	
341	Critical	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
342	High	Completed (→ Fixed.md)	Task	—	real deployments at all. The expected by evidence: either a demonstration in our configuration, or a concrete copy the feature, constraining the copy pa container service. Because no upgrad decision is the only way to resolve the HXC-170 — Eight of the agent’s support that fix known weaknesses, and even bug-fix-level release within the same authors are committing to not break they close eleven of the eighteen known compiled program, including four w genuinely reaches during normal op single highest-value change available bumps that measurably shrinks our anything. One of the eight also fixes a automated safety checks route untru no advisory service had flagged at al on the agent benefits, and the review enough to actually read. The expected project rebuilt, its tests run, and a fre weaknesses no longer appear, with th as evidence. Two of the eight are mir deserve a slightly closer look at build HXC-173 — One of the tests that chec its on-screen values safely will repor it is under heavy load, and passes cle underlying feature is fine — this was in isolation, where it passes — so the defect in the product. This still matte unrelated to the code teaches everyo time it fails for a real reason nobody problem for release preparation, wh many other jobs are active. The fix is condition it cares about rather than a a fixed window, so that a slow machi false failure. HXC-174 — The text-based terminal i assurance sessions and their progres the shared session objects at the mor
343	Medium	Fixed (→ Fixed.md)	Bug	—	
344	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					background worker is simultaneously Nothing coordinates the two, so the s The sharpest case is the elapsed-time time has been recorded and then im two steps the background worker ma use a value that is not fully there yet. briefly nonsensical timings, and on a interface. This is not new and was no now the only place in the project tha the code follows and that the session to take a consistent copy of each sess the screen from that copy.
345	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-176 — The shared governance c creating a shortcut that points at whe sit on the machine doing the install. I specific location rather than a locatio only works on the computer that cre broken in this project: it had been cr external drive, so on this Linux mach had never once worked here. That si repaired, but the installer that produ recreates the same problem. A guard is a safety net rather than a cure. The component: record the location relat works on every machine that checks
346	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-177 — One of the skills shipped blank placeholder in a form the syste only substitutes placeholders writter never replaced. The consequence is t onward to the AI model as part of the meaningless noise rather than as the The user sees a lower-quality answer found while working on unrelated sk work. The fix is to correct the placeh add a check that refuses to ship a ski cannot resolve, so the same mistake c
347	High	Fixed (→ Fixed.md)	Bug	—	HXC-182 — The file that records the m measurements are compared against and now holds this machine's numbe not been committed, so the correct v

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					project history and can be restored w many people and automated helpers at once, and any of them running a c once would sweep the corrupted file reference would silently become a b later comparison against it would be warning. The underlying cause is bei stop writing the file, but that fix does present. This needs the file restored n everyone working in this copy rather message where no one will see it. HXC-183 — When the product stream background worker hands results ba caller gives up early — the user canc must notice and stop. Six providers v and each got a test proving it. One pr results back without checking wheth worker blocks forever and both it an never released. Every cancelled requ more of the machine’s capacity until mechanical, because the correct patt and there is a shared test harness it c independent review noticing that the short of covering every affected prov HXC-184 — A recent change made th pipes to close rather than for the com normally the same moment, but not running in the background: the back so the wait never ended. The request consumed one of a small fixed numb commands stopped the facility accep ROUNDS. Round one added a bounde reaped, then stopped reading and rel review accepted the mechanism but somewhere unmeasured: an adversa command with no background proce following the documented pattern, d previous code delivered all 5000. The the consumer kept pace, not when th Round two replaced the fixed grace v
348	High	Fixed (→ Fixed.md)	Bug	—	
349	Critical	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					restarts whenever a line was actually window in which nothing at all was c then tested an objection the review h revive the original hang — and show requires a consumer that is still lister consuming within two windows by c remains genuinely unbounded is a c a background process that keeps pro than hidden, because cutting it off w reading. Three smaller findings were the truncation flag from a recorded e branch ran, so no scheduling coincid HXC-185 — Modern internet address combined with a port number it has result is unreadable to the software t recently corrected to do this properly places that build addresses the same address from configuration or from s illustration sits inside a single file tha ways: the connection check carefully the web-request check a few lines aw same service. The others cover the lo the notification service, worker conn Each is a one-line change using the s correctly. Left alone, any deployment confusing partial failures where som the same healthy service. HXC-186 — Every shipped change m and a check enforces that by looking evidence files. The evidence files also project's current position was at the stamp is an identifier of exactly the k evidence file written while the projec change can, purely by coincidence, b even though it demonstrates someth yet happened, because every recordi sat at a position that requires no evid to every recording the shared tooling check accept only identifiers delibera for, ignoring the incidental position s
350	High	Fixed (→ Fixed.md)	Bug	—	
351	Medium	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
352	High	Fixed (→ Fixed.md)	Bug	—	tightening the rule may withdraw a decision that is not recorded, so it is a deliberate decision. HXC-187 — The project declares the same name once at the top level and once for the subsystems. That, one particular internal name reappears in several pieces of code — a five-line placeholder in a kilobyte subsystem inside. They share a common piece of code actually receives dependencies. When the build was started from, which is not a problem to expect or notice. Nothing is broken to the user. The placeholder has no users, but that is not a problem. At some time someone adds one the behavior of the placeholder the same source with no error to expect. The placeholder module a distinct identity so the collision is not a problem. The placeholder is a separate decision and not this.
353	High	Fixed (→ Fixed.md)	Bug	—	HXC-193 — One of the small services is a health check that asks a web address if the service is alive. Three facts combine to make this a bug: it reads no configuration from its environment, it is supposed to tell it which port to listen on, and it never listens on the port the container is configured to use that same port. So the check queries the wrong address, answer, and reports the container is not working. Anything that containers will do so endlessly. This is a warning unrelated security advisories in the same category because it means nobody had exercised the code written.
354	High	Fixed (→ Fixed.md)	Bug	—	HXC-194 — One of our own small services is a health check rather than using the toolkit that ships with the project. It is doing so it tells every browser that it is alive. It is not to it, and it never checks who is asking for the service by someone on the same machine or network. The service and read its responses. This is a warning advisory describes for the library's own version instead of using the fix ours — the advisory and our definition look alike. That distinction matters, but it is not a problem to make the warning disappear while the library is fixed.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
355	Medium	Fixed (→ Fixed.md)	Bug	—	to check the origin of incoming requests and reject anything else. HXC-195 — The container definition was intended to tell the service which network it reads any settings from its environment. The result is a setting that looks like a container definition where anyone who has no effect — so a person adjusting it has no effect, and would have no effect. cascades: the published port and the port written to match that inert setting, so the service actually does. Either the service setting should be removed and the result is an inert knob in place is the worst of the worst.
356	High	Fixed (→ Fixed.md)	Bug	—	HXC-198 — A serious defect was received that leaves a background process behind permanently consume one of a small number of function in the very same file, used for while they run, has the identical defect. output readers to finish before waiting for a time limit and no give-up path, so the process open indefinitely. The route that runs reaches this function, so the hang is not a time in one working cycle that a corner case not to its sibling a few lines away, which routinely ask what else in the same file already exists and is proven next door rather than designing anything.
357	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-199 — A recent change gave one that two different pieces of code could be a diagnostic script that checks whether the old name as a fragment of text, and as a prefix — so the check still matches even though it is fixed. Any other work that is already done, and might have worked. The project handbook also says three places. The fix is to make the check a fragment, and to update the handbook code actually does now.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
358	High	Fixed (→ Fixed.md)	Bug	—	HXC-201 — The command the project tracker documents does not put them in one directory and is told to write out to root, but the build step also changes the lands inside the tool's own folder instead of destinations and reports success, leaving and several hours stale, and it creates a wrong location. This replaced an earlier that was outright invalid and failed to show a visible error became a silent one. It also previously found in that folder and a correction is to give an absolute output path against the project root regardless to update the manuals and the check form.
359	Medium	Fixed (→ Fixed.md)	Bug	—	HXC-202 — A recent change taught the modern internet addresses when connecting was applied where the server decided the desktop application for one platform connects to from the very same two addresses configured, the server starts to construct an unusable address and fails like the server is down when it is running. It exists in a maintenance tool that connects is newly broken; both were simply overlooked change examined, so nothing was made one working cycle that a correct change to a sibling doing the same thing near a review habit rather than seven separate
360	Critical	Fixed (→ Fixed.md)	Bug	—	HXC-203 — The component that tracks offers a method to report their status and also writes to the shared records it reports provider's health and stamps a last-checked coordinates those writes, and the component so two callers asking at the same moment caught by the race detector during a false alarms, so it is a real defect rather than further problems compound it: the method collection itself instead of a copy, so it can also modify; and the health check

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					network calls while holding no lock, the window. The consequence for a healthy provider as unhealthy or the corrupted records shared across the protect the shared records with a local collection, and separate the act of ref reporting it. HXC-205 — A sibling component that model providers has the same defect additional twist: this one actually de then writes provider health, process three other places without holding it no lock at all, because a reader of the reasonably assumes it is applied thro as the defect already fixed next door overwrite each other, and a provider stopped or stopped when it is running same pattern after fixing the first one working cycle that a defect has had a the same shape as the one already pr writes only, never across process star HXC-209 — The shell tool validates ea policy before running it, and does so The background path does not call th chooses background execution with a tool, anyone able to request a shell co in the background, and in doing so st allowlist. The protection is therefore absent, while the tool presents the sa that a different and unguarded route fixing an unrelated hang in the same judged it more serious than the defe correct reading: a hang costs an exec security boundary. The fix is to route same validation the foreground path blocked command stays blocked whe HXC-210 — The shell tool accepts a w one name in its published schema an background path reads a different na value therefore never arrives, and ev
361	Critical	Fixed (→ Fixed.md)	Bug	—	
362	—	Fixed (→ Fixed.md)	Bug	—	
363	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
364	—	Fixed (→ Fixed.md)	Bug	—	executes in whatever directory the p the one the caller asked for. Nothing warning, and no fallback message, so target a particular checkout or works operate somewhere else entirely. The failures to a command succeeding ag more dangerous outcome because it the same parameter name the schem asserting that a background comman given rather than merely accepting t HXC-211 — The hang just repaired w survives in four other places in the s forever under conditions the code al synchronous execution path and bec switched off or when no timeout is s through documented usage rather th the output-streaming helper and are single existing caller happens to resc that helper the obvious way reprodu site in the background task manager this code with no timeout and no wa found by sweeping the whole packag function named in the report, which defect and its already-fixed twin turn reviewer re-reading the same file wo HXC-212 — A configuration fix lande actually listen on the network for the ever spoke over standard input and n correct and was needed. The consequ network path it switched on tells eve may call it, on both the preflight and who is asking. So a weakness that wa is now reachable on a published port path by default. This is the classic pa defect activates a second one that wa why a change should be assessed for for what it repairs. The same any-ori sibling services in the main repositor this one because it lives in a separate closed while this instance remained.
365	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
366	—	Fixed (→ Fixed.md)	Bug	—	those siblings: check the origin again for anything else, covering both the prefix and the suffix. HXC-213 — A component that tracks deployment declares a lock for protection, then uses that lock in exactly one place, and seventy-eight others. This is the same elsewhere, and it is not speculative: a real race was previously detected here. The fix made at that time guarded only the state at that point, leaving every other access unprotected, though it is synchronised, which is not a bug at all, because a reader sees the mechanism. Concurrent deployment phases can track status, and a deployment can report a failure. The remedy is the one already proven to work: access to the shared record under the lock, from any long-running call, and add a failure detector. HXC-214 — Four provider integration methods whose name promises only to return a health record and hand the caller a pointer to a copy. Two faults follow from confusion: according to its name but writes in places that assume it is safe, so the write of concurrent callers overwrite each other. The live pointer rather than a copy, and the given silently changes the provider's state. The result is that the caller's judgement when it is failing, or the reverse, and the corrupt that judgement without ever checking. The fix matches the two fixes already landed: under the lock and return a copy, the caller fails if the returned value is ever aliased. HXC-215 — The gate that checks whether a build reported a failure on two separate commits each time, and in both cases the gate's own command is re-executed. The packages it reported as broken were the commits changed, which was the first time these were real non-zero results at the
367	—	Fixed (→ Fixed.md)	Bug	—	
368	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					a run that was cut short. What distinguishes a reproduction is that it builds five containers, a throwaway checkout, all of them share the same reproduction builds one. That points to a bug in consecutive builds rather than at any point in time, though the precise mechanism is not clear and is assumed. This matters more than anything else because the gate blocks releases: a change that teaches people to dismiss it, and the change that a broken commit that habit will let the change make the gate produce the same version of the input, and to prove that by running it through the tree. HXC-217 — When an item is closed, the system should hold the location of the captured problem and so that a machine can confirm that the closures that field instead contains a problem is proved. The descriptions are substantiated by the underlying evidence does exist elsewhere, but the missing and no closure is unfounded. The problem can be verified mechanically: a check that the problem is something real will report them as problems that are indistinguishable from a closure with a problem. The ambiguity is the defect, and it matters that the well-documented closure from an error message about the wrong one. The work is to move the problem description where it belongs, put the problem in the right place and add a check that refuses a closure that does not resolve. HXC-218 — When the security scanner checks for supporting services, it checks whether the service is a network address from a host and a service that works, but modern IPv6 addresses cannot be wrapped in square brackets. The problem is that container code does not do that wrap the problem. The problem builds is malformed and the health check fails on the machine. A companion fix already released for the START goes through a different path than the one that was not covered, which means operation is not covered for what looks like no reason. The ob
369	Low	Fixed (→ Fixed.md)	Bug	—	
370	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					address is unsafe, because another p raw unwrapped form when deciding wrapping it would silently break tha properly is that operators running on the scanner normally instead of hitti means the start command completes exactly as it does on an IPv4 one.
371	High	Completed (→ Fixed.md)	Task	—	HXC-220 — A diagnostic script used t shared the same module name, when was that it looked for the shorter nar comparing the two names as wholes, them different was still reported as a corrected and behaves properly toda was ever added to keep it correct. Th check is easy to rewrite carelessly du comparison came back nobody woul engineer that finished work was unfi correct change. The project requires standing test that fails if the defect re still missing here. The people who be diagnostic to tell them the true state registered test exists that passes on t the loose name matching is ever rein HXC-221 — The agent component iss service. It builds each key from sixteen randomness, which is correct. But if fails to answer, the code does not stop clock reading and hands back a key c made that way is guessable by anyone issued, and the caller receiving it is t key and is accepted as one. The funct to its caller, so the ability to refuse sa likelihood of the randomness source this has gone unnoticed, but the cons starts issuing predictable credentials wrong. Failing loudly is the correct b an error can retry or abort, whereas no way to know it must. The fix is to reading, and to add a test that forces confirms no key is produced.
372	Medium	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
373	Low	Fixed (→ Fixed.md)	Bug	—	HXC-222 — The agent component has party libraries committed into version toolkit and 1,037 under its plugin ser These are not our code. They are fet registry using the manifest files that one of them can be recreated on dem stored. Committing them makes even larger and makes it hard to see our o any routine dependency update rew project already has a rule against ver mechanism can regenerate, and the i folders, so nothing prevented them f tracking both folders, add them to th documented install step still reprodu — the last part matters, because rem recreation path is proven to work. HXC-223 — Before every commit, a c for markers left behind by a delibera where a working safeguard is tempo notices. Leaving such a marker in rea blocking it is correct. But the same ex it did, and that record necessarily qu its proof. The check cannot tell the di broken and a written account of code so it refuses the account. The two rul one demands the proof be captured, This is not hypothetical — it happene left out of its own commit, which is e quietly goes missing. The fix is to tea markers inside a recorded transcript description of past work, while the sa hazard. The check must keep refusin first, and must be tested against both everything or accepting everything. HXC-225 — A single bundled helper c responsible for 140 of the roughly 20 the whole project — about two thirds codebase without ever being discuss does, whether we wrote it or copied actually uses it, or whether removing
374	Medium	Fixed (→ Fixed.md)	Bug	—	
375	Medium	Obsolete (→ Fixed.md)	Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
376	—	Fixed (→ Fixed.md)	Bug	—	questions are answered the headline as though the agent project carries a great bulk of it sits in one component we deliver. The work is to determine whether it is reachable from anything decision about it — keep and maintain remove it — and record which was correct more than the individual advisories, inside a component we do not need v HXC-228 — When the whole system i checks its four mandatory dependen the fourth, the knowledge-graph com treats that as fatal, prints a boot-bloc start the dependencies by hand, and supervisor then restarts it fifteen sec knowledge-graph component has fin succeeds. The end state looks healthy but every cold boot produces a genui log, and fifteen seconds during which is that the service unit does not decla knowledge-graph component, so the same moment and the race is decide instruction the service prints when i operator to start the dependencies m starting and simply have not finishe the supervisor waits, and to make th component that is still coming up rat permanent absence. HXC-229 — The multi-provider routin framework’s debug mode rather than startup log alongside the framework switched for production use. Debug m prints every registered route at start logging on every request, and in this unsuitable for production because of detail it exposes in error responses. T system supervisor as a long-running the production case the warning is al requests failing, which is why this ha deployment is currently logging at de
377	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
378	—	Obsolete (→ Fixed.md)	Bug	—	more internal structure than it should have. To correct it, an environment variable of the service unit is the natural place to set the release mode when the service runs in release mode. check that fails if a production unit exists. HXC-230 — Every time the Helix platform starts in state, the HelixAgent service crashes. This is on the automatic retry about sixteen times. The problem: the infrastructure service runs in the container engine has been asked to start the Cognee knowledge-graph container. The container can actually answer requests. HelixAgent, Cognee, is refused, treats the refusal as a failure. Systemd then restarts it and the second time it fails. The problem is that a restart of the platform always counts as a permanent restart count against the platform. It is harder to spot; and if Cognee were even more reliable, the platform would stay down instead of restarting. 2026-08-06: a full stop and start of the platform. The failure seen in an earlier run from 2026-08-06: the infrastructure service wait for its completion before reporting success, rather than report failure immediately created. HXC-233 — When the HelixLLM gateway starts, the local model server program called llama_gateway cannot be found. Searching for the program anywhere on the host, so this is not simply pointing the service at the right directory. The service as a warning and carries on without the local model serving feature is absent. The problem is particularly wasteful because the gateway spends minutes downloading a large model to serve it; the download succeeded and the service is running. Observed live on 2026-08-06 during a test. The service requires actually obtaining and installing the model. The service can find it; it also raises the error that it should be downloading models at all. The service to consume them is not present.
380	High		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-237 — The command the project records, workable-items validate, run was last rebuilt on 27 July. A new safe 6 August: it refuses any closed item v actually lead to a real file. Because th that check is simply not present in th the source code containing it looks co running both against the same deliber with everything else held identical: t everything fine and exited successful correctly found and described the ba This matters because the checker is t unproven work from being marked f using it since 6 August carries less as means the ticket that introduced the The fix is to rebuild the program file, when the built copy is older than its . HXC-244 — The gateway is the servic talks to when it needs an AI model, a automated systems and on-call staff j address always answered “healthy” v and it would have answered exactly underneath. The cause was a single r collects health verdicts was created a was ever registered with it to check, and “healthy” was the only verdict it cache, the vector store, the model ver all have been dead and this address v fine. This matters more than a plainl with no health address is an honest g one that asserts a state it never verifi deciding where to send traffic, by sup and by whoever gets woken at night. problem: the corrected code had bee program actually running was still th the source code reported success wh Everyone who depends on the platfo call responder most directly, because reflects reality. The outcome achieve names the four dependencies it chec
381	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
382	Critical	Fixed (→ Fixed.md)	Bug	—	really took, and a standing guard failed so the endpoint can no longer claim a HXC-249 — The script the project runs reporting success on tests that never agent runtime and then waits for it to waited at the wrong address - the one verifier, happens to occupy. The verifier anything it does not recognise, and then at all as proof the agent was ready, so up without ever having reached it. The the agent at that same wrong address excused themselves rather than failing failures, the whole run finished with “passed” having validated nothing. The problem found in the same session, but that could mislead, while this one is to decides a release is good, and it was a on this machine with nothing special on a green validation run before shipping being told the system had been checked readiness check confirm the identity that something answered, points the actually bound, tells them that in this is a real failure rather than an accepted executed zero tests fail outright. The from this script means the tests genuine and a run that validates nothing can HXC-250 — When a user asks the system configuration file for their command produces points that assistant at the network address that belongs to the agent runtime the assistant is supposed requests to a component that does not “not found” in reply. From the user’s does not work, with nothing in the error their brand-new config was wrong from forty-eight assistants the project documented affected; a fix landed earlier covers the generator that serves all the rest still is the most directly user-facing defect
383	High	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					an internal test that misleads a developer to use an instruction to use it. The people have a feature exists to help: someone setting up following the documented path, and a way to diagnose. The expected outcome is a configuration names the address the all forty-eight documented assistants that a generated config works when it is setup without editing anything by hand. HXC-252 — The automated check that against drift gives the wrong repair instruction and following that instruction would use the same information in two places: a database copy, and a set of human-readable documents. The check notices the two disagree, it tells the documents into the database - which the database is the side that is meant to be regenerated. The side that is meant to be regenerated is found, obeying the message would have forty-six items with a stale document. The items outright and resurrecting eight items. The trap is particularly dangerous because the already worried about consistency and exactly what the tool tells them. Any records is at risk, and because the loss of synchronisation rather than an accident long time. The expected outcome is the direction - regenerate the documents. The tool's own advice repairs the disaster loss. HXC-253 — Three automated safety checks specific problems from coming back, even if they ever ran them. Checks like these are a problem is prevented from silently repeating a particular behaviour and complains. The checking system has no automatic diagnosis runs if some other script explicitly calls it. They never named anywhere. They had the looking like protection while providing. They have been formally closed on the strength of the evidence.
384	High	Fixed (→ Fixed.md)	Bug	—	
385	Medium	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					executed a single time. This is a quiet makes the project's safety net appear present, discoverable by anyone browsing coverage, while doing nothing. Every regression protection benefits from a check that exists and a check that r The three are now called explicitly by each was first proven able to fail before a check that merely always passes. That the sweep is started by a person checks now run whenever someone improvement but is not the same as v HXC-261 — The challenge script that gRPC protocol works was structurally reporting green for the entire time it compounded. First, it resolved its port named HELIXAGENT_GRPC_PORT de that no Go source reads (the server h and a number belonging to no service hardcoded 50051, not the registry's 8 and far worse, every one of its four p whether the port answered or not: th true when the port was listening AND when it was not; the unary-call, stream did the same. The two faults together address no HelixAgent process has even then certified the gRPC protocol healthy defect in the codebase because it is not an automated test actively producing what the anti-bluff covenant exists to breakage from everyone reading the framework's own documented contr record_skip helper whose docstring s with status true to mask a missing fe not used. This item covers resolving variable name and default, consolidating into one helper so absence is interpreted as absence report as an honest SKIP can success, making a real failed call report state final verdict (which reported PA
386	Critical	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					including when nothing had been verified. The model verifier reports SKIPPED when no assertion could be proven. A guard at challenges/scripts/tests/protocols/verify.py with RED_MODE=1 against the pre-fixed challenge, to prove it is free, drives the challenge's model verifier to confirm assertions are recorded PASS. The model verifier that same guard with RED_MODE=0 against the challenge against a proven-free port with every challenge, and the challenge still records a genuine challenge. The gRPC server is listening on the registered port.
387	High	Fixed (→ Fixed.md)	Bug	—	HXC-269 — When the model verifier receives a port, and the host value contains a port, the port is silently swallowed and the address is set to the port instead of the one configured. When the model verifier appends the port after whatever it was, the model verifier string produces something like a normal string. The model verifier at the end of the query rather than onto the model verifier parser then reads the host correctly, the model verifier port digits as part of the query text. The model verifier connects to the wrong place with no error, which is the same silent-misdirection as the model verifier to eliminate. WHY IT IS REACHABLE: the model verifier host-normalising step accepts these strings. The model verifier flows end to end from the operator-fixed configuration with nothing reporting anything. CONFIRMED BY MEASUREMENT: a host with a query into the query; a host with a fragment of a query with a path loses it into the path. WHY IT IS REACHABLE: pastes a full address into the host set, which the component address setting, which the component address setting, which the component address setting, which the component likely mistake. HOW TO REPRODUCE: a host containing a question mark and any query, to observe the port is empty while the query is not. CRITERIA: a host containing a query, a host with a clear message naming the setting, a host handled so the port survives; whichever the model verifier rather than left with a silently wrong host. The model verifier all three shapes plus the ordinary host. The model verifier paired mutation that removes the host.
388	Medium		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			HXC-270 — HelixQA copies failed reply error messages in several places, and which is exactly where a credential is when a request returns an unsuccessful reply body as the description of a reply sites in the same validation routine – path, and the media-search path. A for shared HTTP helper: an error message wrapper around the underlying decoy toolchain quotes a character taken from these reports and errors are written to automation, so anything the server produces them. The sign-in site is the highest endpoint that echoes a submitted token includes an authorization header in a value copied verbatim into a durable tested service’s own error bodies, which mechanical risk. RELATIONSHIP TO C hardened the SUCCESSFUL sign-in path byte count and a decode position, new component now redacts values that I sites predate that work and were deleted under review, so the discipline is now the success path is careful and the fact HOW TO REPRODUCE: point the pipe route returns an unsuccessful status recognisable marker, run the validation appears in the recorded finding and ACCEPTANCE CRITERIA: none of the report the same class of bounded, not already uses; the decode-complaint value and a shape rather than a quoted character marker placed in a failure body never any of the five sites, proven real by an echo and makes the test fail. HXC-271 — One of the two families of cannot ever succeed, on any machine BROKEN: the facade family of calls — streaming a completion, and chatting always handed an EMPTY list of prov
389	Critical	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					immediately when the list is empty. Same failure regardless of how many and discovered. WHY IT IS NOT A CO serving this family was never given a the discovered providers; it has no su registry into the OTHER family only, call does consult it, which is why the despite looking equivalent from outs captured at runtime on a machine w genuinely been discovered from live an unprovisioned host — the provide a message saying no providers were client using the facade family, which presents first and the one an integrat MANIFESTS: a caller gets an error ad registry for credential injection, whic their side and sends them to check cr ACCEPTANCE CRITERIA: the facade f succeeds against configured provider published interface with a clear erro drives each of the three calls end to e and asserts a genuine response rather paired mutation that removes the re HXC-278 — The routine that pulls an three ways to fail, and two of them h still copies part of the reply into dura when the reply arrives successfully A recognisable token, the routine lists e that list into the returned error, into session log. WHY THAT IS A RISK: the was that field names are safe becaus it, which is usually true — but the na actually answered, so a request that service that returns diagnostic mater material straight into a record we ke WORSE THAN IT LOOKS: the list has names are included nor on how long oddly beside a bound the very same reply data for exactly this concern. W archived report, and anyone pointing
390	Medium	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					misconfigured service, which is prec token reply in the first place. RELATI third distinct failure route out of one case where the reply could not be pa the reply was rejected or failed to de pointed at; this is the one nobody ask checking whether a marker planted a could still come back out. It can. HOV step at a service that answers success containing a recognisable marker as then observe the marker in the retur the session log. ACCEPTANCE CRITER useful — a count of fields, and names safe — while any name resembling s whole list is bounded in both count a the bound already applied nearby; an directions, that a marker planted as a error, finding or log line, while an or real by a paired mutation restoring t entirely.
391	—	Fixed (→ Fixed.md)	Bug	—	HXL-001 — HelixLLM internal/agent absolute path
392	—	Fixed (→ Fixed.md)	Bug	—	HXL-001 — HXL-001 (ex-ISSUE-003): path
393	—	Fixed (→ Fixed.md)	Bug	—	HXL-002 — HelixLLM internal/gatew returns 500
394	—	Fixed (→ Fixed.md)	Bug	—	HXL-002 — HXL-002 (ex-ISSUE-004):
395	—	Fixed (→ Fixed.md)	Bug	—	HXQ-001 — helix_qa intermittent Tes sensitive)
396	—	Fixed (→ Fixed.md)	Bug	—	HXQ-001 — HXQ-001 (ex-ISSUE-008): flake (host-load-sensitive)
397	—	Fixed (→ Fixed.md)	Bug	—	HXQ-002 — HXQ-002: helix_qa pkg/au drift blocks helix_agent tests/integr
398	—	Fixed (→ Fixed.md)	Bug	—	HXV-001 — HXV-001: LLMsVerifier 1 integration + verification/scoring)
399	—	Fixed (→ Fixed.md)	Bug	—	HXV-002 — LLMsVerifier verificatio failures

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
400	—	Fixed (→ Fixed.md)	Bug	—	HXV-002 — HXV-002: LLMsVerifier v test failures
401	—	Fixed (→ Fixed.md)	Bug	—	HXV-003 — HXV-003: LLMsVerifier P is a CONST-050(A) production mock-I
402	—	Fixed (→ Fixed.md)	Bug	—	OPS-001 — OPS-001: LLMOps 2 pre-e failures
403	—	Fixed (→ Fixed.md)	Bug	—	PAN-001 — panoptic appendJSONStrin bytes (TestResult.MarshalJSON corrup
404	—	Fixed (→ Fixed.md)	Bug	—	PAN-001 — PAN-001: panoptic append UTF-8 runes to bytes (TestResult.Mar
405	—	Completed (→ Fixed.md)	Task	—	VEN-001 — VisionEngine helix-gitla CLOSED (→ Fixed.md)
406	—	Completed (→ Fixed.md)	Task	—	VEN-001 — VEN-001 (ex-ISSUE-001): (was misconfigured, not missing)
407	—	Fixed (→ Fixed.md)	Bug	—	VEN-002 — VEN-002 (ex-ISSUE-002): fork lineage divergent at SHA 93c830
408	—	Fixed (→ Fixed.md)	Bug	—	VEN-002#1 — VEN-002 (ex-ISSUE-002 fork lineage divergent at SHA 93c830