

# Fixed\_Summary

Closed workable items (current\_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

## Counts by Type × Status

| Type    | Status                   | Count |
|---------|--------------------------|-------|
| Bug     | Fixed (→ Fixed.md)       | 184   |
| Bug     | Obsolete (→ Fixed.md)    | 3     |
| Feature | Implemented (→ Fixed.md) | 95    |
| Task    | Completed (→ Fixed.md)   | 83    |
| Task    | Fixed (→ Fixed.md)       | 3     |
| TOTAL   |                          | 368   |

## Items

| # | Level  | Status                   | Type    | Fixed-In Tag(s) | One-line description                                                                                                        |
|---|--------|--------------------------|---------|-----------------|-----------------------------------------------------------------------------------------------------------------------------|
| 1 | Low    | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19 — CONST-046 design; Option D (nicksnyder                                                                     |
| 2 | High   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#1 — pkg/i18n Bundle/Localizer + sentinel e                                                                   |
| 3 | Low    | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#10 — This tas<br>texts shown in the command<br>those brief descriptions can<br>instead of being locked to En |
| 4 | Medium | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#11 — challen<br>evaluators.go migration                                                                      |

| #  | Level | Status                      | Type    | Fixed-In Tag(s) | One-line description                                                                                                                                                |
|----|-------|-----------------------------|---------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5  | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#12 — challenge_recorded_ai_testg                                                                                                                     |
| 6  | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#13 — challenge migration                                                                                                                             |
| 7  | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#14 — challenge user-facing migration                                                                                                                 |
| 8  | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#15 — challenge_recorded_mobile.g                                                                                                                     |
| 9  | —     | Completed<br>(→ Fixed.md)   | Task    | —               | FIX-2026-05-19#16 — CONST doc                                                                                                                                       |
| 10 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#17 — This task the project’s tracking documents PDF files, using standard documents for team members and stakeholders needing to open raw text files |
| 11 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#18 — helix_c                                                                                                                                         |
| 12 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#19 — This task (translation) support to the h component, so any text it should other languages instead of on                                         |
| 13 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#2 — CONST-C scan 57,345 violations across                                                                                                            |
| 14 | —     | Completed<br>(→ Fixed.md)   | Task    | —               | FIX-2026-05-19#20 — CONST (HXC-001 plan, ex-ISSUE-005                                                                                                               |
| 15 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#21 — This task the LLMOrchestrator component several different AI language error messages were conver                                                |

| #  | Level  | Status                      | Type    | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                   |
|----|--------|-----------------------------|---------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 16 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#22 — This task involves converting the line text shown by the LLMs' model providers) into a translatable format in multiple languages. Only a small number of tools were converted in this first phase. |
| 17 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#23 — This task involves adding the HelixSpecifier tool so that its output can be in languages other than English.                                                                                       |
| 18 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#24 — This task involves adding the Storage component of the system for retrieving data, so its messages can be in multiple languages.                                                                   |
| 19 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#25 — This task involves adding the LLMOps component, which manages the different language models the system uses, so its output is shown in multiple languages.                                         |
| 20 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#26 — This task involves adding the VectorDB component, which stores and retrieves specialized AI-related data, so its output is in multiple languages.                                                  |
| 21 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#27 — This task involves adding the Observability component, that monitors the health and performance, so its output is in multiple languages.                                                           |
| 22 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#28 — This task involves adding the module, the part of the system that handles the hardcoded English error and exception messages in a translatable format, fully covering the remaining left over.     |
| 23 | Low    | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#29 — This task involves adding the component, converting five languages into a translatable format so the messages can be in different languages for users.                                             |
| 24 | Medium | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#30 — This task involves adding the individual sub-component of the system, including a working example in Serbian. This lays the ground for the remaining user-facing text and UI elements.             |

| #  | Level | Status                      | Type    | Fixed-In Tag(s) | One-line description                                                                                                                                                                                              |
|----|-------|-----------------------------|---------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 25 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#30 — This task is for the Middleware component, converting five hardcoded messages about authentication into a translatable format.                                                                |
| 26 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#31 — This task is for the Middleware component, the part of the system converting five hardcoded messages about sandboxing into a translatable format.                                             |
| 27 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#32 — This task is for the Middleware component, which handles logging, converting five hardcoded codes into a translatable format.                                                                 |
| 28 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#33 — This task is for the Watcher component, groundwork to the Watcher component to read file and event changes. This task is for the Watcher component's outward labels to be directly read.      |
| 29 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#34 — This task is for the Conversation component, which handles conversations with users, so its messages can be translated.                                                                       |
| 30 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#35 — This task is for the Middleware component, the part of the system converting nine hardcoded strings into a translatable format and reducing the number of strings in that area from 73 to 64. |
| 31 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#36 — This task is for the Middleware component's privilege-checking, warning and description messages, reducing the number of untranslatable strings.                                              |
| 32 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#37 — helix_core round 24)                                                                                                                                                                          |
| 33 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#38 — This task is for the AutoTemp component so its messages can be in multiple languages.                                                                                                         |
| 34 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#39 — This task is for the Auth (login and authentication) component, to be shown in multiple languages.                                                                                            |

| #  | Level | Status                      | Type    | Fixed-In Tag(s) | One-line description                                                                                                             |
|----|-------|-----------------------------|---------|-----------------|----------------------------------------------------------------------------------------------------------------------------------|
| 35 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#4 — This task involves creating templates used by the SelfIm asking the AI model to review translatable format.   |
| 36 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#40 — helix_c 4 round 27)                                                                                          |
| 37 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#41 — This task involves groundwork, including 36 trans PliniusCommon library, so that and can safely support many |
| 38 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#42 — helix_c migration (Phase 4 round 30)                                                                         |
| 39 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#43 — helix_c 29)                                                                                                  |
| 40 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#44 — helix_c (Phase 4 round 31)                                                                                   |
| 41 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#45 — helix_c (Phase 4 round 32)                                                                                   |
| 42 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#46 — helix_c migration (Phase 4 round 33)                                                                         |
| 43 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#47 — helix_c round 34)                                                                                            |
| 44 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#48 — helix_c round 35)                                                                                            |
| 45 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#49 — helix_c round 36)                                                                                            |
| 46 | Low   |                             | Feature | —               | FIX-2026-05-19#5 — This task involves messages in the HelixLLM to                                                                |

| #  | Level | Status                      | Type    | Fixed-In Tag(s) | One-line description                                                                              |
|----|-------|-----------------------------|---------|-----------------|---------------------------------------------------------------------------------------------------|
|    |       | Implemented<br>(→ Fixed.md) |         |                 | small new capability that other tools have the same kind of translation work                      |
| 47 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#50 — helix_c migration (Phase 4 round 37)                                          |
| 48 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#51 — helix_c migration (Phase 4 round 38)                                          |
| 49 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#52 — helix_c 4 round 39)                                                           |
| 50 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#53 — helix_c 4 round 40)                                                           |
| 51 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#54 — helix_c round 41)                                                             |
| 52 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#55 — helix_c 4 round 42)                                                           |
| 53 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#56 — helix_c round 43)                                                             |
| 54 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#57 — helix_c round 44)                                                             |
| 55 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#58 — helix_c round 45)                                                             |
| 56 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#59 — helix_c round 47)                                                             |
| 57 | Low   | Implemented<br>(→ Fixed.md) | Feature | —               | FIX-2026-05-19#6 — This task is shown in the command-line into a translatable format, so headers. |

| #  | Level | Status                   | Type    | Fixed-In Tag(s) | One-line description                                                                                                                                 |
|----|-------|--------------------------|---------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| 58 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#60 — helix_c (Phase 4 round 46)                                                                                                       |
| 59 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#61 — helix_c 48)                                                                                                                      |
| 60 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#62 — helix_c 49)                                                                                                                      |
| 61 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#63 — helix_c 50)                                                                                                                      |
| 62 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#64 — helix_c round 51)                                                                                                                |
| 63 | —     | Completed (→ Fixed.md)   | Task    | —               | FIX-2026-05-19#65 — Round round-74 FAILs closed (helix_qa+panoptic+LLMsVer                                                                           |
| 64 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#66 — This tas release testing script that lets local setup, such as a missing genuine problem in the code blocked by environment issu |
| 65 | —     | Completed (→ Fixed.md)   | Task    | —               | FIX-2026-05-19#67 — This tas project to confirm their nam rules and that every referenc finding and correcting three drifted out of sync.            |
| 66 | —     | Fixed (→ Fixed.md)       | Bug     | —               | FIX-2026-05-19#68 — challen containers                                                                                                               |
| 67 | High  | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#69 — LLMOr opencode/claudecode/qwenc                                                                                                  |
| 68 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#7 — DocProc runCLI(); 6 tests + mutation;                                                                                             |
| 69 | High  |                          | Feature | —               |                                                                                                                                                      |

| #  | Level | Status                   | Type    | Fixed-In Tag(s) | One-line description                                                                                                                                                                                      |
|----|-------|--------------------------|---------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |       | Implemented (→ Fixed.md) |         |                 | FIX-2026-05-19#70 — 4-vendor support (NVIDIA+AMD+Apple+Intel)                                                                                                                                             |
| 70 | High  | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#71 — This task is to support different AI-model providers for cloud AI services, correctly report something goes wrong, instead of a generic error message.                                |
| 71 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#8 — This task is to support across the Planning component and the VisionEngine component for the new format. Two additional issues are tracked for later attention.                        |
| 72 | Low   | Implemented (→ Fixed.md) | Feature | —               | FIX-2026-05-19#9 — This task is to create a codebase for any newly added components in the translation system, and block new components recorded baseline of roughly 10% of the total migrated over time. |
| 73 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXA-001 — helix_agent handling                                                                                                                                                                            |
| 74 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXA-001 — HXA-001 (ex-ISSUE)                                                                                                                                                                              |
| 75 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXA-002 — helix_agent debugging                                                                                                                                                                           |
| 76 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXA-002 — HXA-002 (ex-ISSUE) sibling-submodule API drift                                                                                                                                                  |
| 77 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXA-003 — venice TestGetCase                                                                                                                                                                              |
| 78 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXA-003 — HXA-003 (ex-ISSUE) CONST-037 model-list drift                                                                                                                                                   |
| 79 | —     | Completed (→ Fixed.md)   | Task    | —               | HXC-001 — CONST-052 rename PascalCase — CLOSED (→ Fixed.md)                                                                                                                                               |
| 80 | —     | Completed (→ Fixed.md)   | Task    | —               | HXC-001 — HXC-001 (ex-ISSUE) rename programme — all over the dirs renamed                                                                                                                                 |
| 81 | —     |                          | Bug     | —               | HXC-002 — Round-74 residual                                                                                                                                                                               |



| #  | Level | Status                   | Type    | Fixed-In Tag(s) | One-line description                                              |
|----|-------|--------------------------|---------|-----------------|-------------------------------------------------------------------|
|    |       | Fixed (→ Fixed.md)       |         |                 |                                                                   |
| 82 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXC-002 — HXC-002 (ex-ISSU FAIL cleanup                           |
| 83 | —     | Completed (→ Fixed.md)   | Task    | —               | HXC-002#1 — HXC-002 (ex-IS confirms clean                         |
| 84 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXC-002#2 — HXC-002 (ex-IS FAIL cleanup                           |
| 85 | High  | Implemented (→ Fixed.md) | Feature | —               | HXC-003 — CONST-046 i18n docs/Fixed.md)                           |
| 86 | High  | Implemented (→ Fixed.md) | Feature | —               | HXC-003 — HXC-003: CONST- text hardcoded as static string         |
| 87 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXC-004 — Recovery-batch u round-193 audit)                       |
| 88 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXC-004 — HXC-004: recover logo + notification test-assert break) |
| 89 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXC-005 — cmd/performance_ CONST-035 simulation bluff             |
| 90 | —     | Fixed (→ Fixed.md)       | Bug     | —               | HXC-005 — HXC-005: cmd/per a CONST-035 simulation bluff           |
| 91 | High  | Implemented (→ Fixed.md) | Feature | —               | HXC-006 — HelixCode Speed Fixed.md)                               |
| 92 | High  | Implemented (→ Fixed.md) | Feature | —               | HXC-006 — HXC-006: HelixCo competitor AI CLI agents (6-p          |
| 93 | —     | Completed (→ Fixed.md)   | Task    | —               | HXC-007 — Constitution §11. CLOSED (migrated to docs/Fi           |
| 94 | —     | Completed (→ Fixed.md)   | Task    | —               | HXC-007 — HXC-007: Constit bump                                   |
| 95 | —     |                          | Bug     | —               |                                                                   |

| #   | Level                                                                                                                                     | Status                   | Type    | Fixed-In Tag(s) | One-line description                                                  |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------|-----------------|-----------------------------------------------------------------------|
|     |                                                                                                                                           | Fixed (→ Fixed.md)       |         |                 | HXC-008 — CONST-055 G1 go pull validation sweep — CLO                 |
| 96  | —                                                                                                                                         | Fixed (→ Fixed.md)       | Bug     | —               | HXC-008 — HXC-008: CONST- constitution-pull validation s              |
| 97  | —                                                                                                                                         | Completed (→ Fixed.md)   | Task    | —               | HXC-009 — Owned-submodu reconciliation — CLOSED (m                    |
| 98  | —                                                                                                                                         | Completed (→ Fixed.md)   | Task    | —               | HXC-009 — HXC-009: Owned divergence reconciliation                    |
| 99  | —                                                                                                                                         | Completed (→ Fixed.md)   | Task    | —               | HXC-010 — End-to-end Kimi CLOSED (migrated to docs/Fi                 |
| 100 | —                                                                                                                                         | Completed (→ Fixed.md)   | Task    | —               | HXC-010 — HXC-010: End-to- verification (operator-blocke              |
| 101 | —                                                                                                                                         | Fixed (→ Fixed.md)       | Bug     | —               | HXC-011 — HXC-011: helix_q “PASSED” rows for desktop-p case’s action: |
| 102 | —                                                                                                                                         | Fixed (→ Fixed.md)       | Bug     | —               | HXC-012 — HXC-012: data ra load_balancer.go backgroun                 |
| 103 | —                                                                                                                                         | Implemented (→ Fixed.md) | Feature | —               | HXC-013 — Adopt SQLite-bac (\$11.4.93/95)                             |
| 104 | —                                                                                                                                         | Completed (→ Fixed.md)   | Task    | —               | HXC-014 — Stress + chaos tes                                          |
| 105 | Medium (latent: requires SetTranslator() concurrent with tr()); existing -race tests pass because SetTranslator is boot-only in practice) | Fixed (→ Fixed.md)       | Bug     | —               | HXC-014b — Systemic unguar crash (cross-package)                      |

| #   | Level                                           | Status                 | Type | Fixed-In Tag(s) | One-line description                                                                 |
|-----|-------------------------------------------------|------------------------|------|-----------------|--------------------------------------------------------------------------------------|
| 106 | —                                               | Completed (→ Fixed.md) | Task | —               | HXC-015 — Cross-platform p subagent-driven §11.                                      |
| 107 | —                                               | Completed (→ Fixed.md) | Task | —               | HXC-016 — §11.4.69–97 gove (CONST-047/§3) — CLOSED (                                 |
| 108 | —                                               | Completed (→ Fixed.md) | Task | —               | HXC-016 — HXC-016: §11.4.6 submodules + mechanical pr                                |
| 109 | —                                               | Completed (→ Fixed.md) | Task | —               | HXC-017 — CodeGraph own- (§11.4.79/80) — CLOSED (→ F                                 |
| 110 | —                                               | Completed (→ Fixed.md) | Task | —               | HXC-017 — HXC-017: CodeGr (blanket dependencies/**) + c §11.4.80                     |
| 111 | —                                               | Completed (→ Fixed.md) | Task | —               | HXC-018 — Obsolete status (§ tracker tooling                                         |
| 112 | —                                               | Completed (→ Fixed.md) | Task | —               | HXC-019 — docs/qa/ end-user                                                          |
| 113 | —                                               | Fixed (→ Fixed.md)     | Bug  | —               | HXC-021 — HXC-021 + HXC-0 Assert(true,"...skipped") b report green while exercisin   |
| 114 | —                                               | Fixed (→ Fixed.md)     | Bug  | —               | HXC-022 — test_bank platfor existing) — CLOSED (→ Fixed                              |
| 115 | —                                               | Fixed (→ Fixed.md)     | Bug  | —               | HXC-022 — HXC-022: test_ba compile — half-written stubs uncompileable test package n |
| 116 | —                                               | Fixed (→ Fixed.md)     | Bug  | —               | HXC-023 — Assert(true,...) / test_bank — CLOSED (→ Fixed                             |
| 117 | —                                               | Fixed (→ Fixed.md)     | Bug  | —               | HXC-023 — HXC-023: literal-t bluffs across the e2e test ban                          |
| 118 | Medium (CONST-050(B): the llm integration suite | Fixed (→ Fixed.md)     | Bug  | —               | HXC-024 — internal/llm -tag reference deleted providers)                             |

| #   | Level                                                                                                                                      | Status                    | Type | Fixed-In Tag(s) | One-line description                                                 |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------|-----------------|----------------------------------------------------------------------|
|     | cannot compile/run; masks integration regressions + blocks the new ollama integration stress/chaos tests from running via the normal path) |                           |      |                 |                                                                      |
| 119 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-025 — Constitution §11.4.98                                      |
| 120 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-026 — workable-items r                                           |
| 121 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-027 — §11.4.98 live-test                                         |
| 122 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-028 — §11.4.99 latest-so (README)                                |
| 123 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-029 — §11.4.98 full-auto integration/e2e/Challenge tes Fixed.md) |
| 124 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-029 — HXC-029: §11.4.98 every live/integration/e2e/Ch the-loop   |
| 125 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-030 — §11.4.99 forward sweep across all operator-fac             |
| 126 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-030 — HXC-030: §11.4.98 sweep across all operator-fac            |
| 127 | —                                                                                                                                          | Completed<br>(→ Fixed.md) | Task | —               | HXC-031 — Deferred long-tai remain) + Codex/Cline refere             |

| #   | Level                                                                                                                        | Status                 | Type | Fixed-In Tag(s) | One-line description                                                                                         |
|-----|------------------------------------------------------------------------------------------------------------------------------|------------------------|------|-----------------|--------------------------------------------------------------------------------------------------------------|
| 128 | —                                                                                                                            | Completed (→ Fixed.md) | Task | —               | HXC-031 — HXC-031: Deferre — none remain) + Codex/Clin                                                       |
| 129 | High (breaks helix_agent go build ./...; a §11.4 PASS-bluff at the build layer — tracked source does not compile)            | Fixed (→ Fixed.md)     | Bug  | —               | HXC-032 — LLMOrchestrator markers break helix_agent b                                                        |
| 130 | —                                                                                                                            | Fixed (→ Fixed.md)     | Bug  | —               | HXC-032 — HXC-032: LLMOr conflict markers in 5 Go files §11.4 build-layer PASS-bluff a                       |
| 131 | High (§11.4.79 release-blocker — AI agents querying the code-graph get NO own-org submodule symbols; index also unbuildable) | Fixed (→ Fixed.md)     | Bug  | —               | HXC-033 — codegraph 0.9.7 u submodules dropped from the Fixed.md)                                            |
| 132 | —                                                                                                                            | Fixed (→ Fixed.md)     | Bug  | —               | HXC-033 — HXC-033: codegra submodules from the index + regression)                                           |
| 133 | —                                                                                                                            | Completed (→ Fixed.md) | Task | —               | HXC-034 — Cascade constitut implement CM-COVENANT-1 Fixed.md)                                                |
| 134 | —                                                                                                                            | Completed (→ Fixed.md) | Task | —               | HXC-034 — HXC-034: Cascade systematic-debugging + alwa dependency availability) into COVENANT-114-102-PROPAG |
| 135 | High (no user can register → no JWT mintable → every                                                                         | Fixed (→ Fixed.md)     | Bug  | —               | HXC-035 — POST /api/v1/auth internal_auth_failed_create authenticated flows) — CLOS                          |

| #   | Level                                                                                               | Status                 | Type | Fixed-In Tag(s) | One-line description                                                             |
|-----|-----------------------------------------------------------------------------------------------------|------------------------|------|-----------------|----------------------------------------------------------------------------------|
|     | authenticated API path is undrivable; blocks the positive-path coverage of all 4 HXC-029 API banks) |                        |      |                 |                                                                                  |
| 136 | —                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-035 — HXC-035: POST /a internal_auth_failed_created authenticated flows      |
| 137 | —                                                                                                   | Fixed (→ Fixed.md)     | Task | —               | HXC-036 — Systemic CONST-message-ID keys because boot implemented — CLOSED (→    |
| 138 | —                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-036 — HXC-036: System emitted raw message-ID keys wiring was never implement |
| 139 | High                                                                                                | Completed (→ Fixed.md) | Task | —               | HXC-037 — §11.4.103-141 + C owned submodules (verify-g                           |
| 140 | —                                                                                                   | Completed (→ Fixed.md) | Task | —               | HXC-037 — HXC-037: §11.4.10 backfill into 7 owned submo                          |
| 141 | Medium                                                                                              | Fixed (→ Fixed.md)     | Bug  | —               | HXC-038 — docs_chain G14: mismatch + stale state.json b                          |
| 142 | —                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-038 — HXC-038: docs_ch transform-contract mismatch issues context            |
| 143 | Medium                                                                                              | Completed (→ Fixed.md) | Task | —               | HXC-039 — G7 §11.4.83 docs/ lack docs/qa// directories                           |
| 144 | —                                                                                                   | Completed (→ Fixed.md) | Task | —               | HXC-039 — HXC-039: G7 §11. commits lack docs/qa// direct                         |
| 145 | Low                                                                                                 | Fixed (→ Fixed.md)     | Bug  | —               | HXC-040 — CLAUDE.md §9/\$ (527 i18n/test hits) + case-ser                        |
| 146 | —                                                                                                   |                        | Bug  | —               |                                                                                  |

| #   | Level  | Status                   | Type    | Fixed-In Tag(s) | One-line description                                                          |
|-----|--------|--------------------------|---------|-----------------|-------------------------------------------------------------------------------|
|     |        | Fixed (→ Fixed.md)       |         |                 | HXC-040 — HXC-040: CLAUD alarm (527 i18n/test hits) + c                       |
| 147 | Medium | Implemented (→ Fixed.md) | Feature | —               | HXC-041 — helixqa standalo http) drives http: banks vs liv                    |
| 148 | —      | Implemented (→ Fixed.md) | Feature | —               | HXC-041 — HXC-041: helixqa (helixqa http) drives http: ba                     |
| 149 | Medium | Completed (→ Fixed.md)   | Task    | —               | HXC-042 — CONST-050(B) ch scripts in debate_orchestrato ux)                   |
| 150 | —      | Completed (→ Fixed.md)   | Task    | —               | HXC-042 — HXC-042: CONST- challenge scripts in debate_o scaling/ui/ux)        |
| 151 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-043 — auth Login nil-DB graceful no-DB operation bu                       |
| 152 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-043 — HXC-043: auth Lo advertises graceful no-DB op dereferences nil s.db |
| 153 | Medium | Obsolete (→ Fixed.md)    | Bug     | —               | HXC-044 — internal/cognee: sentinel instead of parsed GF                      |
| 154 | —      | Obsolete (→ Fixed.md)    | Bug     | —               | HXC-044 — HXC-044: interna returns -1 sentinel instead of                     |
| 155 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-045 — internal/hooks: c duration unset (should alway                      |
| 156 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-045 — HXC-045: interna leaves duration unset (shoul                       |
| 157 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-046 — internal/memory under fast back-to-back calls                       |
| 158 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-046 — HXC-046: interna unique under fast back-to-ba collision)            |
| 159 | Low    | Completed (→ Fixed.md)   | Task    | —               | HXC-047 — internal/redis Tes with no SKIP-OK guard (\$11. Redis               |
| 160 | —      |                          | Task    | —               |                                                                               |

| #   | Level  | Status                      | Type    | Fixed-In Tag(s) | One-line description                                                                   |
|-----|--------|-----------------------------|---------|-----------------|----------------------------------------------------------------------------------------|
|     |        | Completed<br>(→ Fixed.md)   |         |                 | HXC-047 — HXC-047: internal live-Redis with no SKIP-OK g contains literal Redis        |
| 161 | Medium | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-048 — helixcode-system for the non-auth server surf providers + negatives)         |
| 162 | —      | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-048 — HXC-048: helixco http cases for the non-auth s status/llm-providers + negati |
| 163 | Low    | Fixed (→ Fixed.md)          | Bug     | —               | HXC-049 — doc_processor Te ‘Upstreams’ but canonical di drift, deterministic FAIL)     |
| 164 | —      | Fixed (→ Fixed.md)          | Bug     | —               | HXC-049 — HXC-049: doc_pro capital ‘Upstreams’ but cano case drift, deterministic FAIL |
| 165 | Low    | Completed<br>(→ Fixed.md)   | Task    | —               | HXC-050 — event_bus NATS o markers required by the no-s                                |
| 166 | —      | Completed<br>(→ Fixed.md)   | Task    | —               | HXC-050 — HXC-050: event_b SKIP-OK markers required b                                  |
| 167 | Low    | Fixed (→ Fixed.md)          | Bug     | —               | HXC-051 — helix_llm + helix non-existent ../../vasic-digital layout)                   |
| 168 | —      | Fixed (→ Fixed.md)          | Bug     | —               | HXC-051 — HXC-051: helix_ll point to non-existent ../../vasi dependency-layout)        |
| 169 | Medium | Fixed (→ Fixed.md)          | Bug     | —               | HXC-052 — background_task paths                                                        |
| 170 | —      | Fixed (→ Fixed.md)          | Bug     | —               | HXC-052 — HXC-052: backgro replace paths                                               |
| 171 | Medium | Fixed (→ Fixed.md)          | Bug     | —               | HXC-053 — conversation go.r Messaging                                                  |
| 172 | —      | Fixed (→ Fixed.md)          | Bug     | —               | HXC-053 — HXC-053: convers replace path ../Messaging                                   |
| 173 | Low    | Fixed (→ Fixed.md)          | Bug     | —               | HXC-054 — leak_detector par                                                            |



| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                       |
|-----|--------|--------------------|------|-----------------|------------------------------------------------------------|
| 174 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-054 — HXC-054: leak_determinism                        |
| 175 | Low    | Fixed (→ Fixed.md) | Bug  | —               | HXC-055 — formatters brittle go build                      |
| 176 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-055 — HXC-055: formatter fixtures break go build       |
| 177 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-056 — 7 submodules: C PliniusCommon (dir is pliniu     |
| 178 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-056 — HXC-056: 7 subm PliniusCommon (dir is pliniu     |
| 179 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-057 — recovery go.mod digital.vasic.concurrency (pk    |
| 180 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-057 — HXC-057: recover digital.vasic.concurrency (pk   |
| 181 | Low    | Fixed (→ Fixed.md) | Bug  | —               | HXC-058 — helix_agent go bu continue test fixture (quaran  |
| 182 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-058 — HXC-058: helix_a cli_agents/continue test fixtu  |
| 183 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-059 — debate_orchestra child process tree on non-Lin   |
| 184 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-059 — HXC-059: debate_ to kill child process tree on n |
| 185 | Low    | Fixed (→ Fixed.md) | Bug  | —               | HXC-060 — debate_orchestra cancel not called on all retur  |
| 186 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-060 — HXC-060: debate_ context cancel not called on    |
| 187 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-061 — helix_agent legac stale 2-arg signature (won't c |
| 188 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-061 — HXC-061: helix_a memory.GetRelevant with sta     |
| 189 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-062 — helix_specifier pl lock-copy, concurrency haza   |
| 190 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-062 — HXC-062: helix_s value (vet lock-copy, concurr   |
| 191 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-063 — panoptic StartRe after early return nil — reco   |

| #   | Level  | Status                   | Type    | Fixed-In Tag(s) | One-line description                                       |
|-----|--------|--------------------------|---------|-----------------|------------------------------------------------------------|
| 192 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-063 — HXC-063: panopt bootstrap after early return     |
| 193 | Low    | Fixed (→ Fixed.md)       | Bug     | —               | HXC-064 — cognee AMD-GPU smi fake subprocess signal-k      |
| 194 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-064 — HXC-064: cognee load (rocm-smi fake subprocess   |
| 195 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-065 — cache/pkg/postgr (expires_at clock/timezone sl   |
| 196 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-065 — HXC-065: cache/p immediate Get (expires_at cl    |
| 197 | Low    | Fixed (→ Fixed.md)       | Bug     | —               | HXC-066 — inner internal/da localhost:5433/helix_test, nev |
| 198 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-066 — HXC-066: inner in localhost:5433/helix_test, nev |
| 199 | Low    | Fixed (→ Fixed.md)       | Bug     | —               | HXC-067 — inner internal/re (default :6379) not HELIX_RE   |
| 200 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-067 — HXC-067: inner in TEST_REDIS_HOST/PORT (de       |
| 201 | Medium | Implemented (→ Fixed.md) | Feature | —               | HXC-068 — speckit debate ac                                |
| 202 | —      | Implemented (→ Fixed.md) | Feature | —               | HXC-068 — HXC-068: speckit flow                            |
| 203 | High   | Implemented (→ Fixed.md) | Feature | —               | HXC-069 — HelixMemory de fallback                          |
| 204 | —      | Implemented (→ Fixed.md) | Feature | —               | HXC-069 — HXC-069: HelixM graceful fallback                |
| 205 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-070 — HelixMemory pe failure                           |
| 206 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-070 — HXC-070: HelixM success on failure               |
| 207 | Medium |                          | Task    | —               | HXC-071 — Web LLM handle                                   |

| #   | Level  | Status                      | Type    | Fixed-In Tag(s) | One-line description                                                               |
|-----|--------|-----------------------------|---------|-----------------|------------------------------------------------------------------------------------|
|     |        | Completed<br>(→ Fixed.md)   |         |                 |                                                                                    |
| 208 | —      | Completed<br>(→ Fixed.md)   | Task    | —               | HXC-071 — HXC-071: Web LL stream                                                   |
| 209 | Medium | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-072 — CLI /undo and /di substrate                                              |
| 210 | —      | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-072 — HXC-072: CLI /un substrate                                               |
| 211 | Medium | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-073 — The CLI keeps an makes so users can review a established that autocommit |
| 212 | —      | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-073 — HXC-073: Autoco                                                          |
| 213 | Medium | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-074 — Mobile gomobile                                                          |
| 214 | —      | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-074 — HXC-074: Mobile LLM calls                                                |
| 215 | Low    | Completed<br>(→ Fixed.md)   | Task    | —               | HXC-075 — Phase-1 CLI-Ager state                                                   |
| 216 | —      | Completed<br>(→ Fixed.md)   | Task    | —               | HXC-075 — HXC-075: Phase-1 delivered state                                         |
| 217 | High   | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-076 — Web /llm/generat (partial — e2e pending)                                 |
| 218 | —      | Implemented<br>(→ Fixed.md) | Feature | —               | HXC-076 — HXC-076: Web /ll frontend (partial — e2e pend                            |
| 219 | Low    |                             | Feature | —               | HXC-077 — T1.5 context-win                                                         |

| #   | Level  | Status                   | Type    | Fixed-In Tag(s) | One-line description                                      |
|-----|--------|--------------------------|---------|-----------------|-----------------------------------------------------------|
|     |        | Implemented (→ Fixed.md) |         |                 |                                                           |
| 220 | —      | Implemented (→ Fixed.md) | Feature | —               | HXC-077 — HXC-077: T1.5 co                                |
| 221 | Medium | Completed (→ Fixed.md)   | Task    | —               | HXC-078 — T1.6 SKILL.md pr                                |
| 222 | —      | Completed (→ Fixed.md)   | Task    | —               | HXC-078 — HXC-078: T1.6 SK                                |
| 223 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-079 — debate_orchestra                                |
| 224 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-079 — HXC-079: debate_ i18n key                       |
| 225 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-080 — /debate and /spec                               |
| 226 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-080 — HXC-080: /debate agent vs 2-min                 |
| 227 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-081 — helix_specifier sp verb mismatch                |
| 228 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-081 — HXC-081: helix_sp format-verb mismatch          |
| 229 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-082 — performance opt sleep and return Success tru    |
| 230 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-082 — HXC-082: perform methods sleep and return Su    |
| 231 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-083 — production_deple validation and strategy differ |
| 232 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-083 — HXC-083: produc server-validation and strateg   |
| 233 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-084 — challenge scripts on macOS BSD grep             |
| 234 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-084 — HXC-084: challen — breaks on macOS BSD gre      |

| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                                 |
|-----|--------|--------------------|------|-----------------|----------------------------------------------------------------------|
| 235 | High   | Fixed (→ Fixed.md) | Bug  | —               | HXC-085 — 14 LLM provider ignoring injected baseURL                  |
| 236 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-085 — HXC-085: 14 LLM production URL ignoring injected           |
| 237 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-086 — SSE broker client connect                                  |
| 238 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-086 — HXC-086: SSE broker concurrent connect                     |
| 239 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-087 — skill_registry random identical chars and colliding        |
| 240 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-087 — HXC-087: skill_registry produces identical chars and       |
| 241 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-088 — llm_orchestrator cmd.WaitDelay unset                       |
| 242 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-088 — HXC-088: llm_orchestrator cmd.WaitDelay unset              |
| 243 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-089 — panoptic web Element frames                                |
| 244 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-089 — HXC-089: panoptic recorder zero-frames                     |
| 245 | Low    | Fixed (→ Fixed.md) | Bug  | —               | HXC-090 — panoptic tracks timer (CONST-053 hygiene)                  |
| 246 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-090 — HXC-090: panoptic timer (CONST-053 hygiene)                |
| 247 | Low    | Fixed (→ Fixed.md) | Bug  | —               | HXC-091 — containers custom timer resolution flake)                  |
| 248 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-091 — HXC-091: containers timer-resolution flake)                |
| 249 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-092 — debate_orchestrator models on multi-round /spec            |
| 250 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-092 — HXC-092: debate_orchestrator capable models on multi-round |
| 251 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-093 — helix_code module + private transitive blocking            |
| 252 | —      | Fixed (→ Fixed.md) | Bug  | —               | HXC-093 — HXC-093: helix_code requires + private transitive          |

| #   | Level  | Status                   | Type    | Fixed-In Tag(s) | One-line description                                             |
|-----|--------|--------------------------|---------|-----------------|------------------------------------------------------------------|
| 253 | High   | Implemented (→ Fixed.md) | Feature | —               | HXC-094 — F12 workspace cl safety net                            |
| 254 | —      | Implemented (→ Fixed.md) | Feature | —               | HXC-094 — HXC-094: F12 wo undo safety net                        |
| 255 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-095 — CLI binary gener local ollama                          |
| 256 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-095 — HXC-095: CLI bin against live local ollama             |
| 257 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-096 — desktop nogui pr mismatch in status/help               |
| 258 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-096 — HXC-096: desktop format mismatch in status/h           |
| 259 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-097 — SYSTEMIC: stand database never wire i18n Tra           |
| 260 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-097 — HXC-097: SYSTEM internal/database never wire           |
| 261 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-098 — out-of-box config client status/system comman          |
| 262 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-098 — HXC-098: out-of-k — blocks client status/system        |
| 263 | —      | Completed (→ Fixed.md)   | Task    | —               | HXC-099 — Systemic i18n rav regression-free, with default        |
| 264 | —      | Completed (→ Fixed.md)   | Task    | —               | HXC-099 — HXC-099: System corrected, regression-free, w          |
| 265 | —      | Completed (→ Fixed.md)   | Task    | —               | HXC-100 — Resync docs/CON the 32k-token line-1 header (          |
| 266 | —      | Completed (→ Fixed.md)   | Task    | —               | HXC-100 — HXC-100: Resync de-bloat the 32k-token line-1 hygiene) |
| 267 | —      | Fixed (→ Fixed.md)       | Bug     | —               | HXC-101 — security/security network dependency + nil-de binary   |

| #   | Level | Status                 | Type | Fixed-In Tag(s) | One-line description                                                                  |
|-----|-------|------------------------|------|-----------------|---------------------------------------------------------------------------------------|
| 268 | —     | Fixed (→ Fixed.md)     | Bug  | —               | HXC-101 — HXC-101: security external-network dependence test binary                   |
| 269 | —     | Fixed (→ Fixed.md)     | Bug  | —               | HXC-102 — harmony_os mail ('Goodbye!', 'Error: %v') bypa                              |
| 270 | —     | Fixed (→ Fixed.md)     | Bug  | —               | HXC-102 — HXC-102: harmon ('Goodbye!', 'Error: %v') bypa                              |
| 271 | —     | Completed (→ Fixed.md) | Task | —               | HXC-103 — Web-client runtime LLM provider round-trip for (CONTINUATION honest gap)    |
| 272 | —     | Completed (→ Fixed.md) | Task | —               | HXC-103 — HXC-103: Web-cli -> server -> LLM provider ro (CONTINUATION honest gap)     |
| 273 | —     | Fixed (→ Fixed.md)     | Bug  | —               | HXC-104 — streamLLM /api/ never closed, [DONE] never c                                |
| 274 | —     | Fixed (→ Fixed.md)     | Bug  | —               | HXC-104 — HXC-104: stream chunkChan never closed, [DO by web e2e)                     |
| 275 | —     | Completed (→ Fixed.md) | Task | —               | HXC-105 — Runtime e2e for real spec output via live prov                              |
| 276 | —     | Completed (→ Fixed.md) | Task | —               | HXC-105 — HXC-105: Runtime server -> real spec output via                             |
| 277 | —     | Completed (→ Fixed.md) | Task | —               | HXC-106 — helix_agent dura fallback is NOT disk-durable honest gap)                   |
| 278 | —     | Completed (→ Fixed.md) | Task | —               | HXC-106 — HXC-106: helix_a memory fallback is NOT disk (CONTINUATION honest gap)      |
| 279 | —     | Completed (→ Fixed.md) | Task | —               | HXC-107 — Feature Status do per-feature inventory across cli_agents, docs_chain-synce |
| 280 | —     | Completed (→ Fixed.md) | Task | —               | HXC-108 — Video-QA progra strongest models + ensemble analyze + fix                   |
| 281 | —     |                        | Bug  | —               |                                                                                       |

| #   | Level                                                                                                                                               | Status                 | Type | Fixed-In Tag(s) | One-line description                                                          |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------|-----------------|-------------------------------------------------------------------------------|
|     |                                                                                                                                                     | Fixed (→ Fixed.md)     |      |                 | HXC-109 — Mobile apps are : AndroidManifest, iOS has no recordable)           |
| 282 | —                                                                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-109 — HXC-109: Mobile build.gradle/AndroidManifest not recordable)        |
| 283 | —                                                                                                                                                   | Completed (→ Fixed.md) | Task | —               | HXC-110 — Extend container (operator-directed Apple-sup                       |
| 284 | —                                                                                                                                                   | Completed (→ Fixed.md) | Task | —               | HXC-110 — HXC-110: Extend simulators (operator-directe                        |
| 285 | —                                                                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-111 — Desktop GUI show _activity_title) — CONST-046                       |
| 286 | —                                                                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-111 — HXC-111: Desktop (desktop_dashboard_header                          |
| 287 | —                                                                                                                                                   | Completed (→ Fixed.md) | Task | —               | HXC-112 — Desktop GUI feat osascript synthetic clicks — n LLM-chat in-GUI     |
| 288 | —                                                                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-113 — MCP tool names compatible providers (DeepS chat with MCP enabled    |
| 289 | —                                                                                                                                                   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-113 — HXC-113: MCP tool compatible providers (DeepS chat with MCP enabled |
| 290 | Critical (production/ release blocker — unauthenticated real, paid LLM-provider generation, reachable on every interface per every shipped config's | Fixed (→ Fixed.md)     | Bug  | —               | HXC-114 — Wire facade (/v1/ authentication — unauthent reachable on 0.0.0.0   |



| #   | Level  | Status                   | Type    | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                      |
|-----|--------|--------------------------|---------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 291 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-115 — The automated c<br>hardcoded user-facing text s<br>paths tied to one specific ma<br>location those paths no longer<br>as a brand-new violation and<br>governance safety-net every<br>stores the known-good list us<br>check works anywhere. This<br>developer and automated ru  |
|     |        |                          |         |                 | HXC-116 — The multi-track c<br>command-line tool both dire<br>exist in the repository. Anyon<br>development tracks has no a<br>with the shared storage drive<br>covering the track layout, ho<br>precautions. Operators can t<br>documented steps.                                        |
|     |        |                          |         |                 | HXC-117 — Governance rule<br>capability a model supports<br>rather than hardcoded. Toda<br>supports embeddings; the ot<br>verifier-sourced but are not<br>cannot truthfully tell users w<br>work adds these capability fi<br>product read them from ther<br>of-truth capability informati |
| 292 | Medium | Completed (→ Fixed.md)   | Task    | —               |                                                                                                                                                                                                                                                                                           |
| 293 | High   | Fixed (→ Fixed.md)       | Bug     | —               | HXC-118 — A dedicated Retr<br>maintained as its own reusal<br>import or use it anywhere. A<br>(answering using retrieved c<br>to end users despite the code<br>RAG module into the applica<br>exposes its capability flag. Us<br>answers instead of an orpha                              |
| 294 | High   | Implemented (→ Fixed.md) | Feature | —               | HXC-119 — Governance rule<br>among required capabilities,<br>anywhere in the codebase. A                                                                                                                                                                                                  |
| 295 | High   | Implemented (→ Fixed.md) | Feature | —               |                                                                                                                                                                                                                                                                                           |

| #   | Level  | Status                 | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----|--------|------------------------|------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 296 | Medium | Fixed (→ Fixed.md)     | Bug  | —               | connectivity currently cannot support real ACP support, or, if it provides with cited evidence. The platform or hold an honest, evidenced fix.<br>HXC-120 — A safety test for the browser requests are answered by the website to call the API. The safety test has an explicit list of trusted sites, so the expectation. The fix updates the list of sites allowed, others remain. The test suite now protects the insecure one. |
| 297 | Medium | Completed (→ Fixed.md) | Task | —               | HXC-121 — The code connecting Together AI model services so a change could silently break the client and nothing would catch it. The client code against a simulated request, the parsed reply, and the become protected against silent                                                                                                                                                                                            |
| 298 | Medium | Completed (→ Fixed.md) | Task | —               | HXC-122 — Two categories of automation, skip most of the server or special environment. These areas are largely unverified. The work provides a documented infrastructure so they actually and automation behavior that is merely scaffolded.                                                                                                                                                                                      |
| 299 | Low    | Completed (→ Fixed.md) | Task | —               | HXC-123 — The command-line automated tests covering its real scan produces wrong results. core scanning and reporting protected against silent break                                                                                                                                                                                                                                                                               |
| 300 | Medium | Fixed (→ Fixed.md)     | Bug  | —               | HXC-124 — One automated of server workflows has a documented token needed to finish the work. does not meet the fully-automated work provides an automated the workflow runs unattended automated and re-runnable.                                                                                                                                                                                                                 |

| #   | Level  | Status                    | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                              |
|-----|--------|---------------------------|------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 301 | Low    | Completed<br>(→ Fixed.md) | Task | —               | HXC-125 — A large set of internal tests that run as part of an ordinary test run never catch a bug because the error signal is absent from routine checks. The bug is not so this is a visibility gap, not a bug. The bug is a standard test command or a status is always visible. Every test has 100% coverage. |
| 302 | Medium | Completed<br>(→ Fixed.md) | Task | —               | HXC-126 — Eleven work items that track issues document and are missing. The two views disagree about the status of the work regenerates the tracker so finished items appear only in the tracker. The trackers then accurately reflect the status of the work.                                                    |
| 303 | Low    | Completed<br>(→ Fixed.md) | Task | —               | HXC-127 — When an item is retired, the recorded reason, date, and status are missing. These details is completely error. This leaves retirements incomplete. This populates the required justification for a retired item carries an audit trail.                                                                 |
| 304 | Low    | Completed<br>(→ Fixed.md) | Task | —               | HXC-128 — Thirty-six tracked items that have a minimum length needed to capture the essence of the item cannot understand them without the context of the item into clear plain-language descriptions. This is why it matters. Every item that is tracked by developers and stakeholders.                         |
| 305 | Low    | Completed<br>(→ Fixed.md) | Task | —               | HXC-129 — Seventy-nine finished items that are so risk-ordered validation and analysis. The work backfills an appropriate level of content and impact. Risk-based analysis is correctly across the full item.                                                                                                     |
| 306 | Medium | Completed<br>(→ Fixed.md) | Task | —               | HXC-130 — A full build fails because the mobile graphical apps need a build that are neither installed nor built. The build error with no guidance on what packages required, the command to run the graphics build path used for the build. Anyone can then build the project without surprise failures.         |
| 307 | Medium |                           | Bug  | —               |                                                                                                                                                                                                                                                                                                                   |

| #   | Level  | Status                   | Type    | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                       |
|-----|--------|--------------------------|---------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |        | Obsolete (→ Fixed.md)    |         |                 | HXC-131 — The client that ta completing its login and cach endpoint is never called and calls would fail. This means authenticate reliably. The wo flow and prove it with the ex access to Cognee-backed mer                               |
| 308 | Medium | Completed (→ Fixed.md)   | Task    | —               | HXC-132 — The full-infrastru server container because its does not exist, and many me because they look for a serve override it. As a result a who server. The work is to fix the URL configurable so those te coverage of server-dependen |
| 309 | Low    | Fixed (→ Fixed.md)       | Bug     | —               | HXC-133 — One Azure-provi being present in the environ test setup the test's assumpti fragile and can give misleadin The work is to make the test the sibling test already fixed. regardless of how it is run.                             |
| 310 | Medium | Fixed (→ Fixed.md)       | Bug     | —               | HXC-134 — The central mode numeric value, while HelixC that can break how verified is to align the two so the id is identity keeps verification, li                                                                                        |
| 311 | Medium | Implemented (→ Fixed.md) | Feature | —               | HXC-135 — HelixCode is now indicators (tool protocols, co the central verifier, but the v those fields, so the flags alwa the verifier publish these cap users see accurate per-mode                                                       |
| 312 | Medium | Completed (→ Fixed.md)   | Task    | —               | HXC-136 — Several mandate service, scaling, stress and ch not exercised in the latest re is unconfirmed. The work is infrastructure and capture p                                                                                          |

| #   | Level  | Status                 | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                        |
|-----|--------|------------------------|------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 313 | Medium | Completed (→ Fixed.md) | Task | —               | promised full test-type coverage under load and adverse conditions.<br>HXC-137 — The project dependencies health check of all of them (dependencies tests) did not finish in the latest health sweep and record the state of the whole codebase, not just the dependencies.                                                 |
| 314 | Low    | Completed (→ Fixed.md) | Task | —               | HXC-138 — The end-to-end scenarios (a missing option was not be executed against a live server) complete user journeys work under real challenges, capturing the real world headline user workflows functionality.                                                                                                          |
| 315 | High   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-139 — A vendored copy of the Continue project) includes a dependency that does not exist, and because that file was swept into the helix_agent module checks for the whole module instead of the agent module. The work is to ensure they are not compiled as part of the module marker). Developers are aware of this. |
| 316 | Medium | Fixed (→ Fixed.md)     | Bug  | —               | HXC-140 — The quality-assurance module containing a lock (a mutex) is not thread-safe flags as unsafe and can cause a race condition that loads real test banks is failing with a value by reference (pointer) error in the failing test-bank test. This was fixed in its tests green.                                      |
| 317 | Medium | Fixed (→ Fixed.md)     | Bug  | —               | HXC-141 — The MCP module returns an error when asked to stop a container that exist, instead of returning clear message a safe no-op. The work is to gracefully stop a container is handled gracefully before-start and missing-container errors.                                                                           |
| 318 | High   | Fixed (→ Fixed.md)     | Bug  | —               | HXC-142 — The automation-orchestrator mandated test type cannot execute during the 2026-07-12 real-instrumentation (isRateLimitError/contains dependencies files) and deeper API drift with the                                                                                                                             |

| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                  |
|-----|--------|--------------------|------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 319 | High   | Fixed (→ Fixed.md) | Bug  | —               | and NewProviderManager w package. The work is to reco provider API and remove the runs against real infrastru infra_retest_20260712_hxc12                                                                                                                             |
| 320 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-143 — The e2e-tagged to getEnvOrDefault is declared mandated test type cannot ex declaration (consolidate to a compiles and can run end-to the 2026-07-12 real-infra rete infra_retest_20260712_hxc12                                                             |
| 321 | Low    | Fixed (→ Fixed.md) | Bug  | —               | HXC-144 — Under the sustain running server, the goroutin tolerance of 4, signalling a go the server is hammered. Left server stability under load. T (likely an unclosed channel, fix it so the count stays withi infra_retest_20260712_hxc12                         |
| 322 | Medium | Fixed (→ Fixed.md) | Task | —               | HXC-145 — During the real-i failed 2 of 5 because the mod rejected by the live Xiaomi A stale or wrong. Users selectin get errors. The work is to det (from the provider or the ver configuration so Xiaomi requ infra_retest_20260712_hxc12                          |
| 323 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-146 — The e2e challeng (cli, rest, tui, websocket) but server's real HTTP API durin runner's own logic rather th documentation-versus-imple proof. The work is to wire th call the running server's HTT facing endpoints work. Disco docs/qa/infra_retest_2026071 |
|     |        |                    |      |                 | HXC-147 — Running the (nov the live OpenRouter API, Tes                                                                                                                                                                                                               |

| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----|--------|--------------------|------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 324 | Low    | Fixed (→ Fixed.md) | Task | —               | <p>Provider_OpenRouter BasicC dereference: the configured rejected and the code path is the response. Users of the Op would hit the same crash. The id (sourced from the verifier nil-check so a rejected model. NOTE this environment has spend real money; guard/ski</p> <p>HXC-148 — HXC-118 wired R native server generate and s compatible and Anthropic-co completions and /v1/messag those compatibility surfaces it is enabled. The work is to a those facade handlers so RAO surface. This is a smaller sec fixed. Found during HXC-118</p> <p>HXC-149 — The main reposit submodule gitlinks at pre-re HelixDevelopment/, <i>depende helix_qa/panoptic/security</i>) v historical path-rename to the submodule status and git sub submodule mapping found i maintenance script that wall work is to remove ALL stale the submodule set is consiste tooling completes. This is a g Found by the 2026-07-12 rele blocks release automation.</p> <p>HXC-150 — The load/DDoS te TEST_PG_* and TEST_REDIS_ Postgres and Redis, but the p HELIX_DATABASE_* and HEL the container credentials. So workflow the suite falsely SK ran once the correct credent 2026-07-12 retest). The work</p> |
| 325 | Medium | Fixed (→ Fixed.md) | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 326 | Low    | Fixed (→ Fixed.md) | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----|--------|--------------------|------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |        |                    |      |                 | with .env.full-test so load/DD harness only.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 327 | Medium | Fixed (→ Fixed.md) | Bug  | —               | <p>HXC-151 — Several regressions in RED_MODE switch whose job it guards. In these cases the RED_MODE switch lives inside the test file instead of the test harness, so that copy is part of the test and the check produces the same result as the working one, the broken one produces a green result and proves nothing about the test. The test reads a green result as evidence of success, in fact inert: the original definition of RED_MODE is green. The confirmed cases are: HXC-151, a test-local preFixSystemStatus handler, so the test is bypassed by construction), HXC-152 (hand-rolls the locking sequence instead of calling the shipping library property), llm_rag_test (skips its retrieval step, so the ‘prompt’ is by the test’s own omission), and HXC-153 (no RED branch at all, and another test is touched). To reproduce: revert the test with RED_MODE=1; the test will work is to rewrite each RED_MODE to exactly as was done for the test. llm_default_model_regression Done means that for every llm_rag_test with only its own fix reverted, the four-way result is captured and the enumerated search finds no regressions.</p> <p>HXC-152 — One test file in the test harness, the old bug’ mode and ‘confirming the fixed behavior’ environment variable, but it is unset — which is how the test harness — it selects the old-bug mode and confirming the fixed behavior reports success, so the team actually verified. The behavior that is supposed to hide mode</p> |
| 328 | High   | Fixed (→ Fixed.md) | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----|--------|--------------------|------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |        |                    |      |                 | <p>quality threshold, or have no anti-bluff filtering the original. The same file simply skips its provider key-gate is ungaurded package defaults the opposite neighbours and will mislead. To reproduce: run the package, assertions are never reached, default is flipped so the fix-v reproduce-the-old-bug mode captured evidence shows they genuinely fail when the filter.</p> <p>HXC-153 — A regression test proves the system-status end IS attached, but the test actually then only checks that the res runs the same no-database c the database-present path it whatsoever. This matters be deciding whether a behaviour would reasonably conclude t not. It is the same document where a file's comment disag independent reviewer of tha honestly defer coverage to a about the product — the defe means the test either is rena is given a fake-database sear choice backed by a captured</p> <p>HXC-154 — A QA-session test the status 'pending', but the v is racing to change to 'running' JSON encoder the same live s the response says 'pending' c goroutine wins, and under lo worker can win. The result is fails for reasons unrelated to in the suite and trains reader once during unrelated work, race runs afterwards, so it is</p> |
| 329 | Medium | Fixed (→ Fixed.md) | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 330 | Medium | Fixed (→ Fixed.md) | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| #   | Level | Status                    | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----|-------|---------------------------|------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 331 | Low   | Completed<br>(→ Fixed.md) | Task | —               | <p>The underlying product behavior may legitimately see either state and make the assertion accept either a synchronised read instead. Due to goroutine scheduling, proven to work with the reproduction capturing the state.</p> <p>HXC-155 — The server package has a switch that flips them between reproducible and non-reproducible return, but the switch is spelled incorrectly. The reproducible read through three different guards is genuinely useful, because each guard is a different fix and testers need to flip the switch. The goal is not to collapse the state if the inconsistency has already caused a failure. Its default set the wrong way and another shipped with a code did. Both were fixed, but the fix is to agree one naming convention for every guard in the package, and the next guard author copies the previous one. The next guard author copies the previous one follows the documented pattern. The next guard author follows the documented pattern direction, and a check exists for the naming convention.</p> <p>HXC-156 — The Harmony OS system monitor that samples the state every seconds. To decide whether the state is plain on/off marker, while the state is the very same marker off from the previous state, nothing coordinating the two states at the same moment with no coordination. The state can be missed entirely, leaving the state shared state after the application state. On some machines the value read is the new one. This was not theoretical, but a failure, with the Harmony OS test package single run once race detection failed. The Harmony OS test package with the report names the monitor location. The conflicting parties. The same problem in the same code.</p> |
| 332 | High  | Fixed (→ Fixed.md)        | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

| #   | Level | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----|-------|--------------------|------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 333 | High  | Fixed (→ Fixed.md) | Bug  | —               | <p>temperature and power figures, the system-monitoring screen, and coordination, which could pause different sampling rounds. The shutdown channel the rest of the shared figures and the status wait for the monitor to confirm proceeding. Acceptance: the races over repeated consecutive deliberately restoring the old proving the guard is real and</p> <p>HXC-157 — The Harmony OS perform slow work in the background, answer, polling provider head the server — and each of those straight into an on-screen element uses does not permit that: on the single thread that draws update over to be applied the can be reading an element and rewrites it, which is a data race crash the application outright hidden: in both applications comment stating ‘Update UI it is the identical false comment end when this same defect caused factors were found by auditing rather than only the reported screen elements to decide whether them, and several ran on end modifying elements belonging and leaked for the lifetime of through the shared dispatcher keeps each read-and-then-write cannot be left behind, moves the drawing thread where the place so a later edit is not invalid makes the endless timers stop Acceptance: both packages built over repeated runs, no backg</p> |

| #   | Level  | Status                 | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----|--------|------------------------|------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 334 | Medium | Fixed (→ Fixed.md)     | Bug  | —               | <p>screen element without going to the end's behaviour is unchanged.</p> <p>HXC-158 — The Harmony OS was corrected so that background elements directly. That correction had evidence. No test in either package screens, so the background view while the tests run, and the need opportunity to observe the view running the Aurora OS package races both before and after the test but because nothing under the hood failure that was reproduced in the background system monitor that a future edit could silently add a background worker in either direction exactly the situation the anti-race suite would then be certifying. Closing this requires a test that the chat worker, the provider of resource timers — with the need observation rather than by inspection variant proving the new test back. Acceptance: a test in each background workers against repeated runs, and demonstrating removed from any one of the specific sites should be described.</p> <p>HXC-160 — The project's age. CLAUDE.md, AGENTS.md, QV repository root, their copies and the cascaded copies inside submodules — still tell every docs/Fixed_Summary.md are generate_issues_summary.sh has not been true since the view single source of truth: both the database by the constitution scripts derive them from the drops every item recorded as</p> |
| 335 | —      | Completed (→ Fixed.md) | Task | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| #   | Level | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----|-------|--------------------|------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 336 | —     | Fixed (→ Fixed.md) | Bug  | —               | <p>The practical harm is that an exporter destroys tracked state: on 2017-01-20, the closed-item tally from 344 to 345 was replaced the full per-item tally. The gate caught it. The scripts then ran, so the immediate danger was so every new agent is still giving refusal only by tripping over the and section 11.4.91 anchor to the exporter as the generator, with copies inside submodules that five carriers in lockstep per summary, and everyone relying on state. Reproduce by opening generate_fixed_summary.sh and current generator with no more carrier names the DB export current, the five root carrier would fail if a manual reintroduction.</p> <p>HXC-161 — The guard at scribble checks that every closed item also appears as a row in that failures, and it was already failures are reproducible against the standing red gate rather than is a change in how the file is the workable-items database which single surface form it and others as detail sections, when the table was maintained appear in both places, so it is deliberately no longer provided not be guessed between: either to assert what the generator genuinely dropping rows than catching real data loss. Deciding representation handling and deliberately not resolved here without that investigation is</p> |

| #   | Level | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----|-------|--------------------|------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 337 | —     | Fixed (→ Fixed.md) | Bug  | —               | <p>forbids. Who benefits: anyone who is not vanishing from the closed-its. The fix was created to prevent after the fact by running bash scripts/gate. The repository root and observing the fix and HXC-119. Acceptance: the evidence, the guard passes for the fix softened, its paired mutation is not broken, and if the generator is not broken.</p> <p>HXC-162 — When a user types a command-line client, the feature matches a known skill and runs. It decides which skill applies is not discarded without ever being used. What the user types. To the user does not exist in the CLI, even if present, correct and documented. The product is meant to turn a plan into the user learning any command. It reasonably conclude the feature is not unnoticed. The fix is to connect the input is handled, and prove it is not and observes the skill actual. The fix is SOURCE-layer inspection; still to be done.</p> <p>HXC-163 — The project ships a shared governance component. The project that uses it. In practice, it is a running system, so not one of the agent. The effect is that work is not maintained sits unused, and even if skills already solve. Separate storage location that only exists if broken link that resolves to not a catalogue looks populated from the fix. Closing this means registering a mechanism, repairing or removing that fails if a shipped skill is not.</p> <p>HXC-165 — One of the performance over a reference file that is supposed. The reference file is supposed</p> |
| 338 | —     | Fixed (→ Fixed.md) | Bug  | —               | <p>HXC-163 — The project ships a shared governance component. The project that uses it. In practice, it is a running system, so not one of the agent. The effect is that work is not maintained sits unused, and even if skills already solve. Separate storage location that only exists if broken link that resolves to not a catalogue looks populated from the fix. Closing this means registering a mechanism, repairing or removing that fails if a shipped skill is not.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 339 | —     | Fixed (→ Fixed.md) | Bug  | —               | <p>HXC-165 — One of the performance over a reference file that is supposed. The reference file is supposed</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| #   | Level | Status                 | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----|-------|------------------------|------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |       |                        |      |                 | <p>measurements are compared to a yardstick silently becomes worse most recently. That destroys the on a busy shared machine that also leaves the project permanently trains everyone to ignore that corrupted baseline likely. A more committing it during unrelated location that is not version controlled read-only.</p> <p>HXC-167 — Before a recorded cleanup step is supposed to run, cleanup has two weaknesses: the script itself already knew about back to us — a session cookie is unknown to the cleanup and that kind has actually leaked. It happen to return one, but that's worse, the cleanup can fail so the replacement tool in a way that so a secret containing one of the failure is deliberately discarded that stays in the file with no replacement treat secrets as silent, and add a scan of the remote side sent us.</p> <p>HXC-170 — Eight of the agents that fix known weaknesses, a bug-fix-level release within the authors are committing to not they close eleven of the eight compiled program, including genuinely reaches during no single highest-value change and bumps that measurably shrink anything. One of the eight also automated safety checks round no advisory service had flagged on the agent benefits, and that enough to actually read. The</p> |
| 340 | High  | Fixed (→ Fixed.md)     | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 341 | High  | Completed (→ Fixed.md) | Task | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----|--------|--------------------|------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 342 | Medium | Fixed (→ Fixed.md) | Bug  | —               | <p>project rebuilt, its tests run, and weaknesses no longer appear as evidence. Two of the eight deserve a slightly closer look.</p> <p>HXC-173 — One of the tests tests its on-screen values safely when it is under heavy load, and perhaps the underlying feature is fine — in isolation, where it passes — a defect in the product. This story is unrelated to the code teacher's time it fails for a real reason: a problem for release preparation, many other jobs are active. The condition it cares about rather than a fixed window, so that a slow false failure.</p> |
| 343 | High   | Fixed (→ Fixed.md) | Bug  | —               | <p>HXC-174 — The text-based test assurance sessions and their use of the shared session objects at the background worker is simultaneous. Nothing coordinates the two. The sharpest case is the elapsed time has been recorded and the two steps the background worker use a value that is not fully the briefly nonsensical timings, and the interface. This is not new and now the only place in the project the code follows and that the teacher to take a consistent copy of the screen from that copy.</p>                                                                 |
| 344 | Medium | Fixed (→ Fixed.md) | Bug  | —               | <p>HXC-176 — The shared governor creating a shortcut that points to sit on the machine doing the specific location rather than the only works on the computer broken in this project: it had an external drive, so on this Linux had never once worked here.</p>                                                                                                                                                                                                                                                                                                                 |



| #   | Level  | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----|--------|--------------------|------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |        |                    |      |                 | repaired, but the installer then recreates the same problem. is a safety net rather than a component: record the location works on every machine that                                                                                                                                                                                                                                                                                                                             |
| 345 | Medium | Fixed (→ Fixed.md) | Bug  | —               | HXC-177 — One of the skills: blank placeholder in a form only substitutes placeholders never replaced. The consequence onward to the AI model as pure meaningless noise rather than The user sees a lower-quality found while working on unrelated work. The fix is to correct the add a check that refuses to start cannot resolve, so the same machine                                                                                                                          |
| 346 | High   | Fixed (→ Fixed.md) | Bug  | —               | HXC-182 — The file that records measurements are compared and now holds this machine's not been committed, so the current project history and can be reloaded many people and automated at once, and any of them run once would sweep the corrupted reference would silently become later comparison against it with warning. The underlying cause stop writing the file, but that is present. This needs the file re everyone working in this copy message where no one will see |
| 347 | High   | Fixed (→ Fixed.md) | Bug  | —               | HXC-183 — When the production background worker hands re caller gives up early — the user must notice and stop. Six processes and each got a test proving it results back without checking worker blocks forever and is never released. Every cancel more of the machine's capacity                                                                                                                                                                                               |

| #   | Level    | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----|----------|--------------------|------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 348 | Critical | Fixed (→ Fixed.md) | Bug  | —               | <p>mechanical, because the cor and there is a shared test ha independent review noticing short of covering every affec</p> <p>HXC-184 — A recent change pipes to close rather than for normally the same moment, running in the background: t so the wait never ended. The consumed one of a small fixe commands stopped the facilit ROUNDS. Round one added a reaped, then stopped reading review accepted the mechan somewhere unmeasured: an command with no backgrou following the documented pa previous code delivered all 5 the consumer kept pace, not Round two replaced the fixe restarts whenever a line was window in which nothing at then tested an objection the revive the original hang — a requires a consumer that is s consuming within two windo remains genuinely unbound a background process that ke than hidden, because cutting reading. Three smaller findi the truncation flag from a re branch ran, so no scheduling</p> <p>HXC-185 — Modern internet combined with a port numbe result is unreadable to the so recently corrected to do this places that build addresses th address from configuration c illustration sits inside a singl ways: the connection check c</p> |
| 349 | High     | Fixed (→ Fixed.md) | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

| #   | Level | Status             | Type | Fixed-In Tag(s) | One-line description                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----|-------|--------------------|------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |       |                    |      |                 | the web-request check a few same service. The others cover service, the notification service, infrastructure. Each is a one- handles this correctly. Left all addresses sees confusing part others fail against the same level                                                                                                                                                                                                       |
| 350 | High  | Fixed (→ Fixed.md) | Bug  | —               | HXC-187 — The project declares once at the top level and once that, one particular internal pieces of code — a five-line piece of kilobyte subsystem inside. The piece of code actually received build was started from, which expect or notice. Nothing is known placeholder has no users, but time someone adds one the known the same source with no error module a distinct identity so placeholder is a separate decision this. |
| 351 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXL-001 — HelixLLM internal absolute path                                                                                                                                                                                                                                                                                                                                                                                            |
| 352 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXL-001 — HXL-001 (ex-ISSU path                                                                                                                                                                                                                                                                                                                                                                                                      |
| 353 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXL-002 — HelixLLM internal returns 500                                                                                                                                                                                                                                                                                                                                                                                              |
| 354 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXL-002 — HXL-002 (ex-ISSU                                                                                                                                                                                                                                                                                                                                                                                                           |
| 355 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXQ-001 — helix_qa internal sensitive)                                                                                                                                                                                                                                                                                                                                                                                               |
| 356 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXQ-001 — HXQ-001 (ex-ISSU flake (host-load-sensitive)                                                                                                                                                                                                                                                                                                                                                                               |
| 357 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXQ-002 — HXQ-002: helix_q drift blocks helix_agent test                                                                                                                                                                                                                                                                                                                                                                             |
| 358 | —     | Fixed (→ Fixed.md) | Bug  | —               | HXV-001 — HXV-001: LLMsV integration + verification/sco                                                                                                                                                                                                                                                                                                                                                                              |
| 359 | —     |                    | Bug  | —               |                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| #   | Level | Status                 | Type | Fixed-In Tag(s) | One-line description                                     |
|-----|-------|------------------------|------|-----------------|----------------------------------------------------------|
|     |       | Fixed (→ Fixed.md)     |      |                 | HXV-002 — LLMsVerifier ver failures                      |
| 360 | —     | Fixed (→ Fixed.md)     | Bug  | —               | HXV-002 — HXV-002: LLMsV test failures                   |
| 361 | —     | Fixed (→ Fixed.md)     | Bug  | —               | HXV-003 — HXV-003: LLMsV is a CONST-050(A) production    |
| 362 | —     | Fixed (→ Fixed.md)     | Bug  | —               | OPS-001 — OPS-001: LLMOps failures                       |
| 363 | —     | Fixed (→ Fixed.md)     | Bug  | —               | PAN-001 — panoptic appendJ bytes (TestResult.MarshalJSO  |
| 364 | —     | Fixed (→ Fixed.md)     | Bug  | —               | PAN-001 — PAN-001: panopt UTF-8 runes to bytes (TestRe   |
| 365 | —     | Completed (→ Fixed.md) | Task | —               | VEN-001 — VisionEngine hel CLOSED (→ Fixed.md)           |
| 366 | —     | Completed (→ Fixed.md) | Task | —               | VEN-001 — VEN-001 (ex-ISSU (was misconfigured, not mis   |
| 367 | —     | Fixed (→ Fixed.md)     | Bug  | —               | VEN-002 — VEN-002 (ex-ISSU fork lineage divergent at SHA |
| 368 | —     | Fixed (→ Fixed.md)     | Bug  | —               | VEN-002#1 — VEN-002 (ex-IS fork lineage divergent at SHA |