

Helix Constitution — QWEN

Helix Constitution — Universal QWEN.md

Table of contents

How inheritance works

Identity & posture

Top-level invariants for every agent

Critical base rules restated (for agents that don't honour @imports)

§11.4 — Anti-bluff covenant — END-USER QUALITY GUARANTEE

§1.1 — Mutation-paired gates

§11.4.10 — Credentials-handling mandate

§11.4.17 — Universal-vs-project classification

§11.4.20 — Subagent-driven-by-default

§11.4.73 — Main-specification document versioning + revision discipline

§11.4.74 — Submodule-catalogue-first discovery + extend-don't-reimplement

§11.4.76 — Containers-submodule mandate

§11.4.77 — Regeneration-mechanism-required mandate

§11.4.78 — CodeGraph code-intelligence mandate

§11.4.79 — Own-org submodules MUST be included in the CodeGraph index

§11.4.80 — CodeGraph regular-update + sync automation mandate

Companion documents

Helix Constitution — Universal QWEN.md

Field	Value
Revision	2
Created	2026-05-20
Last modified	2026-05-20
Status	active
Status summary	Mirrored Constitution.md §11.4.78 (CodeGraph code-intelligence mandate) into this QWEN.md. Revision 1 created the file per user mandate 2026-05-20 carrying the §11.4.76 + §11.4.77 mirrors.
Issues	none
Issues summary	—

Field	Value
Fixed	§11.4.78 mirror
Fixed summary	§11.4.78 lands in lockstep with the Constitution.md §11.4.78 addition.
Continuation	—

Table of contents

- [How inheritance works](#)
- [Identity & posture](#)
- [Top-level invariants for every agent](#)
- [Critical base rules restated \(for agents that don't honour @imports\)](#)
 - [§11.4 — Anti-bluff covenant — END-USER QUALITY GUARANTEE](#)
 - [§1.1 — Mutation-paired gates](#)
 - [§11.4.10 — Credentials-handling mandate](#)
 - [§11.4.17 — Universal-vs-project classification](#)
 - [§11.4.20 — Subagent-driven-by-default](#)
 - [§11.4.73 — Main-specification document versioning + revision discipline](#)
 - [§11.4.74 — Submodule-catalogue-first discovery + extend-don't-reimplement](#)
 - [§11.4.76 — Containers-submodule mandate](#)
- [Companion documents](#)

How inheritance works

This QWEN.md is for the **Qwen Code CLI agent** (qwen-code). It documents the universal Helix Constitution from the Qwen agent's perspective — the same content seen by Claude Code via CLAUDE.md and by OpenCode / Cursor / generic AI tooling via AGENTS.md.

The **authoritative source** is Constitution.md in this repository. When this file diverges from Constitution.md, the latter wins. This file exists because:

1. Qwen Code does not always honor @import directives across files; restating the critical rules inline ensures the agent reads them on every session.
2. Cross-agent parity: Claude Code (CLAUDE.md), OpenCode/Cursor (AGENTS.md), Qwen Code (QWEN.md) all start from the same constitutional baseline.

Discover this file via the canonical parent-walk pattern documented in every consuming project's CLAUDE.md / AGENTS.md:

```
find_constitution_root() {
    local cur="${1:-$PWD}"
    while [[ "${cur}" != "/" ]]; do
        if [[ -f "${cur}/constitution/Constitution.md" ]]; then
            echo "${cur}/constitution"; return 0
        fi
        cur="$(dirname "${cur}")"
    done
}
```

```
    return 1
}
```

Identity & posture

When the Qwen Code agent loads this file as part of session bootstrap, it operates under the Helix Constitution with the same identity, anti-bluff posture, and end-user quality covenant as any other CLI agent in the catalogue. There is no “Qwen-lite” interpretation — Qwen Code is held to the full §11.4 covenant.

Top-level invariants for every agent

1. **Read order on a cold start.** `CLAUDE.md` / `AGENTS.md` / `QWEN.md` (this file) for the AI-agent posture; `Constitution.md` for the canonical universal rules; then the consuming project’s `CLAUDE.md` for project-specific extensions.
2. **Multi-mirror push.** Every commit on this submodule **MUST** land on all four canonical mirrors (GitHub + GitLab + GitFlic + GitVerse) per §2.1.
3. **Anti-bluff is non-negotiable.** Passing tests **MUST** imply working features. Bluffing **PASS**es (and **FAIL**s that hide root cause) is a release blocker (§11.4 + §11.4.1).
4. **Submodule-catalogue-first.** Before scaffolding anything, survey the `vasic-digital` + `HelixDevelopment` orgs for an existing Submodule (§11.4.74). Reuse → extend → no-match in that order.
5. **Containers-submodule for ALL container workloads.** Use `vasic-digital/containers` (§11.4.76) — never reinvent `compose`/`boot` orchestration in-project.

Critical base rules restated (for agents that don’t honour `@imports`)

§11.4 — Anti-bluff covenant — END-USER QUALITY GUARANTEE

Captured tests **MUST** exercise the behavior they claim to verify. **PASS**-without-execution paths, mock-only tests that don’t round-trip, and skip-by-default integration tests that mask real failures are forbidden. Each test failure in CI **MUST** imply a real broken feature; each **PASS** **MUST** imply the feature actually works for the end user.

§1.1 — Mutation-paired gates

Every captured-evidence gate **MUST** ship with a paired mutation test that mutates the gate’s anchor + runs the gate + asserts the gate now **FAIL**s. Absence of the paired mutation is itself a bluff.

§11.4.10 — Credentials-handling mandate

Credentials are NEVER committed to git, NEVER logged, NEVER printed to stdout/stderr. `.env` files are `.gitignored`; committed siblings are `.env.example` placeholders only. Pre-store leak audit (§11.4.10.A) scans every PR for credential patterns before merge.

§11.4.17 — Universal-vs-project classification

Every new rule MUST declare itself **universal** (applies to every project consuming this Constitution) or **project** (applies only to one specific project). Misclassification (universal rule landing in a project's local CLAUDE.md instead of the constitution submodule) is a release blocker.

§11.4.20 — Subagent-driven-by-default

When a CLI agent (Qwen Code included) has a subagent / Task tool available, the default mode of operation is to dispatch subagents for discrete units of work rather than perform them inline. This protects context, enables parallel work, and matches the §11.4.27 no-fakes-beyond-unit-tests posture (each subagent runs real tools).

§11.4.73 — Main-specification document versioning + revision discipline

Projects with a main specification (`docs/specs/.../specification.V<N>.md`-shaped) maintain TWO version axes:

- **Primary** (V1 / V2 / V3 ...) bumps for major rewrites only.
- **Secondary** (Revision N in the metadata table) bumps for additive changes within a primary version.

Spec edits trigger mandatory comprehensive planning and implementation in the consuming project — they are not isolated doc tweaks (the “spec ripple” rule).

§11.4.74 — Submodule-catalogue-first discovery + extend-don't-reimplement

Direct user mandate (verbatim, 2026-05-20): “We MUST ALWAYS check which already developed features / functionalities do exist as a part of our comprehensive Submodules catalogue located in `vasic-digital` and `HelixDevelopment` organizations on GitHub and GitLab both! Project MUST BE aware of all its existence so we do not implement same things multiple times. For any missing features we MUST IMPLEMENT them properly and extend those Submodules further!”

Before scaffolding any new module / package / helper / utility, the Qwen Code agent MUST: (1) survey `vasic-digital` + `HelixDevelopment` on GitHub + GitLab — the canonical inventory is `submodules-catalogue.md` (142 repos categorised); (2) reuse an existing Submodule when it covers $\geq 80\%$; (3) extend in-place via upstream PR when $80\%+$ matches; (4) document the survey result via `Catalogue-Check: reuse|extend|no-match <org/repo>@<sha>` in the tracker row.

Every Submodule in the catalogue is subject to the same development-cycle rules (§11.4 anti-bluff, §1.1 paired mutations, §11.4.10 credentials, §11.4.61 metadata + ToC, §11.4.65 universal export, §11.4.73 spec versioning, §2.1 multi-mirror push, §3 propagation order).

§11.4.76 — Containers-submodule mandate

Direct user mandate (verbatim, 2026-05-20): “For any work or requirements of running services or codebase inside the Containers (Docker / Podman / Qemu / Emulators, and so on) we **MUST USE / INCORPORATE** the Containers Submodule properly: <https://github.com/vasic-digital/containers> (`git@github.com:vasic-digital/containers.git`). Containers Submodule contains all means for us to Containerize our code and services! If any feature or Containing System is missing or not supported we **MUST EXTEND IT** properly like we do all of our projects! No bluff work is allowed of any kind!”

For ANY containerized workload (Docker / Podman / Qemu / Kubernetes / container-backed emulators), the Qwen Code agent **MUST**: (1) install `vasic-digital/containers` (`digital.vasic.containers`) as a Git submodule when scaffolding the consuming project; (2) consume via `replace` directive during development + pinned commit SHAs in production; (3) boot infra on-demand via the Submodule’s `pkg/boot` + `pkg/compose` + `pkg/health` APIs so the operator is never required to start `podman machine / docker compose` up manually — the boot is part of the test entry point (**on-demand-infra invariant**); (4) extend the Submodule via upstream PR when a runtime / lifecycle primitive is missing — never reimplement in-project (per §11.4.74); (5) anti-bluff: integration tests claiming to exercise containerized components **MUST** actually boot them via the Submodule. Short-circuit fakes that bypass boot are a §11.4 violation. A passing test **MUST** imply the infra was up.

Tracker rows touching containerization **MUST** record
Catalogue-Check: `extend vasic-digital/containers@<sha>` (or reuse);
no-match requires demonstrating the Submodule cannot model the workload.

Planned anti-bluff gate `CM-CONTAINERS-USED` scans container-touching PRs for `digital.vasic.containers/...` imports. Paired mutation strips the import + asserts FAIL.

Canonical authority: [Constitution.md](#) §11.4.76.

Non-compliance: reinventing compose orchestration in-project is a release blocker.

§11.4.77 — Regeneration-mechanism-required mandate

Direct user mandate (verbatim, 2026-05-20): “We must be sure that after excluding anything from Git versioning we still have the mechanism which will out of the box obtain or re-generate missing content! Add this mandatory safety rule / constraint into ours root (constitution Submodule) `Constitution.md`, `CLAUDE.md`, `AGENTS.md`, `QWEN.md` or any other required document / file from the constitution Submodule!”

Forensic anchor. 2026-05-20T15:00Z: ATMOSphere parent's audio Tier 1 commit_all.sh stalled 4 h on git add -A scanning 274 GiB .git-backup-* + 159 GiB RKTools/linux/ + 167 GiB qa-results/ — all untracked but un-gitignored. Bare .gitignore fix would orphan every fresh clone (missing RKTools, missing test infra, missing build outputs).

Every .gitignore entry the Qwen Code agent considers adding that excludes (a) >~100 MiB OR (b) any artefact essential to building / running / testing the project MUST carry a documented + automated mechanism to either **re-obtain** (vendor tarball, SDK installer, package registry, git submodule, object store) OR **re-generate** (build pipeline, code-gen, asset render, captured-evidence replay, container build).

Required artefacts per qualifying .gitignore entry: (1) .gitignore-meta/<entry-slug>.yaml declaring pattern + mechanism-type + script-path + expected-disk-usage + vendor-url-or-source + integrity hash + requires-network + requires-credentials; (2) post-clone bootstrap entry (scripts/setup.sh or canonical equivalent) running the mechanism non-interactively; (3) pre-build gate verifying regenerated content present OR stamp .gitignore-meta/.regenerated/<slug>.ok recent; (4) README + docs/guides/*.md describing the mechanism + manual fallback + time/disk budget + per-§11.4.10 credentials.

No escape hatch: bare .gitignore additions without the mechanism are §11.4 PASS-bluff variants — codebase appears complete but fresh clone cannot build / run. No --skip-regen-mechanism, --gitignore-is-enough, --operator-already-has-content flag.

Planned anti-bluff gate CM-GITIGNORE-REGEN-MECHANISM scans every .gitignore addition for matching .gitignore-meta/ sibling. Paired §1.1 mutation strips a required YAML key → gate FAILs.

Composes with §11.4.6, §11.4.65, §11.4.66, §11.4.71, §11.4.74, §11.4.75, §11.4.76, §9 / §9.2, §3.

Canonical authority: Constitution.md §11.4.77.

Non-compliance is a release blocker regardless of context.

§11.4.78 — CodeGraph code-intelligence mandate

Direct user mandate (verbatim, 2026-05-20): “Make codegraph MANDATORY CHOICE for this purpose for all of our project ... All project which do not have configured and installed codegraph yet MUST DO IT and MUST USE IT!”

Every consuming project worked on by AI coding agents — Qwen Code included — MUST install, initialize, and use **CodeGraph** (<https://github.com/colbymchenry/codegraph>, npm @colbymchenry/codegraph): a local SQLite semantic code-knowledge-graph exposed to agents over MCP, 100% local. Install globally via npm (no sudo). codegraph init + codegraph index: .codegraph/config.json is tracked, .codegraph/codegraph.db is gitignored with codegraph index as its §11.4.77 regeneration mechanism; the exclude list MUST exclude other-owned submodules and every §11.4.10 credential/secret path. Wire the codegraph serve --mcp server into every CLI agent the developers use — for Qwen Code via .qwen/settings.json (qwen mcp add codegraph codegraph serve --mcp --scope project --transport stdio). Cover the integration

with an anti-bluff verification suite using an unforgeable per-agent challenge (a fact obtainable only by calling a CodeGraph MCP tool); un-runnable agents are documented SKIP gaps, never faked PASSes. Document in docs/CODEGRAPH.md. CodeGraph is consumed as the npm package (§11.4.74), not a git submodule.

Composes with §11.4.3, §11.4.10, §11.4.12, §11.4.65, §11.4.30, §11.4.74, §11.4.77, §11.4, §1.1.

Canonical authority: Constitution.md §11.4.78.

Non-compliance is a process violation; a project worked on by AI agents without CodeGraph installed, wired, and anti-bluff-verified is in breach.

§11.4.79 — Own-org submodules MUST be included in the CodeGraph index

Direct user mandate (verbatim, 2026-05-21): “All Submodules we use in the project and that are part of organizations to which we have the full access via GitHub, GitLab and other CLIs MUST BE included into the codegraph database and initialized / scanned / synced!”

Refines §11.4.78 step 2 with a per-submodule-ownership split. **Own-org submodules** — full write access via the project’s CLIs (canonical orgs: vasic-digital + HelixDevelopment) — MUST be INCLUDED in the index so Qwen Code (and every other AI agent) sees a unified call-graph across the project’s domain + own-org infra code. **Third-party submodules** (the §11.4.74 no-match → vendor path) MUST be EXCLUDED. Operational steps: (1) git submodule update --remote --merge to pull latest before re-indexing — respect load-bearing third-party pins. (2) Adjust .codegraph/config.json exclude list. (3) Re-index via scripts/codegraph_setup.sh. (4) Validate via scripts/codegraph_validate.sh probe resolving a symbol that lives ONLY inside an own-org submodule. (5) Paired §1.1 mutation: temporarily add own-org path to exclude → validate FAILs → restore.

Composes with §11.4.74, §11.4.78, §11.4.10, §1.1, §107.

Canonical authority: Constitution.md §11.4.79.

Non-compliance is a process violation; severe cases (own-org submodules silently excluded without an audit trail in .codegraph/config.json) are release blockers.

§11.4.80 — CodeGraph regular-update + sync automation mandate

Direct user mandate (verbatim, 2026-05-21): “We MUST regularly check for the updates and execute codegraph npm updates so the latest version of it is always installed [...] Make sure we have proper full automation bash scripts which will run regularly and that these are part of the constitution Submodule [...] Make sure all updates, sync processes we do and important codegraph related events are all documented under docs/codegraph in Status and Status_Summary documents [...]”

Three deliverables in this constitution submodule: (1) scripts/codegraph_update.sh — npm-installs latest; §107 anti-bluff verifies codegraph --version reflects the new version. (2) scripts/codegraph_sync.sh — runs

status → sync → status → project's validate; appends to both project's + constitution's docs/codegraph/Status.md. (3) docs/codegraph/Status.md + Status_Summary.md ledgers, exported per §11.4.65 to .html + .pdf.

Cadence: weekly floor (§11.4.45). Scripts inherited by reference (§3) — Qwen Code consuming projects invoke them at `${CONST_DIR}/scripts/codegraph_*.sh`, never copy.

Composes with §11.4.78, §11.4.79, §11.4.10, §11.4.45, §11.4.65, §107, §1.1.

Canonical authority: Constitution.md §11.4.80.

Non-compliance is a process violation; severe cases (>2 weeks since last update + open AI-agent work) are release blockers.

Companion documents

- Constitution.md — authoritative universal Constitution. ALWAYS the tie-breaker.
- CLAUDE.md — Claude Code agent's view of the universal constitution.
- AGENTS.md — OpenCode / Cursor / generic-tooling view.
- README.md — high-level overview + multi-mirror contract.

When operating in a consuming project, ALSO read the project's local QWEN.md / CLAUDE.md / AGENTS.md for project-specific extensions; these MUST NOT weaken any universal rule but MAY add stricter project-specific constraints.