

Status

CodeGraph – Status

Field	Value
Revision	2020-05-22
Created	- -
Last modified	- -
Status	active
Status summary	Append-only ledger of every CodeGraph-related event across the constitution submodule's consuming projects: npm updates, sync runs, index regenerations, validate runs, HRDs opened/closed against CodeGraph. Per Universal § . . . + § . . . (multi-format export). Both <code>scripts/codegraph_update.sh</code> and <code>scripts/codegraph_sync.sh</code> append here automatically. R (- -): replaced project-specific §107 anchor references with the universal §11.4 covenant anchor to keep this submodule fully decoupled per §
Issues	none
Issues summary	- § 11.4.11
Fixed	(n/a – ledger doc)
Continuation	sibling <code>Status_Summary.md</code> carries the operator-readable digest per §

Table of contents

- [Cadence + automation](#)
- [Event ledger](#)

11 4 10

Cadence + automation

Per § . . , every consuming project MUST run `codegraph_update.sh` at least weekly and `codegraph_sync.sh` after every update + on every meaningful source-change cadence (varies by project). Cadence floor: weekly. Cadence ceiling: per-CI-run.

The scripts append entries below automatically; manual entries are also acceptable when an operator runs the commands directly.

Event ledger

(events appended below by the automation; newest at the bottom)

1 1 4

codegraph update FAILED (\$. bluff caught)

- before: `0.6.8`
- target: `0.8.0`
- after: `unknown` (mismatch – npm exit was bluffing)

codegraph rolled back to (Node-incompatibility)

- before: 0.8.0 (installed but non-functional on Node .x – engine range + V WASM JIT bug)
- after: 0.6.8 (last known-working on Node .x)
- decision: pin codegraph to . . until Node V issue is resolved upstream OR operator installs Node LTS alongside
- \$. trail: codegraph_update.sh correctly caught the failed upgrade via the post-update version check – script working as designed
- follow-up HRD: ENV-CODEGRAPH-NODE to track when . +/ . + becomes safe again

codegraph update FAILED (\$. bluff caught)

- before: 0.6.8
- target: 0.8.0
- after: unknown (mismatch – npm exit was bluffing)

codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 0.8.0

• latest: 0.8.0

- action: no-op (already at latest)

codegraph version check

• current: 0.9.2

• latest: 0.9.2

- action: no-op (already at latest)

codegraph updated

• before: 0.9.4

• after: 0.9.6

- npm command: npm install -g @colbymchenry/codegraph@0.9.6

codegraph version check

• current: 0.9.6

• latest: 0.9.6

- action: no-op (already at latest)

codegraph version check

• current: 0.9.7

• latest: 0.9.7

- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 1.0.1
- latest: 1.0.1
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 1.0.1
- latest: 1.0.1
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 1.0.1
- latest: 1.0.1
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 1.0.1
- latest: 1.0.1
- action: no-op (already at latest)

- - T : : Z -

codegraph version check

- current: 1.0.1

• latest: 1.0.1

- action: no-op (already at latest)

- - T : : Z -

codegraph updated

• before: 1.0.1

• after: 1.1.2

- npm command: npm install -g @colbymchenry/codegraph@1.1.2

- - T : : Z -

codegraph version check

• current: 1.1.2

• latest: 1.1.2

- action: no-op (already at latest)

- - T : : Z -

codegraph version check

• current: 1.1.2

• latest: 1.1.2

- action: no-op (already at latest)

- - T : : Z -

codegraph version check

• current: 1.1.3

• latest: 1.1.3

- action: no-op (already at latest)

codegraph version check

- current: 1.1.3
- latest: 1.1.3
- action: no-op (already at latest)

codegraph updated

- before: 1.1.6
- after: 1.2.0
- npm command: npm install -g @colbymchenry/codegraph@1.2.0