

AGENTS

Helix Constitution — Universal AGENTS.md

Field	Value
Revision	5
Created	2026-05-14
Last modified	2026-05-20
Status	active
Status summary	Mirrored Constitution.md §11.4.78 (CodeGraph code-intelligence mandate) into this AGENTS.md. §11.4.73–§11.4.77 mirrors continue from earlier Revisions.
Issues	none
Issues summary	—
Fixed	§11.4.78 mirror
Fixed summary	§11.4.78 lands in lockstep with the Constitution.md §11.4.78 addition.
Continuation	—

Table of contents

- [How inheritance works](#)
- [Identity & posture](#)
- [Top-level invariants for every agent](#)
- [Critical base rules restated \(for agents that don't honour @imports\)](#)
 - [Anti-bluff covenant — END-USER QUALITY GUARANTEE \(§11.4\)](#)
 - [Mutation-paired gates \(§1.1\)](#)

- Recorded-evidence requirement (§11.4.2)
- Test-interrupt-on-discovery (§11.4.4)
- No-guessing mandate (§11.4.6)
- Item-type tracking (§11.4.16)
- Universal-vs-project classification (§11.4.17, User mandate 2026-05-14)
- Subagent-driven-by-default (§11.4.20, User mandate 2026-05-14)
- Script documentation mandate (§11.4.18, User mandate 2026-05-14)
- Fixed-document column-alignment (§11.4.19, User mandate 2026-05-14)
- Operator-blocked status + self-resolution exhaustion (§11.4.21, User mandate 2026-05-14)
- Document-sync commit discipline (§11.4.22, User mandate 2026-05-14)
- Build-resource stats tracking (§11.4.24, User mandate 2026-05-14)
- Full-Automation-Coverage (§11.4.25, User mandate 2026-05-15)
- Constitution-Submodule Update Workflow (§11.4.26, User mandate 2026-05-15)
- Submodule-dependency-manifest (§11.4.31, User mandate 2026-05-15)
- Post-constitution-pull validation (§11.4.32, User mandate 2026-05-15)
- .gitignore + no-versioned-build-artifacts (§11.4.30, User mandate 2026-05-15)
- Lowercase-snake_case-naming (§11.4.29, User mandate 2026-05-15)
- Submodules-as-equal-codebase + decoupling + dependency-layout (§11.4.28, User mandate 2026-05-15)
- No-fakes-beyond-unit-tests + 100%-test-type-coverage (§11.4.27, User mandate 2026-05-15)
- Type-aware closure-status vocabulary (§11.4.33, User mandate 2026-05-15)
- Reopened-source attribution (§11.4.34, User mandate 2026-05-15)
- Canonical-root inheritance clarity (§11.4.35, User mandate 2026-05-15)
- Mandatory install_upstreams on clone/add (§11.4.36, User mandate 2026-05-15)
- Fetch-before-edit (§11.4.37, User mandate 2026-05-15)
- Installable-asset evidence (§11.4.38, User mandate 2026-05-17)
- Full-suite retest before release tag (§11.4.40, User mandate 2026-05-17)
- Pre-force-push merge-first (§11.4.41, User mandate 2026-05-17)
- Iteration-discipline mandate (§11.4.42, User mandate 2026-05-18)
- TDD-Fix-Discipline (§11.4.43, User mandate 2026-05-18)

- Document revision header (§11.4.44, User mandate 2026-05-18)
- Integration-status-doc maintenance (§11.4.45, User mandate 2026-05-18)
- Validate-recent-work-before-post-flash-tests (§11.4.46, User mandate 2026-05-18)
- Firebase data review (§11.4.47, User mandate 2026-05-18)
- UI-driven video testing (§11.4.48, User mandate 2026-05-18)
- Dual-approach testing (§11.4.49, User mandate 2026-05-18)
- Deterministic consistency (§11.4.50, User mandate 2026-05-18)
- Live-ADB-First maximization (§11.4.51, User mandate 2026-05-18)
- Autonomous-Validation (§11.4.52, User mandate 2026-05-18)
- Fixed Summary parity (§11.4.53, User mandate 2026-05-18)
- ATM-NNN ticket identifier (§11.4.54, User mandate 2026-05-19)
- Reopens-history tracking + per-item Reopens.md (§11.4.55, User mandate 2026-05-19)
- Status Summary parity + two-audience format (§11.4.56, User mandate 2026-05-19)
- README.md doc-link section + revision metadata (§11.4.57, User mandate 2026-05-19)
- Parallel-development methodology (§11.4.58, User mandate 2026-05-19)
- README always-sync (§11.4.59, User mandate 2026-05-19)
- Documentation always-sync composite covenant (§11.4.60, User mandate 2026-05-19)
- Credentials-handling (§11.4.10)
- Host-session safety (§12)
- Continuation document (§12.10)
- Data safety (§9)
- CLI workflow expectations
- Hierarchy of project authority
- When stuck

This is the **base AGENTS.md** for any CLI agent (Codex, Cursor, Aider, Continue, Gemini CLI, future LLMs) working on a project that includes the Helix Constitution submodule. Project-level AGENTS.md may extend or tighten rules but **MUST NOT** weaken them.

Last revision: 2026-05-14

How inheritance works

Because not every CLI agent honours the Markdown @import syntax, each consuming project's root AGENTS.md MUST do one of:

1. **Reference + restate critical rules** (safest — works for every agent):

```
# <Project> – AGENTS.md

> Base agent rules: `constitution/AGENTS.md` – READ IT FIRST.
> The base file is authoritative for any topic not covered
  here.

## Critical base rules restated (for agents that don't follow
  links)
- Never commit secrets.
- All commits go through the project's commit wrapper.
- Anti-bluff covenant binds every test (Constitution §11.4).

## Project-specific
- ...
```

2. **Generate at build time** — keep one source-of-truth in this submodule, concatenate with a project-specific delta file. A compose-agents.sh script in this submodule's Upstreams/ (or scripts/ if added) would output constitution/AGENTS.md followed by --- followed by AGENTS.project.md.

Identity & posture

You are working inside a project that has opted into the Helix Constitution. The Constitution is the source of truth for engineering discipline (test coverage, anti-bluff covenant, data safety, host safety, credentials handling, documentation discipline). Whenever this AGENTS.md mentions a §X.Y reference, it points to constitution/Constitution.md.

The Constitution applies recursively to every submodule of every project that includes it — you MUST treat the Constitution's rules as in-force regardless of how deep into the submodule tree you are working.

Top-level invariants for every agent

1. **Never assume; verify by reading files.** Especially before any destructive action.

2. **Never bluff.** Do not invent file paths, command outputs, test results, or library APIs you have not verified. If you are unsure, say so explicitly and verify.
3. **No guessing language** (§11.4.6). likely, probably, maybe, might, appears, seems are forbidden when reporting causes. Use captured evidence or mark explicitly UNCONFIRMED:.
4. **Test coverage for every change** (§1) — pre-build gate, post-build gate, runtime test, AND a meta-test mutation that proves the gate catches regressions.
5. **Commit through the project's official wrapper.** Direct `git add / git commit / git push` on the main repo is forbidden in normal workflow.
6. **Never skip hooks** (`--no-verify`, `--no-gpg-sign`).
7. **Never force-push.** Force-push requires explicit per-session human authorization AND a green §9.1.5 post-op gate.
8. **Hardlinked backup before any destructive op** (§9). Zero excuse.
9. **Host safety** (§12) — abort if pre-flight check fails; wrap heavy work in bounded execution scopes; never exceed 60% of host RAM.
10. **Credentials NEVER tracked** (§11.4.10) — `.env` patterns git-ignored; runtime-load only; per-service file separation. **Pre-store leak audit** (§11.4.10.A, 2026-05-17) — before storing operator-provided credentials in any gitignored config, `grep` the entire tracked tree AND git history for the literal value(s); surface any findings to operator before storing.
11. **CONTINUATION.md kept in sync** (§12.10) — every non-trivial state change updates the continuation document in the same commit.

Critical base rules restated (for agents that don't honour @imports)

Anti-bluff covenant — END-USER QUALITY GUARANTEE (§11.4)

Forensic anchor — verbatim user mandate (2026-04-28):

"We had been in position that all tests do execute with success and all Challenges as well, but in reality the most of the features does not work and can't be used! This MUST NOT be the case and execution of tests and Challenges MUST guarantee the quality, the completion and full usability by end users of the product!"

The bar for shipping is **not** "tests pass" but "**users can use the feature.**" Every PASS MUST carry positive evidence captured during execution that the feature works for the end user.

Metadata-only PASS, configuration-only PASS, absence-of-error PASS, and grep-based PASS without runtime evidence are critical defects.

Mutation-paired gates (§1.1)

Every new gate MUST be paired with a mutation entry in the project's meta-test harness that mutates the asserted condition and asserts the gate now FAILs. A gate without a paired mutation is a bluff gate and is forbidden.

Recorded-evidence requirement (§11.4.2)

Every PASS for a user-visible feature MUST be cross-checked against a captured recording + action timeline. A PASS that lacks at least one matched timeline event in the analyzer findings is a §11.4 PASS-bluff.

Test-interrupt-on-discovery (§11.4.4)

The moment any defect is re-discovered, re-produced, or newly identified during a test cycle, the cycle MUST stop. Then: systematic debugging → fix at root cause → four-layer test coverage (pre-build / post-build / runtime / meta-test paired mutation) → full re-build → re-deploy on every target → full retest from beginning.

No-guessing mandate (§11.4.6)

Forensic anchor — verbatim user mandate (2026-05-08):

"'LIKELY' is guessing, we MUST NOT have guessing, since it can be or may not be! No bluffing and uncertainty is allowed at any cost! We MUST always know exactly precisely what is happening exactly, in any context, under any conditions, everywhere!"

Forbidden vocabulary when reporting causes: likely, probably, maybe, might, possibly, presumably, seems, appears to, guess, seemingly, apparently, perhaps, supposedly, conjectured, and synonyms.

Item-type tracking (§11.4.16)

Every active item in the project Issues file MUST carry a `**Type:**` line within eight non-blank lines of its heading. Three-value CLOSED vocabulary: Bug (product defect / regression / user-visible broken behaviour), Feature (new capability not previously offered to end users), Task (internal workstream — refactor, doc, infra, gate, audit; the lowest-stakes default when ambiguous). The `Issues_Summary` file carries the Type column for every active item.

All three Issues / Issues_Summary / Fixed file types kept in sync (Markdown + HTML + PDF). Pre-build gates CM-ITEM-TYPE-TRACKING + CM-COVENANT-114-16-PROPAGATION enforce the mandate. No escape hatch.

Universal-vs-project classification (§11.4.17, User mandate 2026-05-14)

Before adding ANY new rule / mandatory constraint / covenant clause / gate / "MUST"-bearing statement, classify it: **universal** (any project → constitution submodule) or **project-specific** (specific hardware / vendor / package / region → project / submodule layer). Commit message MUST carry Classification: line + one-sentence rationale. When uncertain, default to project-specific. Gate CM-UNIVERSAL-VS-PROJECT-CLASSIFICATION audits new rule commits. Paired mutation enforces the gate is not a bluff.

Subagent-driven-by-default (§11.4.20, User mandate 2026-05-14)

When the runtime supports subagent delegation (Agent tool / task runner / sub-session), the primary agent MUST default to sub-agent delegation for multi-step scope (≥ 3 phases), parallelisable independent subtasks, long-running diagnostic loops, OR specialised domain workflows. Foreground-only is reserved for single-file edits, mid-execution operator clarification, critical-state sequencing (commits / pushes / tags), or tasks under ~ 30 s. Discipline: tight scope (4-6 tasks), checkpoint commits per task, anti-stall protection in prompts, anti-bluff verification of subagent claims via repo state. Parallel subagents MUST partition non-overlapping files; parent `commit_all.sh --auto-cascade` bundles via `git add -A`. Gate CM-SUBAGENT-DELEGATION-AUDIT (per consuming project) flags foreground multi-step work as a violation. Paired mutation enforces the gate is not a bluff.

Script documentation mandate (§11.4.18, User mandate 2026-05-14)

Every Bash / shell / POSIX-sh script under `scripts/` / `bin/` / `tests/` / library dirs / CI hooks (depth-N recursive) MUST carry (1) an in-source documentation block at the top (Purpose / Usage / Inputs / Outputs / Side-effects / Dependencies / Cross-references) AND (2) an external user guide under `docs/scripts/<script-name>.md` (Overview / Prerequisites / Usage examples / Edge cases / Internal behaviour / Related scripts / Last verified date). When a script is modified, BOTH the in-source block AND the external user guide

MUST be updated in the SAME commit. **No documentation ever out of sync with its codebase.** Gate CM-SCRIPT-DOCS-SYNC enforces. Paired mutation strips the invariant.

Fixed-document column-alignment (§11.4.19, User mandate 2026-05-14)

The closed-archive tracker (Fixed.md) MUST mirror the open-work tracker (Issues.md + Issues_Summary.md) along the same lifecycle axes — at minimum **Status** and **Type**. Concretely: (1) every **### / ####** heading in Fixed.md carries ****Status:**** (from closed-set {Fixed (→ Fixed.md) | Fixed – pending device verification | Fixed – RECLASSIFIED}) and ****Type:**** ({Bug | Feature | Task}) within 8 non-blank lines of the heading; (2) Fixed_Summary.md companion exists with column structure **# | Level | Status | Type | One-line description** matching Issues_Summary.md exactly; (3) all three formats (.md, .html, .pdf) for BOTH Fixed and Fixed_Summary stay in sync via the same single-shot wrapper that handles Issues + Issues_Summary; (4) closure is atomic — resolved items migrate from Issues.md to Fixed.md in the same commit. Pre-build gate CM-FIXED-COLUMN-ALIGNMENT (5+ invariants: file-exists, header-has-Status+Type, mtime ≥ Fixed.md, generator script present, sync wrapper invokes it, HTML+PDF exports present). Paired mutation strips Status column from Fixed_Summary header → gate FAILs. Classification: universal (per §11.4.17).

Operator-blocked status + self-resolution exhaustion (§11.4.21, User mandate 2026-05-14)

Operator-blocked is the §11.4.15 Status closed-set's 7th value alongside {Queued | In progress | Ready for testing | In testing | Reopened | Fixed (→ Fixed.md)}. **Last-resort classification** — agent MUST first exhaust applicable self-resolution paths: (a) CLI / ADB / SSH / API access already available, (b) subagent delegation per §11.4.20, (c) existing repo tooling, (d) captured fallback (synthetic event / asset substitution / §11.4.3 SKIP), (e) external research per §11.4.8. Every Operator-blocked item MUST carry ****Operator-Block-Details:**** within 8 non-blank lines of its heading stating **WHAT** (action) / **WHY** (each exhausted alternative) / **UNBLOCK CONDITION** (observable signal) / **WHO** (contact or doc pointer). Issues_Summary.md lists it as a sortable Status value. Items re-evaluated every Nth tag cycle (≥3rd recommended). Fake Operator-blocked without exhaustion audit = §11.4 covenant violation at planning layer (PASS-bluff equivalent). Gates CM-ITEM-OPERATOR-BLOCKED-DETAILS + CM-OPERATOR-BLOCKED-SELF-RESOLUTION-AUDIT (every NEW Operator-blocked commit carries an "Attempted: a — ...; b — ...; c — ..." trail). Classification: universal (per §11.4.17). No escape hatch.

Document-sync commit discipline (§11.4.22, User mandate 2026-05-14)

Every project tracking work items through an Issues / Fixed lifecycle **MUST** provide a **lightweight commit path** distinct from the full-repo commit wrapper. Stages, commits, pushes **ONLY** the status-tracking doc set: Issues + Issues_Summary + Fixed + Fixed_Summary + CONTINUATION + their HTML + PDF exports + auto-generated audit artifact. Wrapper **MUST**: (a) auto-invoke the project's export-regeneration pipeline first so Markdown + HTML + PDF stay in sync; (b) stage **ONLY** the explicit doc-set list — **NEVER** `git add -A`; (c) use a separate flock disjoint from the full-tree wrapper; (d) push to every parent-repo remote; (e) exit 3 on nothing-to-commit (informational). **MUST** be invocable standalone **OR** via a delegation flag on the full-tree wrapper (e.g. `commit_all.sh --docs-only`). Inherits §9 preflight. Gate CM-COMMIT-DOCS-EXISTS + paired mutation. Composes with §11.4.12 / §11.4.15 / §11.4.18 / §12.10. Classification: universal (per §11.4.17). No escape hatch — doc-status drift is a §11.4 PASS-bluff at the documentation layer.

Build-resource stats tracking (§11.4.24, User mandate 2026-05-14)

Every project under this Constitution with a build exceeding 1 minute wall-clock **MUST** run a host-side resource sampler for every build — samples `/proc/meminfo` + `/proc/loadavg` + `/proc/stat` + `/proc/diskstats` at a fixed interval (recommended 5 s); writes TSV. On stop, computes **min** / **max** / **mean** / **p95** per metric; appends one TSV row per build to a registry; regenerates a Markdown report (Stats.md) whose top surfaces **ever-values** (min / max / mean across all tracked builds) and whose body lists per-build entries most-recent-first with SUCCESS / FAIL / UNKNOWN + reason. Stats.md exported to Stats.html + Stats.pdf through the project's normal export pipeline per §11.4.12. Triple committed via the §11.4.22 lightweight doc-sync wrapper. Sampler **MUST** stay under 50 MB RSS / 5% CPU. Stop hook called from both success **AND** failure paths of the build wrapper. Gate CM-BUILD-RESOURCE-STATS-TRACKER

- paired mutation. Classification: mixed (per §11.4.17). Composes with §11.4.12 / §11.4.18 / §11.4.22 / §12.6 / §12.7 / §12.9. No escape hatch — build-resource debugging without time-series data is the bluff this anchor forbids.

Full-Automation-Coverage (§11.4.25, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"Make sure that every feature, every functionality, every flow, every use case, every edge case, every service or application, on every platform we support is covered with full automation tests which will confirm anti-bluff policy and provide the proof of fully working capabilities, working implementation as expected, no issues, no bugs, fully documented, tests covered!"

No feature / functionality / flow / use case / edge case / service / application on any supported platform may be considered deliverable until automation tests prove six invariants: (1) anti-bluff posture with captured runtime evidence (§7.1 + §11.4); (2) proof of working capability end-to-end on target topology (§11.4.3, no mocks); (3) implementation matches documented promise; (4) no open issues/bugs surfaced (cross-checked vs §11.4.15 / §11.4.16); (5) full documentation (user manual + §11.4.18 for scripts) kept in sync via §11.4.12; (6) four-layer test floor per §1 (pre-build + post-build + runtime + paired mutation). Consuming projects publish a coverage ledger (feature × platform × invariant × status) regenerated at release-gate sweep. Classification: universal (§11.4.17). Severity-equivalent to a §11.4 PASS-bluff at the release-gate layer. No escape hatch. See Constitution §11.4.25 for the full mandate.

Constitution-Submodule Update Workflow (§11.4.26, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"Every time we add something into our root (constitution Submodule) Constitution, CLAUDE.MD and AGENTS.MD we MUST FIRST fetch and pull all new changes / work from constitution Submodule first! All changes we apply MUST BE committed and pushed to all constitution Submodule upstreams! In case of conflict, IT MUST BE carefully resolved! Nothing can be broken, made faulty, corrupted or unusable! After merging full validation and verification MUST BE done!"

Before any modification to constitution/
{Constitution,CLAUDE,AGENTS}.md, execute in order: (1) fetch + pull (--ff-only or --rebase; never strategy=ours / unrelated-histories without authorization) so the submodule is at upstream tip before editing; (2) apply the change with §11.4.17 classification + verbatim mandate quote; (3) validate (meta_test_inheritance.sh + no merge-conflict markers + cross-file consistency); (4) commit (governance files only, no git add -A)

- push to EVERY configured upstream remote (§2.1 violation if not); (5) careful conflict resolution preserving union of governance content — force-push forbidden (§9.2); (6) post-merge validation: git submodule update --remote --init + re-run cas-

cade verifier (CONST-047) confirming the new clause reaches every owned submodule; (7) bump consuming project's .gitmodules pointer to new HEAD in the SAME commit as cascade work — out-of-sync pointer = §11.4.26 violation. Classification: universal (§11.4.17). Severity-equivalent to force-push without §9.2 authorization. No escape hatch. See Constitution §11.4.26 for the full pipeline (operational scope, cross-cutting reach).

Submodule-dependency-manifest (§11.4.31, User mandate 2026-05-15)

Every owned-by-us submodule MUST ship helix-deps.yaml listing its own-org dependencies: {name, ssh_url, ref, why, layout: flat|grouped}. Tooling incorporate-submodule <ssh-url> adds the submodule at the parent project's canonical path (CONST-051(C)) + reads its helix-deps.yaml + recurses + aborts on conflicting refs + emits <root>/.helix-manifest.yaml audit record. Anti-bluff: each manifest paired with a Challenge that bootstraps from scratch, asserts layout matches manifest, runs submodule tests, captures wire evidence. Without the proof, the manifest is a §11.4.31 violation. This rule is the operational complement of §11.4.28 / CONST-051(C) — manifests are the bridge that lets consumers reconstruct the dependency graph at the parent root. Classification: universal (§11.4.17). See Constitution §11.4.31 for the full mandate.

Post-constitution-pull validation (§11.4.32, User mandate 2026-05-15)

Whenever a project's constitution submodule is fetched + pulled with any content change, run scripts/verify-all-constitution-rules.sh BEFORE the new HEAD is treated as canonical for other work. The sweep re-runs the governance-cascade verifier + every implementable rule gate (CONST-053 .gitignore audit, CONST-051(C) nested-own-org audit, CONST-052 case audit, CONST-050(A) mock-from-production audit, CONST-035 anti-bluff smoke). Failures populate Issues per §11.4.15 (Status: Reopened, Type: Bug); closure requires positive-evidence per §11.4. Pull-time invocation auto-triggered by git submodule update --remote constitution. Anti-bluff: sweep's own meta-test (paired mutation §1.1) plants a violation per gate, asserts sweep FAILs. This is the **enforcement engine** for every other rule — without it, new rules are decorative anchors rather than enforced gates. Classification: universal (§11.4.17). See Constitution §11.4.32 for the full mandate.

.gitignore + no-versioned-build-artifacts (§11.4.30, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"every project module, every Submodule, every service and application MUST HAVE proper .gitignore file! We MUST NOT git version build artifacts, cache files, tmp files, main .env file(s) or any files containing sensitive data, API keys or token! ... If any violation is detected it MUST be fixed before commit is executed!"

Every project module / submodule / service / application MUST ship a proper .gitignore. Forbidden-from-version-control: build artefacts (bin/, build/, dist/, target/, *.exe, *.so, *.class, *.pyc), cache files (__pycache__/, node_modules/, .gradle/, .terraform/), temp files (*.tmp, *.swp, .DS_Store), sensitive data (.env, .env.* except .env.example placeholder, *.pem, *.key, id_rsa*, .netrc, secrets/, api_keys.sh), generated logs (*.log, coverage.out, htmlcov/), OS/IDE personal state (.idea/, .history/).

Anti-bluff invariant: ignore-line alone is not enough — no file matching forbidden patterns may be tracked. Pre-commit attention: every author inspects `git diff --staged + git status` BEFORE commit; violations abort the commit (un-stage, add to ignore, scrub if already-tracked). Gate CM-GITIGNORE-PRECOMMIT-AUDIT + paired mutation. Recreatable-content test: if a documented mechanism regenerates the file from sources, it's a build derivative and MUST be ignored.

Secret-leak intersection (§11.4.10 / CONST-042 / §12.1): a .env leak is BOTH a §11.4.30 and a §11.4.10 violation; rotation + post-mortem required.

Classification: universal (§11.4.17). Severity-equivalent to §11.4 PASS-bluff at the repository-hygiene layer. Composes with §1, §2, §9.1, §11.4.10, §11.4.12, §11.4.17, §11.4.18, §11.4.20, §11.4.25, §11.4.26, §11.4.27, §11.4.28, §11.4.29, CONST-047. See Constitution §11.4.30 for the full mandate.

Lowercase-snake_case-naming (§11.4.29, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"naming convention for Submodules and directories (applied deep into hierarchy recursively) - all directories and Submodules MUST HAVE lowercase names with space separator between the words of '_' character (snake-case)! All existing Submodules and directories which are not following this rule

MUST BE renamed! ... NOTE: Rules lowercase / snake-case do apply to all project files as well and references to it and from them!"

Every directory / submodule / file MUST use lowercase snake_case. Non-compliant names MUST be renamed; every reference (configs, docs, source imports, governance files) updated atomically (reference drift = §11.4.29 violation of equal severity). Exceptions (common-sense, technology-preserving): language-mandated case for Java/Kotlin/Android/Apple/C#/Swift inside the language root; vendor third-party submodules; build artefacts.

Upstreams/ → upstreams/ transition: constitution submodule's install_upstreams.sh MUST support BOTH directory names during migration; lowercase wins when both present.

Project-Toolkit Upstreamable machinery fetched+pulled before any rename batch + itself complies. Lacking BOTH-dir support is a release blocker.

Test coverage of renames: regression test for reference resolution + full CONST-050(B) test-type matrix + anti-bluff wire-evidence.

Phased execution: brainstorming → phase plan → fine-grained tasks/subtasks → every change covered. §11.4.20 subagent delegation for cross-cutting rename sweeps.

Classification: universal (§11.4.17). No escape hatch beyond common-sense exceptions. Severity-equivalent to §11.4 PASS-bluff at the reference-integrity layer. Composes with §1, §11.4.12, §11.4.17, §11.4.18, §11.4.20, §11.4.25, §11.4.26, §11.4.27, §11.4.28, CONST-047. See Constitution §11.4.29 for the full mandate.

Submodules-as-equal-codebase + decoupling + dependency-layout (§11.4.28, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"All existing Submodules in the project that we are controlling and belong to some our organizations (vasic-digital, HelixDevelopment, red-elf, ATMOSphere1234321, Bear-Suite, BoatOS123456, Helix-Flow, Helix-Track, Server-Factory — we can ALWAYS check dynamically using GitHub and GitLab CLIs) are equal parts of the project's codebase! We MUST work on that code as much as we do with main project's codebase! ... We MUST NEVER modify Submodules to bring into them any project specific context ... All Submod-

ule dependencies that are used by Submodule MUST BE accessed from the root of the project! We MUST NOT have nested Submodule dependencies."

Three invariants. **(A) Equal-codebase:** every owned-by-us submodule (orgs: vasic-digital, HelixDevelopment, red-elf, ATMO-Sphere1234321, Bear-Suite, BoatOS123456, Helix-Flow, Helix-Track, Server-Factory — discoverable via gh/ghlab) is an equal part of the consuming project's codebase. Same engineering attention: analysis, extension, tests, gap-fill, bug-fix, documentation. Coverage ledgers list each submodule as in-scope. **(B) Decoupling:** NEVER inject project-specific context INTO submodules; they remain project-not-aware, reusable, modular, testable. When a submodule needs parent info, use configuration injection. **(C) Dependency-layout:** every dependency consumed by an owned submodule lives at <root>/<name>/ or <root>/submodules/<name>/ of the parent project. Nested own-org submodule chains FORBIDDEN — add the dependency at the parent root; the submodule reaches it via documented import/SDK/runtime resolver. Third-party submodules exempt.

Gates: CM-OWNED-SUBMODULE-EQUAL-ENGINEERING, CM-OWNED-SUBMODULE-DECOUPLING, CM-OWNED-SUBMODULE-LAYOUT. Paired mutations for each. Classification: universal (§11.4.17). No escape hatch. Severity-equivalent to a §11.4 PASS-bluff at the codebase-completeness layer. Composes with §1, §3, §11.4.17, §11.4.20, §11.4.25, §11.4.26, §11.4.27, CONST-047. See Constitution §11.4.28 for the full mandate.

No-fakes-beyond-unit-tests + 100%-test-type-coverage (§11.4.27, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"Mocks, stubs, placeholders, TODOs or FIXMEs are allowed to exist ONLY in Unit tests! All other test types MUST interact with real fully implemented System! No fakes, empty implementations or bluffing is allowed of any kind! All codebase of the project MUST BE 100% covered with every supported test type."

Two invariants. **(A)** Mocks/stubs/fakes/placeholders/TODOs/FIXMEs/"for now" patterns PERMITTED only in unit-test sources; non-unit tests (integration, E2E, full-automation, security, DDoS, scaling, chaos, stress, performance, benchmarking, UI, UX, Challenges, HelixQA) MUST exercise the real, fully implemented system. Production code MUST NOT import mock paths. Gate CM-NO-FAKES-BEYOND-UNIT-TESTS + paired mutation. **(B)** Codebase MUST be covered by every supported test type the domain warrants: unit, integration, E2E, full-automation, security, DDoS, scaling, chaos, stress, performance, benchmarking, UI, UX, Challenges

(vasic-digital/Challenges submodule fully incorporated), HelixQA (HelixDevelopment/HelixQA submodule fully incorporated, with full autonomous QA sessions executing every registered test bank).

Required dependency submodules (recursive per CONST-047): Challenges (git@github.com:vasic-digital/Challenges.git) + HelixQA (git@github.com:HelixDevelopment/HelixQA.git) + any other functionality submodules under vasic-digital/HelixDevelopment orgs the project depends on. Pointers bumped to upstream HEAD in same commit as cascade work (§11.4.26 step 7).

Classification: universal (§11.4.17). Severity-equivalent to a §11.4 PASS-bluff at the release-gate layer. No escape hatch. Composes with §1, §7.1, §11.4.1–§11.4.26 (esp. §11.4.25 — strict per-type-of-test expansion). See Constitution §11.4.27 for full mandate.

Type-aware closure-status vocabulary (§11.4.33, User mandate 2026-05-15)

Every project that tracks work items by Type per §11.4.16 MUST close them with the Type-appropriate closure-status word: Bug → Fixed (→ Fixed.md), Feature → Implemented (→ Fixed.md), Task → Completed (→ Fixed.md). The (→ Fixed.md) suffix is preserved across all three so existing migration tooling (atomic Issues.md → Fixed.md move per §11.4.19) keeps working. Generators treat the three terminal values as semantically equivalent (all closed, positive evidence captured) but preserve the literal in emitted docs. Closing a Feature with Fixed (→ Fixed.md) or a Task with Implemented (→ Fixed.md) is a §11.4.33 violation. Pre-build gate CM-CLOSURE-VOCAB-TYPE-AWARE. Composes with §11.4.15 / §11.4.16 / §11.4.19 / §11.4.23. Classification: universal (per §11.4.17). No escape hatch.

Reopened-source attribution (§11.4.34, User mandate 2026-05-15)

Every Issues.md heading whose ****Status:**** is Reopened MUST carry a ****Reopened-Details:**** line within 8 non-blank lines of the heading, capturing four sub-facts: **By:** AI or User; **On:** ISO date; **Reason:** one of { test-failed | manual-testing-detected | captured-evidence-contradicts | end-user-report | cycle-re-discovered | design-reconsidered } or explicit free text; **Evidence:** path or short description of the captured artefact. Reopens without evidence are §11.4.6 / §11.4.7 violations: the reopen IS a demotion-from-Fixed change. Issues_Summary.md Status column MUST distinguish Reopened sub-states by source (e.g., Reopened (AI: test-failed) vs Reopened (User: manual-testing)). Pre-build

gate CM-ITEM-REOPENED-DETAILS mirrors §11.4.21 walk pattern. Composes with §11.4.6 / §11.4.7 / §11.4.15 / §11.4.21. Classification: universal (per §11.4.17). No escape hatch.

Canonical-root inheritance clarity (§11.4.35, User mandate 2026-05-15)

The constitution submodule's three files (constitution/Constitution.md, constitution/CLAUDE.md, constitution/AGENTS.md) ARE the canonical root — also called the parent files. Universal rules per §11.4.17 live here.

The consuming project's repository-root files (<project-root>/CLAUDE.md, <project-root>/AGENTS.md, optionally <project-root>/Constitution.md or equivalent) are consumer extensions. They open with the inheritance pointer (either @constitution/CLAUDE.md import or ## INHERITED FROM constitution/CLAUDE.md heading). Project-specific rules per §11.4.17 live here.

When in doubt: universal rule → constitution submodule; project-specific rule → consumer's file. Default consumer-side when uncertain. "Parent CLAUDE.md" / "root Constitution" → constitution submodule file at constitution/<filename>. "Project CLAUDE.md" / "this project's AGENTS.md" → consumer file at <project-root>/<filename>. Moving a rule between layers MUST be a visible commit — git mv + explicit "Lifted from to constitution per §11.4.35" / "Demoted from constitution to per §11.4.35" line in the message. Pre-build gate CM-CANONICAL-ROOT-CLARITY. Composes with §11.4.17. Classification: universal (per §11.4.17). No escape hatch.

Mandatory install_upstreams on clone/add (§11.4.36, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"Every Submodule or Git repository we add or clone MUST BE upstreams installed using Upstreamable utility which MUST BE available through exported paths of the host system (in .bashrc or .zshrc) using install_upstreams command executed from the root of the cloned (added) repository - only if in it is Upstreams or upstreams directory present with bash script files (recipes) for all repository's upstreams!"

Every clone / add of a Git repository under any consuming project MUST be followed by install_upstreams invocation from the repository's root IF its tree contains upstreams/ (or legacy Upstreams/ per §11.4.29 transition) populated with *.sh recipe files. The utility (installed on operator's PATH via .bashrc/ .zshrc, implementation

lives in this constitution submodule) reads recipe files + configures every declared upstream as a named git remote + fans out origin push URLs.

Skipping the invocation when upstreams/ is present silently breaks §2.1 (multi-upstream push is the norm). Gate CM-INSTALL-UPSTREAMS-ON-CLONE + paired mutation. Automation: incorporate-submodule (§11.4.31) auto-invokes; manual invocation also supported. Pre-commit check: `git remote -v | grep -c push` reports expected upstream count.

Classification: universal (§11.4.17). Composes with §2, §2.1, §3, §9.2, §11.4.17, §11.4.20, §11.4.28, §11.4.29, §11.4.30, §11.4.31. See Constitution §11.4.36 for the full mandate.

Fetch-before-edit (§11.4.37, User mandate 2026-05-15)

Forensic anchor — verbatim user mandate (2026-05-15):

"Make sure that `feedback_fetch_before_edit` memory rule is part of our constitution Submodule - the root Consitution, AGENTS.MD and CLAUDE.MD. Validate and verify that Proejct-Toolkit and all Submodules do inherit all of them!"

FIRST git-touching action of any session: `git fetch --all --prune && git log --oneline HEAD..@{u} && git submodule foreach --recursive 'git fetch --all --prune --quiet'`. If `HEAD..@{u}` is non-empty, integrate (ff-merge / rebase / surface per §11.4.4) BEFORE any local edit, scanner, or test. Skipping on "nothing could have changed" is a §11.4.6 (no-guessing) violation — remote state is not knowable without a fetch.

The originating 2026-05-15 incident: agent ran `git remote remove gitee` as a fresh task, but the work had been committed upstream by a parallel agent 25 minutes earlier — local config edit was a no-op echo of already-merged history. A 30-second fetch would have caught it.

Scope: consuming project root + every owned submodule recursively (§11.4.28) + the constitution submodule itself (§11.4.26 step 1) + any dependency cloned via `incorporate-submodule` (§11.4.31) or `git submodule add` (§11.4.36). Gate CM-FETCH-BEFORE-EDIT-AUDIT + paired mutation per §1.1. Classification: universal (per §11.4.17). No escape hatch.

Installable-asset evidence (§11.4.38, User mandate 2026-05-17)

For any user-distributable build artifact (package, bundle, installer, or container image), tests/challenges MUST open the artifact and verify each user-visible asset is **present** and **non-degenerate**. A PASS without artifact-opening verification is a §11.4 PASS-bluff. The failure mode: source file exists → build packages it → source-layer checks pass → artifact produced with asset stripped or misconfigured, and no gate opens the artifact to verify.

Required per consuming project: one challenge script per artifact type that opens the produced artifact and verifies every declared user-visible asset. The challenge MUST run as part of the standard QA gate. Classification: universal (per §11.4.17). No escape hatch. See Constitution §11.4.38 for the full mandate.

Full-suite retest before release tag (§11.4.40, User mandate 2026-05-17)

Release tag MUST NOT be created until a COMPLETE retest with ALL existing tests runs on a clean baseline AFTER every workable item in the batch is done, fixed, polished, individually verified. Spot-check retests FORBIDDEN — miss interaction defects. Comprises 7 steps: (1) pre-build full sweep, (2) post-build full sweep, (3) on-device 4-phase cycle on EVERY owned device, (4) meta-test full mutation sweep, (5) Challenge bank full sweep, (6) Issues.md/Fixed.md state audit, (7) CONTINUATION.md sync check. Typically 12–48h elapsed, NOT optional, NOT abbreviated. Composes with §11.4.4 (per-fix retest still required at fix granularity) + §11.4.7 (full-suite is authoritative baseline for closures) + §11.4.39 (per-feature on-device validation runs as step 3). Classification: universal (per §11.4.17). No escape hatch. See Constitution §11.4.40 for the full mandate.

Pre-force-push merge-first (§11.4.41, User mandate 2026-05-17)

Forensic anchor — verbatim user mandate (2026-05-17):

"make sure we bring everything from branches to our side before forc push is done! Afer everything is safely and fully merged and all potential conflicts (if any) resolved, then do force push! make sure nothing isnlost, broken or corrupted on bith sides!"

Any force-push authorised under CONST-043 MUST be preceded by a mechanical 4-step merge-first pipeline: (1) fetch every remote (git fetch --all --prune --tags); (2) integrate every divergent commit locally (rebase / merge / operator-confirmed cherry-

pick per appropriate strategy); (3) audit the integrated tree (no conflict markers anywhere in governance + source + test files; no file silently dropped; previously-passing tests still pass; captured-evidence artefacts still validate); (4) only THEN execute `git push --force-with-lease`.

Two-gate composition with CONST-043. §11.4.41 does NOT relax CONST-043 — it adds a SECOND mechanical gate. CONST-043 alone authorises a push that loses remote work; §11.4.41 alone risks pushing without operator awareness. Both required.

Three failure modes prevented: remote-side content loss (parallel sessions overwritten), stale-state acts (`--force-with-lease` reads stale local refs without prior fetch), conflict-driven corruption (markers committed verbatim — observed 2026-05-17 in `helix_qa` + containers governance files). Verification artefact: `docs/changelogs/<tag>.md` "Force-push merge-first audit" section captures fetch output, divergence log, integration strategy, conflict-marker scan, test delta, push output with lease SHA, + CONST-043 authorisation quote. Gate CM-FORCE-PUSH-MERGE-FIRST

- paired mutation. Classification: universal (§11.4.17). No escape hatch. Composes with §9.2, §11.4.4, §11.4.6, §11.4.26, §11.4.32, §11.4.37, §11.4.40, CONST-043, CONST-047. See Constitution §11.4.41 for the full mandate.

Iteration-discipline mandate (§11.4.42, User mandate 2026-05-18)

Work proceeds in priority-ordered cycles. Five mandatory steps per cycle: (1) select TOP + MIDDLE critical only (defer LOW until critical batch closed), (2) batch implementation per §11.4.4 + §11.4.9, (3) smoke gate (<30 min), (4) ONLY if smoke GREEN and no new user/operator report → §11.4.40 full retest (12-48 h), (5) release-ready OR loop back. Composes with §11.4.4 / §11.4.7 / §11.4.9 / §11.4.34 / §11.4.40 — §11.4.42 is the meta-loop conduct-or binding them. Every PASS in smoke and full retest MUST carry positive captured evidence (§11.4.2 + §11.4.5). Tests AND Challenges bound equally. No escape hatch. Classification: universal (per §11.4.17). See Constitution §11.4.42 for the full mandate.

TDD-Fix-Discipline (§11.4.43, User mandate 2026-05-18)

Every fix follows 5-step workflow: **RED** (failing test FIRST, real product defect, captured evidence) → **LIVE-ADB-PROBE** (try on running device when feasible; INFEASIBLE for kernel / framework / HAL / vendor / init.rc / sepolicy / ro.* / Android.bp — must rebuild; cite `LIVE_PROBE_INFEASIBLE: <reason>` in commit) → **GREEN** (source patch, batched per §11.4.9, four-layer coverage per §11.4.4) → **VERIFY** (re-run RED test, PASSes under SAME condi-

tions per §11.4.7, 10-iteration reliability per §11.4.42) → **DOCUMENT** (Issues.md → Fixed.md with type-aware closure §11.4.33, CLAUDE.md Applied Fixes row, changelog, guides, HelixQA bank, CONTINUATION.md §12.10 — all in SAME commit). Test-after-fix is a §11.4 PASS-bluff: test agrees with fix but does not catch the bug. No escape hatch. Classification: universal (§11.4.17). See Constitution §11.4.43 for the full mandate.

Document revision header (§11.4.44, User mandate 2026-05-18)

Every IN-scope tracked Markdown document (Issues.md / Issues_Summary.md / Fixed.md / Fixed_Summary.md / CONTINUATION.md / docs/guides/** / docs/research/** / docs/scripts/** / docs/changelogs/** / docs/superpowers/plans/** / docs/hardware/** / every other docs/*.md) carries **Revision:** N (monotonic positive integer)

- **Last modified:** YYYY-MM-DDTHH:MM:SSZ directly below the H1 title. CLAUDE.md / AGENTS.md / README / LICENSE / VERSION / rendered HTML / rendered PDF are OUT of scope. Agents **MUST** read the **Revision:** N literal from the document head when reporting document state, **NEVER** infer freshness from filename mtime or commit log — both can lie. Agents writing to an IN-scope doc **MUST** invoke scripts/doc_revision_bump.sh <file> as the final step before staging, **OR** rely on the pre-commit hook. Agents **MUST NOT** manually edit the revision number — only the bump script is authoritative.

Pre-build gates CM-DOC-REVISION-HEADER-PRESENT + CM-COVENANT-114-44-PROPAGATION + paired mutations. Composes with §12.10 (CONTINUATION.md header reuse), §11.4.12, §11.4.22, §11.4.23, §11.4.18. No escape hatch. Classification: universal (§11.4.17). See Constitution §11.4.44 for the full mandate.

Integration-status-doc maintenance (§11.4.45, User mandate 2026-05-18)

Every non-trivial domain integration **MUST** have a docs/<domain>/<integration>/Status.md carrying the §11.4.44 revision header + auto-synced HTML+PDF + auto-colored per §11.4.23 + sync wrapper + captured-evidence table (every claim cites the test log / recording / sink-probe path) + closed status vocabulary (PASS / FAIL / SKIP / PENDING_FORENSICS / OPERATOR-BLOCKED) + operator-blocked items at the top + reference from CONTINUATION.md §3 when non-terminal. §11.4.45 is the generic form of §12.10 applied to every integration domain.

Pre-build gates CM-COVENANT-114-45-PROPAGATION + CM-AF-INTEGRATION-STATUS-DOCS + 4 paired mutations. Composes with §11.4.5 / §11.4.12 / §11.4.13 / §11.4.15 / §11.4.22 / §11.4.23 / §11.4.44 / §12.10. No escape hatch. Classification: universal (§11.4.17). See Constitution §11.4.45 for the full mandate.

Validate-recent-work-before-post-flash-tests (§11.4.46, User mandate 2026-05-18)

Every post-flash run MUST first run a recent-work validation pass (targeted tests for Issues.md In-progress / Ready-for-testing / Re-opened + Fixed.md last-7-days + CONTINUATION.md §3 active work). Full test_all_fixes.sh runs ONLY after 100% green.

Helper: scripts/testing/recent_work_validate.sh --device <serial> writes /data/local/tmp/.recent_work_validated; full suite refuses without it. Each recent fix needs paired §11.4.43 RED-then-GREEN — naked GREEN is a bluff. Composes with §11.4.4 + §11.4.7 + §11.4.40

- §11.4.42 + §11.4.43 + §11.4.44 + §12.10. Pre-build gates CM-COVENANT-114-46-PROPAGATION + CM-AF-RECENT-WORK-VALIDATION-GATE + CM-AF-VALIDATION-ARTIFACT-FILE + paired mutations. Classification: universal (§11.4.17). No escape hatch. See Constitution §11.4.46 for the full mandate.

Firestore data review (§11.4.47, User mandate 2026-05-18)

Before every "bigger working round" (pre-build / pre-flash / pre-tag blocking; daily / post-deployment burn-in non-blocking) the operator/loop MUST execute scripts/firebase/review_round.sh. The pass queries Crashlytics (fatals + non-fatals + ANRs) + Analytics + Performance, classifies findings by severity, dedup- maps to existing Issues.md entries via a three-tier algorithm (exact Firestore Issue-ID match → stacktrace-similarity cluster hash → operator merge review), and drafts new Issue entries for unrecognised findings with full Firestore Console URL refs + §11.4.4(a) systematic-debugging output.

Five mandatory elements: 5-trigger cadence, 3-source query (all three sources), Issues.md output with Firestore metadata (Issue IDs + URL + Cluster Hash / KPI / Funnel), 3-tier dedup, and comprehensive root-cause analysis per Issue.

Pre-build gates CM-COVENANT-114-47-PROPAGATION + CM-AF-FIREBASE-REVIEW-CADENCE + CM-AF-FIREBASE-ISSUE-XREF + 3 paired mutations. Composes with §11.4.4 / §11.4.4(a) / §11.4.6 / §11.4.7 / §11.4.10 / §11.4.12 / §11.4.14 / §11.4.15 / §11.4.16 / §11.4.34 / §11.4.42 /

§11.4.43 / §11.4.44 / §11.4.45 / §11.4.46. No escape hatch — no --skip-firebase-review. Classification: universal (§11.4.17). See Constitution §11.4.47 for the full mandate.

UI-driven video testing (§11.4.48, User mandate 2026-05-18)

Every test that asserts video playback on a secondary display MUST traverse the user-equivalent UI path (launcher icon → app home → content list → tile tap → playback → in-app pause/resume → back button stop). NOT Intent/Broadcast shortcuts (am start -a VIEW, cmd media_session play). Real uiautomator dump element resolution

- input tap X Y. Coverage: every video-capable app in PRODUCT_PACKAGES + every stream type (progressive HTTP / HLS / DASH / RTMP / file-local / DRM) + every codec (H.264/265/VP9/AV1/MPEG-2/MP4V video; AC-3/E-AC-3/TrueHD/DTS/DTS-HD/MLP/Opus/AAC audio). Secondary display verified via ffprobe-on-captured-mp4 + VOM activeDecoder state. Arvus codec-state cross-check per §11.4.13 + §CG screenshot.

Per §11.4.4 four-layer: pre-build gate CM-AF-UI-DRIVEN-VIDEO-COVERAGE + propagation gate CM-COVENANT-114-48-PROPAGATION + on-device test framework at device/rockchip/rk3588/tests/ui_driven/ (Layer 1 helper + Layer 2 per-app drivers + Layer 3 scenarios) + Layer 4 orchestrator scripts/testing/run_ui_driven_video_suite.sh + paired meta-test mutations. No escape hatch — no --use-intent-shortcut, --skip-ui-traverse, --legacy-intent-mode flag. Classification: universal (§11.4.17). See Constitution §11.4.48 for the full mandate.

Dual-approach testing (§11.4.49, User mandate 2026-05-18)

Every feature test exercising a user-visible behaviour MUST ship in TWO variants: a UI-driven variant (uiautomator-based, §11.4.48 surfaces A-E) AND an Intent/Broadcast-driven variant (am start --es / am broadcast-based). Either alone is a §11.4 PASS-bluff for the OPPOSITE half of the stack — UI catches app-side bugs; Intent catches framework/system-server bugs (MediaCodec.configure hook, IVideoOutputManager bind timing, broadcast permission gating).

Shared assertion base tests/lib/dual_approach_test_base.sh — both variants share dat_init / dat_start_capture / dat_assert_codec_state / dat_assert_video_frames / dat_assert_audio_channels / dat_arvus_dashboard_capture / dat_cleanup / dat_report_finding. Both variants gather identical evidence into mirror dirs qa-results/dual_approach/ <F>/<run-ts>/

{ui,intent}/ so orchestrator diffs results and pinpoints which half of the stack contains a bug. Status mismatch between variants is itself a finding.

Kinopoisk 5.1 EAC3 is the canonical first implementation. Both variants are RED per §11.4.43 until the §CN decoder pipeline fix lands. Pre-build gates: CM-COVENANT-114-49-PROPAGATION + CM-AF-DUAL-APPROACH-COVERAGE + CM-AF-KINOPPOISK-5-1-DUAL- COVERAGE. Three paired meta-test mutations. No escape hatch — no --ui-only / --intent-only / --skip-dual flag. Classification: universal (§11.4.17). See Constitution §11.4.49 for the full mandate.

Deterministic consistency (§11.4.50, User mandate 2026-05-18)

Every test that PASSes MUST have been executed N times (default N=3 normal tests, N=10 cycle-validation suites) against the same firmware MD5 + same device + same topology and produced IDENTICAL PASS in every iteration. A divergent N-iter run is auto-FAIL — there is no "first PASSED therefore X was a flake" path. §11.4.7's intermittent / transient / flake / flaky vocabulary is enforced MECHANICALLY by this mandate, not merely textually.

Coverage: every public API path (Activity / Service / Broadcast receiver / ContentProvider URI / IPC interface / JNI entry / sysprop write / sysfs node / init.rc trigger) MUST have ≥ 1 dedicated test that drives it. Untested paths surface in a feature-coverage-matrix audit; the threshold ratchets 70 $\rightarrow$ 85 $\rightarrow$ 95 $\rightarrow$ 99 over phases.

Reliability mechanism: ab_run_n_times helper in the project anti-bluff library loops, captures evidence-hash per iter, asserts all N hashes + exit codes identical. NO operator-facing escape converts divergence to PASS.

Pre-build gates: CM-COVENANT-114-50-PROPAGATION + CM-AF-RELIABILITY-CHECK-WIRED + CM-AF-FEATURE-COVERAGE-MATRIX. Three paired meta-test mutations. No escape hatch — no --allow-flake, --first-pass-suffices, --skip-n-iter, --skip-coverage-audit flag. Classification: universal (§11.4.17). See Constitution §11.4.50 for the full mandate.

Live-ADB-First maximization (§11.4.51, User mandate 2026-05-18)

Every fix MUST be classified by rebuild-requirement before commit using the project's per-file-class decision matrix. If LIVE_ADB_TESTABLE (on-device test scripts, host scripts, atmosphere-.sh boot scripts, persist. properties, markdown docs, test fixture assets, HelixQA YAML banks), the operator MUST first apply the fix to the running device via adb push / setprop / pm install -r / mount -o remount,rw, run the §11.4.43 RED test live,

capture PASS, THEN commit + rebuild + reflash. Commit footer: LIVE_ADB_VALIDATED: yes. If REQUIRES_REBUILD (kernel, framework Java/AIDL, native C++ in APEX, sepolicy, init.rc, ro.* properties, XML overlays, codec XML in APEX, Android.bp/.mk), the operator proceeds directly to source-side + rebuild. Commit footer: REQUIRES_REBUILD: <reason>. Mixed batches use partial.

§11.4.51 REFINES §11.4.43 step 2 with mechanical enforcement. Helper: `classify_fix_rebuild_requirement.sh` walks `git diff --name-only`, looks up each file against the matrix, emits per-file classification + recommended commit-message footer. Unmatched paths classify as REQUIRES_REBUILD: unmatched-path (safe default per §11.4.6).

Pre-build gates: CM-COVENANT-114-51-PROPAGATION + CM-AF-CLASSIFY-FIX-HELPER-EXISTS + CM-AF-LIVE-ADB-FIRST-COMMIT-MARKER. Three paired meta-test mutations. No escape hatch — no `--skip-classify` / `--assume-rebuild` / `--no-footer-required` flag.

Classification: universal (§11.4.17). See Constitution §11.4.51 for the full mandate.

Autonomous-Validation (§11.4.52, User mandate 2026-05-18)

Forensic anchor — verbatim user mandate:

"Make sure we have full automation tests which will do all this work in full automation! IMPORTANT: Make sure that all existing tests and Challenges do work in anti-bluff manner — they MUST confirm that all tested codebase really works as expected! execution of tests and Challenges MUST guarantee the quality, the completion and full usability by end users of the product!"

Every user-facing feature MUST have at least one autonomous validation path: end-to-end via `adb shell` + scripted automation, captured runtime evidence per §11.4.5, PASS/FAIL verdict WITHOUT human presence. Operator-attended tests are SUPPLEMENTARY, never PRIMARY. A feature whose ONLY path is operator-attended is a §11.4.52 violation: the path does not scale to CI, does not run on every commit, does not survive operator unavailability, and produces the exact "tests pass but feature doesn't work for users" failure mode §11.4 forbids.

Acceptable autonomous paths: instrumentation APK (SDK-API exercises + JSON result file), headless intent dispatch + state poll (`am start --es + dumpsys //proc/<pid>/maps` polling), ADB-driven ui-automator (ONLY if hierarchy has ≥ 1 clickable node — empty hierarchy demands fallback to APK/intent), network-side sink probe (§11.4.13), HelixQA autonomous QA session (§11.4.27).

Coverage ledger (§11.4.25) classifies each feature as AUTONOMOUS_VERIFIED / AUTONOMOUS_DESIGNED / OPERATOR_ATTENDED_ONLY / NOT_APPLICABLE. OPERATOR_ATTENDED_ONLY blocks release until migrated; cite a tracked work item per §11.4.15 + §11.4.16.

Pre-build gates CM-COVENANT-114-52-PROPAGATION + CM-AF-AUTONOMOUS-PATH-PER-FEATURE. Paired mutations. No escape hatch — no --allow-operator-attended-only / --skip-autonomous-path / --manual-validation-suffices flag.

Classification: universal (§11.4.17). See Constitution §11.4.52 for the full mandate.

Fixed_Summary parity (§11.4.53, User mandate 2026-05-18)

Forensic anchor — verbatim user mandate (2026-05-18T17:55Z):

"Note: Just like for Issues we have Issues_Summary, for Fixed we MUST HAVE Fixed_Summary - like all other docs: ALWAYS in sync and up to date and ALWAYS exported into the PDF and HTML!"

docs/Fixed_Summary.md is the symmetric short-form summary of docs/Fixed.md. MUST be regenerated whenever Fixed.md changes. HTML + PDF exports MUST travel with the markdown. Stale exports are §11.4.53 violations regardless of whether the underlying .md is correct. Same discipline as §11.4.12 Issues_Summary applied to Fixed.md.

Generator: scripts/testing/generate_fixed_summary.sh (canonical). Auto-sync wrapper: scripts/testing/sync_issues_docs.sh regenerates BOTH Issues_Summary AND Fixed_Summary in one shot, exports HTML + PDF, colorizes per §11.4.23, re-renders PDFs. MUST be invoked after any edit to Fixed.md. No --issues-only flag exists.

Sort order: closure date DESC (most-recent-Fixed first), §-letter / Fix-# secondary. Documented at top of generated file.

Composes with §11.4.12 (Issues_Summary sibling), §11.4.19 (atomic migration trigger), §11.4.23 (colorizer), §11.4.33 (type-aware closure terminal values), §11.4.44 (revision header), §12.10 (CONTINUATION.md resumption).

Pre-build gates CM-FIXED-SUMMARY-SYNC + CM-COVENANT-114-53-PROPAGATION. Paired mutations. No escape hatch — no --skip-fixed-summary-sync, --issues-only, --summary-not-applicable flag.

Classification: universal (§11.4.17). See Constitution §11.4.53 for the full mandate.

ATM-NNN ticket identifier (§11.4.54, User mandate 2026-05-19)

Forensic anchor — verbatim user mandate (2026-05-19):

"Every workable item in Issues / Issues_Summary / Fixed / Fixed_Summary MUST carry a stable, unique, auto-incremental ATM-NNN ticket identifier."

Every workable item heading in docs/Issues.md AND docs/Fixed.md MUST carry [ATM-NNN] (form ## \$X.Y. [ATM-NNN] <title>, zero-padded ≥ 3 digits). Allocated by scripts/testing/assign_atm_ticket_ids.sh and persisted to scripts/testing/.atm_ticket_state.json (jsonl). Identifiers are monotonic, never renumbered, never reused, no gaps. Issues_Summary.md and Fixed_Summary.md MUST carry an ATM ID column as the left-most data column.

Composes with §11.4.15 + §11.4.16 + §11.4.19 + §11.4.33 + §11.4.12 + §11.4.53 + §11.4.55 + §11.4.57.

Pre-build gates CM-ATM-TICKET-IDS-COMPLETE + CM-ATM-TICKET-IDS-UNIQUE + CM-ATM-TICKET-IDS-MONOTONIC + CM-COVENANT-114-54-PROPAGATION. Paired mutations. No escape hatch.

Classification: universal (§11.4.17). See Constitution §11.4.54 for the full mandate.

Reopens-history tracking + per-item Reopens.md (§11.4.55, User mandate 2026-05-19)

Forensic anchor — verbatim user mandate (2026-05-19):

"Add a Reopens-count column. For any item whose reopens-count > 0, create docs/issues/ATM-NNN/Reopens.md (+ HTML + PDF) with comprehensive reopen history + Fixed cycles."

Every workable item with reopens_count > 0 MUST have docs/issues/<ATM-NNN>/Reopens.md (+ HTML + PDF). Required content: §11.4.44 revision header, item identification, cycle counters, chronological timeline (By AI/User per §11.4.34, On ISO date, Event, Reason, Evidence, Outcome), reasoning chain for each closure, most-recent state-change pointer.

Issues_Summary.md and Fixed_Summary.md MUST carry a Reopens column; count > 0 hyperlinks to per-item Reopens.md.

Composes with §11.4.34 (per-event capture), §11.4.54 (ATM-NNN path), §11.4.44 (revision header), §11.4.45 (Status.md analogue), §11.4.53 (Fixed_Summary parity — Reopens column symmetric).

Pre-build gates CM-REOPENS-DOC-EXISTS-WHEN-COUNT-GT-ZERO + CM-REOPENS-DOC-REVISION-HEADER + CM-REOPENS-COL-IN-SUMMARIES + CM-COVENANT-114-55-PROPAGATION. Paired mutations. No escape hatch.

Classification: universal (§11.4.17). See Constitution §11.4.55 for the full mandate.

Status_Summary parity + two-audience format (§11.4.56, User mandate 2026-05-19)

Forensic anchor — verbatim user mandate (2026-05-19):

"Every Status.md doc gets a Status_Summary parity companion ALWAYS in sync, exported to HTML + PDF. Two-page format: page 1 = non-developer audience (team-specific), page 2 = software engineer summary."

For every docs/<domain>/<integration>/Status.md a companion Status_Summary.md MUST exist with: §11.4.44 revision header; **Page 1 — For the** (audience-specific — audio team for docs/dolby/*, video team for docs/video/*, etc.) plain- language summary, What works, What's broken or pending, Operator actions — NO \$-letter jargon, NO captured-evidence file paths; **Page 2 — For software engineers** — \$-letter refs, gate names, commit hashes, captured-evidence paths, ATM-NNN cross-refs. HTML + PDF exports travel with the markdown.

Generator: scripts/testing/generate_status_summary.sh <Status.md path>. Invoked from sync_integration_status.sh (§11.4.45 wrapper) on every Status.md update.

Composes with §11.4.45 (Status.md — Status_Summary COMPLEMENTS), §11.4.12 + §11.4.53 (parity discipline), §11.4.44 (revision header), §11.4.23 (colorizer), §12.10 (CONTINUATION.md).

Pre-build gates CM-STATUS-SUMMARY-EXISTS-FOR-EVERY-STATUS + CM-STATUS-SUMMARY-TWO-AUDIENCE + CM-STATUS-SUMMARY-REVISION-HEADER + CM-COVENANT-114-56-PROPAGATION. Paired mutations. No escape hatch.

Classification: universal (§11.4.17). See Constitution §11.4.56 for the full mandate.

README.md doc-link section + revision metadata (§11.4.57, User mandate 2026-05-19)

Forensic anchor — verbatim user mandate (2026-05-19):

"Add a doc-link section to README.md — links to Issues + Issues_Summary + Fixed + Fixed_Summary + CONTINUATION + ALL Status docs + their exports. Each link shows revision + last-modified."

Every project's top-level README.md MUST contain a section titled Tracked-Items + Status Documents (heading MUST contain literal Tracked-Items). The section is a markdown table with columns: Document, Last modified, Revision, Markdown, HTML, PDF. Links to: Issues.md + Issues_Summary.md, Fixed.md + Fixed_Summary.md, CONTINUATION.md, every docs/**/Status.md + its Status_Summary.md pair. Status docs auto-discovered by the generator via `find docs -name 'Status.md'`.

Generator: `scripts/testing/update_readme_doc_links.sh` extracts each doc's revision + last-modified from its §11.4.44 header, renders the table, replaces the section between explicit markers (`<!-- doc-link-section:begin --> / <!-- doc-link-section:end -->`). Invoked from `sync_issues_docs.sh` AND `sync_integration_status.sh`.

Composes with §11.4.12 + §11.4.19 + §11.4.53 (Issues / Fixed / summaries), §11.4.44 (revision-header data source), §11.4.45 + §11.4.56 (Status pairs), §12.10 (CONTINUATION.md).

Pre-build gates CM-README-DOC-LINK-SECTION-PRESENT + CM-README-DOC-LINK-ROWS-COMPLETE + CM-README-DOC-LINK-FRESHNESS + CM-COVENANT-114-57-PROPAGATION. Paired mutations strip markers, remove rows, backdate Last modified, strip anchor literal. No escape hatch.

Classification: universal (§11.4.17). See Constitution §11.4.57 for the full mandate.

Parallel-development methodology (§11.4.58, User mandate 2026-05-19)

Forensic anchor — verbatim user mandate (2026-05-19T~05:00Z MSK):

"We MUST CREATE adjusted improved version of working methodology where multiple workable items could be done in parallel, all come into the central (main) branch as they are done, then we at particular moment rebuild and reflash the System and in background full testing with validation and verification is done. Each parallel work on one workable (or more) item(s) must use parallel agents as much as possible! ... Writing in depth tests (all supported types of the

tests) with Challenges and full HelixQA use is MANDATORY! Every test we execute besides executed with success MUST RESULT in proof that actual functionality being tested REALLY DOES WORK with NO BLUFF of any kind!"

Project work proceeds through the **Parallel Work Unit (PWU) pipeline**. Each PWU is a self-contained workable item with: ATM-NNN identifier per §11.4.54, Issues.md entry per §11.4.15+§11.4.16, file- scope manifest, §11.4.43 RED test, source patch, pre-build gate, post-flash test, paired meta-test mutation per §1.1, HelixQA Challenge bank entry, captured-evidence directory per §11.4.5+§11.4.52.

5-stage pipeline: Stage 1 DEVELOP (parallel PWU agents in isolated worktrees) → Stage 2 MERGE (serial via `commit_all.sh flock` + §11.4.41 4-step merge-first) → Stage 3 REBUILD+FLASH (parallel where hardware allows) → Stage 4 VALIDATE (parallel D3+D4+meta-test+coverage) → Stage 5 SWEEP (parallel HelixQA + Fixed.md migration + README refresh). Stage 1 of round N+1 overlaps with Stages 4-5 of round N — throughput multiplier.

Synchronization: 4-layer lock hierarchy (parent flock / per-submodule git / contention-path advisory locks / per-PWU worktree). Disjoint-scope PWUs fully parallel.

Anti-bluff merge-time enforcement (mandatory, all four): RED-test captured (§11.4.43), paired meta-test mutation (§1.1), 3-iter deterministic-consistency (§11.4.50), captured-evidence per §11.4.5. Metadata-only / configuration-only / absence-of-error PASS REJECTED. HelixQA Challenge MANDATORY for every user-visible PWU.

Pre-build gates CM-PWU-LOCK-HIERARCHY + CM-PWU-ANTI-BLUFF-COVERAGE

- CM-PWU-MERGE-QUEUE-DISCIPLINE + CM-PWU-PARALLEL-AGENT-LIMIT + CM-COVENANT-114-58-PROPAGATION. Paired mutations cover each gate. No escape hatch.

Classification: universal (§11.4.17). See Constitution §11.4.58 for the full mandate. Project-specific implementation reference in consumer-side docs/guides/PARALLEL_DEVELOPMENT_METHODODOLOGY.md.

README always-sync (§11.4.59, User mandate 2026-05-19)

README.md is a §11.4.12-class always-sync document. HTML + PDF exports refresh on every update via `scripts/testing/sync_readme_export.sh` (pandoc + weasyprint); auto-invoked by `sync_issues_docs.sh` so a single doc-sync run refreshes Issues / Issues Summary / Fixed / Fixed Summary / CONTINUATION / README (md + html + pdf). README carries a §11.4.44 revision header and a Documentation Map section linking to every

Status.md + Status_Summary.md + spec + plan + guide + script-companion doc + changelog + the constitution submodule, plus per-audience navigation (end user / developer / QA / agent). Pre-build gate CM-README-EXPORT-SYNC enforces mtime parity (README.html + README.pdf ≥ README.md). Paired meta-test mutation backdates HTML+PDF → gate FAILs. No escape hatch — no --skip-readme-sync, --no-readme-export, --readme-stale-OK flag. Composes with §11.4.12

- §11.4.18 + §11.4.44 + §11.4.45 + §11.4.53 + §11.4.56 + §11.4.57 + §12.10.

Classification: universal (§11.4.17). See Constitution §11.4.59 for the full mandate.

Documentation always-sync composite covenant (§11.4.60, User mandate 2026-05-19)

Eight doc classes — Issues, Issues_Summary, Fixed, Fixed_Summary, CONTINUATION, README, every Status.md (domain-scoped), every Status_Summary.md — MUST be in sync across .md + .html + .pdf. Composite pre-build gate CM-DOCS-COMPOSITE-SYNC walks all 8 classes (Status fleet via recursive docs/** find), FAILs the build if ANY .html or .pdf mtime is older than its .md. Per-class anchors §11.4.12 / §11.4.44 / §11.4.45 / §11.4.53 / §11.4.56 / §11.4.57 / §11.4.59 / §12.10 govern individually; the composite catches what they miss when one is silently bypassed. Paired mutation backdates docs/Issues.html → gate FAILs. No escape hatch.

Classification: universal (§11.4.17). See Constitution §11.4.60 for the full mandate.

Credentials-handling (§11.4.10)

Forensic anchor — verbatim user mandate (2026-05-12):

"Credentials or any secret and sensitive data MUST NOT leak!"

.env patterns git-ignored project-wide. Runtime-load-only — tests load credentials at execution time from operator-populated files under scripts/testing/secrets/ (or per-project equivalent). Test scripts MUST NEVER print or log credentials.

Host-session safety (§12)

Project procedures **MUST NOT** use more than **60%** of total system RAM. Heavy work wrapped in bounded execution scopes so the kernel OOM-kills only the scope — `user@<uid>.service` stays alive. Hibernating / suspending / logging out the user is **FORBIDDEN** (directly OR indirectly).

Continuation document (§12.10)

`docs/CONTINUATION.md` **MUST** exist at the project root and reflect the live state of the work. Every non-trivial state change updates it in the same commit. Any agent must be able to resume work exactly where the previous session left off by reading this single file.

Data safety (§9)

Hardlinked backup before any destructive operation. Post-op gate **MUST** pass. Force-push requires explicit per-session human authorization. Every history rewrite gets a `docs/changelogs/` audit entry.

CLI workflow expectations

1. **Read before write.** Use file-reading tools to inspect the current state before editing. Edits in the dark are how bugs sneak in.
2. **Use the project's commit wrapper.** Direct `git add / git commit` is forbidden unless explicitly carved out.
3. **Commit messages cite forensic evidence** for any non-trivial fix (logs, captures, `/sys` readings, dropbox entries, `strace`). Speculative narratives are §11.4.6 violations.
4. **Update CONTINUATION.md** in the same commit as the work (§12.10).
5. **Run pre-build / post-build / runtime gates** before declaring a change complete. **NEVER** report "done" without running the relevant gate.
6. **Cite external research sources** for non-trivial fixes (§11.4.8). Either a citation OR the literal "NO external solution found — original work".
7. **Refuse to bluff.** If a step requires information you don't have, say so and STOP. Don't guess.

Hierarchy of project authority

When a project files declares conflicting rules with this base AGENTS.md, resolve in this order:

1. **Project's docs/guides/<PROJECT>_CONSTITUTION.md** — most specific, project-tailored.
2. **constitution/Constitution.md** (this submodule) — universal.
3. **Project's root CLAUDE.md / AGENTS.md** — agent-facing summaries; lossy compared to the Constitution.
4. **This constitution/CLAUDE.md / AGENTS.md** — universal agent-facing summary; lossy compared to the Constitution.

If a project's own files contradict the Constitution, that is itself a Constitution violation and **MUST** be reported. Do **NOT** silently follow the contradicting project file.

When stuck

- Read constitution/Constitution.md.
- Cross-reference the project's CLAUDE.md / AGENTS.md.
- If still unclear, ask the operator. Do **NOT** guess. Do **NOT** bluff.

§11.4.65 — Universal Markdown export mandate (User mandate, 2026-05-19)

Every Markdown document inside the project that is **NOT** part of an application or service's source-code tree **MUST** have synchronized .html and .pdf siblings. Includes: project-root *.md, docs/**/*.md, scripts/**/*.*md (doc-format companion docs), owned-submodule top-level README.md / CLAUDE.md / AGENTS.md / CHANGELOG.md and their docs/**/*.*md, constitution/**/*.*md, owned HelixQA submodules' equivalents. Excludes: external/**, prebuilts/**, packages/modules/**, kernel-5.10/**, out/**, build/**, application/service source-code trees, and third-party submodules **NOT** in the owned set. Every edit triggers regeneration via scripts/testing/sync_all_markdown_exports.sh (pandoc HTML + weasyprint PDF, timeout 60 per file, capped at 500 candidates). HTML + PDF mtime **MUST** be $\geq$ source .md mtime at all times.

Pre-build gates CM-UNIVERSAL-MARKDOWN-EXPORT-SYNC + CM-COVENANT-114-65-PROPAGATION. Paired meta-test mutations. Composes with §11.4.12 / §11.4.18 / §11.4.23 / §11.4.44 / §11.4.45 / §11.4.53 / §11.4.59 / §11.4.60 / §11.4.63 / §11.4.64. No escape hatch — no --skip-md-exports, --no-pdf-only, --md-export-not-applicable flag.

Canonical authority: constitution submodule Constitution.md §11.4.65.

Non-compliance is a release blocker regardless of context.

§11.4.66 — Blocker-resolution interactive-clarification mandate (User mandate, 2026-05-19)

When any task is blocked (operator decision, hardware access, external authorization, ambiguous scope), the agent **MUST**: (1) re-search what's doable from the agent side without operator input; (2) calculate minimum-viable operator input; (3) construct 2-4 mutually-exclusive options with one marked "Recommended" and each stating what the agent does after that answer; (4) present via the platform's interactive question mechanism (`AskUserQuestion` on Claude Code) — **NEVER** free-text "what would you like?" for closed- set decisions; (5) after the answer, resume work without follow-up round-trips. Composes with §11.4.6 / §11.4.7 / §11.4.40 / §11.4.41 / §11.4.42 / §11.4.52. No silent waiting; no bulk-text questions when interactive options would do.

Pre-build gate CM-COVENANT-114-66-PROPAGATION enforces the anchor literal across the 42-file consumer fleet. Paired meta- test mutation strips the literal → gate FAILs. No escape hatch — no `--skip-ask`, `--silent-wait`, `--free-form-only` flag.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.66.

Non-compliance is a release blocker regardless of context.

§11.4.67 — Shell-script target-shell-parseability mandate (User mandate, 2026-05-19)

Forensic anchor — direct user mandate (verbatim, 2026-05-19): "any issue we spot must be fixed, bash scripts as well if they are broken!"

- "Make sure that this is mandatory rule!"

Every shell script that may be invoked under a target shell other than the one in its shebang **MUST** parse cleanly under that target shell. Forensic incident: `device/rockchip/rk3588/tests/test_all_fixes.sh:114` used `bash-only exec > >(tee -a "$f") 2>&1` on a `sh` script. `sh` callsite — Android `mksh` parses the whole script **BEFORE** executing, so the runtime `[ -n "${BASH_VERSION:-}" ]` guard could not save it. Fixed by wrapping in `eval 'exec > >(tee ...) 2>&1'` so the parser sees only a string.

Closed-set scope: every tracked `.sh` under `device/rockchip/rk3588/tests/`, `scripts/`, `scripts/testing/` (and equivalent paths in owned submodules). OUT of scope: `external/`, `prebuilts/`, `packages/modules/`, `kernel-5.10/`, `out/`, `build/`, `scripts/legacy/`. Mandatory invariants: (1) every in-scope script parses under `sh -n`; (2) `bash-only` constructs (`>(...)`, `<(...)`, `[[ ]]`, `<<<`, arrays, `${var^^}`, etc.) **MUST** be wrapped in `eval` OR guarded by `bash-only` loading; (3)

shebangs honest — `#!/bin/bash` only if bash actually expected; (4) fix at source per §11.4.1, never at callsites. Composes with §11.4.1 / §11.4.4 / §11.4.6 / §11.4.50 / §11.4.51.

Pre-build gate CM-SCRIPT-TARGET-SHELL-PARSEABLE runs `sh -n` on every in-scope script. Propagation gate CM-COVENANT-114-67-PROPAGATION enforces the anchor literal across the 44-file consumer fleet. Paired mutations: inject bash-only outside eval → parse gate FAILs; strip 11.4.67 literal → propagation gate FAILs. No escape hatch — no `--skip-parseability-check`, `--bash-only-script`, `--runtime-guard-suffices` flag.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.67.

Non-compliance is a release blocker regardless of context.

§11.4.68 — Positive sink-side / downstream evidence mandate (User mandate, 2026-05-20)

A test asserting audio or video routing PASS MUST capture and verify positive sink-side or downstream evidence — never config-only, never metadata-only, never PCM-open-state-only. Closed enumeration of acceptable evidence: (1) sink-side codec-state showing non-empty codec matching the expected regex during playback; (2) PCM `hw_ptr` delta strictly positive across the playback window; (3) ALSA ELD demonstrating negotiated channel count + format; (4) `ffprobe` non-zero frames matching expected codec for video; (5) recording-analyzer matched event per §11.4.2 / §11.4.5 timeline; (6) `tinycap` RMS amplitude above floor.

Failure modes specifically forbidden: silent SKIP on sink unreachable, empty codec-state treated as evidence, policy-side device field used as proof PCM opened, config-XML-only PASS. All produce the §11.4 PASS-bluff failure mode anchored at D3 forensic 2026-05-20.

Mandatory protections: sink-side libraries expose `*_require_reachable` returning exit code 2 (OPERATOR-BLOCKED); harness propagates 2; audio/video-routing tests capture ≥ 1 positive evidence per enumeration; anti-stickiness post-stop re-probe. No escape hatch.

Composes with §11.4.2 / §11.4.5 / §11.4.13 / §11.4.14 / §11.4.46 / §11.4.49 / §11.4.50 / §11.4.52. Pre-build gates CM-COVENANT-114-68-PROPAGATION + CM-POSITIVE-SINK-EVIDENCE-PER-AUDIO-TEST

- paired meta-test mutations per §1.1.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.68.

Non-compliance is a release blocker regardless of context.

§11.4.69 — Universal sink-side positive-evidence taxonomy + mechanical enforcement (User mandate, 2026-05-20)

Forensic anchor — direct user mandate (verbatim, 2026-05-20):

"THIS MUST HAPPEN NEVER AGAIN!!! We MUST HAVE this all working! Not just for audio but for every single piece of the System!!! Proper full automation when executed with success MUST MEAN that manual testing will be as much positive at least regarding the success results! ... Solution MUST BE universal, generic that solves working flows for all System components and for all future and all existing projects! ... Everything we do MUST BE validated and verified with rock-solid proofs and anti-bluff policy enforcement and fulfillment!"

Universal generalisation of §11.4.68 (audio-specific) across every user-visible feature class. Closes the PASS-bluff pattern where tests reported green while end users hit broken features (2026-05-19→20 D3 audio "82/84 PASS" + empty Arvus Codec-In-Use).

The mandate. Every user-visible feature MUST map to one entry in the closed-set §11.4.69 sink-side evidence taxonomy (audio_output, audio_input, video_display, network_throughput, network_connectivity, bluetooth_a2dp, bluetooth_pair, touch_input, sensor, gpu_render, storage_read, storage_write, mediacodec_decode, mediacodec_encode, miracast, cast, boot_service, package_install, permission_grant, wifi_link, wifi_throughput, ethernet_link, display_topology, drm_playback, subtitle_render — open to additions). Every PASS for a feature in the taxonomy MUST cite a captured-evidence artefact path matching the required evidence shape.

Helper contracts (additive during grace; mandatory after 2026-06-19):

- ab_pass_with_evidence <description> <evidence_path> — the new canonical PASS helper. Verifies path exists AND non-empty; emits PASS: <description> [evidence: <path>].
- ab_skip_with_reason <description> <closed-set-reason> — reasons: geo_restricted, operator_attended, hardware_not_present, topology_unsupported, network_unreachable_external, feature_disabled_by_config. Forbids network_unreachable_external for any taxonomy feature with a sink-side probe.
- Bare ab_pass deprecated — WARN pre-grace, FAIL post-grace (2026-06-19).

Mechanical enforcement. Three pre-build gates + three paired §1.1 meta-test mutations:

- CM-SINK-EVIDENCE-PER-FEATURE — walks tests for # §11.4.69 FEATURE: <class> annotation + verifies taxonomy probe + ab_pass_with_evidence use.
- CM-NO-FAIL-OPEN-SKIP — audits sink-side probe helpers; FAILs if any code path converts empty/unreachable response to PASS-counting SKIP for a feature class with a sink-side probe.
- CM-AB-PASS-WITH-EVIDENCE-EVERYWHERE — pre-grace WARN, post-grace FAIL on bare ab_pass calls.

Composes with §11.4.1 (FAIL-bluffs forbidden), §11.4.2 (recorded-evidence), §11.4.5 (audio + video 5-layer quality), §11.4.6 (no-guessing), §11.4.13 (sink-side captured-evidence), §11.4.27 (no-fakes-beyond-unit), §11.4.50 (deterministic consistency), §11.4.52 (autonomous-validation), §11.4.68 (audio-specific sink-side — §11.4.69 is the universal generalisation).

No escape hatch — no --skip-evidence, --config-only-pass, --allow-fail-open-skip, --legacy-ab-pass-permitted flag. The discipline exists because the 2026-05-20 forensic incident demonstrated the failure: tests reported audio-routing PASS while the user heard nothing and the Arvus Codec-In-Use field was empty.

Propagation gate CM-COVENANT-114-69-PROPAGATION enforces this anchor literal across the ~44-file consumer fleet. Paired mutation strips the literal → gate FAILs.

Canonical authority: constitution submodule Constitution.md §11.4.69.

Non-compliance is a release blocker regardless of context.

§11.4.70 — Subagent-driven execution is the default (User mandate, 2026-05-20)

Forensic anchor — direct user mandate (verbatim, 2026-05-20):

"Always do if possible Subagent-driven! Add this into our root (constitution Submodule) Constitution.md, CLAUDE.md and AGENTS.md. This should be the default choice ALWAYS!"

When executing implementation plans authored via superpowers:writing-plans (or any equivalent task-decomposed execution flow), the **default execution model is subagent-driven** per superpowers:subagent-driven-development. Inline execution via superpowers:executing-plans is permitted ONLY when (a) the

task is trivial AND fits in a single sub-300-line edit, OR (b) the operator explicitly requests inline execution at brainstorm-handoff time.

Subagents bring an isolated context window per task (no conductor or context bloat), a structurally separated review seam (conductor reviews subagent output, eliminating self-review blind spots), parallel-PWU compatibility (§11.4.58 — subagents ARE the parallel work units), and resumability across operator absence (subagents resume from on-disk plan + spec inputs).

Composes with §11.4.4 (four-layer coverage), §11.4.6 (no-guessing — subagent's captured output IS the evidence), §11.4.42 (iteration discipline), §11.4.43 (TDD-fix), §11.4.50 (deterministic consistency), §11.4.51 (LIVE_ADB_FIRST), §11.4.58 (parallel-development PWU).

No escape hatch — `--inline-execution-required`, `--no-subagents`, `--monolithic-execution` are NOT permitted flags. Skipping subagent-driven for non-trivial work without recorded operator authorisation is itself a §11.4 PASS-bluff. Pre-build gate CM-COVENANT-114-70-SUBAGENT-DEFAULT-PROPAGATION enforces this anchor literal across the ~44-file consumer fleet. Paired meta-test mutation strips the literal → gate FAILs.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.70.

Non-compliance is a release blocker regardless of context.

§11.4.71 — Pre-Push Fetch + Investigate + Integrate Mandate (User mandate, 2026-05-20)

Everyday-push variant of §11.4.41 (force-push merge-first). Before pushing to any upstream for any repository (main repo or submodule), the agent MUST follow the 5-step pre-push cycle: (1) `git fetch --all --prune --tags`, (2) `git pull --no-rebase <remote> <branch>` for each remote whose tip differs from local, (3) investigate the diff vs OUR previous HEAD by reading every foreign commit's body (what changed, why, how it affects OUR project), (4) integrate mandatory changes with full §11.4.4(b) four-layer anti-bluff test coverage producing REAL captured-evidence proofs, (5) THEN push to every configured remote in cascade order.

Composes with §11.4.41 (force-push case) + §11.4.26 / §11.4.32 / §11.4.37 / §11.4.40 / §11.4.42 / §11.4.43 / §11.4.4(b) / §11.4.5 / §11.4.6.

Applies to parent repo + constitution submodule + every owned submodule + every nested submodule + every HelixQA dependency. Audit-trail per push reconstructable from `docs/changelogs/<tag>.md` + per-repo `git log` evidence.

No escape hatch — no --skip-fetch, --no-investigate, --fast-push, --trust-upstream flag. Pre-build gate CM-COVENANT-114-71-PROPAGATION + paired mutation.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.71.

Non-compliance is a release blocker regardless of context.

§11.4.72 — Audio Top-Priority Mandate (User mandate, 2026-05-20)

Direct user mandate (verbatim): "Make sure all fixes for audio are always top priority in main working stream!" The conductor (main working stream — Claude Code session, AI agent, or human operator) MUST treat audio fixes as the highest-priority class on the serial dispatch queue. Audio scope includes §EU HDMI rejection, §EM multichannel HDMI, §ET Arvus integration, §EV/§EW/§EX D3 audio defects, HiFi (Fix #74, #76), AC3 (Fix #106), ES8388 (Fix #103/§104/#105), multichannel LPCM (Fix #112), and every future audio-stack improvement.

Composes with §11.4.42 (iteration-discipline — audio sits at apex of priority order) + §11.4.58 (parallel-development PWU — background research subagents run concurrently but do NOT preempt audio on the main-stream serial dispatch queue).

Operative rule: any time the conductor faces a choice between dispatching an audio task vs a non-audio task on the SAME serial resource, the audio task wins. No escape hatch — no "but this non-audio task is faster" or "but this research is more interesting" override. Audio-stack regressions are user-perceptible and high-impact (D3 silent post-flash is a release blocker), while research and refactors can wait.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.72.

Non-compliance is a process violation regardless of context.

§11.4.73 — Main-specification document versioning + revision discipline (User mandate, 2026-05-20)

Direct user mandate (verbatim): "Make sure everything we add now in previous and upcoming requests IS ALWAYS applied to the main specification — if we have one. Since all these are not major changes we could increase Specification version per change for secondary version instead of the primary. Primary version MUST BE increased for much bigger levels of changes! Document MUST BE updated ALWAYS to follow the versioning rules we are applying here + revision and other properties we have!"

Applies only when a project recognises a main specification document. Two-axis versioning: **primary** (V1/V2/V3/...) bumps for major rewrites (old primary archived); **secondary** (Revision) bumps for additive operator requirements (matches the §11.4.61 metadata-table Revision integer). Every operator-mandated requirement **MUST** land in the spec as part of the work that implements it. Cross-doc propagation copies **MUST** reference the active spec file, not a stale archived version. Composes with §11.4.44, §11.4.61, §11.4.59, §11.4.65.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.73.

Non-compliance is a release blocker.

§11.4.74 — Submodule-catalogue-first discovery + extend-don't-reimplement (User mandate, 2026-05-20)

Direct user mandate (verbatim): "We **MUST ALWAYS** check which already developed features / functionalities do exist as a part of our comprehensive Submodules catalogue located in vasic-digital and HelixDevelopment organizations on GitHub and GitLab both! Project **MUST BE** aware of all its existence so we do not implement same things multiple times. For any missing features we **MUST IMPLEMENT** them properly and extend those Submodules further!"

Before scaffolding any new module / package / helper / utility, the agent **MUST**: (1) survey vasic-digital + HelixDevelopment orgs on GitHub + GitLab — the canonical inventory is [submodules-catalogue.md](#) (142 repos categorised); (2) reuse an existing Submodule when it covers $\geq 80\%$ of the functionality; (3) extend in-place via upstream PR when $80\%+$ matches but features are missing — never duplicate; (4) document the survey result in the relevant tracker row with Catalogue-Check: reuse|extend|no-match <org/repo>@<sha>.

Every Submodule in the catalogue is subject to the same development-cycle rules (§11.4 anti-bluff, §1.1 paired mutations, §11.4.10 credentials, §11.4.61 metadata + ToC, §11.4.65 universal export, §11.4.73 spec versioning, §2.1 multi-mirror push, §3 propagation order).

Canonical authority: constitution submodule [Constitution.md](#) §11.4.74.

Non-compliance is a process violation; severe cases (duplicate implementation landed without catalogue check) are release blockers.

§11.4.75 — Mechanical Enforcement Without Exception (User mandate, 2026-05-20)

Direct user mandate (verbatim): "Why do these violations still happen!? This is a serious problem! We cannot rely on stability nor consistency if we cannot respect our Constitution, mandatory rules and constraints! Is there a way to make this always respected, followed and applied without exception fully and unconditionally!? WE MUST HAVE THIS WORKING FLAWLESSLY!!! Do investigate the root causes of such problems! Once all problems are identified WE MUST apply proper mechanisms for this not to happen NEVER EVER AGAIN!"

The §11.4 covenant historically relied on agent + operator vigilance. Three forensic incidents in 2026-05-19→20 (two stalled remediation subagents + post-§11.4.66 propagation drift requiring catch-up commit f93b25a92eb) demonstrated that late-binding enforcement at `pre_build_verification.sh` time fires hours-to-days AFTER the violator commit has already reached every remote. §11.4.75 closes the gap with FIVE independent mechanical enforcement layers — bypassing any single layer does not bypass the discipline:

1. **Local pre-commit git hook** — refuses staged `.md` lacking sibling `.html` + `.pdf` (and other staged-only invariants).
2. **commit_all.sh integration** — the canonical project commit script invokes the same checks + auto-runs `sync_all_markdown_exports.sh` to self-repair before commit (`_constitution_sibling_check` function).
3. **Local pre-push git hook** — re-runs siblings + propagation-gate subset on every commit in the push.
4. **post-commit auto-repair hook** — detects orphan `.md` in just-committed manifest, auto-generates siblings via `pandoc` + `weasyprint`, creates a chore(§11.4.75): `auto-export ... follow-up commit`. Idempotent + recursion-guarded.
5. **Local-only equivalent** (Phase 39.GF, User mandate 2026-05-20). Remote CI surfaces (GitHub Actions, GitLab pipelines, Jenkins, CircleCI, etc.) are DISABLED — the workflow file is preserved at `.github/workflows/constitution-compliance.yml.disabled-local-only` (NOT `.yml`; GitHub Actions ignores it). Layer 5 enforcement migrated to the LOCAL pre-build-verification + meta-test ritual the operator MUST execute before tagging per §11.4.40. Layers 1-4 remain authoritative; Layer 5 is the operator's local final gate. A future re-enable PWU may re-establish remote CI.

Helper contracts (mandatory): `scripts/install_git_hooks.sh` (idempotent installer wired into `scripts/setup.sh`), `scripts/git_hooks/{pre-commit,pre-push,post-commit,commit-msg}`, `_constitution_sibling_check` in `scripts/commit_all.sh`. The `commit-msg` hook enforces a Bypass-rationale: `<reason>` footer when `--no-verify` is detected (touch-file marker `.git/ATMO_LAST_BYPASS_ATTEMPT`); `docs/audit/bypass_events.md` accumulates the audit trail per §11.4 captured-evidence requirement.

Five pre-build gates with paired §1.1 meta-test mutations: CM-COVENANT-114-75-PROPAGATION (anchor literal across canonical files), CM-GIT-HOOKS-INSTALL-SCRIPT (installer present + executable), CM-GIT-HOOKS-SOURCE-DIR (4 hook bodies present + executable), CM-COMMIT-ALL-SIBLING-CHECK (`_constitution_sibling_check` in `commit_all.sh`), CM-CI-WORKFLOW-PRESENT (CI workflow + ≥ 3 required jobs).

Composes with §1.1 (paired meta-test mutations), §9 (data safety), §11.4 (end-user-quality covenant — Layer 5 CI makes the §11.4 promise mechanical), §11.4.41 (this anchor's renumber from §11.4.74 → §11.4.75 was itself driven by §11.4.41 merge-first discipline), §11.4.65 (universal Markdown export — Layer 1+3+4 are §11.4.65's mechanical seam), §11.4.66 (interactive clarification), §11.4.67 (target-shell-parseability — hooks parse under bash AND mksh), §11.4.71 (pre-push fetch + integrate — Layer 3 + 5 honour the merge-first pipeline), §11.4.72 (audio top-priority — hooks hold no lock themselves, so do not race against in-flight audio commits), §11.4.73 (main-spec versioning — when spec exists, hooks include it), §11.4.74 (submodule-catalogue-first — hooks can be added to the canonical catalogue for cross-project reuse).

No escape hatch — no `--skip-hooks`, `--bypass-enforcement`, `--allow-orphan-md`, `--ci-not-applicable`, `--mechanical-enforcement-not-needed` flag exists. The `--no-verify` route IS the deliberate audit-trail bypass; §11.4.75 makes the audit trail mechanical via the `commit-msg` footer requirement.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.75.

Non-compliance is a release blocker regardless of context.

§11.4.76 — Containers-submodule mandate (User mandate, 2026-05-20)

Direct user mandate (verbatim): "For any work or requirements of running services or codebase inside the Containers (Docker / Podman / Qemu / Emulators, and so on) we MUST USE / INCORPORATE the Containers Submodule properly: <https://github.com/vasic-digital/containers> (git@github.com:vasic-digital/containers.git). Containers Submodule contains all means for us to Containerize our code and services! If any feature or Containerizing System is missing or not supported we MUST EXTEND IT properly like we do all of our projects! No bluff work is allowed of any kind!"

§-slot history note. Originally drafted as §11.4.75, renumbered to §11.4.76 per §11.4.71 fetch-before-push after the concurrent 0a70083 landing of §11.4.75 (Mechanical Enforcement).

For ANY containerized workload (Docker / Podman / Qemu / Kubernetes / container-backed emulators), the agent MUST: (1) install vasic-digital/containers (digital.vasic.containers) as a Git submodule when scaffolding the consuming project; (2) consume via replace directive during development + pinned commit SHAs in production; (3) boot infra on-demand via the Submodule's pkg/boot + pkg/compose + pkg/health APIs so the operator is never required to start podman machine / docker compose up manually — the boot is part of the test entry point (**on-demand-infra invariant**); (4) extend the Submodule via upstream PR when a runtime / life-cycle primitive is missing — never reimplement in-project (per §11.4.74); (5) anti-bluff: integration tests claiming to exercise containerized components MUST actually boot them via the Submodule. Short-circuit fakes that bypass boot are a §11.4 violation. A passing test MUST imply the infra was up.

Tracker rows touching containerization MUST record Catalogue-Check: extend vasic-digital/containers@<sha> (or reuse); no-match requires demonstrating the Submodule cannot model the workload.

Planned anti-bluff gate CM-CONTAINERS-USED scans container-touching PRs for digital.vasic.containers/... imports. Paired mutation strips the import + asserts FAIL.

Composes with §11.4.74 (catalogue-first), §11.4.75 (mechanical enforcement), §3 (propagation), §11.4.31 (Submodule-Dependency-Manifest), §11.4.36 (install_upstreams on clone), §11.4.28 (Submodules-As-Equal-Codebase), §1.1 (paired-mutation gates).

Canonical authority: constitution submodule Constitution.md §11.4.76.

Non-compliance: reinventing compose orchestration in-project is a release blocker.

§11.4.77 — Regeneration-mechanism-required mandate (User mandate, 2026-05-20)

Direct user mandate (verbatim): "We must be sure that after excluding anything from Git versioning we still have the mechanism which will out of the box obtain or re-generate missing content!"

Forensic anchor. 2026-05-20T15:00Z: ATMOSphere parent's audio Tier 1 commit_all.sh stalled 4 h on git add -A scanning 274 GiB .git-backup-* + 159 GiB RKTools/linux/ + 167 GiB qa-results/ — all untracked but un-gitignored. Bare .gitignore fix would orphan every fresh clone (missing RKTools, missing test infra, missing build outputs).

Every .gitignore entry excluding (a) >~100 MiB OR (b) any artefact essential to building / running / testing the project **MUST** carry a documented + automated mechanism to either **re-obtain** (vendor tarball, SDK installer, package registry, git submodule, object store) OR **re-generate** (build pipeline, code-gen, asset render, captured-evidence replay, container build).

Required artefacts per qualifying .gitignore entry: (1) .gitignore-meta/<entry-slug>.yaml declaring pattern + mechanism-type + script-path + expected-disk-usage + vendor-url-or-source + integrity hash + requires-network + requires-credentials; (2) post-clone bootstrap entry (scripts/setup.sh or canonical equivalent) running the mechanism non-interactively; (3) pre-build gate verifying regenerated content present OR stamp .gitignore-meta/.regenerated/<slug>.ok recent; (4) README + docs/guides/*.md describing the mechanism + manual fallback + time/disk budget + per-§11.4.10 credentials.

No escape hatch: bare .gitignore additions without the mechanism are §11.4 PASS-bluff variants — codebase appears complete but fresh clone cannot build / run. No --skip-regen-mechanism, --gitignore-is-enough, --operator-already-has-content flag.

Planned anti-bluff gate CM-GITIGNORE-REGEN-MECHANISM scans every .gitignore addition for matching .gitignore-meta/ sibling. Paired §1.1 mutation strips a required YAML key → gate FAILs.

Composes with §11.4.6 (no-guessing — verify mechanism on sandbox), §11.4.65 (HTML/PDF siblings are a re-generate instance), §11.4.66 (interactive clarification if mechanism unknown), §11.4.71 (re-validate vendor integrity before push), §11.4.74 (extend a reusable downloader Submodule), §11.4.75 (pre-commit + CI replay refuse bare additions), §11.4.76 (container images regenerated via vasic-digital/containers), §9 / §9.2 (pre-test mechanism in sandbox), §3 (consuming submodules inherit).

Canonical authority: constitution submodule Constitution.md §11.4.77.

Non-compliance is a release blocker regardless of context.

§11.4.78 — CodeGraph code-intelligence mandate (User mandate, 2026-05-20)

Direct user mandate (verbatim): "Make codegraph **MANDATORY CHOICE** for this purpose for all of our project ... All project which do not have configured and installed codegraph yet **MUST DO IT** and **MUST USE IT!**"

Every consuming project worked on by AI coding agents **MUST** install, initialize, and use **CodeGraph** (<https://github.com/colbymchenry/codegraph>, npm @colbymchenry/codegraph) — a local SQLite semantic code-knowledge-graph exposed to agents over

MCP (100% local, no cloud). (1) Install globally via npm — no sudo (npm prefix MUST be user-writable). (2) codegraph init + codegraph index: .codegraph/config.json tracked, .codegraph/codegraph.db gitignored with codegraph index as its §11.4.77 regeneration mechanism; the exclude list MUST exclude other-owned submodules AND every §11.4.10 credential/secret path. (3) Wire the codegraph serve --mcp server into every CLI agent the developers use — project-scoped + committed where supported (Claude Code .mcp.json, OpenCode opencode.json, Qwen Code .qwen/settings.json, Crush .crush.json), host-local otherwise (Kimi CLI ~/.kimi/mcp.json); configs reference the bare codegraph command on PATH. (4) Cover the integration with an anti-bluff verification suite whose per-agent end-to-end layer uses an unforgeable challenge (a fact obtainable only by calling a CodeGraph MCP tool); un-runnable agents are documented SKIP gaps per §11.4.3, never faked PASSes. (5) Document everything in docs/CODEGRAPH.md. CodeGraph is consumed as the npm package (§11.4.74) — not a git submodule, adds no Git remote.

Composes with §11.4.3, §11.4.10, §11.4.12, §11.4.65, §11.4.30, §11.4.74, §11.4.77, §11.4, §1.1. Planned gate CM-CODEGRAPH-WIRED + paired mutation.

Canonical authority: constitution submodule Constitution.md §11.4.78.

Non-compliance is a process violation; a project worked on by AI agents without CodeGraph installed, wired, and anti-bluff-verified is in breach of this mandate.

§11.4.79 — Own-org submodules MUST be included in the CodeGraph index (User mandate, 2026-05-21)

Direct user mandate (verbatim, 2026-05-21): "All Submodules we use in the project and that are part of organizations to which we have the full access via GitHub, GitLab and other CLIs MUST BE included into the codegraph database and initialized / scanned / synced!"

Refines §11.4.78 step 2's exclude-list with a per-submodule-ownership split: **own-org** (full write access via project's CLIs — canonical orgs vasic-digital + HelixDevelopment) MUST be INCLUDED; **third-party** (§11.4.74 no-match → vendor; e.g. gopkg.in/telebot.v3) MUST be EXCLUDED. Operational steps: (1) git submodule update --remote --merge before re-indexing — respect load-bearing third-party pins (roll back if --remote breaks a load-bearing import-path pin). (2) Adjust .codegraph/config.json exclude list. (3) Re-index. (4) Validate via probe resolving a symbol living ONLY inside an own-org submodule. (5) Paired §1.1 mutation: temporarily add own-org path to exclude → validate FAILs → restore.

Composes with §11.4.74 (ownership classifier), §11.4.78 (CodeGraph parent), §11.4.10 (credentials still excluded), §1.1 (paired mutation), §107 (a lying index is a PASS-bluff).

Canonical authority: constitution submodule [Constitution.md](#) §11.4.79.

Non-compliance is a process violation; severe cases (own-org submodules silently excluded without an audit trail in `.codegraph/config.json`) are release blockers.

§11.4.80 — CodeGraph regular-update + sync automation mandate (User mandate, 2026-05-21)

Direct user mandate (verbatim, 2026-05-21): "We MUST regularly check for the updates and execute codegraph npm updates so the latest version of it is always installed on the host machine! [...] Make sure we have proper full automation bash scripts which will run regularly and that these are part of the constitution Submodule since they MUST BE available to all projects [...]. Make sure all updates, sync processes we do and important codegraph related events are all documented under docs/codegraph in Status and Status_Summary documents [...]"

Three deliverables in this constitution submodule: (1) `scripts/codegraph_update.sh` — `npm-installs latest`; §107 anti-bluff verifies `codegraph --version` reflects new version (`npm exit 0` ≠ working binary). (2) `scripts/codegraph_sync.sh` — runs `codegraph status → sync . → status → project's validate`; appends to both project's + constitution's `docs/codegraph/Status.md`. (3) `docs/codegraph/Status.md` + `Status_Summary.md` ledgers, exported to `.html` + `.pdf` per §11.4.65.

Cadence: weekly floor. Scripts inherited by reference (§3 submodule inheritance) — invoke at `${CONST_DIR}/scripts/codegraph_*.sh`, never copy.

Composes with §11.4.78, §11.4.79, §11.4.10, §11.4.45, §11.4.65, §107, §1.1.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.80.

Non-compliance is a process violation; severe cases (>2 weeks since last update + open AI-agent work) are release blockers.

§11.4.81 — Cross-platform-parity mandate (User mandate, 2026-05-21)

Direct user mandate (verbatim, 2026-05-21): "Any Linux-only blocker / issue we have MUST BE created macOS and other supported platforms equivalent! So, depending on platform proper implementation will be used for particular OS! EVERYTHING MUST BE PROPERLY EXTENDED AND UPDATED!"

Every consuming project whose supported-platforms manifest lists more than one OS MUST ship per-OS-equivalent implementations + tests for every feature/gate/challenge/mutation that depends on platform-specific primitives. Runtime dispatch via `uname -s` (or equivalent). Three sub-mandates: **(A)** Per-OS implementation REQUIRED — `cgroup/systemd//proc` primitives have documented equivalents (POSIX `setrlimit/ulimit`, `launchd`, `rctl`, Job Object). **(B)** Per-OS tests REQUIRED — every gate test has case `"$(uname -s)"` in branches with positive captured evidence per §11.4.2 + §11.4.5 in each branch; SKIP-with-reason only when the platform genuinely cannot enforce. **(C)** Honest kernel-gap citation + adjacent equivalent test REQUIRED where no equivalent exists (canonical: XNU does NOT enforce `RLIMIT_AS` for unprivileged processes → SKIP with exact reproducer + adjacent test of what IS enforced, e.g. `RLIMIT_CPU+SIGXCPU`). The adjacent test is itself anti-bluff per §11.4 with a paired §1.1 mutation.

Per-OS equivalence catalogue (canonical): `systemd-run --user --scope ↔ POSIX ulimit -t -u / launchd; cgroup MemoryMax ↔ XNU gap (use RLIMIT_CPU adjacent) / rctl / Job Object; cgroup TasksMax ↔ RLIMIT_NPROC; /proc/<pid>/oom_score_adj ↔ no Darwin/BSD equivalent.`

Composes with §11.4.1 / §11.4.2 / §11.4.3 (strictened — SKIP only when kernel cannot) / §11.4.4 / §11.4.5 / §11.4.6 / §11.4.20 / §11.4.27 / §11.4.69 / §11.4.70 / §107. Pre-build gate CM-CROSS-PLATFORM-PARITY + paired §1.1 mutation. No escape hatch.

Canonical authority: constitution submodule Constitution.md §11.4.81.

Non-compliance is a release blocker on multi-platform projects.

§11.4.82 — Iteration-speedup discipline mandate (User mandate, 2026-05-22)

Direct user mandate (verbatim, 2026-05-22): "How can we speed-up this whole development and fixing process? ... all speed optimizations critical rules and mandatory constraints MUST BE all added into our root (constitution Submodule) Constitution.md, CLAUDE.md, AGENTS.md and QWEN.md!"

Iteration cycle time bounds the project's defect-discovery rate. Slow cycles ship fewer validated features per unit of operator time. Every consuming project's build / test / commit / debug pipeline MUST adopt 9 speedup disciplines AS MANDATORY:

- **(A) Phase 1 forensic before any speculative source patch** — Phase 1 of superpowers:systematic-debugging is mandatory before any non-trivial source patch. Speculative patches violate §11.4.6 + §11.4.82.
- **(B) Live-ADB-First before rebuild** — §11.4.51 strengthened to release-blocker. Skipping live-probe for LIVE_ADB_TEST-ABLE changes = §11.4.82 violation.
- **(C) Pre-flight before rebuild orchestrators** — 30-sec pre-flight: device reachable, sinks reachable, memory budget, no stale locks, no orphan processes.
- **(D) Persistent build caches outside containers** — ccache + Soong / sccache / Gradle daemon state bind-mounted to host. Saves 25-32 min/cycle from cycle #2.
- **(E) Module-only rebuild for CONFIG_*=m driver patches** — make modules over single driver dir (~2-5 min vs ~25 min full kernel).
- **(F) Parallel multi-device testing** — every owned validation device runs autonomous cycle concurrently with separate output dirs.
- **(G) Subagent scope ≤30 min + worktree isolation + single-responsibility** — empirical pattern: 8-task subagents stall, 2-3-task subagents complete.
- **(H) Lock-file + stale-process hygiene** — clean .git/ index.lock / .lock / orphan git/build processes on session start. Disable auto git-gc in concurrent multi-agent repos.
- **(I) Cycle telemetry per §11.4.24** — log commit hash, per-phase wall-clock, speedup flag set, outcome. Weekly aggregation surfaces empirical ROI per discipline.

Composes with §11.4.4 / §11.4.6 / §11.4.9 / §11.4.20 / §11.4.24 / §11.4.42 / §11.4.43 / §11.4.50 / §11.4.51 / §11.4.52 / §11.4.58 / §11.4.70 / §12.7 / §107. Pre-build gate CM-ITERATION-SPEEDUP-DISCIPLINE (when implemented) + paired §1.1 mutation. No escape hatch — no --skip-phase1, --no-pre-flight, --rebuild-everything, --unlimited-subagent-scope, --ignore-locks, --no-telemetry flag exists.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.82.

Non-compliance is a release blocker.

§11.4.83 — docs/qa/ end-user evidence mandate (User mandate, 2026-05-22)

Direct user mandate (verbatim, 2026-05-22): "every feature that ships MUST carry a recorded e2e communication transcript + any attached materials under docs/qa/<run-id>/ (per-feature subdirect-

ories). A feature with no QA transcript is itself a §107 PASS-bluff — it claims to work but has no auditable runtime evidence. Bot-driven automation MUST preserve full bidirectional communication threads as proof."

Every feature that ships MUST carry a recorded end-to-end communication transcript plus any attached materials committed under docs/qa/<run-id>/. A feature with no QA transcript is itself a §11.4 / §107 PASS-bluff. (1) Transcripts MUST be full bidirectional. (2) Attached materials MUST live in-repo (no external-only links — §11.4.13 sink-side violation). (3) Bot-driven / agent-driven QA MUST preserve the full conversation thread as the proof artefact. (4) CI release gates MUST refuse to tag a version whose feature-shipping commit lacks its matching docs/qa/<run-id>/.

Composes with §11.4.2, §11.4.5, §11.4.13, §11.4.65, §11.4.69, §107, §1.1.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.83.

Non-compliance is a release blocker.

§11.4.84 — Working-tree quiescence rule for subagent commits (User mandate, 2026-05-22)

Short tag: working-tree quiescence.

Direct user mandate (verbatim, 2026-05-22): "no subagent commit may proceed while any concurrent mutation gate is in flight in the same checkout. Before git add, the committing agent MUST grep its own working tree for mutation markers (MUTATED for paired, // always pass, return json.Marshal shortcut paths, etc.). Any unexplained file in the staging area triggers ABORT."

No subagent or main-thread commit may proceed while any concurrent mutation gate is in flight in the same checkout. Pre-git add: grep for mutation markers (MUTATED for paired, // always pass, return json.Marshal shortcuts, // MUTATION / # MUTATION annotations, _mutated_* filenames). Cross-check git status --porcelain against declared scope — unaccounted entries → ABORT.

Lesson (forensic). A consuming project's logo-fix subagent (Herald commit 72e81ab, 2026-05-21) ran in a checkout where a paired §1.1 mutation had injected an // always pass shortcut into a JWT verify path. The subagent's git add swept the mutation residue into the commit; the resulting commit was pushed to all four mirrors before any other agent caught it. Fix (Herald d5bd360) landed within the hour, but the production-equivalent-binary-with-bypassed-JWT window is a real security-defect window. The lesson is now constitutional.

Operative rule. (1) Pre-git add grep + scope-match → unaccounted file ABORT. (2) Active mutation gates MUST be serialised — mutate → assert FAIL → restore → assert PASS — and tree clean BEFORE unrelated commits. (3) Concurrent subagents same-checkout MUST use a lockfile (.git/MUTATION_IN_PROGRESS) or git worktree add per subagent. (4) Pre-push mutation-residue-scanner MUST run; commits containing mutation markers → push BLOCKED.

Composes with §1.1, §11.4.20, §11.4.70, §11.4.27, §11.4.10, §11.4.71, §107.

Canonical authority: constitution submodule Constitution.md §11.4.84.

Non-compliance is a release blocker. A mutation marker in a tagged commit is a critical defect regardless of how briefly it persisted.

§11.4.85 — Stress + Chaos Test Mandate (User mandate, 2026-05-24)

Short tag: stress-chaos-mandate.

Direct user mandate (verbatim, 2026-05-24): "Every fix or improvement you do MUST BE covered with full automation stress and chaos tests so we are sure nothing can break the functionality and all edge cases are monitored and polished and additionally fixed if that is needed! Everything must produce rock solid proofs and follow fully no-bluff policy!"

Every fix MUST ship with full-automation stress + chaos test suites. Happy-path-only coverage is a §11.4 / §107 PASS-bluff at the resilience layer.

Stress (closed-set): sustained load ($N \geq 100$ iters OR ≥ 30 s, p50/p95/p99 recorded) + concurrent contention ($N \geq 10$ parallel, no deadlock, no leak) + boundary conditions (empty/max/off-by-one, every boundary produces categorised result).

Chaos (closed-set, per fix-class): process-death injection + network-fault injection + input-corruption injection + resource-exhaustion injection (disk/OOM/FD) + state-corruption injection. Recovery deterministic + categorised per §11.4.69.

Anti-bluff. Every stress + chaos PASS cites a captured-evidence artefact (latency.json / categorised_errors.txt / state_delta_snapshot.json / recovery_trace.log) per §11.4.5 + §11.4.69. Helper library stress_chaos.sh provides ab_stress_run / ab_stress_concurrent / ab_chaos_* primitives composing with ab_pass_with_evidence / ab_skip_with_reason. Chaos cleanup MUST run in trap EXIT — failure = §11.4.14 violation.

4-layer per §11.4.4(b): pre-build gate + paired meta-test mutation + on-device test (if LIVE_ADB_TESTABLE) + HelixQA Challenge entry. Composes with §11.4 / §11.4.1 / §11.4.5 / §11.4.6 / §11.4.43 / §11.4.50 / §11.4.52 / §11.4.69 / §11.4.83 / §107.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.85.

Non-compliance is a release blocker regardless of context. No --skip-stress, --no-chaos, --happy-path-suffices, --stress-test-later flag exists.

§11.4.86 — Roster/corpus-backed Status-doc auto-sync mandate (User mandate, 2026-05-25)

Forensic anchor (verbatim): "Make sure that assets and players Status docs are ALWAYS regularly updated and in sync like all others Status docs — any time we add or modify the assets content(s) or we change or add new / remove existing pre-installed video and audio player apps! This MUST WORK OUT OF THE BOX!"

Status docs (§11.4.45) backed by a **tracked roster** (installed apps/components) or **asset corpus** (test/media asset directory) MUST resync **out of the box** the moment a member changes (player added/removed/renamed; asset added/modified/removed) — Status doc + Status_Summary + HTML + PDF, mechanically, not by operator vigilance.

Mechanism (all must hold): (1) drift-proof **fingerprint** = sha256 of sorted member list (NOT mtime), persisted in a sidecar beside the Status doc; (2) **sync helper** regenerates fingerprint + re-exports HTML+PDF (via §11.4.65 exporter), wired so sync is automatic; (3) **pre-build gate** FAILs when live fingerprint ≠ persisted (mirrors §11.4.12 CM-ISSUES-SUMMARY-SYNC + §11.4.45 sync_integration_status); (4) paired §1.1 mutation corrupts fingerprint → gate FAILs. Composes with §11.4.12 / §11.4.45 / §11.4.53 / §11.4.56 / §11.4.57 / §11.4.59 / §11.4.60 / §11.4.65 / §11.4.6. Classification universal (§11.4.17) — consuming project supplies specific docs/roster/helper/gate per §11.4.35.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.86.

Non-compliance is a release blocker regardless of context. No --skip-roster-sync, --allow-status-drift, --roster-sync-not-applicable flag exists.

§11.4.87 — Endless-loop autonomous work + zero-idle agent dispatch + anti-bluff testing mandate (User mandate, 2026-05-26)

When operator instructs an AI agent to "continue in endless loop fully autonomously" (or semantically-equivalent), the agent MUST treat as HARD-CONTRACT covenant covering five obligations: (A) continue until docs/Issues.md non-terminal Status entries = 0 AND docs/CONTINUATION.md §3 Active work empty AND no subagent in-flight AND no external dep in-flight; (B) dispatch background subagents for parallelisable work — main + subagents concurrent, "waiting for results" is the ONLY idle reason; (C) every closure lands four-layer test coverage per §11.4.4(b) with captured-evidence "physical proofs" (tinycap WAV + RMS / screen recording + ffprobe / dumphsys + sink-probe / uiautomator dump / sysfs snapshots) — metadata-only / config-only / absence-of-error / grep-without-runtime PASS are critical defects; (D) §11.4 anti-bluff covenant family operative end-to-end (tests AND HelixQA Challenges bound equally per forensic anchor "tests pass but features don't work"); (E) loop terminates ONLY on all-conditions-met, explicit operator STOP, host-safety demand (§12 family), or scheduled wake on known-future-actionable signal.

Composes with §11.4 / §11.4.1 / §11.4.2 / §11.4.4 / §11.4.5 / §11.4.6 / §11.4.7 / §11.4.20 / §11.4.27 / §11.4.42 / §11.4.43 / §11.4.50 / §11.4.52 / §11.4.58 / §11.4.68 / §11.4.69 / §11.4.70 / §11.4.83 / §11.4.85 / §11.4.86 / §12.10. Pre-build gate CM-COVENANT-114-87-PROPAGATION + paired §1.1 mutation.

Canonical authority: constitution submodule Constitution.md §11.4.87.

Non-compliance is a release blocker regardless of context. No escape hatch — --idle-OK, --skip-endless-loop, --bluff-permitted-for-this-task, --metadata-only-test-suffices, --no-physical-proof-required are FORBIDDEN flags.

§11.4.88 — Background-push mandate: commit-lock release immediately after commit, push runs detached (User mandate, 2026-05-26)

Forensic anchor: 2026-05-26 a single commit_all.sh held its flock ~5 hours because do_push ran synchronously after the commit landed — every subsequent commit was blocked on a slow mirror push that had nothing to do with the local commit's durability. Implementation seam for §11.4.87(B) zero-idle.

Mandate (5 obligations): (A) .git/.commit_all.lock released IMMEDIATELY after git commit returns 0; (B) push runs detached via nohup ./push_all.sh ... > <log> 2>&1 & + disown; (C) push_all.sh acquires per-remote flock .git/.push.<remote>.lock — concurrent same-remote serializes, different-remote parallelises; (D) failures → qa-results/push_failures/<ts>_<remote>.log, autonomous loop checks per §11.4.87(A); (E) --sync-push flag escape for §11.4.41 force-push merge-first paths only. Composes with §2.1 / §9.2 /

§11.4.41 / §11.4.42 / §11.4.71 / §11.4.87. Pre-build gates CM-COVENANT-114-88-PROPAGATION + CM-BACKGROUND-PUSH-WIRED + paired §1.1 mutations.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.88.

Non-compliance is a release blocker. No escape hatch beyond --sync-push.

§11.4.89 — Background test execution mandate (User mandate, 2026-05-27)

Forensic anchor — verbatim user mandate (2026-05-27):

"Any tests we are executing, especially long test cycles, MUST BE performed in background in parallel with main work stream! This MUST NOT block our capabilities to work on queued workable items."

Symmetric anchor to §11.4.88 at the test-execution layer. Mandate (6 obligations): (A) Long-running tests (>30s) MUST run via nohup ... > <log> 2>&1 & + disown with log under known dir; (B) Main stream proceeds to §11.4.42 priority queue immediately — "waiting for results" is the only acceptable idle reason per §11.4.87(B); (C) Hard-dependency gating: poll exit-status file or pgrep before dependent steps — surface as §11.4.66 options if test still running; (D) Failures land in log files; (E) Foreground only for <30s OR operator authorisation; (F) Per-script flock for same-script serialisation. Composes with §11.4.42 / §11.4.66 / §11.4.82 / §11.4.84 / §11.4.85 / §11.4.87 / §11.4.88. Pre-build gates CM-COVENANT-114-89-PROPAGATION + CM-BACKGROUND-TEST-EXECUTION-WIRED + paired §1.1 mutations.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.89.

Non-compliance is a release blocker. No escape hatch beyond explicit per-invocation operator authorisation.

§11.4.90 — Obsolete status + per-item obsolescence audit (User mandate, 2026-05-27)

§11.4.15 Status closed-set extended with terminal Obsolete (→ Fixed.md) (orthogonal to Type). Reasons (closed): superseded-by-design-change | superseded-by-later-mandate | feature-removed | duplicate-of | unsupported-topology. Every Obsolete heading carries ****Obsolete-Details:**** (Since + Reason + Superseding-item + Triple-check evidence). Colorizer cell-status-obsolete = #E0E0E0 background + strikethrough. Audit cadence per §11.4.40 +

§11.4.42. Triple-check non-negotiable. Pre-build gates CM-COVENANT-114-90-PROPAGATION + CM-ITEM-OBSOLETE-DETAILS + CM-OBSOLETE-COLORIZER-WIRED + paired §1.1 mutations.

Canonical authority: constitution submodule [Constitution.md](#)
§11.4.90. Non-compliance is a release blocker.

§11.4.91 — Summary-doc clarity mandate (User mandate, 2026-05-27)

Every summary entry MUST contain self-contained meaningful description ≥ 6 words OR ≥ 40 chars naming SUBJECT + PROBLEM/GOAL. Forbidden anti-patterns: section labels (Composes with, etc.); bare metadata fragments; §-letter alone. Generators MUST extract from H1/H2 heading line per §11.4.54 ATM-NNN convention. Pre-build gate CM-SUMMARY-CLARITY-DESCRIPTIONS + paired §1.1 mutation.

Canonical authority: constitution submodule [Constitution.md](#)
§11.4.91. Non-compliance is a release blocker.

§11.4.92 — Multi-pass change-evaluation discipline (User mandate, 2026-05-27)

Every non-trivial change MUST pass 5-pass evaluation BEFORE commit-ready: (1) Main-task verification, (2) Regression-blast-radius, (3) Cross-feature interaction, (4) Deep-research validation per §11.4.8, (5) Anti-bluff confirmation. Documentation per pass. Only after all 5 passes complete may commit/push/test/release proceed. Composes §11.4.4 / §11.4.5 / §11.4.6 / §11.4.8 / §11.4.20 / §11.4.27 / §11.4.42 / §11.4.43 / §11.4.50 / §11.4.52 / §11.4.69 / §11.4.78 / §11.4.82 / §11.4.83 / §11.4.85 / §11.4.87 / §11.4.89. Pre-build gates CM-COVENANT-114-92-PROPAGATION + CM-MULTI-PASS-EVALUATION-EVIDENCE.

Canonical authority: constitution submodule [Constitution.md](#)
§11.4.92. Non-compliance is a release blocker.

§11.4.93 — SQLite-backed single-source-of-truth for workable items (User mandate, 2026-05-27)

Text-based Issues/Fixed/Summary trackers converted to SQLite DB at docs/.workable_items.db (gitignored + §11.4.77 regen mechanism). Schema: items (atm_id PK + Type + Status incl. Obsolete + Severity + title + description ≥ 40 chars + composes_with JSON + current_location); item_history (audit log §11.4.34); obsolete_details (§11.4.90); operator_block_details (§11.4.21); firebase_metadata (§11.4.47); meta. Go binary cmd/workable-items/: sync md-to-db / db-to-md / diff / validate / add / close. Bidirectional byte-identical round-trip. commit_all.sh refuses on diff. Pre-build

gate runs validate. Anti-bluff: unit + integration + stress + chaos per §11.4.85 + paired §1.1 mutation + HelixQA Challenge CME-WORKABLE-ITEMS-001. 6-phase migration §LA. Go binary in constitution submodule per §11.4.74. Composes §11.4 / §11.4.12-93 covenant family.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.93. Non-compliance is a release blocker.

§11.4.94 — Zero-idle priority-first parallel-by-default operating mode (User mandate, 2026-05-27)

Binds

§11.4.20+§11.4.42+§11.4.58+§11.4.70+§11.4.72+§11.4.82+§11.4.87+§11.4.88+§11.4.89 into single always-on enforcement: idle only when externally blocked / operator STOP / §12 host-safety; before any wake/sleep survey parallel-work feasibility; priority order MANDATORY (audio-first per §11.4.72); subagent-driven default non-trivial; background default >30s; stability-preserving per §11.4.92 + §11.4.84 + §12.6-§12.9; progress updates surfaced at milestones. Anti-pattern: wake without queue survey, "nothing to do" with non-trivial progressable, serial parallelisable work, lower priority over higher. Pre-build gates CM-COVENANT-114-94-PROPAGATION + CM-PARALLEL-WORK-AUDIT.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.94. Non-compliance is a release blocker.

§11.4.95 — Workable-items SQLite DB TRACKED in git, NEVER gitignored (User mandate, 2026-05-27)

§11.4.93 amendment: DB at docs/workable_items.db is TRACKED, NEVER gitignored. Authoritative source data, NOT build artefact. Every state change → stage+commit+push DB alongside MD regen per §11.4.19+§2.1. WAL-checkpoint before commit. Destructive DB ops require §9.2+authorization. Pre-build gates CM-COVENANT-114-95-PROPAGATION + CM-WORKABLE-ITEMS-DB-TRACKED.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.95. Non-compliance is a release blocker.

§11.4.96 — Safe-parallel-work-with-long-build catalogue + mandate (User mandate, 2026-05-27)

Operational catalogue for 5-7h AOSP containerised build:

SAFE: (A) docs/MD work; (B) host-side scripts; (C) pre-build + meta-test gate authoring; (D) on-device test scripts authoring; (E) constitution edits + push; (F) any submodule commit + push per

§11.4.88; (G) read-only live-ADB probes; (H) subagent dispatch per §11.4.20/§11.4.70 + §11.4.84; (I) web research + APIs; (J) workable-items DB ops; (K) pre-build + meta-test execution backgrounded per §11.4.89.

UNSAFE: (α) git checkout/reset on source tree; (β) mass deletes/renames under built source; (γ) submodule pointer updates affecting built APKs; (δ) out/ mutations; (ε) make clean / m clobber; (ζ) container destruction; (η) disk-filling; (θ) §12 host-safety breaches.

Conductor MUST dispatch ≥ 1 (A)-(K) item per pause point. "Build running, nothing else to do" NEVER true. Pre-build gates CM-COVENANT-114-96-PROPAGATION + CM-PARALLEL-WORK-DURING-BUILD-AUDIT.

Canonical authority: constitution submodule [Constitution.md](#)
§11.4.96. Non-compliance is a release blocker.

§11.4.97 — Maximum-use-of-idle-time + progress-update cadence (User mandate, 2026-05-27)

Operating-mode capstone: (A) every minute of progressable idle time = §11.4.97 violation; dispatch CONTINUOUSLY; (B) emit 1-line operator update at every commit/subagent-return/anchor-landed/evidence-captured/migration-closure — no prompt required; (C) continuous physical-proof gathering per §11.4.5+§11.4.6+§11.4.69; (D) composes with §11.4.5/6/13/20/27/42/50/52/69/70/72/83/85/87/88/89/94/96; (E) idle-only-when-blocked closed-set unchanged. Pre-build gates CM-COVENANT-114-97-PROPAGATION + CM-IDLE-TIME-AUDIT.

Canonical authority: constitution submodule [Constitution.md](#)
§11.4.97. Non-compliance is a release blocker.