

README

workable-items — §11.4.93 SQLite-SSoT Go binary

Revision: 1 **Last modified:** 2026-05-27T06:30:00Z **Description:** Authoritative source-of-truth registry for every workable item in every consuming project. Bidirectional regen between SQLite DB and Markdown trackers per Constitution §11.4.93.

Overview

Per Constitution §11.4.93, every consuming project's workable-items inventory (Issues.md / Fixed.md / Issues_Summary.md / Fixed_Summary.md / Status.md fleet / CONTINUATION.md §3) is reconstructible from this DB-backed registry. The DB is the **authoritative** source; all Markdown / HTML / PDF surfaces are generator output.

Sync drift is mechanically impossible because every regeneration starts from the DB.

Layout

Path	Purpose
schema.sql	DDL — 6 tables: items + item_history + obsolete_details + operator_block_details + fire-base_metadata + meta
cmd/workable-items/main.go	Go binary entrypoint (Phase 2 scaffold)
pkg/itemsdb/	SQLite access layer (Phase 2 scaffold)
pkg/mdparser/	Markdown→DB parser (Phase 3 scaffold)
pkg/mdrender/	DB→Markdown renderer (Phase 4 scaffold)
tests/	Unit + integration + stress + chaos tests per §11.4.85

Subcommands (Phase 2 spec)

```
workable-items sync md-to-db          # parse Issues.md+Fixed.md →
upsert DB
workable-items sync db-to-md          # regen MD docs from DB
workable-items diff                    # show DB vs MD divergence (CI
gate)
workable-items validate                # invariant + schema sanity
(pre-build gate)
workable-items add <type> <severity> --title <T> --description <D>
workable-items close <atm-id> --status <fixed|implemented|
completed|obsolete> --evidence <path>
workable-items report --by-type|--by-status|--by-severity|--
obsolete-audit
```

Anti-bluff coverage (mandatory per §11.4.93 + §11.4.85)

Layer	Test
Unit	every CRUD operation + every schema invariant + closed-set validators
Integration	full MD→DB→MD round-trip byte-identical (modulo whitespace tolerance)
Stress per §11.4.85	1000-row insert; 10 concurrent writers; sustained read throughput
Chaos per §11.4.85	mid-write SIGKILL; corrupt-DB recovery; disk-full; FD exhaustion
Paired §1.1 mutation	strip CRUD function → unit test FAILs
HelixQA Challenge	CME-WORKABLE-ITEMS-001 exercises end-to-end DB→MD→DB→MD

6-phase migration per §11.4.93 (consuming-project work)

1. **Phase 1** — Issues entry §LA filed, scope-locked.
2. **Phase 2** — Go binary scaffold + DDL committed (this PWU).
3. **Phase 3** — sync md-to-db lands + captures initial migration.
4. **Phase 4** — sync db-to-md lands + byte-identical round-trip CI gate.
5. **Phase 5** — Existing bash generators (generate_issues_summary.sh etc.) become Go-binary shims.
6. **Phase 6** — Legacy text-direct edits prohibited (pre-commit hook).

Composes with constitution anchors

§11.4 / §11.4.12 / §11.4.15 / §11.4.16 / §11.4.17 / §11.4.19 /
§11.4.21 / §11.4.27 / §11.4.30 / §11.4.33 / §11.4.34 / §11.4.42 /
§11.4.43 / §11.4.44 / §11.4.45 / §11.4.50 / §11.4.52 / §11.4.53 /
§11.4.54 / §11.4.55 / §11.4.56 / §11.4.57 / §11.4.58 / §11.4.60 /
§11.4.65 / §11.4.74 / §11.4.77 / §11.4.83 / §11.4.85 / §11.4.86 /
§11.4.87 / §11.4.89 / §11.4.90 / §11.4.91 / §11.4.92.

Canonical authority

../../Constitution.md §11.4.93.