

Status

CodeGraph — Status

Field	Value
Revision	2
Created	2026-05-21
Last modified	2026-05-22
Status	active
Status summary	Append-only ledger of every CodeGraph-related event across the constitution submodule's consuming projects: npm updates, sync runs, index regenerations, validate runs, HRDs opened/closed against CodeGraph. Per Universal §11.4.80 + §11.4.65 (multi-format export). Both scripts/codegraph_update.sh and scripts/codegraph_sync.sh append here automatically. R2 (2026-05-22): replaced project-specific §107 anchor references with the universal §11.4 covenant anchor to keep this submodule fully decoupled per §11.4.28.
Issues	none
Issues summary	—
Fixed	(n/a — ledger doc)
Continuation	sibling Status_Summary.md carries the operator-readable digest per §11.4.53.

Table of contents

- [Cadence + automation](#)
- [Event ledger](#)

Cadence + automation

Per §11.4.80, every consuming project MUST run `codegraph_update.sh` at least weekly and `codegraph_sync.sh` after every update + on every meaningful source-change cadence (varies by project). Cadence floor: weekly. Cadence ceiling: per-CI-run.

The scripts append entries below automatically; manual entries are also acceptable when an operator runs the commands directly.

Event ledger

(events appended below by the automation; newest at the bottom)

2026-05-21T05:38:53Z — codegraph update FAILED (§11.4 bluff caught)

- before: 0.6.8
- target: 0.8.0
- after: unknown (mismatch — npm exit 0 was bluffing)

2026-05-21T05:40:01Z — codegraph rolled back to 0.6.8 (Node-25 incompatibility)

- before: 0.8.0 (installed but non-functional on Node 25.x — engine range + V8 WASM JIT bug)
- after: 0.6.8 (last known-working on Node 25.x)
- decision: pin codegraph to 0.6.8 until Node 25 V8 issue is resolved upstream OR operator installs Node 22 LTS alongside
- §11.4 trail: `codegraph_update.sh` correctly caught the failed upgrade via the post-update version check — script working as designed
- follow-up HRD: `ENV-CODEGRAPH-NODE25` to track when 0.7+/0.8+ becomes safe again

2026-05-21T12:41:31Z — codegraph update FAILED (§11.4 bluff caught)

- before: 0.6.8
- target: 0.8.0
- after: unknown (mismatch — npm exit 0 was bluffing)

2026-05-21T12:49:03Z — codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: **no-op** (already at latest)

2026-05-21T12:51:16Z — codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: **no-op** (already at latest)

2026-05-21T14:31:35Z — codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: **no-op** (already at latest)

2026-05-21T15:17:07Z — codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: **no-op** (already at latest)

2026-05-21T15:21:55Z — codegraph version check

- current: 0.8.0
- latest: 0.8.0
- action: **no-op** (already at latest)

2026-05-21T15:26:34Z — codegraph version check

- current: 0.8.0
- latest: 0.8.0

- action: **no-op** (already at latest)

2026-05-22T08:44:36Z — codegraph version check

- current: 0.9.2
- latest: 0.9.2
- action: **no-op** (already at latest)

2026-05-28T10:21:08Z — codegraph updated

- before: 0.9.4
- after: 0.9.6
- npm command: `npm install -g @colbymchenry/codegraph@0.9.6`

2026-05-28T14:26:35Z — codegraph version check

- current: 0.9.6
- latest: 0.9.6
- action: **no-op** (already at latest)