

# helix\_code\_services

---

## helix\_code\_services.md – Services Guide

---

Revision: 1 Last modified: 2026-07-17T00:00:00Z

### Overview

---

HelixCode service management wrappers: install, boot, stop, health-check, and status for the HelixCode / HelixLLM / HelixAgent service fleet.

### Prerequisites

---

- `helix_code_home.sh` sourced first (provides `hc_home()` )
- `bash`  $\geq$  4.0
- Docker or Podman (for compose-based services)
- Network access to `github.com:HelixDevelopment/HelixCode.git`

# Quick Start

```
source constitution/scripts/helix_code/helix_code_home.sh
source constitution/scripts/helix_code/helix_code_services.sh
```

```
# Install binaries
```

```
hc_install
```

```
# Boot the coder (multi-track live sink)
```

```
hc_boot_coder
```

```
# Check status
```

```
hc_status
```

```
# Verify all binaries on PATH
```

```
hc_verify_binaries
```

## Functions

| Function                                    | Purpose                                                           |
|---------------------------------------------|-------------------------------------------------------------------|
| <code>hc_install [--flags]</code>           | Install HelixCode binaries via <code>install_helix_path.sh</code> |
| <code>hc_boot_service &lt;name&gt;</code>   | Boot a service via the Containers submodule <code>compose</code>  |
| <code>hc_boot_coder</code>                  | Boot the HelixLLM coder on <code>:18434</code> (with health wait) |
| <code>hc_stop_service &lt;name&gt;</code>   | Stop a service                                                    |
| <code>hc_status</code>                      | Print health status of all 4 HelixCode services                   |
| <code>hc_verify_binaries</code>             | Verify all 6 binaries are on PATH                                 |
| <code>hc_health [host] [port] [path]</code> | Health check (from <code>helix_code_home.sh</code> )              |

## Service Ports

| Service          | Port   | Health Endpoint  |
|------------------|--------|------------------|
| HelixCode server | :8080  | /health          |
| HelixLLM coder   | :18434 | /health          |
| HelixLLM gateway | :8443  | /internal/health |
| HelixAgent       | :8100  | /health          |

## Safety

- §11.4.161: uses rootless podman via the Containers submodule
- §11.4.119: single-owner GPU — only one track boots the coder
- §12.6: 60% memory ceiling applies to service boot

## Cross-references

- docs/helix\_code/INTEGRATION\_PLAN.md §3 Tasks 1.2-4
- docs/helix\_code/CLAUDE\_TOOLKIT\_EXTENSION.md §1
- docs/helix\_code/RISK\_ANALYSIS.md — port collisions, GPU contention