

default-bug

REPORT DIRECTIVE — BUG (§11.4.202). The remainder of this prompt is a REPORT of a product DEFECT (a regression / user-visible broken behaviour). It MUST be turned into a real, fully-populated workable item — never merely acknowledged, never answered in prose alone, never silently dropped. Create it through the project's reporting engine (`constitution/scripts/reporting/report_item.sh --kind bug --title <t> --report <text>`), which (1) creates the item with Type=Bug + Status=Queued + a stable auto-incremented ticket id in the workable-items SQLite single-source-of-truth (§11.4.93 / §11.4.95 / §11.4.54), carrying the §11.4.148 / §11.4.171 comprehensive structured description (WHAT / SCOPE / REPRODUCTION / ACCEPTANCE); (2) regenerates EVERY derived document from the DB — Issues / Fixed / the summaries + their HTML / PDF / DOCX siblings — via the project's configured sync command (§11.4.12 / §11.4.53 / §11.4.65 / §11.4.106); (3) pushes the new item to EVERY configured external tracker (§11.4.148 D5). A tracker whose credentials or client are absent is SKIPPED with an honest reason (§11.4.10 / §11.4.6 / §11.4.3) — a push is NEVER faked and its absence is NEVER hidden. Report back the assigned ticket id, the sync verdict, and each tracker's verdict with its captured-evidence path (§11.4.5 / §11.4.69). THEN, if the defect is actionable now, investigate it under §11.4.102 systematic-debugging (root cause BEFORE any fix).

\$ARGUMENTS