

PHASE⁵ B_DB_REMEDIATION_APPLIED

**PHASE B – DB-only
remediation APPLIED (BG-
QUALITY-ROOTCAUSE, doable-now
slice)**

Field	Value
Revision	1
Created	2026-07-23
Last modified	2026-07-23T04:35:00Z (+05 host clock)
Status	COMPLETE — all writes applied via the sanctioned <code>workable-items</code> binary; zero raw-SQL writes; zero ids deleted/renumbered (§11.4.54); no commit/push (conductor lands the DB)
Author	(T1/main - claude1) Phase-5b remediation subagent, Fable, §11.4.182
Inputs	<code>PROJECT_GAP_AUDIT.md</code> (measured requirements) · <code>../OPERATOR_COMPLAINT_MINING.md</code> (+ <code>../complaints.tsv</code>) · <code>docs/workable_items.db</code> (every audit figure re-verified live before acting, §11.4.6)
§9.2 backup	<code>docs/workable_items.db.bak-phase5b-1784762212</code> — plain cp , verified DISTINCT inodes (live=9635790, backup=9656953; not a hard-link). <code>PRAGMA integrity_check</code> = ok BEFORE and AFTER all writes
Scope honored	DB + derived docs only. Untouched: <code>pre_build_verification.sh</code> , <code>meta_test_false_positive_proof.sh</code> , <code>constitution/submodules/</code> , all of <code>/mnt/track2..4</code> , all L3 test files

. Write ledger (complete – sanctioned-tool writes, nothing else)

#	Verb	Target	Effect
1–3	update --description	ATM-812, ATM-793, ATM-800	§11.4.214 duplicate/candidate links appended (T1); tool wrote its own Updated audit rows
4–9	diary add (User, FAIL)	ATM-277, ATM-352, ATM-351, ATM-789, ATM-788, ATM-797	Operator reopen-channel backfill (T2); test_diary entry_id 103–108
10	reopen (AI, captured-evidence-contradicts)	ATM-799	Demotion Fixed → Reopened, relocated Fixed → Issues (T3)

Post-write DB facts: 619 distinct ids (unchanged — nothing deleted/renumbered), item_history 676 → 680 rows (3 Updated + 1 Reopened, all tool-minted), test_diary +6 User rows, PRAGMA integrity_check =ok, WAL checkpointed (wal_checkpoint(TRUNCATE) → 0|0|0).

. T – same-defect re-mint links (SOL– / § . .)

Every pair's BOTH full bodies were read from the DB before the verdict (§11.4.186 negative-control applied; no auto-merge; no item closed, obsoleted, or merged — links only, §11.4.54).

Pair — ATM— $\triangleq$ ATM— ~~SAME-~~
DEFECT (confirmed) → LINK-only

- Verdict basis: ATM-788 Defect A = primary brightness slider has no effect (operator, 2026-07-16T20:48:42Z); ATM-812 = brightness sliders do not affect connected displays (operator, 2026-07-21, 0.0.8 QA). Same user-visible defect re-reported 5 days later under a new id; mining §4 row states it verbatim ("same defect, NEW id, 5 days later").
- Scope honesty recorded in the link: ATM-788's Defect B (slider spacing $\triangleq$ ATM-438) is NOT part of ATM-812; ATM-812 additionally carries the two-overlay dimming workaround SPEC, which stays tracked there (nothing merged, nothing lost).
- Chain note recorded: ATM-788's own body maps Defect A to still-Reopened **ATM-437** (candidate chain head). Both ATM-437 and ATM-438 verified Reopened /open in the DB.
- Action: ****Duplicate-of:**** ATM-788 block appended to ATM-812's description. ATM-788 is OPEN (Queued) $\Rightarrow$ **LINK-only, no reopen minted** (§11.4.214 open-target rule — reopening an open item is undefined in the §11.4.15 status machine).

Pair — ATM— $\triangleq$ ATM— ~~SAME-~~
DEFECT (confirmed) → LINK-only

- Verdict basis: ATM-352 (FIND-5/7) = subtitles render on PRIMARY instead of 2nd display, general across streaming apps, Reopened since 2026-06-09. ATM-793 = the Apple-TV instance (operator 2026-07-16T21:03:50Z, "has not been fixed at all!!!"); ATM-793's own body states the defect is NOT app-specific but the subtitle-forwarding path itself (siblings ATM-309/ATM-792; family ATM-239 In testing). Mining §6 chain 1: ≥ 3 operator-experienced cycles over 49 days.
- Action: ****Duplicate-of:**** ATM-352 block appended to ATM-793's description. ATM-352 is OPEN (Reopened) $\Rightarrow$ **LINK-only, no reopen minted**. ATM-793's §11.4.138 bluff-audit deliverable stays tracked on ATM-793.

Pair — ATM- [?] ATM- →
UNDECIDED → CANDIDATE-link only (deliberately NOT confirmed)

- Verdict basis (§11.4.214(3) first-class outcome): ATM-351 has a NAMED root cause (ATMOSphere MPV 4K x265 10-bit, libmpv drm_prime interop → SW fallback). ATM-800's own body marks its mechanism UNCONFIRMED and its player unspecified, and enumerates non-MPV candidate mechanisms (IO, VOM surface handoff, HW-codec disablement). Confirming the duplicate would be a §11.4.6 guess; a wrong merge silently deletes a real defect.
- Action: `**Candidate-duplicate-of:**` ATM-351 block appended to ATM-800's description, carrying the explicit DISCRIMINATOR (ATM-800 acceptance step 2: decoder identity + HW-vs-SW as FACT ⇒ resolve-through or declare distinct). Both open; no reopen owed on either verdict.

Link losslessness proof (pre-write §11.4.201(7) control): `update --`
`description` regenerates `body_md` from the minimal template (SPK-481 truncation class). Before writing, each target's stored `body_md` was byte-compared against the exact `renderItemBody(columns)` reconstruction — **all three matched byte-identically** (3625/3510/5343 B), so regeneration with the appended description was provably lossless. Post-write: bodies grew by exactly the appended block (+1142/+1093/+1324 B), statuses unchanged (`Queued`), and the A20 audit instrument flipped 0 → 1 for all three pairs (`body/description` LIKE `'%<canonical>%'`).

Restored-signal note (honest boundary, §11.4.6): these prose links make the re-mints mechanically discoverable (the A20 query class) and satisfy §11.4.214's no-loss contract; they do NOT increment any `reopens_count` counter — per §11.4.214's open-target rule no reopen is OWED (all three canonical targets are open), so the reopens signal for these families is correctly carried by the still-open `Reopened` statuses plus the T2 diary rows below.

. T – operator reopen-channel backfill (the recurrences with zero User events)

Pre-write fact (re-verified): all 25 `item_history` Reopened events were
`by='AI'` ; the six operator-experienced recurrences (mining §4/§6) left zero
 tracker events. Per §11.4.214, **every family target is currently OPEN**, so minting
 Reopened history events for them is structurally forbidden (reopen presupposes a
 closure to demote from). The sanctioned vehicle used instead: **§11.4.149**
`test_diary rows with tested_by='User'` — the operator's manual-QA FAIL
 observations, mechanically queryable (`SELECT * FROM test_diary WHERE`
`tested_by='User'`). No date fabricated: exact timestamps come from the
 §11.4.202 directive records / the mining doc; where only a date is recoverable the
 time is recorded literally as UNKNOWN.

entry_id	Item (status at write)	date_time	feature_class	Operator occasion recorded
103	ATM-277 (Re-opened)	2026-07-16 (time UNKNOWN — QA burst 20:50–21:22)	video_display	"All reported issues with Watch here button still exist!" after 4 AI-attributed reopen cycles in one week; family failed first-touch again 07-21 (ATM-809/814)
104	ATM-352 (Re-opened)	2026-07-16T21:03:50Z	sub-title_render	"Subtitles never show on 2nd display... has not been fixed at all!!!" (entered tracker as ATM-793 — now linked)
105	ATM-351 (Re-opened)	2026-07-16T21:50:16Z	video_display	4K glitch re-reported (entered as ATM-800 — candidate-linked); FAIL records the OBSERVATION, explicitly NOT a confirmation ATM-351's named mechanism re-occurred

entry_id	Item (status at write)	date_time	feature_class	Operator occasion recorded
106	ATM-789 (Ready for testing)	2026-07-16T20:50:00Z (seconds UNKNOWN)	audio_output	Dialog-hang ISSUE + the 2026-07-17T10:28 REMINDER :: re-raise (13.6 h intake latency, NC-2); item minted only 07-18
107	ATM-788 (Queued)	2026-07-21 (time UNKNOWN)	display_topology	Defect A re-experienced during 0.0.8 QA; entered as ATM-812 (now linked); reopens signal never moved (PC-6)
108	ATM-797 (Queued)	2026-07-16T21:23:17Z	storage_read	Operator-titled REGRESSION (exFAT worked on prior versions); NO prior terminal exFAT item exists in the tracker ⇒ no reopen target — the gap itself is documented in the row

Every row cites `constitution/docs/research/quality/OPERATOR_COMPLAINT_MINING.md` as `evidence_path` and states in `action_taken` WHY no status change / no Reopened event was minted.

³ 1 . T — honest sweep (false-terminal / zero-custody)

. DEMOTED (status genuinely wrong): ATM-799 — the live PC- instance

- Pre-write facts (re-verified): status Fixed (→ Fixed.md) in Fixed; its Fixed history event's evidence string literally ends "(PENDING-DEVICE)"; its own body documents the device-gated validation was honestly SKIPped — then the closure outran that.
- Action: reopen --who AI --when 2026-07-23 --why captured-evidence-contradicts --incident constitution/docs/research/quality/remediation/PROJECT_GAP_AUDIT.md → status Reopened , relocated Fixed→Issues, Reopened-Details upserted, body preserved (single-Status body pre-verified; source-side work context intact — the item's true position, source-landed-awaiting-device-validation, remains readable in its body). History now carries a LEGAL Opened→Fixed→Reopened sequence.

. PROVABLY WRONG but demotion TOOL-BLOCKED (operator review): ATM-380

- Facts: column Completed (→ Fixed.md) / location Fixed; its body's own top ****Status:**** line reads In progress ; title says "runtime confirm pending"; body carries SIX non-terminal sub-items (D1/D2/D4/D5 In progress , D6 Operator-blocked , D7 Queued) plus [ATM-008] §M.M3 at Ready for testing — and **ATM-008 has NO separate DB row**, so open work is invisible inside a Completed item. Its sole history row says the Completed event was minted mechanically during doc-sync ("status already terminal"), not from evidence.
- WHY not demoted: canonicalizeBodyStatusLine (parse.go:496-516) patches the **LAST** ****Status:**** line of a body. In ATM-380's composite legacy body the last Status line belongs to sub-item **D8** (genuinely Completed with evidence) — ANY status write via update / reopen would corrupt D8's record. Raw SQL is forbidden (audit P3 / PC-1 bypass class). A wrong write is worse than a documented block (§11.4.101).

- **Tool defect exposed (report to the SOL-01/tooling stream):** the same last-line semantics power the column ↔ body desync oracle — D8's terminal line MATCHES the column, so `validate` cannot see ATM-380's top-level `In progress` desync. A §11.4.201 false-negative inside the custody tooling itself, on composite multi-Status legacy bodies. Remediation prescription: split the composite item (sub-items → own ids) or teach the engine heading-adjacent-Status semantics FIRST, then demote ATM-380.

• The impossible-sequence items (reopens> , terminal-events=) – statuses verified RIGHT, ledger hole documented

Re-verified live: ATM-277(4/0); ATM-346/347/349/350/351/352/353(2/0); ATM-328/329/406/610/611/SPK-609(1/0).

- **ATM-347 — reclassified NOT-impossible (audit refinement):** it carries a terminal `obsolete` event (2026-07-22, `feature-removed` , nova retirement, + a complete `obsolete_details` row citing ATM-815). The audit's terminal-count included only Fixed/Implemented/Completed. Its current state is evidence-backed; only the historical pre-06-09 hole below applies.
- **The other 13:** 12 currently `Reopened` , 1 `Ready for testing` (ATM-353) — all OPEN, all consistent with live defects (three of them freshly operator-corroborated by the T2 rows). Case (b): current status RIGHT; the missing rows are the PRE-reopen terminal events (the June-09 block's terminal transitions bypassed the ledger). **NOT backfilled**, for three §11.4.6 reasons: (i) the binary has no history-append verb — every history-writing verb also changes state; (ii) raw SQL is the exact PC-1 bypass this remediation exists to close; (iii) the events' `on_date/evidence` would have to be invented (their `closure_date` columns are empty) — a fabricated custody row is itself a bluff. The reconstruction (git archaeology of Fixed.md per item + an engine-side `history backfill` verb) is the owed SOL-01 follow-up.
- **No blanket demotion performed:** demoting live-and-consistent `Reopened` statuses to "fix" a ledger hole would falsify current state.

. The zero-history terminal items – swept, ZERO demotions earned, trail gap documented

Instruments run (each with a control needle through the same path):

1. PENDING-marker sweep

(PENDING-DEVICE|PENDING-BUILD|pending device over body_md) → **0 hits among the 52** (needle: the same LIKE instrument finds ATM-799's marker → 1). The only terminal items project-wide carrying the markers were ATM-799 (§3.1, demoted) and ATM-380 (§3.2, tool-blocked).

2. Body-status desync sweep (every **Status:** line in each body vs the terminal column) → **0 desyncs / 0 embedded non-terminal sub-statuses among the 52** (needle: the same instrument sees ATM-380's In progress first line).

3. Closure-narrative sampling of the no-evidence-marker subset (ATM-254, ATM-420, ATM-497 read in full) → substantive closure content (documented-hardware-limitation MITIGATED rationale; full forensic anchor + root cause; feature scope with implementation paths). Marker census over all 52: 12 carry Evidence: lines, 33 carry qa-results//docs-research/ artifact paths.

- **Disposition: all 52 = case (b)** — no contradiction detected between any item's terminal status and its own recorded closure content; the missing artifact is the LEDGER ROW (these are legacy closures that predate/bypassed the history discipline, closure_date empty on all 52). Backfill TOOL-BLOCKED for the same three reasons as §3.3.
- **Honest boundary (§11.4.6):** "contradiction-swept clean" is what these instruments prove. They do NOT prove each closure was genuinely device-validated (the audit's G6 source-ish-evidence concern, 30/51, stands). That question is decided by the P1/P5 candidate verdict run on the 0.0.9 artifact (BUILD+DEVICE gated), not by DB edits — demoting any of the 52 without a per-item contradiction would be a §11.4.201(1) false-positive refusal (its own bluff class).

. Left UNKNOWN / for operator or follow-up streams

- **ATM-380** — action decision (split vs engine fix first; §3.2).

- **Pre-existing validate violations (NOT introduced by this work — proven by running validate on the pre-write backup: byte-identical output, exit 1 both sides):** ATM-434/440/441 column Reopened vs body Ready for testing (owned by the toggle-fix stream) + SPK-481 Operator-blocked unblock-choices format. Untouched — other streams own those items.
- **Ledger-backfill capability** (the §3.3/§3.4 gap): needs an engine history backfill verb with explicit backfill marking, or SOL-01's wiring — tracked follow-up, not silently absorbed.

. Derived docs regenerated FROM the DB (\$.) — ATM- no-truncation protocol

1. sync db-to-md → **TEMP dir first** (/tmp/phase5b/export_temp/).
2. **Containment proof:** 616/619 items' body_md contained **byte-identically** in the temp export; the 3 exceptions are exactly the pre-existing desync trio (ATM-434/440/441) whose ONLY delta is the exporter canonicalizing the single Status line to the column value (unified-diff proven: one line each, -9 B, zero truncation).
3. **Shrinkage proof vs the current tracked docs:** per-item section comparison → **0 shrunk, 0 missing**; grown = exactly my 3 link targets (+ the expected ATM-799 Fixed → Issues relocation, verified present-in-Issues / absent-from-Fixed).
4. Only then the REAL regeneration: export --db docs/workable_items.db --out-issues docs/Issues.md --out-fixed docs/Fixed.md (explicit paths per the ATM-839 false-null guard; exit 0 read via PIPESTATUS, not through a pipe) → Issues.md, Fixed.md, Issues_Summary, Fixed_Summary + HTML/DOCX/PDF for all four. Real Issues.md/Fixed.md **byte-identical** (cmp) to the pre-verified temp export.
5. PRAGMA wal_checkpoint(TRUNCATE) → 0|0|0; final PRAGMA integrity_check → ok.

. Anti-bluff certification

- Every audit figure was re-verified from the live DB before any write (§11.4.6); one audit refinement found and recorded (ATM-347, §3.3).
- Every link/reopen/diary row cites its evidence path (mining doc / gap audit); no date, time, alias, or mechanism was invented — unrecoverable times are recorded literally UNKNOWN.
- Every absence claim above ran a control needle through the same instrument path (§11.4.201(7)(b)); one instrument trap was hit live and corrected in-session (a `validate | tail; echo $? pipeline read TAIL's exit` — re-measured with the real exit, which is 1, pre-existing).
- All writes went through the sanctioned binary; zero raw-SQL writes; zero ids deleted/renumbered; zero force-push; zero commits/pushes (conductor lands the DB atomically).
- **§11.4.224 note:** this slice is data remediation — NO new executable artifact was added (no script, gate, hook, or mutation), so no TDD ceremony was invented to appear compliant; the two tool defects found (`lastBodyStatus` composite-body class; the `validate exit-1-with-report` behavior relied on here) are handed to the tooling stream, where their fixes will carry RED-first coverage.
- `find -newermt` was not used anywhere.