

CONTINUATION

CONTINUATION — HelixTranslate session-resumption file

Revision: 3 **Last modified:** 2026-06-12T00:00:00Z **Purpose:** Single canonical out-of-the-box entry point for any fresh session (§11.4.131 / §12.10 / §11.4.127). To resume: point a new session at THIS file, run `git fetch --all`, and say **continue**.

SHORT resumption sentence

Read docs/CONTINUATION.md then `.remember/remember.md`, run `git fetch --all`, and **continue** the HelixTranslate “raise-to-enterprise” mandate at **Phase 4 (tests/Challenges/HelixQA to ~100% per type + expand real ebook-translation evidence)** while finishing the Phase-3 tail (Models decision, governance gaps). Binding: anti-bluff §11.4 (real captured evidence, no false PASS), no-force-push §11.4.113, flat `snake_case` submodules §11.4.28/§11.4.29, every change independently reviewed §11.4.142, containers-first infra §11.4.76, release tags prefixed `helix_translate-` (§11.4.151). Work subagent-driven (§11.4.70) with ≥ 3 parallel streams (§11.4.103).

Live state anchors (moment-valid)

- **Parent HEAD:** see `git log -1` on main (latest commit this session = the wrap-up commit); pushed to BOTH milos85vasic/Translator + HelixDevelopment/HelixTranslate (origin fans out).
- **Constitution HEAD:** 5e671fe (§11.4.151 added), pushed to all 6 upstreams; parent pointer bumped.
- **Build:** `go build ./... = EXIT 0`. **Total test coverage = 50.7%** (`go tool cover -func total`; see docs/testing/coverage_matrix.md).
- **Submodules (flat, snake_case):** challenges containers constitution doc_processor docs_chain helix_qa llm_orchestrator llm_provider llms_verifier security vision_engine.
- **Release prefix:** `HELIX_RELEASE_PREFIX=helix_translate` (.env git-ignored, .env.example tracked). First RC: `helix_translate-1.0.0-dev-0.0.1` — create ONLY when genuinely green (§11.4.40), operator-gated.
- **Safety backup:** `../helix_translate_gitbackup_20260611T181545Z/repo.git.mirror` (pre-rename 311c585).

DONE

Phase 1 — flat snake_case submodules (reviewed GO, pushed): 8 submodules renamed; Go pkg challenges/→pkg/challenge_runner/; docs_chain added; .env release-prefix.go build ./... EXIT 0. **Phase 2 — constitution §11.4.151** release-prefix rule → pushed to all 6 constitution upstreams; parent pointer bumped; inheritance meta-test PASS. **Phase 3 (partial):** - Security/ plain dir → flat security submodule (proven byte-identical to upstream, zero loss; §11.4.124). - All submodules + main synced to every upstream (one stale containers gitlab mirror FF'd). - **docs_chain OPERATIONAL:** .docs_chain/contexts/tracked_docs.yaml registered; real pandoc+weasyprint sync produced docs/CONTINUATION.{html,pdf} + README.{html,pdf}; verify = in-sync. See docs/DOCS_CHAIN.md. - **Real translation PROVEN (anti-bluff):** EN→Serbian via DeepSeek deepseek-chat, 208 Cyrillic chars, differs from source, no placeholders. Evidence: qa-results/translation/<ts>/ (raw, git-ignored). Asset: test/assets/crow_and_pitcher_en.txt. - **Fixed a regression I introduced:** challenge scripts' PROJECT_ROOT="\${SCRIPT_DIR}/../.." broke when moved 1 level deeper → corrected to ../../..; 3 challenges re-verified PASS (cache_invalidation, model_verification_gate, anti_bluff step1-3).

OPEN workable items (tomorrow's queue — many parallelizable, disjoint scope)

#	Item	Type	Notes / evidence
W1	Models/ divergent types.go (60-line lean LLMRequest, absent upstream)	Operator decision §11.4.122	Convert needs preserving/discarding the local shape. Not consumed (no replace/import). DO NOT silently remove.
W2	Coverage 50.7% → ~100% (§11.4.27); 27 pkgs at 0%	Task	cmd/unified-translator 1.8%, gRPC/server 0%, sshworker 19.6%, storage 32.9%. Core translator pkgs healthy (77–82%).
W3	Missing test types: chaos, ddos, scaling, ui, ux, full-automation (in-module)	Task	§11.4.85 chaos/stress mandatory.
W4	pkg/security TestAuthService_TokenExpirationEdgeCases/Short_TTL FAIL (timing race)	Bug	Token expires before assertion; real flaky FAIL.
W5	pkg/distributed 120s timeout FAIL	Bug	Investigate (§11.4.102).
W6	internal/verifier/discovery 600s timeout	Task	Network/service-dependent → SKIP(needs-service) discipline.
W7	llm_provider/CONSTITUTION.md missing CONST-036 (all siblings have it)	Bug	Governance propagation gap (caught by helixqa_wiring_challenge).
W8		Bug	

#	Item	Type	Notes / evidence
	<code>anti_bluff_execution_challenge.sh</code> step-4 BSD-vs-GNU <code>sed</code> error on macOS		§11.4.67 target-shell parseability; mutation step silently no-ops.
W9	Tracked residue <code>pkg/api/handler_extended_test.go.bak</code> (orphan), <code>pkg/sshworker/worker.go.backup</code>	Task	§11.4.30/§11.4.84 cleanup; investigate orphan via git history first (§11.4.124).
W10	<code>--script latin</code> produced Cyrillic in translation	Bug	Script-normalization gap in unified-translator.
W11	Wire more <code>docs_chain</code> contexts (Issues/Fixed/Status once they exist)	Task	<code>docs_chain</code> proven operational.
W12	Challenge scripts use brittle path-counting	Task	§11.4.111 — switch to <code>git rev-parse --show-toplevel</code> .
W13	<code>.gitmodules</code> section labels still PascalCase	Task (cosmetic)	Needs per-submodule <code>.git/modules/*</code> gitdir move.
W14	No project commit wrapper <code>scripts/commit_all.sh</code> (§11.4.22)	Task	Multi-upstream push + sibling-doc checks (§11.4.75).
W15	Containers-first infra (§11.4.76) — run services via <code>containers</code> submodule	Feature	Phase 3/5.
W16	Convert <code>Models/</code> → <code>models</code> submodule after W1 resolved	Task	Blocked on W1.

NEXT phases (priority order)

- **Phase 4** — drive W2–W8 + W10: per-type test suites to ~100% (§11.4.27), real Challenges + HelixQA bank execution with captured evidence, expand real ebook translations (all formats, whole chapters, anti-bluff §11.4/§11.4.69). Subagent-driven, ≥ 3 parallel streams.
- **Phase 5** — containers-first infra (W15); `docs_chain` context expansion (W11); full docs (guides/diagrams/SQL/templates) + enterprise Website.
- **Phase 6** — RC tag `helix_translate-1.0.0-dev-0.0.1` across all submodules + main ONLY when genuinely green (§11.4.40), operator-confirmed.

Binding constraints

Anti-bluff §11.4 (real captured evidence, no false PASS) · no-force-push §11.4.113 (merge-onto-latest-main) · multi-upstream push §2.1 · flat `snake_case` §11.4.28/§11.4.29 · every change independently reviewed §11.4.142 · host-safety §12 (no suspend/poweroff) · no silent component removal §11.4.122 · containers-first §11.4.76 · release prefix §11.4.151 · subagent-driven default §11.4.70 · ≥ 3 parallel streams §11.4.103.

Gotchas

- /Volumes/T7 is **case-sensitive HFS+** (NOT the internal disk — verify on the actual volume, §11.4.6).
- No `scripts/commit_all.sh`; stage explicit paths, never `git add -A`; never `git add helix_qa` (nested third-party pointer drift).
- PIPESTATUS empty in this shell (zsh); use `$?` directly.
- Mutation challenges can leave `.go.backup/.bak` residue — scan + clean before commit (§11.4.84).