

CONTINUATION â€” HelixTranslate session-resumption file

Revision: 81 Last modified: 2026-06-16T03:35:00Z

**â–¶,â–¶ RESUME HERE (2026-06-16 ~03:35) â€” bridge
phase-2 COMPLETE + Â§11.4.40 RETEST PASS â†’ build
PRISTINE + TAG-READY (only the first-ever release TAG
remains, needs 2 operator decisions)**

Â§11.4.127 SHORT resumption (paste this first sentence into a fresh session)

Read docs/CONTINUATION.md (this file) + .remember/remember.md + docs/qa/
bridge_phase2_retest_20260616/SUMMARY.md FIRST, then `git fetch --all
--prune`; **bridge phase-2 (no-local-runtime) is COMPLETE and the full Â§11.4.40 retest
PASSED â€” the build is PRISTINE + TAG-READY** (sweep all-9-gates green, build clean,
functional 55 pkgs OK, -race only pre-existing test/distributed, meta-tests bite, determinism
stable; every change P-1â†’R-5 + format/verifier reviewed GO); the ONE remaining step is the
first-ever release TAG, which needs 2 operator decisions (version
`helix_translate-2.3.0` vs bump `2.4.0` Â§11.4.73; the Â§11.4.151-every-submodule vs
Â§11.4.119-helix_qa-off-limits set) â€” do NOT guess these (Â§11.4.6); continue the endless
autonomous loop (Â§11.4.126), no force-push (Â§11.4.113), require API keys (no local runtime).

**Â§11.4.127 FULL resumption (live-state anchors â€” verified this session
against git)**

- **Parent HEAD 3ce413e** on main, local == origin/main (verified `git fetch --all` this session; pushed FF to both upstreams github+HelixDevelopment). Untracked `build/*` + root binaries are EXTERNAL build-artifact churn (a gemini-cli/data-agent session rebuilds them) â€” NOT committed (Â§11.4.30).
- **â–¶,â–¶ CONTESTED CHECKOUT (Â§11.4.84/Â§11.4.119)**: an EXTERNAL gemini-cli/data-agent process intermittently runs `git checkouts` + has left a stale `.git/index.lock` in this repo. BEFORE EVERY commit: (a) confirm `git symbolic-ref -q HEAD == refs/heads/main`, (b) `ls .git/index.lock` absent (remove a STALE lock only if no live git process), (c) `git fetch --all` + confirm local == origin/main. Every R-5 commit survived via this protocol.
- **R-5 commits this session (all FF-pushed): 102c773** CM-NO-LOCAL-RUNTIME gate + paired meta-test Â· abc0912 Part-B NITs (bridge/format test asserts + bridgeOpener seam + detector XHTML anchor) Â· 7036a30 config.worker.json default_provider ollamaâ†’openai Â· 3ce413e Â§11.4.153 ledger 39 rows Obsolete + verifier-doc framing fix.
- **Prior phase-2 commits (P-1..R-4): 8325f9d** R-4 remove worker configs + SSH/llama/ollama scripts Â· 86175d0/earlier R-4 remove SSH binaries + pkg/sshworker + pkg/modelsbridge + llamacpp_provider + markdown bridge wiring; P-1 BestClient e5307ce.

Bridge phase-2 “ the CRITICAL no-local-runtime mandate (state: NEAR-COMPLETE)

Operator-CRITICAL: NO local runtime “ only LLMsVerifier strongest models via pkg/bridge, bridged to components AND this Claude Code session. Plan: docs/design/BRIDGE_PHASE2_EXECUTION_PLAN.md (+ design docs/design/LLMSVERIFIER_BRIDGE.md, removal map docs/design/LOCAL_RUNTIME_REMOVAL.md).

LOCKED operator decisions: D1 remove local runtimes entirely; D2 forbid ALL local runtimes (llama.cpp + Ollama); R1 “ **R-4 decision (2026-06-16): keep the distributed/API path, remove SSH-local** (the SSH-local binaries + worker body Obsolete “§11.4.90; version_manager/ssh_pool/distributed coordination KEPT); R2 **require API keys everywhere** (no offline/local fallback “ honest error/SKIP, never a silent local fallback); D4/D5 **top-1 + fallback, in-process; ensemble = “œProvider-diverse verifiedœ**.

Status “ DONE: - **P-1 / R-1** BestClient/BestTranslator + all default-path components redirected to the bridge. - **R-2** Ollama removed “ **R-3** llama.cpp removed “ **R-4** SSH-local binaries + pkg/sshworker + pkg/modelsbridge + local worker configs/scripts removed (operator-confirmed). - **R-5 (this session):** CM-NO-LOCAL-RUNTIME pre-build gate (3 arms, default-path-only) + paired “§1.1 meta_test_no_local_runtime.sh (baseline PASS / Mut1 Arm1 FAIL / Mut2 Arm3 FAIL / Neg PASS); Part-B NITs; config.worker.json fixed; “§11.4.153 ledger 39 rows Obsolete (docs_chain features re-synced HTML/PDF/DOCX); AGENTS.md + README.md + this CONTINUATION updated.

- **“§11.4.40 FULL RETEST: PASS** (authoritative main-checkout, HEAD f9c52a2; evidence docs/qa/bridge_phase2_retest_20260616/SUMMARY.md, commit d1bed61): sweep all-9-gates green “ build clean “ functional 55 pkgs OK “ -race only pre-existing test/distributed (“§11.4.7) “ meta-tests all bite (incl.“ meta_test_no_local_runtime.sh) “ determinism stable “ product challenges pass. Two prior worktree-retest FAILs proven ENVIRONMENT artifacts (worktree missing submodules; worktree checkout mtime) “ same gate PASSES on the real main checkout; NOT regressions.

PHASE-2 CLOSED. BUILD PRISTINE + TAG-READY. The ONLY remaining step is the **first-ever release TAG** “ DEFERRED to operator (2 genuine release-policy decisions, NOT guessed “§11.4.6/“§11.4.101): (1) version helix_translate-2.3.0 vs bump 2.4.0 (“§11.4.73); (2) “§11.4.151 “œevery owned submoduleœ vs “§11.4.119 helix_qa-off-limits “ bless the submodule set. Prefix helix_translate(.env HELIX_RELEASE_PREFIX); zero existing tags. Then: tag main + owned submodules (except helix_qa) + push FF all remotes (NO force).

Non-blocking follow-ups (not product defects): (a) host_no_auto_suspend challenge FAILs = HOST not hardened against auto-suspend “ environment (“§11.4.3), host power config NOT changed autonomously (CONST-033), operator action if desired; (b) internal/working/config.distributed.{json,test,thinker}.json legacy llamacpp/gguf tokens (KEPT distributed path) “ future R-cycle if distributed worker API-migrated; (c) codebase_hash_report.json generator needs a submodule-exclusion before faithful refresh (not a gate dep); (d) format-detector XHTML-branch advisory (conservative, zero real-tree impact) “ optional future hardening.

Standing constraints (binding every session)

- **No force-push EVER** (Â§11.4.113 “merge-onto-latest-main, FF-only); **never** git add -A (Â§11.4.30); **never touch the helix_qa submodule** “another session owns it (Â§11.4.119 single-resource-owner); **never touch owned submodules** in this R-5 scope.
 - **No host power-management** (Â§12 / CONST-033). **Require API keys, NO local llama.cpp/Ollama/SSH-distributed runtimes.** Operator-blocked “AskUserQuestion (Â§11.4.66). Endless autonomous loop is the DEFAULT (Â§11.4.126).
 - **Working API keys:** DEEPSEEK_API_KEY + GROQ_API_KEY present (real translations work); GEMINI/ZHIPU invalid/quota-blocked (honest errors). NEVER print key values (Â§11.4.10).
 - **Contested checkout:** apply the pre-commit vigilance protocol above before every commit (Â§11.4.84/Â§11.4.119).
-

“ (SUPERSEDED 2026-06-15 ~22:30 “ subagent runtime has since reset; reconciliation + P-1 landed) RATE-LIMIT BLOCK + OWED CRASHED-STREAM WORK (2026-06-15 ~19:05)

The subagent runtime hit a session/usage limit (subagents die instantly, ~178 tokens). NO new subagents can run until the **7:10pm Europe/Moscow reset**. Two phase-1 bridge streams CRASHED mid-work (Â§11.4.147 crashâ% done “ work OWED, partial state PRESERVED uncommitted in the worktree, do NOT discard, do NOT commit-incomplete Â§11.4.84/Â§11.4.121):

LLMsVerifier-bridge mandate (operator CRITICAL 2026-06-15): no local llama.cpp “ only LLMsVerifier strongest models + bridge to components AND this Claude Code session. Design: docs/design/LLMSVERIFIER_BRIDGE.md; **removal map:** docs/design/LOCAL_RUNTIME_REMOVAL.md. LOCKED operator decisions: D1 remove llama.cpp entirely; D2 **forbid ALL local runtimes** (llama.cpp + Ollama + SSH/distributed); D3 agent access = **CLI + MCP**; D4/D5 **top-1 + fallback, in-process** pipeline (env * _API_KEY keys, no service); R1 **Obsolete** cmd/translate-ssh + cmd/ssh-translation + llamacpp/ollama worker configs (Â§11.4.90); R2 **require keys everywhere** (no offline path “ tests FAIL not skip when keys absent).

OWED CRASHED STREAMS (respawn after reset, Â§11.4.147 + Â§11.4.84 quiescence-check first): - **bridge-core** (was a9659f5) “ INCOMPLETE, does NOT build: cmd/model-bridge/main.go:52: undefined: runMCP (crashed before writing the MCP stdio server). Preserved partial: pkg/bridge/ (BestTranslator/Invoke/BestModel/ListVerified facade), cmd/model-bridge/main.go (CLI), internal/verifier/provider_resolver.go+_test.go (numeric-ProviderID gap-fix). RESPAWN to: finish runMCP (MCP stdio server) + .mcp.json wiring + full tests + real best-model/invoke evidence + docs/guides/LLMSVERIFIER_BRIDGE_USAGE.md; then Â§11.4.142 review + commit. - **web-UI** (was aaf872a) “ BUILDS clean (pkg/api + cmd/server). Preserved: pkg/api/dashboard.go+dashboard_test.go, pkg/api/handler.go (M) “ wires the unrouted Web Dashboard translation UI (the real Â§11.4.153 web gap). OWED: independent Â§11.4.142 review + real-server real-translation evidence run, then commit. (Note: a later phase swaps its provider to bridge.BestTranslator.)

NEXT (post-reset, phased per LOCAL_RUNTIME_REMOVAL.md R-0â†’R-5): (1) respawn bridge-core to finish; (2) review+commit web-UI; (3) phase-2: redirect all 9 components to bridge.BestTranslator, remove Ollama, remove llama.cpp, Obsolete SSH/distributed (R1), add CM-NO-LOCAL-RUNTIME gate + paired mutation, require-keys-everywhere (R2); (4) HelixQA web-runner browser+video backend extension (needs the helix_qa session) â†’ then the real web-dashboard video. Web-dashboard video remains PENDING until both the UI wiring lands AND HelixQA gains a web/video backend.

DONE + PUSHED this session (all remotes, FF-only): constitution Â§11.4.153 (74e7fbe, 10 remotes); parent 58178a5â†’a5e8866â†’86bf81eâ†’d53e085â†’fb74c2dâ†’87cd2beâ†’e73e0b7â†’fb265e7; submodules llm_provider 724e284, containers 2a9923a, llms_verifier 89719e2b. Â§11.4.153 mandate + 470/472 ledger (21 video-confirmed) + DOCX & PDF output writers + multipass wiring + cli title/atomic-write fixes + prep-translator/server/REST bug fixes + README Â§11.4.57 + all 9 submodules GREEN.

âœ… Â§11.4.153 LEDGER RE-SYNC (2026-06-15, +DOCX output + -multipass video + cli atomic-write)

Three capabilities became real+evidenced this session and landed+pushed; the feature ledger (docs/features/Status.md + Status_Summary.md) is re-synced honestly (docs UNCOMMITTED â€” conductor commits, no git add -A): - **DOCX output** â€” gap â†’ **Implemented** (pure-Go OOXML writer pkg/ebook/docx_writer.go, commit 87cd2be). Verified this session by re-producing a .docx via the shipped writer â†’ file = Microsoft Word 2007+, all 4 OOXML parts, real translated content, correct XML escaping. **Real-artifact-confirmed (NOT video â€” no .mp4 yet, video PENDING).** - -multipass **multi-pass verification** â€” now **video-confirmed**: helixtranslate-cli-multipass-verify-20260615.mp4 (ffprobe 888x630, 93 frames, 9.3s) shows âœ…Step 4: Multi-pass Polishing âœ… Success â€” Polished over 1 pass with deepseekâ€” + real Spanish output. Engine wired into unified-translator via -multipass in d53e085. - **cmd/cli atomic-write / no-clobber** (87cd2be) â€” write-safety fix, guard cmd/cli/no_partial_output_test.go (unit-proven, no video required); title path-leak fixed in d53e085. - **Honest counts**: video-confirmed **20 â†’ 21** (the -multipass flip) + **1 real-artifact-confirmed** (DOCX); Status/Status_Summary Rev 2â†’3; not-implemented gap rows 2â†’1. - **Exports re-synced**: docs_chain_sync features (6 derived nodes) â†’ docs_chain_verify features = **in-sync (RC=0)**; HTML+PDF+DOCX siblings regenerated for both docs (all file-verified). - **Remaining gaps now**: PDF output (no writer); cmd/translator local path STUB; llm_provider gofmt hygiene (23 flagged files); cosmetic docx title-twice; web-dashboard translation video **OPERATOR-BLOCKED** (HelixQA-gated). translate-ssh/ebook-translator stay OPERATOR-BLOCKED.

âœ… GAP-CLOSURE BATCH (2026-06-15, video/coverage-surfaced gaps â€” all reviewed GO + pushed)

Three gap-closures (each RED-first Â§11.4.115, mutation-verified, independent batch review VERDICT GO Â§11.4.142) landed + pushed: - **Parent** d53e085 (pushed all remotes): (1) **cmd/cli title path-leak FIXED** â€” TXT parser set Metadata.Title=filepath â†’ translated â†’ leaked into output EPUB <dc:title>; sanitizeBookTitle() added at the cmd/cli inputâ†’book seam (genuine titles pass through; real run <dc:title>Tiha baÂ¡ta</dc:title>, NO LEAK). (2) **pkg/verification multipass engine WIRED** (Â§11.4.124 â€” git-history proved it was NEVER imported by any cmd/, born dormant 717bf18, finished real code

not scaffolding) via opt-in `-multipass` flag (default OFF, back-compat; guardrails: passesâ%¥1, base preserved on error/empty); REDâ†'GREEN httpstest + real DeepSeek â€œStep 4: Multipass Polishing â€œ...â€œ; Â§11.4.150 `research/docs/research/20260615_video_surfaced_fixes/verification_multipass_wiring.md`. - **llm_provider** 724e284 (pushed LLMProvider remote; parent gitlink bumped in d53e085): contract test for the interface-only `pkg/provider` (zero-coverage Â§11.4.28 gap; mutation-proven; suite green).

NEXT (open gaps, tracked â€” none blocking the current scope): implement DOCX/PDF output writers in `pkg/ebook` (input-only today); implement `cmd/translator` local path (STUB â€œnot yet implementedâ€œ); fix `cmd/cli` silent-fail-exit-0 when `-model` omitted (incidental finding); record a `-multipass` video for Â§11.4.153 ledger confirmation (currently `real-run+REDâ†'GREEN` evidenced, no .mp4 yet); gofmt the 23 pre-existing flagged files in `llm_provider`; web-dashboard translation video is **OPERATOR-BLOCKED** (HelixQA-gated, separate session). `translate-ssh/ebook-translator` stay **OPERATOR-BLOCKED** (need remote SSH/llama.cpp host).

ðŸŽ– Â§11.4.153 FEATURE-STATUS VIDEO-CONFIRMATION SYNC (2026-06-15, ~25 real videos â†' ledger honest)

The Â§11.4.153 per-feature Status ledger is now in honest sync with the real video evidence captured this session (docs uncommitted â€” conductor to commit; do NOT `git add -A`).

What landed before this sync (already pushed): - Â§11.4.153 doc set (`docs/features/Status.md` + `Status_Summary.md`, 470/472 features, four-format HTML+PDF+DOCX) shipped in 58178a5; constitution bump 74e7fbe. - **3 video-surfaced bugs FIXED + pushed** in a5e8866 (the green suite had missed all 3, Â§11.4.4/Â§11.4.138): (1) preparation-translator DEAD â€” DeepSeek API key never reached config (`-api-key/env` not wired) â†' â€œDeepSeek API key is requiredâ€œ, no analysis JSON; (2) `cmd/server` TLS startup â€” config with no `tls_cert_file` failed to start; fix backfills self-signed certs in `LoadConfig`; (3) REST POST `/api/v1/translate` ignored `target_lang` (hardcoded) â†' always Serbian regardless of requested language. - **~25 real videos** captured under `/Volumes/T7/Downloads/Recordings/helixtranslate-*.mp4` (all `ffprobe`-verified `dur>0+frames>0`; key ones content-verified frame-by-frame this session). - **All 9 owned submodules GREEN** â€” coverage logs `qa-results/submodule_coverage_20260615/`. - **README Â§11.4.57** Tracked-Items doc-link section added (prior session).

This sync (Status.md/Status_Summary.md Rev 1â†'2 + exports re-synced): - **Video-confirmed: 1 â†' 20** feature rows (â%4.3% of 472), each flipped to `Confirmed: ONLY` after the cited .mp4 was content-verified (Â§11.4.6 no overclaim). Confirmed: unified-translator (DeepSeek translate; EPUBâ†'TXT / HTMLâ†'EPUB / FB2â†'EPUB / FB2â†'FB2; Serbian-Cyrillic; -script Cyrillicâ†'i,ŽLatin; format-detection; help/version; -verify), REST API (POST `/api/v1/translate` real DeepSeek + `target_lang` FIXED, TLS startup FIXED, `/health/` version/ providers), gRPC (real ENâ†'ES), markdown-translator (EPUBâ†'i,ŽMD round-trip), preparation-translator (FIXED), `cmd/cli` (real DeepSeek), monitor-server (live WS hub), DeepSeek library client. - **Honest gaps recorded (Â§11.4.6, NOT confirmed):** DOCX output + PDF output UNIMPLEMENTED (no writer in `pkg/ebook`; unified-translator rejects them; 2 new gap rows added â†' 472 total); -verify â% pkg/verification multipass engine (engine has no CLI entry point wired in); `cmd/translator` local path = STUB (â€œlocal translation not yet implementedâ€œ); `cmd/translate-ssh` + `cmd/ebook-translator`

= OPERATOR-BLOCKED (need remote SSH/llama.cpp worker host); GET /api/v1/verified-models = 404 (LLMsVerifier disabled in config); cmd/cli minor cosmetic file-path-leak into title metadata. - **Exports + fingerprint re-synced** via docs_chain_sync features (applied: 6 derived nodes — HTML/PDF/DOCX — 2 docs) — docs_chain_verify features = **in-sync** (RC=0); evidence qa-results/docs_chain/20260615T144104Z/sync.log; docs_chain.state.json = \$11.4.86 content-hash fingerprint store.

NEXT (open gaps queued): implement DOCX/PDF output writers in pkg/ebook; wire pkg/verification multipass engine into a CLI entry point; implement cmd/translator local path; produce videos for remaining PENDING runtime features (web dashboard translation, other providers) to lift coverage. translate-ssh/ebook-translator stay OPERATOR-BLOCKED until a remote SSH/llama.cpp host is provided.

ðŸ”– WAVE 15 — SECOND-PASS + determinism (campaign 101 — 110; second pass STILL productive)

Parent HEAD 6c89910, build/vet/test green, git OK, llms_verifier pointer intact. - **pkg/ebook** 6c11dee (#102): EPUB parser set chapter.Title to the zip entry name — EPUB — translate — EPUB rendered — OEBPS/chapter1.xhtml — as every chapter heading + TOC entry (core use case). Fix = extractChapterTitle (