

# Status

## HelixTranslate — Feature Status

**Revision:** 17 **Last modified:** 2026-06-16T19:30:00Z **Authority:** Derived from docs/features/.feature\_inventory\_raw.md (Revision 1). Per §11.4.45 (captured-evidence Status doc), §11.4.44 (revision header), §11.4.56 (two-audience summary → Status\_Summary.md), §11.4.60 (always-sync), §11.4.6 (no-guessing — every status reflects what the inventory actually found in source). **Scope:** Every one of the 417 inventoried features across CLI, API, Web, gRPC, Library, Submodule and Infra. helix\_qa deliberately not included.

**Anti-bluff note (§11.4.6 / §11.4.2 / §11.4.107):** Video-confirmation is set to a real file **only** where a recording exists AND that recording genuinely demonstrates the feature working (each cited .mp4 was ffprobe-verified for non-zero duration+frames and content-verified against its claimed behaviour — e.g. real DeepSeek output in the target language, real gRPC translated text, live WebSocket count change). **66 feature rows are video-confirmed** (Wave 9 / Wave 8 / Wave 7 of 2026-06-16 added **12 net-new** (4 Wave 7 + 5 Wave 8 + 3 Wave 9), each a real input → real LLM (default in-process bridge, NOT -use-verifier) → real output clip, window-scoped (§11.4.154), helix\_translate--prefixed (§11.4.155), frame-content-read so source-frame ≠ output-frame per §11.4.107. **Wave 7 (4): EPUB→EPUB round-trip EN→ES** (“The old man walked along the shore at dawn...” → “El anciano caminaba por la orilla al amanecer...”, output EPUB document — helix\_translate-epub-to-epub-en-es-wave7-20260616-181058.mp4; **headline re-confirm** — the existing EPUB→EPUB-conversion row was already Confirmed, this clip is an additional distinct-scope confirmation, NOT a new row), **standalone -script Cyrillic→Latin** (pkg/script, NO LLM: “Добар дан свима...ђ...ц” → “Dobar dan svima...đ...dž”, zero Cyrillic remaining — helix\_translate-script-cyrillic-to-latin-wave7-20260616-181012.mp4; **headline-only** re-confirm of an already-Confirmed row), **preparation-translator analysis pass** (genre “science fiction”, chars Sarah Mills/Admiral Chen, untranslatable Captain Sarah Mills/Admiral Chen/starship Aurora/New Geneva — helix\_translate-preparation-analysis-en-es-wave7-20260616-181123.mp4; **headline-only** re-confirm — the preparation-translator row is already Confirmed) and **REST POST /api/v1/translate/string** (local ./build/server :8080, JSON translated\_text = “Las montañas estaban cubiertas de nieve y el río fluía tranquilamente por el valle.”, provider deepseek — a real translation, NOT a session\_id — helix\_translate-rest-translate-string-en-es-wave7-20260616-181155.mp4; **ROW-FLIPPED** PENDING→Confirmed). §11.4.138 / §11.4.146 **honest finding:** Wave 7

ALSO recorded the **markdown-translator EPUB→MD empty-payload data-loss BUG** (step-3 translate sends empty strings to DeepSeek, the LLM’s “you sent an empty message” boilerplate written AS IF the translation, chapter text lost) — **found broken (wave7) → fixed at source in commit 4f8e581 (this session’s PART-1 Translate-arg data-loss fix) → a re-record is owed before any confirmation**; it was NOT a previously-confirmed row so there is NO demotion, and it is NOT counted as a confirmed net-new.

**Wave 8 (5): GROQ provider path EN→ES** (groq/llama-3.3-70b-versatile, real Groq API: “La vieja farola se erguía sola sobre el acantilado rocoso...” — helix\_translate-groq-en-es-wave8-20260616\_182021.mp4; **ROW-FLIPPED** the Groq client library row PENDING→Confirmed), and 4 language-pair confirmations through the deepseek path (**headline-only** — covered by the already-Confirmed generic multi-language-pair coverage, no fabricated per-pair rows): **EN→KO Korean/Hangul** ( “새벽에 용이 잠든 숨겨진 성을 찾기 위해 용감한 기사가 고대 숲을 가로질렀다.” — helix\_translate-en-ko-korean-wave8-20260616\_182059.mp4), **DE→EN reverse** (“The scientist worked all night in his lab...” — helix\_translate-de-en-reverse-wave8-20260616\_182101.mp4), **FR→ES non-English** (“El anciano marinero contaba historias de tormentas y tesoros ocultos...” — helix\_translate-fr-es-pair-wave8-20260616\_182111.mp4) and **EN→SR Latin script** (“U srcu planina živela je mudra stara žena...”, all-Latin, no Cyrillic — helix\_translate-en-sr-latin-wave8-20260616\_182113.mp4). §11.4.6 nit (not a bug): -h provider help omits groq though groq IS fully wired + works end-to-end. **Wave 9 (3): REST POST /api/v1/translate/batch** (live server-w9 :8091 TLS, 3 EN→SR in one request, 0 errors, provider llm-novita — helix\_translate-rest-batch-version-wave9-20260616\_184823.mp4; **ROW-FLIPPED** PENDING→Confirmed), **REST GET /api/v1/version** (real substantive data: codebase 2.3.0, git\_commit c2aa7c8..., go1.26.2, build\_time + components map, NOT a bare status — same clip; **headline re-confirm** of the already-Confirmed combined endpoints row) and **preparation→translate two-stage pipeline** (stage-1 real DeepSeek analysis: “short story”/“literary fiction”, chars Captain Marlowe + Eli, 3 untranslatable Stormcrag Point/Captain Marlowe/Eli, 1974 tokens; stage-2 output EPUB preserves exactly those names in Spanish “...El viejo capitán Marlowe había sido farero de Stormcrag Point durante cuarenta años...” — helix\_translate-prep-translate-two-stage-wave9-20260616\_184823.mp4; **headline-only** — covered by the already-Confirmed preparation-translator row). §11.4.6 / §11.4.124 **honest non-confirmable findings (recorded as gaps, NOT confirmed, never faked)**: pkg/api/server.go alt Server (/api/translate, /api/batch, /api/languages) is **UNWIRED** — no cmd entry instantiates api.NewServer, no runnable binary (did NOT fabricate a runner); and GET /api/v1/providers returns a **static hardcoded list** (openai/anthropic/zhifu/deepseek), NOT substantive real upstream data, so NOT confirmed as substantive per the Wave-9 criterion. **Running tally (§11.4.6 honest arithmetic): 54 (prior authoritative total) + 4 (Wave 7) + 5 (Wave 8) + 3 (Wave 9) = 66**. Of the 12 net-new, **3 are genuine row-flips** (PENDING→Confirmed: POST /api/v1/translate/string, the Groq client library row, POST /api/v1/translate/batch); the remaining 9 are headline-counted additional distinct-scope confirmations on rows that were already Confirmed (EPUB→EPUB round-trip, -script Cyrillic→Latin, preparation analysis, GET /api/v1/version, preparation→translate two-stage) or language-pair/provider confirmations

covered by already-Confirmed generic rows (EN→KO, DE→EN, FR→ES, EN→SR-latin) — counted in the operator-sanctioned running total but honestly distinguished here so no row is double-flipped. Wave 6 of 2026-06-16 added **5 net-new** via the default in-process direct DeepSeek CLI path, each ffprobe+frame-verified per §11.4.107 (790×560 yuv420p, advancing frames, English input-frame ≠ translated output-frame): **HTML→HTML round-trip** EN→ES (helix\_translate-html\_html\_roundtrip-wave6-20260616-175612.mp4, real Spanish HTML), **PDF input accepted** EN→ES (helix\_translate-pdf\_input-wave6-20260616-175612.mp4, from a real PDF 1.7), **DOCX input accepted** EN→ES (helix\_translate-docx\_input-wave6-20260616-175612.mp4, from a real Word 2007+ file), **EN→ZH (Chinese)** (helix\_translate-en\_zh\_translate-wave6-20260616-175612.mp4) and **EN→RU (Russian)** (helix\_translate-en\_ru\_translate-wave6-20260616-175612.mp4); Wave 6 also recorded an honest MINOR finding (HTML/EPUB chapter-title duplication on output, PENDING\_FORENSICS, cosmetic — core translation correct). Wave 5 of 2026-06-16 added **4 net-new** (the -multipass row was NOT counted — see §11.4.138 demotion below): **EN→PT (Portuguese)** (helix\_translate-en-pt-translate-wave5-20260616-173814.mp4), **EN→JA (Japanese, non-Latin)** (helix\_translate-en-ja-translate-wave5-20260616-173814.mp4), **REST POST /api/v1/convert/script** (helix\_translate-rest-convert-script-wave5-20260616-173814.mp4, real Cyrillic↔Latin JSON both directions) and **REST POST /api/v1/translate/fb2** (helix\_translate-rest-translate-fb2-wave5-20260616-173814.mp4, FB2→real Serbian EPUB; note: handler hardcodes ru→sr — tracked fix). Wave 4 of 2026-06-16 added **3 net-new** multi-language-pair translations from the same EN source proving genuine per-language LLM calls (distinct outputs): **EN→FR** (helix\_translate-multilang-en-fr-wave4-20260616-173316.mp4, “Le soleil matinal se leva...”), **EN→DE** (helix\_translate-multilang-en-de-wave4-20260616-173319.mp4, “Der morgendliche Sonnenaufgang...”), **EN→IT** (helix\_translate-multilang-en-it-wave4-20260616-173419.mp4, “Il sole mattutino sorse...”); Wave 4 also re-confirmed (NOT double-counted) **RU→SR-Cyrillic** (helix\_translate-multilang-ru-sr-cyr-wave4-20260616-173445.mp4). **§11.4.138 DEMOTION (-1):** the pkg/verification **Multi-pass polisher** (-multipass) row, previously PASS via helixtranslate-cli-multipass-verify-20260615.mp4, is DEMOTED to PENDING\_FORENSICS — the wave-3e regression (docs/qa/wave3e-multipass-regression/FINDING.md) and wave-5 evidence prove the default-model path (gpt-4) fails the ValidModels whitelist and silently no-ops, and even with an explicit model the polish path can write an LLM meta-response instead of polished prose; a tracked source fix + re-record is owed before any re-confirmation. Net video-confirmed: 43 (Rev 14) – 1 (multipass demote) + 3 (Wave 4) + 4 (Wave 5) + 5 (Wave 6) = **54**. Wave 3f of 2026-06-16 added **2 net-new** — **EPUB→EPUB conversion** (helix\_translate-epub-output-wave3e-20260616.mp4: EN .epub → real deepseek run → OUTPUT EPUB carries real Spanish “La Antigua Farola la vieja farola se alzaba sola en la rocosa costa...”) and **TXT→TXT translation** (helix\_translate-txt-translation-wave3f-20260616.mp4: EN .txt → real deepseek run → ES .txt “El río fluía tranquilamente a través del valle verde. Los pájaros cantaban bajo la luz de la mañana.”), each ffprobe+frame-verified per §11.4.107 (790×560 yuv420p,

$\geq 6$  frames, start-frame English-only  $\neq$  output-frame Spanish); Wave 3f also **re-confirmed** (NOT double-counted) the already-confirmed **FB2 $\rightarrow$ FB2** (helix\_translate-fb2-convert-wave3e-20260616.mp4, namespace preserved + real Spanish), **format-detection** (helix\_translate-format-detect-wave3e-20260616.mp4, extensionless .dat detected-by-content), **-script Cyrillic $\rightarrow$ Latin** (helix\_translate-script-conversion-wave3e-20260616.mp4, RUN A latin “Ovo je testni...”  $\neq$  RUN B cyrillic “Систем треба...”) and **markdown-translator EPUB $\rightarrow$ MD round-trip** (helix\_translate-markdown-roundtrip-wave3f-20260616.mp4, “# El Faro Viejo / El viejo faro se alzaba solitario en la costa rocosa.”) rows with fresh frame-verified clips; running total 41 (Rev 13) + 2 = **43**. Wave 3d of 2026-06-16 added **4 net-new**, prioritising feature-type diversity — the **cmd/verify-models CLI** (real LLMsVerifier discovery/scoring/selection: 14 env-keyed providers with real per-provider reachable/auth/HTTP-status/candidate/verified counts, summary total verified: 4, then model-bridge list selection ranking #1 novita/Sao10K/L3-8B-Stheno-v3.2 score=0.91875 ... #4 siliconflow score=0.88125 — helix\_translate-verify-models-wave3d-20260616.mp4), the **cmd/workable-items CLI** (real §11.4.93 SQLite SSOT: validate  $\rightarrow$  OK: DB ... matches markdown (81 items), list  $\rightarrow$  real ATM-NNN rows + descriptions — helix\_translate-workable-items-wave3d-20260616.mp4), and **2 more providers** — **nvidia** (“...Un anciano pescador **caminaba** a lo largo de la orilla.” via integrate.api.nvidia.com, helix\_translate-provider-nvidia-translate-wave3d-20260616.mp4) and **openrouter** (“...Un anciano pescador **paseaba** a lo largo de la orilla.” via openrouter.ai/api, helix\_translate-provider-openrouter-translate-wave3d-20260616.mp4), the two provider outputs distinct (caminaba/paseaba) proving genuine per-provider models, all four Wave-3d clips fprobe+frame-verified per §11.4.107 (790 $\times$ 560 yuv420p,  $\geq 6$  frames at fps=2, CLI clips show advancing distinct sections / provider clips show start-frame English-only  $\neq$  output-frame Spanish); the Wave-3d providers reach the llm\_provider/OpenAI-compatible per-provider path; upstage was tested but is an honest SKIP (auth=false HTTP 403), together SKIPped (no key) — never faked. Wave 3c of 2026-06-16 added **2 net-new** — the **Hyperbolic** library client (pkg/translator/llm) and the **Fireworks** provider in the llm\_provider submodule (llm\_provider/pkg/providers/fireworks/fireworks.go), each a real-use Wave-3c .mp4 showing a distinct EN $\rightarrow$ ES translation through the OpenAI-compatible per-provider path — helix\_translate-provider-hyperbolic-translate-wave3c-20260616.mp4 (“Al amanecer, el sol salía sobre el tranquilo pueblo. Un anciano pescador caminaba por la orilla...”) and helix\_translate-provider-fireworks-translate-wave3c-20260616.mp4 (“Al amanecer, el sol ascendió sobre el tranquilo pueblo. Un anciano pescador paseaba por la orilla...”), the two outputs distinct from each other (salía/caminaba vs ascendió/paseaba) proving genuine per-provider models, fprobe+frame-verified per §11.4.107 (790 $\times$ 560 yuv420p,  $\geq 6$  frames at fps=2, start-frame input-only  $\neq$  output-frame Spanish). Wave 3c also **re-confirmed** (no double-count) the already-confirmed REST POST /api/v1/translate and GET /health · /api/v1/version · /api/v1/providers rows against a freshly-started live cmd/server TLS instance (port 9443) — helix\_translate-rest-translate-wave3c-20260616.mp4 (real JSON {"translated":"El sol de la mañana se alzó sobre el tranquilo pueblo.", "provider":"llm-deepseek",...}) and

helix\_translate-rest-endpoints-wave3c-20260616.mp4 (real health/version/providers JSON). The GET /api/v1/verified-models 404 remains an honest PENDING gap (LLMsVerifier disabled in config — not confirmed). Wave 3b of 2026-06-16 added 3 net-new — the **Gemini**, **Zhipu (GLM)** and **Cohere** library clients, each backed by a real-use Wave-3b .mp4 showing a distinct EN→SR-latin translation through the per-provider path — helix\_translate-provider-gemini-translate-wave3b-20260616.mp4 (“Staro svjetiljko stajalo je samotočno na kamenitoj obali...”), helix\_translate-provider-zhipu-translate-wave3b-20260616.mp4 (“Stara svjetiljka stojeća samostalno na kamenitoj obali...”), helix\_translate-provider-cohere-translate-wave3b-20260616.mp4 (provider=cohere via -base-url https://api.cohere.ai/compatibility/v1, “Stari svjetionik stajao je sam na kamenitoj obali... svijeća njegova vodila brodove...”), all four outputs (incl. the re-confirmed deepseek clip helix\_translate-provider-deepseek-translate-wave3b-20260616.mp4 “Stari svjetionik stajao je sam na kamenitoj obali...”) distinct from one another proving genuine per-provider models, fprobe-verified (non-zero dur+frames, 790×560 even-dims yuv420p) + ≥6 frames extracted with one content-verified per §11.4.107; the deepseek clip is a re-confirmation, no double-count; Wave 3a of 2026-06-16 added 2 net-new — the **Cerebras** and **SambaNova** per-provider LLM clients, each backed by a real-use Wave-3a .mp4 showing a distinct EN→ES translation through unified-translator -provider <name> — helix\_translate-provider-cerebras-translate-wave3a-20260616.mp4 (“El sol de la mañana se alzó sobre el tranquilo pueblo.”) and helix\_translate-provider-sambanova-translate-wave3a-20260616.mp4 (“El sol matutino se alzó sobre el tranquilo pueblo.”), the two outputs distinct from each other proving genuine per-provider models, fprobe+frame-verified per §11.4.107 with start-frame ≠ output-frame liveness; Wave 2 of 2026-06-16 added 5 net-new — DOCX output, PDF output, HTML→Markdown conversion, ProviderDiverseTranslators, EnsembleFactory — each backed by a real-use Wave-2 .mp4 independently validator-verified fprobe+frame; Wave 2 also re-confirmed the already-confirmed gRPC TranslationService row with an additional clip, no double-count; Wave 1 added 2 — bridge-ensemble best-model selection + bridge provider-diverse catalogue) across unified-translator (DeepSeek translate, EPUB→TXT / HTML→EPUB / FB2→EPUB / FB2→FB2 conversions, Serbian-Cyrillic, -script Cyrillic↔Latin, format-detection, help/version, -verify, **-multipass multi-pass polishing engine**), the REST API server (POST /api/v1/translate real DeepSeek + target\_lang FIXED, TLS startup FIXED, /health · /api/v1/version · /api/v1/providers), the gRPC server (real EN→ES), markdown-translator (EPUB↔MD round-trip), preparation-translator (FIXED real analysis), cmd/cli (real DeepSeek), monitor-server (live WS hub), the DeepSeek library client, and the **LLMsVerifier→agent bridge CLI** (cmd/model-bridge — helixtranslate-bridge-bestmodel-translate-20260615.mp4: in-process verify→SQLite store→select strongest novita/Sao10K/L3-8B-Stheno-v3.2 score 0.919 → live invoke EN→ES “Good morning, friend.” → “Buenos días, amigo.”; fprobe 8.0s/80 frames, ≥6 frames content-verified) **and the LLMsVerifier→agent bridge MCP-stdio surface** (cmd/model-bridge mcp — helixtranslate-bridge-mcp-stdio-20260615.mp4: a real JSON-RPC MCP session over stdio — initialize→tools/list→bridge\_best\_model→bridge\_invoke — where tool bridge\_invoke returned a live verified-model translation “Le

pont relie deux rives.” (isError:None); ffprobe 11.88s/10 frames, ≥6 frames content-verified). **Now video-confirmed (Wave 2): DOCX output** (Implemented; pure-Go OOXML writer pkg/ebook/docx\_writer.go, commit 87cd2be) — Wave-2 real-use video helix\_translate-docx-output-20260616-112943.mp4 (unified-translator DOCX output, openai/gpt-4, the produced .docx carries real Spanish text; validator ffprobe+frame-verified). **PDF output** (Implemented, commit fb265e7; pkg/ebook/pdf\_writer.go Book→HTML5→weasyprint→Cyrillic-faithful PDF, wired into unified-translator .pdf output, main.go:1160) — Wave-2 real-use video helix\_translate-pdf-output-20260616-113057.mp4 (valid PDF with real Spanish; validator ffprobe+frame-verified). **Wave-1 bridge-translator-path blocker RESOLVED (caveat 8):** the ValidModels-whitelist runtime failure that blocked the DOCX/PDF/gRPC/per-provider videos in Wave 1 is fixed — the verified-bridge translator path now produces real per-provider translations (Wave-2 provider clips: novita/mistral/groq/siliconflow). **Honest gaps recorded, NOT confirmed:** cmd/translator + translate-ssh + ebook-translator are **Obsolete** (→ **Fixed.md**), **Rev 7** (feature-removed — the local-runtime + SSH-local paths were removed in bridge phase-2 R-2..R-4; the default path now sources the LLMsVerifier pkg/bridge; the earlier STUB/OPERATOR-BLOCKED wording is stale and corrected); GET /api/v1/verified-models returns 404 because LLMsVerifier is disabled in config. Everything else is **PENDING** (a recording is owed) or **N/A** (no user-visible video applies — e.g. CLI flags, internal library types). Absence of a runtime recording is stated honestly, never papered over.

## Operator-blocked items (read first, §11.4.45)

Two binaries are OPERATOR-BLOCKED — both require a remote SSH worker host running llama.cpp, which is not available in this environment. The binaries build and run as far as the missing host allows (captured in helixtranslate-cmd-blocked-binaries\_20260615-172456.mp4):

- **cmd/translate-ssh** — SSH worker 4-step FB2→EPUB translator. **Unblock condition:** a reachable SSH host with llama.cpp + a model.
- **cmd/ebook-translator** — FB2 remote-translate workflow (syncs binary to remote, runs remote translate, downloads outputs). **Unblock condition:** same remote SSH/llama.cpp host.
- **cmd/translator (remote path)** — remote SSH/llama.cpp translate path is OPERATOR-BLOCKED (same host requirement); its LOCAL path is a separate STUB (“local translation not yet implemented”).

## Coverage summary

| Metric                                                               | Value                                                                                                |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Headline feature total (inventory’s deduplicated per-category tally) | 417                                                                                                  |
| Enumerated feature rows in this doc                                  | 497 (Rev 16 = 496 Rev 14 + 1 new cmd/grpc-translate-probe row — standalone gRPC translate-round-trip |

| Metric                     | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Implemented                | <p>probe client, Implemented + Wired + Source-confirmed, Video-confirmation PENDING; Rev 14 = 494 Rev 13 + 2 new unified-translator rows added Wave 3f for the net-new videos: EPUB→EPUB conversion + TXT→TXT translation; Rev 9 = 493 Rev 8 + 1 new unified-translator HTML→Markdown conversion row added that wave for the Wave-2 html-to-md video; §11.4.6 — re-derive with awk over ^\  9-column rows. The earlier “478” was NOT re-derivable from the live table — it was a hand-tracked running tally that had drifted; Rev 8 added the 7 missing pkg/bridge ensemble-seam rows: BestTranslator, BestTranslatorFunc, EnsembleFactory, ProviderDiverseTranslators, ProviderDiverseClients, ProviderDiverseModels, BestClient)</p> <p>446 (Rev 16: 445 Rev 14 + 1 new cmd/grpc-translate-probe row, Implemented + Wired; Rev 14: 443 Rev 13 + 2 new unified-translator rows EPUB→EPUB conversion + TXT→TXT translation, both Implemented + Wired + Wave-3f video-confirmed; Rev 9: 442 Rev 8 + 1 new unified-translator HTML→Markdown conversion row; Rev 8 was 435 Rev 7 + 7 new pkg/bridge ensemble-seam rows; was 471 Rev 6, -36 flipped to Obsolete Rev 7 — local-runtime + SSH-local features removed in bridge phase-2 R-2..R-4)</p> |
| Obsolete (→ Fixed.md)      | <p><b>39</b> (Rev 7 — bridge phase-2 R-2..R-4 removals: cmd/translate-ssh ×9, cmd/ssh-translation ×2, cmd/translator ×19, cmd/ebook-translator ×3, pkg/sshworker ×2, pkg/modelsbridge ×1, Ollama provider ×1, llama.cpp provider+coordinator ×2; Reason=feature-removed; the KEPT distributed-API path is NOT Obsolete)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Stub                       | <p>4 (POST /api/v1/translate/ebook, POST /api/v1/preparation/analyze, GET /api/v1/preparation/result/:id, POST /api/v1/translate-with-verification)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Not implemented (gap rows) | <p>0 (PDF-write flipped gap→Implemented Rev 4, commit fb265e7; output now EPUB/FB2/TXT/HTML/MD/DOCX/PDF)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

| Metric           | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Partial          | 2 (POST /api/batch on standalone pkg/api/server.go — returns queued batch_id only, no translation; vision_engine OpenCV — stub default, real impl behind build tag) — was 3 Rev 6; cmd/translator flipped to Obsolete Rev 7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Operator-blocked | 0 (was 2 Rev 6 — translate-ssh + ebook-translator flipped to Obsolete Rev 7: the remote SSH/llama.cpp worker capability was removed, not merely host-blocked)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Video-confirmed  | <p><b>66</b> (real, content-verified recordings — see Anti-bluff note. <b>Rev-16 / Wave 9 + Wave 8 + Wave 7 of 2026-06-16 added 12 net-new</b> (4+5+3), of which <b>3 are genuine row-flips</b> PENDING→Confirmed (POST /api/v1/translate/string Wave 7, the Groq client library row Wave 8, POST /api/v1/translate/batch Wave 9) and 9 are headline-counted additional distinct-scope confirmations on already-Confirmed rows / language-pair coverage (EPUB→EPUB round-trip, -script Cyrillic→Latin, preparation analysis, GET /api/v1/version, preparation→translate two-stage, EN→KO, DE→EN, FR→ES, EN→SR-latin — see Anti-bluff note for the full per-feature mapping + the Wave-7 markdown-translator bug found→fixed-at-4fbe581→re-record-owed + the Wave-9 honest non-confirmable gaps). <b>§11.4.6 cell reconciliation:</b> this cell had a known sync-lag behind the authoritative headline running total (it read <b>43</b> at Rev 15 while the Anti-bluff-note prose was at 54); it is corrected here to the true running total — 54 (prior authoritative) + 4 (Wave 7) + 5 (Wave 8) + 3 (Wave 9) = <b>66</b>. Rev-14 / Wave 3f of 2026-06-16 added <b>2 net-new</b> video confirmations prioritising feature-type diversity — <b>EPUB→EPUB conversion</b> (helix_translate-epub-output-wave3e-20260616.mp4, EN .epub → real Spanish EPUB) and <b>TXT→TXT translation</b> (helix_translate-txt-translation-wave3f-20260616.mp4, EN .txt → real Spanish .txt), each ffmpeg+frame-verified per §11.4.107; Wave 3f also re-confirmed (NOT double-counted) FB2→FB2 /</p> |



| Metric | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        | <p>format-detection / -script</p> <p>Cyrillic[?]Latin / markdown EPUB[?]MD</p> <p>round-trip with fresh frame-verified clips;<br/> running total 41 (Rev 13) + 2 = <b>43</b>.</p> <p>Rev-13 / Wave 3d of 2026-06-16 added <b>4 net-new</b> video confirmations prioritising feature-type diversity — the <b>cmd/verify-models CLI</b> (helix_translate-verify-models-wave3d-20260616.mp4, real LLMsVerifier discovery/scoring/selection + ranking), the <b>cmd/workable-items CLI</b> (helix_translate-workable-items-wave3d-20260616.mp4, real §11.4.93 SQLite validate+list), and <b>2 more providers nvidia</b> (helix_translate-provider-nvidia-translate-wave3d-20260616.mp4, “...caminaba a lo largo de la orilla.”) + <b>openrouter</b> (helix_translate-provider-openrouter-translate-wave3d-20260616.mp4, “...paseaba a lo largo de la orilla.”), each ffprobe+frame-verified per §11.4.107; running total 37 (Rev 12) + 4 = <b>41</b>. upstage HTTP-403 SKIP + together no-key SKIP, never faked. Rev-12 / Wave 3c of 2026-06-16 added <b>2 net-new</b> video confirmations — the <b>Hyperbolic</b> library client (helix_translate-provider-hyperbolic-translate-wave3c-20260616.mp4, “...el sol salía... caminaba por la orilla...” ) and the <b>Fireworks</b> llm_provider submodule client (helix_translate-provider-fireworks-translate-wave3c-20260616.mp4, “...el sol ascendió...paseaba por la orilla...” ), each a distinct real EN→ES translation via the OpenAI-compatible per-provider path, ffprobe+frame-verified per §11.4.107 (790×560 yuv420p, ≥6 frames at fps=2, start-frame input-only ≠ output-frame Spanish), the two outputs distinct proving genuine per-provider models; Wave 3c also re-confirmed (NOT double-counted) the already-confirmed REST POST /api/v1/translate + /health · /api/v1/version · /api/v1/providers rows against a live cmd/server TLS instance (helix_translate-rest-translate-wave3c-20260616.mp4 + helix_translate-rest-endpoints-</p> |

| Metric | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        | <p>wave3c-20260616.mp4); <b>count reconciliation (§11.4.6):</b> this cell read <b>32</b> through Rev 10/11 — a sync lag behind the Anti-bluff-note prose; it is corrected to the true running total here — 30 (Rev 9) + 2 (Wave 3a Cerebras/SambaNova) + 3 (Wave 3b Gemini/Zhipu/Cohere) + 2 (Wave 3c Hyperbolic/Fireworks) = <b>37</b>. Rev-10 / Wave 3a of 2026-06-16 added <b>2 net-new</b> video confirmations — the <b>Cerebras</b> and <b>SambaNova</b> per-provider LLM clients (helix_translate-provider-cerebras-translate-wave3a-20260616.mp4 + helix_translate-provider-sambanova-translate-wave3a-20260616.mp4), each a distinct real EN→ES translation via unified-translator -provider &lt;name&gt;, ffmpeg+frame-verified per §11.4.107 with start-frame ≠ output-frame liveness, the two outputs distinct proving genuine per-provider models; Rev-11 / Wave 3b of 2026-06-16 added <b>3 net-new</b> — the <b>Gemini, Zhipu (GLM)</b> and <b>Cohere</b> library clients (helix_translate-provider-{gemini,zhipu,cohere}-translate-wave3b-20260616.mp4), distinct EN→SR-latin per-provider translations, frame-verified per §11.4.107; Rev-9 / Wave 2 of 2026-06-16 added <b>5 net-new</b> video confirmations, each backed by a real-use Wave-2 .mp4 independently validator-verified ffmpeg+frame §11.4.107: <b>DOCX output</b> (helix_translate-docx-output-20260616-112943.mp4), <b>PDF output</b> (helix_translate-pdf-output-20260616-113057.mp4), <b>HTML→Markdown conversion</b> (helix_translate-html-to-md-20260616-114228.mp4), <b>ProviderDiverseTranslators + EnsembleFactory</b> (the 4 per-provider clips novita/mistral/groq/siliconflow — helix_translate-provider-{novita,mistral,groq,siliconflow}-translate-20260616-114*.mp4). Wave 2 also re-confirmed the already-confirmed <b>gRPC TranslationService</b> row with an additional clip helix_translate-grpc-translate-20260616-113415.mp4 (NOT double-counted — that row was</p> |

| Metric                     | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                            | already video-confirmed). <b>DOCX output and PDF output are no longer “real-artifact-only” — they are now video-confirmed.</b> §11.4.108 note: the Wave-1 bridge-translator-path runtime blocker (caveat 8) is RESOLVED, which is what made the DOCX/PDF/gRPC/per-provider Wave-2 recordings genuinely demonstrate working features (recording them in Wave 1 would have been a §11.4.107 bluff; they were honest SKIPS then). Wave 1 added 2: bridge-ensemble best-model selection + bridge provider-diverse catalogue. $\approx 8.3\%$ of 494 enumerated rows ( $\approx 9.8\%$ of the 417 headline) |
| Video-confirmation PENDING | runtime/user-visible features without a recording yet                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Video-confirmation N/A     | flags, internal library types, infra middleware (no standalone user-visible video)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

**§11.4.6 reconciliation:** The inventory’s headline is **417** — its own note states this is an *approximate, deduplicated* per-category tally where “some rows are sub-features... counted once, and a few rows span two categories (counted once, in the first/primary category).” The inventory’s *detailed* tables actually enumerate **470** feature rows. This document transcribes **all 470 detailed rows 1:1** so **no feature is dropped** (which would itself be a bluff). The 417 headline and the 470 enumerated rows are both reported honestly; the 53-row gap is dedup, not missing coverage.

“Static-return” endpoints (e.g. GET /api/stats hardcoded zeros, GET /api/v1/status/:id hardcoded completed, GET /api/v1/metrics static, monitor-server GET /api/v1/status static monitoring\_active) are marked **Implemented** at the route level but their Real-use cell states the static/hardcoded behaviour honestly so no false “working backend” impression is created.

## Per-category counts

| Category     | Count      |
|--------------|------------|
| CLI          | 130        |
| API          | 70         |
| Web          | 23         |
| gRPC         | 7          |
| Library      | 81         |
| Submodule    | 95         |
| Infra        | 11         |
| <b>TOTAL</b> | <b>417</b> |

---

## Legend

- **Implementation:** Implemented (real code path present) / Stub (returns mock, no real work) / Partial (does some but not the named work).
- **Wiring:** Wired (reachable from a binary / route / public API) / Unwired (present but not reached).
- **Real-use:** what the code actually does at runtime (honest, §11.4.6).
- **Tests:** Covered (unit/integration/challenge present in repo) / None (no test found / not asserted in inventory).
- **Validation:** strongest evidence available.
- **Video-confirmation:** Confirmed:<file> only with a real recording; else PENDING / N/A.

Per §11.4.6, where the inventory did not read test files line-by-line, Tests is recorded Not-inventoried (honest unknown) rather than guessed as Covered or None. The repo is known to carry extensive `_test.go` suites and a `test/` tree, but per-feature test attribution was not part of the raw inventory.

---

## 1. CLI Binaries — cmd/

### cmd/api-server

| Component  | Feature                         | Category | Implementation | Wiring | Real-use                                                                          | Tests           | V                        |
|------------|---------------------------------|----------|----------------|--------|-----------------------------------------------------------------------------------|-----------------|--------------------------|
| api-server | REST translation server         | API/Web  | Implemented    | Wired  | Gin HTTP server (:8080) proxying to gRPC backend; serves dashboard + static files | Not-inventoried | S<br>co<br>(c<br>se<br>m |
| api-server | <code>-http-port</code> flag    | API      | Implemented    | Wired  | Override HTTP port (else <code>HTTP_PORT</code> env)                              | Not-inventoried | S<br>co                  |
| api-server | <code>-http-address</code> flag | API      | Implemented    | Wired  | Override HTTP bind address (else <code>HTTP_ADDRESS</code> env)                   | Not-inventoried | S<br>co                  |
| api-server |                                 | API      | Implemented    | Wired  | Override gRPC backend                                                             | Not-inventoried | S<br>co                  |

| Component  | Feature            | Category | Implementation | Wiring | Real-use                        | Tests           | V    |
|------------|--------------------|----------|----------------|--------|---------------------------------|-----------------|------|
|            | -grpc-address flag |          |                |        | address (else GRPC_ADDRESS env) |                 |      |
| api-server | -debug flag        | API      | Implemented    | Wired  | Enable debug / Gin debug mode   | Not-inventoried | S co |

## cmd/challenge-runner

| Component        | Feature                | Category | Implementation | Wiring | Real-use                                                                                | Tests           | Va    |
|------------------|------------------------|----------|----------------|--------|-----------------------------------------------------------------------------------------|-----------------|-------|
| challenge-runner | Challenge orchestrator | CLI      | Implemented    | Wired  | Registers + runs all anti-bluff challenges, prints PASS/ FAIL/ SKIP, writes results dir | Not-inventoried | Sc co |
| challenge-runner | -parallel              | CLI      | Implemented    | Wired  | Run challenges in parallel                                                              | Not-inventoried | Sc co |
| challenge-runner | -max-concurrency       | CLI      | Implemented    | Wired  | Max concurrent challenges                                                               | Not-inventoried | Sc co |
| challenge-runner | -stop-on-failure       | CLI      | Implemented    | Wired  | Stop on first failure                                                                   | Not-inventoried | Sc co |
| challenge-runner | -verbose               | CLI      | Implemented    | Wired  | Verbose output                                                                          | Not-inventoried | Sc co |
| challenge-runner | -timeout               | CLI      | Implemented    | Wired  | Per-challenge timeout                                                                   | Not-inventoried | Sc co |
| challenge-runner | -filter                | CLI      | Implemented    | Wired  | Comma-separated challenge IDs to run                                                    | Not-inventoried | Sc co |
| challenge-runner | -category              | CLI      | Implemented    | Wired  | Limit to a category                                                                     | Not-inventoried | Sc co |
| challenge-runner | -results-dir           | CLI      | Implemented    | Wired  | Results output directory                                                                | Not-inventoried | Sc co |

**cmd/cli**

| Component | Feature                    | Category | Implementation | Wiring | Real-use                                                                           | Tests           | Value                                                                                                |
|-----------|----------------------------|----------|----------------|--------|------------------------------------------------------------------------------------|-----------------|------------------------------------------------------------------------------------------------------|
| cli       | Universal ebook translator | CLI      | Implemented    | Wired  | Parse ebook → translate → atomic-write EPUB/FB2/TXT; multi-llm/distributed support | Not-inventoried | Parse ebook → translate → atomic-write EPUB/FB2/TXT; multi-llm/distributed support (80% of the time) |
|           | -i/-input                  | CLI      | Implemented    | Wired  | Input ebook (FB2/EPUB/TXT/HTML/PDF/DOCX)                                           | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -o/-output                 | CLI      | Implemented    | Wired  | Output file                                                                        | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -f/-format                 | CLI      | Implemented    | Wired  | Output format (epub, fb2, txt)                                                     | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -p/-provider               | CLI      | Implemented    | Wired  | Translation provider                                                               | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -model                     | CLI      | Implemented    | Wired  | LLM model name                                                                     | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -api-key                   | CLI      | Implemented    | Wired  | Provider API key                                                                   | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -base-url                  | CLI      | Implemented    | Wired  | Provider base URL                                                                  | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -script                    | CLI      | Implemented    | Wired  | Output script (default/cyrillic/latin)                                             | Not-inventoried | Scrape ebooks from the Internet                                                                      |
|           | -locale                    | CLI      | Implemented    | Wired  |                                                                                    |                 | Scrape ebooks from the Internet                                                                      |

| Component | Feature             | Category | Implementation | Wiring | Real-use                                                  | Tests           | Ver |
|-----------|---------------------|----------|----------------|--------|-----------------------------------------------------------|-----------------|-----|
|           |                     |          |                |        | Target language locale code                               | Not-inventoried |     |
| cli       | -language           | CLI      | Implemented    | Wired  | Target language name                                      | Not-inventoried | Sc  |
| cli       | -source             | CLI      | Implemented    | Wired  | Source language (auto-detect if unset)                    | Not-inventoried | Sc  |
| cli       | -detect             | CLI      | Implemented    | Wired  | Detect source language and exit (LLM detector if API key) | Not-inventoried | Sc  |
| cli       | -v/-version         | CLI      | Implemented    | Wired  | Show version                                              | Not-inventoried | Sc  |
| cli       | -h/-help            | CLI      | Implemented    | Wired  | Show help                                                 | Not-inventoried | Sc  |
| cli       | -create-config      | CLI      | Implemented    | Wired  | Write a config-file template                              | Not-inventoried | Sc  |
| cli       | -disable-local-llms | CLI      | Implemented    | Wired  | Use only distributed/API providers                        | Not-inventoried | Sc  |
| cli       | -prefer-distributed | CLI      | Implemented    | Wired  | Prefer distributed workers                                | Not-inventoried | Sc  |
| cli       | -c/-config          | CLI      | Implemented    | Wired  | Config file path                                          | Not-inventoried | Sc  |
| cli       | -hash-codebase      | CLI      | Implemented    | Wired  | Compute codebase hash and exit                            | Not-inventoried | Sc  |

## cmd/deployment

| Component  | Feature                        | Category | Implementation | Wiring | Real-use                                                  | Tests      |
|------------|--------------------------------|----------|----------------|--------|-----------------------------------------------------------|------------|
| deployment | Distributed deployment manager | CLI      | Implemented    | Wired  | Orchestrates Docker-based main+worker deployment over SSH | Not-invent |





Not-inventoried | Source-confirmed | N/A | | ebook-translator | Output verification | CLI | **Obsolete (→ Fixed.md)** | Wired | Verifies MD/EPUB exist, non-degenerate, target-language (Cyrillic) check | Not-inventoried | Source-confirmed | PENDING |

cmd/grpc-server

| Component   | Feature                 | Category | Implementation | Wiring | Real-use                                                                           |        |
|-------------|-------------------------|----------|----------------|--------|------------------------------------------------------------------------------------|--------|
| grpc-server | gRPC TranslationService | gRPC     | Implemented    | Wired  | gRPC server (:50051): Start/Status/List/Cancel/Stream/GetProviders/SubscribeEvents | M<br>i |
| grpc-server | -address                | gRPC     | Implemented    | Wired  | Bind address (or GRPC_ADDRESS env)                                                 | M<br>i |
| grpc-server | -port                   | gRPC     | Implemented    | Wired  | Port (or GRPC_PORT env)                                                            | M<br>i |
| grpc-server | -max-connections        | gRPC     | Implemented    | Wired  | Max concurrent translations                                                        | M<br>i |
| grpc-server | -reflection             | gRPC     | Implemented    | Wired  | Enable gRPC reflection (or ENABLE_REFLECTION env)                                  | M<br>i |
| grpc-server | -metrics                | gRPC     | Implemented    | Wired  | Enable metrics (or ENABLE_METRICS env)                                             | M<br>i |
| grpc-server | -log-level              | gRPC     | Implemented    | Wired  | Log level (or LOG_LEVEL env)                                                       | M<br>i |
| grpc-server | -version                | gRPC     | Implemented    | Wired  | Show version                                                                       | M<br>i |
| grpc-server | -help                   | gRPC     | Implemented    | Wired  | Show help                                                                          | M<br>i |

# cmd/grpc-translate-probe

| Component            | Feature                                           | Category | Implementation | Wiring | Real-use                                                                                                                                                                                                                                                                                                                |
|----------------------|---------------------------------------------------|----------|----------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| grpc-translate-probe | Standalone gRPC translate-round-trip probe client | gRPC     | Implemented    | Wired  | Pure wire-protocol client (cmd/grpc-translate-probe). TranslationService (default name) StartTranslation(input_file) then polls GetTranslationStatus() until COMPLETED/FILE lines + generate output. Input files must pre-exist on the server fs (server flags -addr/-input/-output/-session/-timeout; exit 0 complete) |

# cmd/markdown-translator

| Component           | Feature                            | Category | Implementation | Wiring | Real-use                                                             | Tests        |
|---------------------|------------------------------------|----------|----------------|--------|----------------------------------------------------------------------|--------------|
| markdown-translator | EPUB → Markdown translate pipeline | CLI      | Implemented    | Wired  | EPUB/MD → markdown → translate → EPUB/MD; optional preparation phase | Not-invented |
| markdown-translator | -input                             | CLI      | Implemented    | Wired  | Input file (EPUB or Markdown)                                        | Not-invented |
| markdown-translator | -output                            | CLI      | Implemented    | Wired  | Output file (auto if empty)                                          | Not-invented |
| markdown-translator | -format                            | CLI      | Implemented    | Wired  | Output format (epub, md)                                             | Not-invented |

| Component           | Feature      | Category | Implementation | Wiring | Real-use                                          | Tests           |
|---------------------|--------------|----------|----------------|--------|---------------------------------------------------|-----------------|
| markdown-translator | -lang        | CLI      | Implemented    | Wired  | Target language code                              | Not-inventoried |
| markdown-translator | -provider    | CLI      | Implemented    | Wired  | LLM provider (deepseek/openai/anthropic/llamacpp) | Not-inventoried |
| markdown-translator | -model       | CLI      | Implemented    | Wired  | LLM model                                         | Not-inventoried |
| markdown-translator | -keep-md     | CLI      | Implemented    | Wired  | Keep intermediate markdown                        | Not-inventoried |
| markdown-translator | -prepare     | CLI      | Implemented    | Wired  | Enable multi-LLM preparation/analysis phase       | Not-inventoried |
| markdown-translator | -prep-passes | CLI      | Implemented    | Wired  | Number of preparation passes                      | Not-inventoried |

## cmd/monitor-server

| Component      | Feature                        | Category | Implementation | Wiring | Real-use                                                                        |
|----------------|--------------------------------|----------|----------------|--------|---------------------------------------------------------------------------------|
| monitor-server | WebSocket monitoring hub       | Web      | Implemented    | Wired  | Gin server (:8090, MONITOR_SERVER_PORT) /ws, /monitor dashboard status + health |
| monitor-server | GET /ws                        | Web      | Implemented    | Wired  | WebSocket subscription by session_id                                            |
| monitor-server | /monitor + /                   | Web      | Implemented    | Wired  | Serve monitor.html (redirect from /)                                            |
| monitor-server | GET /api/v1/status/:session_id | Web/API  | Implemented    | Wired  | Returns static monitoring_action JSON (not a live session lookup)               |
| monitor-server | GET /health                    | Web      | Implemented    | Wired  | Health + client count                                                           |
| monitor-server | MONITOR_SERVER_PORT env        | Web      | Implemented    | Wired  | Configure bind port (CLI flag)                                                  |

# cmd/preparation-translator

| Component              | Feature                        | Category | Implementation | Wiring | Real-use                                                                              | Tests      |
|------------------------|--------------------------------|----------|----------------|--------|---------------------------------------------------------------------------------------|------------|
| preparation-translator | Preparation+translation runner | CLI      | Implemented    | Wired  | Parse ebook → multi-LLM preparation analysis → translate → write EPUB + analysis JSON | Not-invent |
| preparation-translator | -input                         | CLI      | Implemented    | Wired  | Input ebook path                                                                      | Not-invent |
| preparation-translator | -output                        | CLI      | Implemented    | Wired  | Output EPUB path                                                                      | Not-invent |
| preparation-translator | -analysis                      | CLI      | Implemented    | Wired  | Preparation analysis JSON output path                                                 | Not-invent |
| preparation-translator | -source                        | CLI      | Implemented    | Wired  | Source language                                                                       | Not-invent |
| preparation-translator | -target                        | CLI      | Implemented    | Wired  | Target language                                                                       | Not-invent |
| preparation-translator | -passes                        | CLI      | Implemented    | Wired  | Number of preparation passes                                                          | Not-invent |
| preparation-translator | -providers                     | CLI      | Implemented    | Wired  | Comma-separated LLM providers                                                         | Not-invent |

# cmd/server

| Component | Feature                       | Category | Implementation | Wiring | Real-use                                          | Tests           |
|-----------|-------------------------------|----------|----------------|--------|---------------------------------------------------|-----------------|
| server    | Main TLS HTTP/2+HTTP/3 server | API/Web  | Implemented    | Wired  | TLS REST/WebSocket API (config.json); CORS + rate | Not-inventoried |





files removed (FACT: git ls-files empty for the removed cmd/\* dirs + pkg/sshworker + pkg/modelsbridge + ollama.go/llamacpp\*.go) + CM-NO-LOCAL-RUNTIME gate PASS. The KEPT distributed-API path is NOT Obsolete. | Component | Feature | Category | Implementation | Wiring | Real-use | Tests | Validation | Video-confirmation | | | | | | | | | | translator | Documented FB2 local/remote translator | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Remote SSH/llama.cpp path produces a documentation report; LOCAL path is a STUB — emits “local translation not yet implemented” (captured). Remote path is OPERATOR-BLOCKED (no SSH worker host) | Not-inventoried | **GAP — local STUB captured; remote OPERATOR-BLOCKED** | PENDING/OPERATOR-BLOCKED; evidence:/Volumes/T7/Downloads/Recordings/helixtranslate-cmd-blocked-binaries\_20260615-172456.mp4 | | translator | -i/-input | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Input ebook | Not-inventoried | Source-confirmed | N/A | | translator | -o/-output | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Output file | Not-inventoried | Source-confirmed | N/A | | translator | -ssh-host | CLI | **Obsolete** (→ **Fixed.md**) | Wired | SSH host (remote mode) | Not-inventoried | Source-confirmed | N/A | | translator | -ssh-user | CLI | **Obsolete** (→ **Fixed.md**) | Wired | SSH username | Not-inventoried | Source-confirmed | N/A | | translator | -ssh-password | CLI | **Obsolete** (→ **Fixed.md**) | Wired | SSH password | Not-inventoried | Source-confirmed | N/A | | translator | -ssh-port | CLI | **Obsolete** (→ **Fixed.md**) | Wired | SSH port | Not-inventoried | Source-confirmed | N/A | | translator | -remote-dir | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Remote working directory | Not-inventoried | Source-confirmed | N/A | | translator | -workers | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Parallel workers | Not-inventoried | Source-confirmed | N/A | | translator | -chunk-size | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Text chunk size | Not-inventoried | Source-confirmed | N/A | | translator | -concurrency | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Max concurrent operations | Not-inventoried | Source-confirmed | N/A | | translator | -verify | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Verify translated output | Not-inventoried | Source-confirmed | N/A | | translator | -verbose | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Verbose logging | Not-inventoried | Source-confirmed | N/A | | translator | -llama-binary | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Path to llama.cpp binary | Not-inventoried | Source-confirmed | N/A | | translator | -temperature | CLI | **Obsolete** (→ **Fixed.md**) | Wired | LLM temperature | Not-inventoried | Source-confirmed | N/A | | translator | -context | CLI | **Obsolete** (→ **Fixed.md**) | Wired | LLM context size | Not-inventoried | Source-confirmed | N/A | | translator | -version | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Show version | Not-inventoried | Source-confirmed | N/A | | translator | -help | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Show help | Not-inventoried | Source-confirmed | N/A | | translator | -hash-codebase | CLI | **Obsolete** (→ **Fixed.md**) | Wired | Compute codebase hash | Not-inventoried | Source-confirmed | N/A |

cmd/unified-translator (PRIMARY CLI)

| Component          | Feature                           | Category | Implementation | Wiring | Real-use                                            | Test     |
|--------------------|-----------------------------------|----------|----------------|--------|-----------------------------------------------------|----------|
| unified-translator | Primary multi-provider translator | CLI      | Implemented    | Wired  | Parse → MD → translate (API/llamacpp/ssh) → script- | Not-inve |

| Component          | Feature                                | Category | Implementation | Wiring | Real-use                                                                                                              | Test     |
|--------------------|----------------------------------------|----------|----------------|--------|-----------------------------------------------------------------------------------------------------------------------|----------|
| unified-translator | DeepSeek translate (provider=deepseek) | CLI      | Implemented    | Wired  | normalize → output (epub/fb2/html/txt/md) + session report<br>EN→Serbian DeepSeek run, real LLM output written to TXT | Not-inve |
| unified-translator | EPUB→TXT conversion                    | CLI      | Implemented    | Wired  | EPUB parse → DeepSeek translate → TXT writer, real Serbian text                                                       | Not-inve |
| unified-translator | HTML→EPUB conversion                   | CLI      | Implemented    | Wired  | HTML parse → DeepSeek translate → EPUB writer                                                                         | Not-inve |
| unified-translator | HTML→Markdown conversion               | CLI      | Implemented    | Wired  | HTML parse → translate (openai/gpt-4 via verified bridge) → Markdown (.md) writer; real Spanish md output             | Not-inve |
| unified-translator | FB2→EPUB conversion                    | CLI      | Implemented    | Wired  | FB2 parse → DeepSeek translate → EPUB writer                                                                          | Not-inve |
| unified-translator | FB2→FB2 conversion                     | CLI      | Implemented    | Wired  | FB2 parse → DeepSeek translate → FB2 writer (namespaces preserved)                                                    | Not-inve |
| unified-translator | Serbian Cyrillic output                | CLI      | Implemented    | Wired  | Translate with Serbian-Cyrillic target output                                                                         | Not-inve |
| unified-translator | EPUB→EPUB conversion                   | CLI      | Implemented    | Wired  | EPUB parse → DeepSeek translate →                                                                                     | Not-inve |



| Component          | Feature              | Category | Implementation | Wiring | Real-use                                                                                           | Test     |
|--------------------|----------------------|----------|----------------|--------|----------------------------------------------------------------------------------------------------|----------|
|                    |                      |          |                |        | EPUB writer<br>(round-trip, real translated text in produced .epub)                                |          |
| unified-translator | TXT→TXT translation  | CLI      | Implemented    | Wired  | Plain-text parse → DeepSeek translate → TXT writer (real translated text, no format conversion)    | Not-inve |
| unified-translator | HTML→HTML round-trip | CLI      | Implemented    | Wired  | HTML parse → DeepSeek translate → HTML writer (round-trip, real translated text in produced .html) | Not-inve |

| Component          | Feature                                                      | Category | Implementation | Wiring | Real-use                                                                   | Test     |
|--------------------|--------------------------------------------------------------|----------|----------------|--------|----------------------------------------------------------------------------|----------|
| unified-translator | PDF input accepted                                           | CLI      | Implemented    | Wired  | PDF parse → DeepSeek translate (real PDF 1.7 input)                        | Not-inve |
| unified-translator | DOCX input accepted                                          | CLI      | Implemented    | Wired  | DOCX parse → DeepSeek translate (real Word 2007+ input)                    | Not-inve |
| unified-translator | Format detection                                             | CLI      | Implemented    | Wired  | Input-format auto-detection on real input                                  | Not-inve |
| unified-translator | help/version output                                          | CLI      | Implemented    | Wired  | -help/-version usage banner                                                | Not-inve |
| unified-translator | -i/-input                                                    | CLI      | Implemented    | Wired  | Input ebook                                                                | Not-inve |
| unified-translator | -o/-output                                                   | CLI      | Implemented    | Wired  | Output file (auto if empty)                                                | Not-inve |
| unified-translator | -source-lang / -target-lang (multi-language-pair capability) | CLI      | Implemented    | Wired  | Source/target language selection driving real per-language LLM translation | Not-inve |

| Component          | Feature                          | Category | Implementation | Wiring | Real-use                                                                   | Test     |
|--------------------|----------------------------------|----------|----------------|--------|----------------------------------------------------------------------------|----------|
| unified-translator | -script (Serbian Cyrillic↔Latin) | CLI      | Implemented    | Wired  | Target script (cyrillic/latin) script normalization on real run            | Not-inve |
|                    | -provider                        | CLI      | Implemented    | Wired  | Provider (openai/anthropic/zhipu/deepseek/qwen/gemini/ollama/llamacpp/ssh) | Not-inve |
|                    | -model                           | CLI      | Implemented    | Wired  | Model name                                                                 | Not-inve |
|                    | -api-key                         | CLI      | Implemented    | Wired  | Provider API key                                                           | Not-inve |
|                    | -base-url                        | CLI      | Implemented    | Wired  | Provider base URL                                                          | Not-inve |
|                    | -temperature                     | CLI      | Implemented    | Wired  | LLM temperature                                                            | Not-inve |
|                    | -max-tokens                      | CLI      | Implemented    | Wired  | Max tokens                                                                 | Not-inve |
|                    | -timeout                         | CLI      | Implemented    | Wired  | Request timeout                                                            | Not-inve |
|                    | -ssh-host                        | CLI      | Implemented    | Wired  | SSH host (provider=ssh)                                                    | Not-inve |
|                    | -ssh-user                        | CLI      | Implemented    | Wired  | SSH username                                                               | Not-inve |
| unified-translator | -ssh-password                    | CLI      | Implemented    | Wired  | SSH password                                                               | Not-inve |

| Component          | Feature                        | Category | Implementation | Wiring | Real-use                                                                                                                                                                                                                                                                 | Test     |
|--------------------|--------------------------------|----------|----------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| unified-translator | -ssh-port                      | CLI      | Implemented    | Wired  | SSH port                                                                                                                                                                                                                                                                 | Not-inve |
| unified-translator | -remote-dir                    | CLI      | Implemented    | Wired  | Remote directory                                                                                                                                                                                                                                                         | Not-inve |
| unified-translator | -llama-binary                  | CLI      | Implemented    | Wired  | Path to llama.cpp binary                                                                                                                                                                                                                                                 | Not-inve |
| unified-translator | -llama-model                   | CLI      | Implemented    | Wired  | Path to llama.cpp model                                                                                                                                                                                                                                                  | Not-inve |
| unified-translator | -context-size                  | CLI      | Implemented    | Wired  | LLM context size                                                                                                                                                                                                                                                         | Not-inve |
| unified-translator | -workers                       | CLI      | Implemented    | Wired  | Parallel workers                                                                                                                                                                                                                                                         | Not-inve |
| unified-translator | -chunk-size                    | CLI      | Implemented    | Wired  | Text chunk size                                                                                                                                                                                                                                                          | Not-inve |
| unified-translator | -concurrency                   | CLI      | Implemented    | Wired  | Concurrent operations                                                                                                                                                                                                                                                    | Not-inve |
| unified-translator | -verify (output-quality check) | CLI      | Implemented    | Wired  | Built-in per-step verification: input/markdown/translation-quality/valid-EPUB verdicts in session report. NOTE: this is the unified-translator's own verify pass, NOT the pkg/verification multipass engine (that engine is not wired into this CLI — see gap row below) | Not-inve |
| unified-translator | -verbose                       | CLI      | Implemented    | Wired  | Verbose logging                                                                                                                                                                                                                                                          | Not-inve |
| unified-translator | -monitoring                    | CLI/Web  | Implemented    | Wired  | Enable web monitoring                                                                                                                                                                                                                                                    | Not-inve |
| unified-translator | -monitoring-port               | CLI/Web  | Implemented    | Wired  | Monitoring server port                                                                                                                                                                                                                                                   | Not-inve |
| unified-translator | -use-verifier                  | CLI      | Implemented    | Wired  | Use LLMsVerifier                                                                                                                                                                                                                                                         | Not-inve |

| Component          | Feature           | Category | Implementation | Wiring | Real-use             | Tests        |
|--------------------|-------------------|----------|----------------|--------|----------------------|--------------|
|                    |                   |          |                |        | for model selection  |              |
| unified-translator | -verifier-url     | CLI      | Implemented    | Wired  | LLMsVerifier API URL | Not-invented |
| unified-translator | -verifier-api-key | CLI      | Implemented    | Wired  | LLMsVerifier API key | Not-invented |
| unified-translator | -version          | CLI      | Implemented    | Wired  | Show version         | Not-invented |
| unified-translator | -help             | CLI      | Implemented    | Wired  | Show help            | Not-invented |

cmd/verify-models

| Component | Feature | Category | Implementation | Wiring | Real-use | Tests | Verdict      |
|-----------|---------|----------|----------------|--------|----------|-------|--------------|
|           |         |          |                |        |          |       | Partial      |
|           |         |          |                |        |          |       | LLMsVerifier |
|           |         |          |                |        |          |       | scenarios    |
|           |         |          |                |        |          |       | capabilities |
|           |         |          |                |        |          |       | verification |
|           |         |          |                |        |          |       | translation  |
|           |         |          |                |        |          |       | -model       |
|           |         |          |                |        |          |       | pipeline     |
|           |         |          |                |        |          |       | key          |
|           |         |          |                |        |          |       | providers    |
|           |         |          |                |        |          |       | persist      |
|           |         |          |                |        |          |       | results      |
|           |         |          |                |        |          |       | state        |
|           |         |          |                |        |          |       | correct      |
|           |         |          |                |        |          |       | results      |
|           |         |          |                |        |          |       | automatic    |
|           |         |          |                |        |          |       | capabilities |
|           |         |          |                |        |          |       | operations   |
|           |         |          |                |        |          |       | status       |
|           |         |          |                |        |          |       | automatic    |
|           |         |          |                |        |          |       | status       |
|           |         |          |                |        |          |       | status       |
|           |         |          |                |        |          |       | verification |
|           |         |          |                |        |          |       | summary      |
|           |         |          |                |        |          |       | verification |
|           |         |          |                |        |          |       | performance  |
|           |         |          |                |        |          |       | throughput   |
|           |         |          |                |        |          |       | latency      |
|           |         |          |                |        |          |       | sequence     |
|           |         |          |                |        |          |       | number       |
|           |         |          |                |        |          |       | Status       |
|           |         |          |                |        |          |       | score        |
|           |         |          |                |        |          |       | status       |
|           |         |          |                |        |          |       | 09/09/2024   |
|           |         |          |                |        |          |       | score        |
|           |         |          |                |        |          |       | Weight       |

| Component     | Feature    | Category | Implementation | Wiring | Real-use                             | Tests           | V                                 |
|---------------|------------|----------|----------------|--------|--------------------------------------|-----------------|-----------------------------------|
| verify-models | -db        | CLI      | Implemented    | Wired  | SQLite store path                    | Not-inventoried | as<br>ffj<br>yu<br>fp<br>ve<br>So |
| verify-models | -max       | CLI      | Implemented    | Wired  | Max models/provider through pipeline | Not-inventoried | So                                |
| verify-models | -min-score | CLI      | Implemented    | Wired  | Min overall score to persist         | Not-inventoried | So                                |
| verify-models | -timeout   | CLI      | Implemented    | Wired  | Overall verification timeout         | Not-inventoried | So                                |

cmd/model-bridge

LLMsVerifier→component+agent bridge (no local models): selects the best LLMsVerifier-scored model, exposes it to agents/components via a CLI and an MCP stdio server wired in .mcp.json. Source: cmd/model-bridge/{main.go,mcp.go}, pkg/bridge/, commit ab1bed3 (+ routing seam a5860b2).

| Component    | Feature                       | Category  | Implementation | Wiring | Real-use                                                                                                           | Tests                                             |
|--------------|-------------------------------|-----------|----------------|--------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| model-bridge | LLMsVerifier→agent bridge CLI | CLI       | Implemented    | Wired  | Selects best LLMsVerifier-scored model (top-1 + fallback chain) and translates/invokes through it; no local models | Cover<br>bridg<br>unit+<br>go t<br>green<br>sessi |
| model-bridge | MCP stdio server (.mcp.json)  | CLI/Infra | Implemented    | Wired  | Exposes the selected model to                                                                                      |                                                   |

| Component | Feature | Category | Implementation | Wiring | Real-use                                                                          | Tests              |
|-----------|---------|----------|----------------|--------|-----------------------------------------------------------------------------------|--------------------|
|           |         |          |                |        | MCP clients over stdio; wired as model-bridge in .mcp.json (./build/model-bridge) | Coverage mode mcp_ |

cmd/workable-items

| Component      | Feature                             | Category | Implementation | Wiring | Real-use                                                                           | Tests           |
|----------------|-------------------------------------|----------|----------------|--------|------------------------------------------------------------------------------------|-----------------|
| workable-items | §11.4.93 workable-items SQLite tool | CLI      | Implemented    | Wired  | Bidirectional sync between Issues/Fixed markdown and SQLite single-source-of-truth | Not-inventoried |

| Component      | Feature                 | Category | Implementation | Wiring | Real-use                                                               | Tests           |
|----------------|-------------------------|----------|----------------|--------|------------------------------------------------------------------------|-----------------|
| workable-items | sync md-to-db           | CLI      | Implemented    | Wired  | Parse ATM-NNN headings from markdown into DB                           | Not-inventoried |
| workable-items | sync db-to-md           | CLI      | Implemented    | Wired  | Regenerate Issues_Summary/Fixed_Summary from DB                        | Not-inventoried |
| workable-items | validate                | CLI      | Implemented    | Wired  | Verify DB matches markdown; exit non-zero on drift                     | Not-inventoried |
| workable-items | diff                    | CLI      | Implemented    | Wired  | Print md-vs-db drift human-readably                                    | Not-inventoried |
| workable-items | list                    | CLI      | Implemented    | Wired  | Print items in DB                                                      | Not-inventoried |
| workable-items | record-event            | CLI      | Implemented    | Wired  | Append event to item_history audit trail                               | Not-inventoried |
| workable-items | path/<br>value<br>flags | CLI      | Implemented    | Wired  | -issues/-fixed/-db/-issues-summary/-fixed-summary/-atm/-event/-on/-not | Not-inventoried |

## 2. Library Packages — pkg/

### pkg/translator/llm — LLM provider clients & factory

| Component | Feature                       | Category | Implementation | Wiring | Real-use                                                                    | Tests           |
|-----------|-------------------------------|----------|----------------|--------|-----------------------------------------------------------------------------|-----------------|
| LLM Core  | LLMClient interface & factory | Library  | Implemented    | Wired  | LLMClient interface + NewLLMTranslator factory dispatching to ~32 providers | Not-inventoried |
| LLM Core  | Type-coercion utilities       | Library  | Implemented    | Wired  | JSON config conversion helpers                                              | Not-inventoried |
| LLM Core  |                               | Library  | Implemented    | Wired  |                                                                             |                 |



| Component | Feature                 | Category | Implementation | Wiring | Real-use                                                                 | Tests           |
|-----------|-------------------------|----------|----------------|--------|--------------------------------------------------------------------------|-----------------|
| LLM Core  | Verified factory        | Library  | Implemented    | Wired  | LLMsVerifier-gated translator construction w/ fallback chain (CONST-034) | Not-inventoried |
|           | Mock client             |          |                |        | Test mock LLMClient with fault injection (test-only)                     | Not-inventoried |
|           | OpenAI client           |          |                |        | GPT chat-completions translation                                         | Not-inventoried |
|           | Anthropic Claude client |          |                |        | Claude /v1/ messages translation                                         | Not-inventoried |
|           |                         |          |                |        |                                                                          |                 |
| Google    | Gemini client           | Library  | Implemented    | Wired  | Google Gemini generativelanguage API                                     | Not-inventoried |
|           |                         |          |                |        |                                                                          |                 |
| DeepSeek  | DeepSeek client         | Library  | Implemented    | Wired  | DeepSeek OpenAI-compatible chat-completions                              | Not-inventoried |

| Component | Feature                            | Category | Implementation               | Wiring | Real-use                                                                                                                       | Tests         |
|-----------|------------------------------------|----------|------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------|---------------|
| Zhipu     | Zhipu (GLM) client                 | Library  | Implemented                  | Wired  | Zhipu GLM /api/paas/v4                                                                                                         | Not-inventori |
| Alibaba   | Qwen client                        | Library  | Implemented                  | Wired  | Qwen/DashScope (OAuth2-capable)                                                                                                | Not-inventori |
| Ollama    | Ollama local client                | Library  | <b>Obsolete (→ Fixed.md)</b> | Wired  | Local /api/generate inference — REMOVED (bridge phase-2 R-2). See Obsolete-Details below.                                      | Not-inventori |
| llama.cpp | llama.cpp client                   | Library  | <b>Obsolete (→ Fixed.md)</b> | Wired  | llama-cli wrapper w/ hardware detection, model download, GPU accel — REMOVED (bridge phase-2 R-3). See Obsolete-Details below. | Not-inventori |
| llama.cpp | llama.cpp multi-worker coordinator | Library  | <b>Obsolete (→ Fixed.md)</b> | Wired  | Worker pool for parallel local llama.cpp inference — REMOVED (bridge phase-2 R-3). See Obsolete-Details below.                 | Not-inventori |

**Obsolete-Details (Ollama + llama.cpp provider/coordinator rows above):**  
 Since=bridge phase-2 R-2/R-3 (2026-06-16); Reason=feature-removed  
 (local-runtime inference removed; the default path now sources the

LLMsVerifier bridge — no local llama.cpp/Ollama); Superseding-item=pkg/bridge; Operator-approval=2026-06-15 D1/D2 (forbid all local runtimes) + R-1 redirect; Triple-check evidence=pkg/translator/llm/{ollama.go, llamacpp.go, llamacpp\_provider.go} removed (FACT: git ls-files empty) + CM-N0-LOCAL-RUNTIME gate PASS. The KEPT API provider clients (OpenAI/Anthropic/DeepSeek/...) in this section are NOT Obsolete. | Groq | Groq client | Library | Implemented | Wired | OpenAI-compatible wrapper | Not-inventoried | **PASS — real EN→ES translation captured** (Wave 8: build/unified-translator -provider groq -model llama-3.3-70b-versatile, real Groq API path: “The old lighthouse stood alone on the rocky cliff...” → “La vieja farola se erguía sola sobre el acantilado rocoso. Cada noche su haz barría el mar oscuro, guiando a las naves perdidas de vuelta a puerto.”; ffprobe 115 frames/3.83s, source-frame ≠ output-frame per §11.4.107) | Confirmed:/Volumes/T7/Downloads/Recordings/helix\_translate-groq-en-es-wave8-20260616\_182021.mp4 | | Cohere | Cohere client | Library | Implemented | Wired | command-r via OpenAI-compat endpoint | Not-inventoried | **PASS — real Cohere translation captured** (Wave-3b real-use video: unified-translator -provider cohere -model command-r-08-2024 -base-url https://api.cohere.ai/compatibility/v1, real key, EN→SR-latin “Stari svjetionik stoeo je sam na kamenitoj obali. Noću svaki put svijeća njegova vodila brodove sigurno kući kroz oluju.”; log shows provider=cohere; ffprobe 6.24s / 790×560 / non-zero frames; ≥6 frames extracted, f\_04 content-verified per §11.4.107; output distinct from deepseek/gemini/zhipu) | Confirmed:/Volumes/T7/Downloads/Recordings/helix\_translate-provider-cohere-translate-wave3b-20260616.mp4 | | Mistral | Mistral client | Library | Implemented | Wired | OpenAI-compatible wrapper | Not-inventoried | Source-confirmed | PENDING | | xAI | xAI (Grok) client | Library | Implemented | Wired | OpenAI-compatible wrapper | Not-inventoried | Source-confirmed | PENDING | | Replicate | Replicate client | Library | Implemented | Wired | Async prediction-polling API | Not-inventoried | Source-confirmed | PENDING | | Cerebras | Cerebras client | Library | Implemented | Wired | OpenAI-compatible wrapper (https://api.cerebras.ai/v1, model llama3.1-70b) | Not-inventoried | **PASS — real EN→ES translation captured** (via unified-translator -provider cerebras -model llama3.1-70b: “The morning sun rose over the quiet village.” → “El sol de la mañana se alzó sobre el tranquilo pueblo.” — distinct from SambaNova’s output, proving a genuine per-provider model; Wave-3a, asciinema→agg→ffmpeg, ffprobe 4.03s/4 frames + 11 extracted frames, ≥6 frames content-verified, start-frame ≠ output-frame per §11.4.107) | Confirmed:/Volumes/T7/Downloads/Recordings/helix\_translate-provider-cerebras-translate-wave3a-20260616.mp4 | | Cloudflare | Cloudflare Workers AI client | Library | Implemented | Wired | /client/v4 Workers AI | Not-inventoried | Source-confirmed | PENDING | | SiliconFlow | SiliconFlow client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | Hyperbolic | Hyperbolic client | Library | Implemented | Wired | OpenAI-compatible wrapper (https://api.hyperbolic.xyz/v1, model meta-llama/Meta-Llama-3.1-70B-Instruct) | Not-inventoried | **PASS — real EN→ES translation captured** (via unified-translator -provider openai -base-url https://api.hyperbolic.xyz/v1 -model meta-llama/Meta-Llama-3.1-70B-Instruct: “The morning sun rose over the quiet village. An old fisherman walked along the shore...” → “Al amanecer, el sol salía sobre el tranquilo pueblo. Un anciano pescador caminaba por la

orilla...” — distinct verbs (salía/caminaba) from Fireworks’s output (ascendió/paseaba), proving a genuine per-provider model; Wave-3c, asciinema→agg→ffmpeg, ffprobe 8.01s/790×560 yuv420p + 16 extracted frames at fps=2, ≥6 frames content-verified, start-frame (input only) ≠ output-frame (Spanish) per §11.4.107) | Confirmed:/Volumes/T7/Downloads/Recordings/helix\_translate-provider-hyperbolic-translate-wave3c-20260616.mp4 | | TogetherAI | TogetherAI client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | SambaNova | SambaNova client | Library | Implemented | Wired | OpenAI-compatible wrapper (https://api.sambanova.ai/v1, model Meta-Llama-3.1-70B-Instruct) | Not-inventoried | **PASS — real EN→ES translation captured** (via unified-translator -provider sambanova -model Meta-Llama-3.1-70B-Instruct: “The morning sun rose over the quiet village.” → “El sol matutino se alzó sobre el tranquilo pueblo.” — distinct from Cerebras’s output, proving a genuine per-provider model; Wave-3a, asciinema→agg→ffmpeg, ffprobe 4.39s/4 frames + 12 extracted frames, ≥6 frames content-verified, start-frame ≠ output-frame per §11.4.107) | Confirmed:/Volumes/T7/Downloads/Recordings/helix\_translate-provider-sambanova-translate-wave3a-20260616.mp4 | | Kimi | Kimi (Moonshot) client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | Novita | Novita client | Library | Implemented | Wired | /v3/ openai-compatible wrapper | Not-inventoried | Source-confirmed | PENDING | | NLPCloud | NLPCloud client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | Upstage | Upstage (Solar) client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | Sarvam | Sarvam client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | Modal | Modal client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | PublicAI | PublicAI client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | NIA | NIA client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING | | Vulavula | Vulavula client | Library | Implemented | Wired | OpenAI-compatible wrapper (specifics UNCONFIRMED) | Not-inventoried | Source-confirmed | PENDING |

pkg/translator — translation core

| Component       | Feature                               | Category | Implementation | Wiring | Real-use                                                               |
|-----------------|---------------------------------------|----------|----------------|--------|------------------------------------------------------------------------|
| Translator Core | Translator interface + BaseTranslator | Library  | Implemented    | Wired  | Translate/TranslateWithProgress GetStats + base impl v caching & stats |
| Translator Core | Translation config                    | Library  | Implemented    | Wired  |                                                                        |

| Component          | Feature             | Category | Implementation | Wiring | Real-use                                                                                                                                                         |
|--------------------|---------------------|----------|----------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Translator<br>Core | UniversalTranslator | Library  | Implemented    | Wired  | TranslationConfig (provider/model/key/term/tokens/lang-pair/script)<br><br>High-level ebook translator: lang detection, per-chapter translation, progress events |

## pkg/ebook — format parsers & writers

| Component | Feature                     | Category | Implementation | Wiring | Real-use                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------|-----------------------------|----------|----------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ebook     | Universal parser dispatcher | Library  | Implemented    | Wired  | Multi-format parser (FB2/EPUB/DOCX/HTML/TXT/PDF)                                                                                                                                                                                                                                                                                                                                         |
| ebook     | FB2 parse                   | Library  | Implemented    | Wired  | Parse FictionBook 2.0 → Book, rtf                                                                                                                                                                                                                                                                                                                                                        |
| ebook     | FB2 write                   | Library  | Implemented    | Wired  | Write Book → FB2 XML                                                                                                                                                                                                                                                                                                                                                                     |
| ebook     | EPUB parse                  | Library  | Implemented    | Wired  | Parse EPUB (ZIP+OPF/NCX)                                                                                                                                                                                                                                                                                                                                                                 |
| ebook     | EPUB write                  | Library  | Implemented    | Wired  | Write Book → EPUB 2.0 ZIP                                                                                                                                                                                                                                                                                                                                                                |
| ebook     | DOCX parse                  | Library  | Implemented    | Wired  | Parse .docx (archive/zip + encoding/xml)                                                                                                                                                                                                                                                                                                                                                 |
| ebook     | HTML parse                  | Library  | Implemented    | Wired  | Parse HTML → Book                                                                                                                                                                                                                                                                                                                                                                        |
| ebook     | TXT parse                   | Library  | Implemented    | Wired  | Parse plain text (configurable 64k)                                                                                                                                                                                                                                                                                                                                                      |
| ebook     | PDF text extraction         | Library  | Implemented    | Wired  | Extract text via ledongthuc/pdf                                                                                                                                                                                                                                                                                                                                                          |
| ebook     | DOCX write (output)         | Library  | Implemented    | Wired  | Pure-Go OOXXML writer pkg/ebook/docx_wrt renders the in-memory Book to UMLite, archive/zip + encoding/xml, zero OOXXML parts; XML specials auto-escaped, no chardata. Wired into unified-translator (docx). Real DeepSeek EN→ES -> Microsoft Word 2007+, well-formatted, the real translation. Guards: pkg/ebook/docx_wrt, subtest in cmd/unified-translator/translator_test.go (proven) |
| ebook     | PDF write (output)          | Library  | Implemented    | Wired  | PDF writer pkg/ebook/pdf_wrt renders the in-memory Book to UMLite, weasyprint to emit a VALID, CJK fonts can't render Cyrillic — weasyprint silent-glyph-drop bluff). Wired into unified-translator (pdf). generateOutput (case .pdf → ebook, main.go:1160); .pdf is a supported format                                                                                                  |

| Component | Feature | Category | Implementation | Wiring | Real-use                                                                                                             |
|-----------|---------|----------|----------------|--------|----------------------------------------------------------------------------------------------------------------------|
|           |         |          |                |        | typed ErrWeasyPrintUnavailable (§11.4.3/§11.4.6). Guards: pkg/eb (TestPDFWriter_ProducesVal1 _UnavailableWeasyPrint) |

### pkg/fb2 — FB2-specific XML

| Component | Feature                    | Category | Implementation | Wiring | Real-use                                                         | Tests           |
|-----------|----------------------------|----------|----------------|--------|------------------------------------------------------------------|-----------------|
| fb2       | FB2 parser (mixed-content) | Library  | Implemented    | Wired  | Parse FB2 preserving paragraphs/ verses/ inline mixed content    | Not-inventoried |
| fb2       | FB2→Markdown converter     | Library  | Implemented    | Wired  | Convert FB2 → Markdown (author/ annotation/ epigraph/ poem/cite) | Not-inventoried |

### pkg/format

| Component | Feature         | Category | Implementation | Wiring | Real-use                                                                                | Tests           | Val     |
|-----------|-----------------|----------|----------------|--------|-----------------------------------------------------------------------------------------|-----------------|---------|
| format    | Format detector | Library  | Implemented    | Wired  | Detect format by magic bytes/ extension/ content; ZIP disambiguation (EPUB/ DOCX/ AZW3) | Not-inventoried | Sou con |

### pkg/markdown — EPUB↔Markdown workflow

| Component | Feature                 | Category | Implementation | Wiring | Real-use                              |
|-----------|-------------------------|----------|----------------|--------|---------------------------------------|
| markdown  | EPUB→Markdown converter | Library  | Implemented    | Wired  | EPUB→MD w/ YAML image extraction, GFM |

| Component | Feature                 | Category | Implementation | Wiring | Real-use                                        |
|-----------|-------------------------|----------|----------------|--------|-------------------------------------------------|
| markdown  | Markdown→EPUB converter | Library  | Implemented    | Wired  | MD→EPUB 2.0 w/ OP tables/blockquotes            |
| markdown  | Simple workflow         | Library  | Implemented    | Wired  | ebook→markdown→tra pipeline w/ progress         |
| markdown  | Markdown translator     | Library  | Implemented    | Wired  | Line-by-line MD transla preserving formatting/c |

pkg/script

| Component | Feature                   | Category | Implementation | Wiring | Real-use                                                        | Tests           |
|-----------|---------------------------|----------|----------------|--------|-----------------------------------------------------------------|-----------------|
| script    | Cyrillic↔Latin conversion | Library  | Implemented    | Wired  | Bidirectional Serbian script conversion, context-aware digraphs | Not-inventoried |

pkg/storage

| Component | Feature            | Category | Implementation | Wiring | Real-use                                                | Tests           | Val    |
|-----------|--------------------|----------|----------------|--------|---------------------------------------------------------|-----------------|--------|
| storage   | Storage interface  | Library  | Implemented    | Wired  | Abstract session + translation-cache persistence        | Not-inventoried | So cor |
| storage   | PostgreSQL backend | Library  | Implemented    | Wired  | Pooled Postgres w/ UNIQUE-tuple dedup                   | Not-inventoried | So cor |
| storage   | Redis backend      | Library  | Implemented    | Wired  | Redis cache, sha256-hashed tuple keys (collision-proof) | Not-inventoried | So cor |
| storage   | SQLite backend     | Library  | Implemented    | Wired  | SQLite (optional SQLCipher) w/ UNIQUE-                  | Not-inventoried | So cor |

| Component | Feature           | Category | Implementation | Wiring | Real-use                                                                        | Tests           | Val       |
|-----------|-------------------|----------|----------------|--------|---------------------------------------------------------------------------------|-----------------|-----------|
| storage   | Cache-key hashing | Library  | Implemented    | Wired  | tuple migrations<br>Length-prefixed tuple encoding for collision-resistant keys | Not-inventoried | So<br>cor |

### pkg/security

| Component | Feature           | Category | Implementation | Wiring | Real-use                                                  | Tests           | Valida         |
|-----------|-------------------|----------|----------------|--------|-----------------------------------------------------------|-----------------|----------------|
| security  | JWT auth service  | Library  | Implemented    | Wired  | JWT generate/validate/refresh w/ timing-attack mitigation | Not-inventoried | Source confirm |
| security  | API-key store     | Library  | Implemented    | Wired  | Thread-safe key validation w/ expiry & revocation         | Not-inventoried | Source confirm |
| security  | Rate limiter      | Library  | Implemented    | Wired  | Token-bucket per-key limiting w/ cleanup & stats          | Not-inventoried | Source confirm |
| security  | User auth service | Library  | Implemented    | Wired  | Login/user-create w/ timing & enumeration mitigation      | Not-inventoried | Source confirm |

### pkg/verification — quality verification & polishing

| Component    | Feature            | Category | Implementation | Wiring                     | Real-use                                                 |
|--------------|--------------------|----------|----------------|----------------------------|----------------------------------------------------------|
| verification | Heuristic verifier | Library  | Implemented    | Wired                      | Untranslated-block/HTML-artifact detection, quality sc   |
| verification |                    | Library  | Implemented    | <b>Wired into unified-</b> | Iterative multi-LLM polishing note-taking & consensus. N |



| Component    | Feature             | Category | Implementation | Wiring                                  | Real-use                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------|---------------------|----------|----------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              | Multi-pass polisher |          |                | <b>translator (-multipass, d53e085)</b> | reachable via the unified-translator opt-in -multipass flag (+ -multipass-passe -multipass-db; default O zero overhead/behavior cha when absent). NOTE: distin from -verify (the CLI's ov per-step output check) — -multipass invokes this p verification engine. Guac cmd/unified-translator/ multipass_wiring_test.go (httptest + real DeepSeek). §11.4.150 research: docs/ research/ 20260615_video_surfaced_ verification_multipass_wiri |
| verification | Book polisher       | Library  | Implemented    | Wired                                   | Multi-LLM per-dimension scoring & consensus valida                                                                                                                                                                                                                                                                                                                                                                                           |
| verification | Polishing reporter  | Library  | Implemented    | Wired                                   | Stats aggregation (consensu rates, issue/provider breakd                                                                                                                                                                                                                                                                                                                                                                                     |
| verification | Polishing database  | Library  | Implemented    | Wired                                   | SQLite persistence for mult sessions/pass records                                                                                                                                                                                                                                                                                                                                                                                            |
| verification | Literary notes      | Library  | Implemented    | Wired                                   | Character/tone/theme/ terminology/cultural note collection                                                                                                                                                                                                                                                                                                                                                                                   |

## internal/verifier — LLMsVerifier consumer integration

Consumer-side LLMsVerifier verification gate (client + scoring + discovery + selection). Source: internal/verifier/pipeline.go.

| Component         | Feature                        | Category | Implementation | Wiring                        | Real-use                                                                                                                                                     |
|-------------------|--------------------------------|----------|----------------|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| internal/verifier | Affirmative-response hard-gate | Library  | Implemented    | Wired (verification pipeline) | Correctness fix (commit 97a8afd): a model with affirmative_response= is now a HARD disqualifi — rejected by the verification gate regardless of other scores |

| Component | Feature | Category | Implementation | Wiring | Real-use |
|-----------|---------|----------|----------------|--------|----------|
|           |         |          |                |        |          |
|           |         |          |                |        |          |

### pkg/preparation — pre-translation analysis

| Component   | Feature                      | Category | Implementation | Wiring | Real-use                                                      | Tests           | V   |
|-------------|------------------------------|----------|----------------|--------|---------------------------------------------------------------|-----------------|-----|
| preparation | Preparation coordinator      | Library  | Implemented    | Wired  | Multi-pass content analysis (character/terminology/cultural)  | Not-inventoried | S c |
| preparation | Preparation-aware translator | Library  | Implemented    | Wired  | Wraps base translator w/ analysis phase + context passing     | Not-inventoried | S c |
| preparation | Prompt builder               | Library  | Implemented    | Wired  | Context-aware analysis prompts refined across passes          | Not-inventoried | S c |
| preparation | Domain types                 | Library  | Implemented    | Wired  | Content-classification/character/cultural/terminology structs | Not-inventoried | S c |
| preparation | Utilities                    | Library  | Implemented    | Wired  | JSON serialization + human-readable summaries                 | Not-inventoried | S c |

### pkg/coordination — multi-LLM coordination

| Component    | Feature | Category | Implementation | Wiring | Real-use | Te     |
|--------------|---------|----------|----------------|--------|----------|--------|
| coordination |         | Library  | Implemented    | Wired  |          | No inv |

| Component    | Feature                      | Category | Implementation | Wiring | Real-use                                                           | Tests           |
|--------------|------------------------------|----------|----------------|--------|--------------------------------------------------------------------|-----------------|
| coordination | Multi-LLM coordinator        | Library  | Implemented    | Wired  | Multiple LLM instances w/ round-robin, retry, distributed fallback | Not-inventoried |
|              | Multi-LLM translator wrapper |          |                |        | Adapts coordinator to translator.Translator interface              |                 |

**pkg/distributed — SSH distributed workers**

| Component   | Feature                              | Category | Implementation | Wiring | Real-use                                                                     | Tests           |
|-------------|--------------------------------------|----------|----------------|--------|------------------------------------------------------------------------------|-----------------|
| distributed | Coordinator (distribute + aggregate) | Library  | Implemented    | Wired  | Distributes work across remote LLM instances, round-robin, failover to local | Not-inventoried |
| distributed | SSH connection pool                  | Library  | Implemented    | Wired  | Pooled SSH connections w/ idle-timeout cleanup                               | Not-inventoried |
| distributed | Worker pairing/discovery             | Library  | Implemented    | Wired  | Discover/pair/health-check remote translator services                        | Not-inventoried |
| distributed | Fallback / graceful degradation      | Library  | Implemented    | Wired  | Retry w/ backoff, degraded-mode entry/exit, recovery tracking                | Not-inventoried |
| distributed | Version manager                      | Library  | Implemented    | Wired  | Version check/update/rollback, signed packages, backups,                     | Not-inventoried |

| Component   | Feature                     | Category | Implementation | Wiring | Real-use                                                                                                                                                            | Tests           |
|-------------|-----------------------------|----------|----------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| distributed | Performance instrumentation | Library  | Implemented    | Wired  | drift alerts (no LLM)<br>Conn pooling, TTL result cache, circuit breaker, batch processing<br>SSH host-key verify, TLS validation, network ACLs, security event log | Not-inventoried |
| distributed | Security hardening          | Library  | Implemented    | Wired  | Init/discover/pair/version-manage + translation delegation                                                                                                          | Not-inventoried |
| distributed | Manager / orchestration     | Library  | Implemented    | Wired  |                                                                                                                                                                     | Not-inventoried |

pkg/sshworker

**Obsolete-Details:** Since=bridge phase-2 R-2/R-4 (2026-06-16); Reason=feature-removed (local-runtime + SSH-local translation removed; default path now sources the LLMsVerifier bridge — no local llama.cpp/Ollama, no SSH-local worker); Superseding-item=pkg/bridge (LLMsVerifier→agent bridge); Operator-approval=2026-06-15 D1/D2 (forbid all local runtimes) + R-1 redirect + the R-4 “keep distributed API, remove SSH-local” decision (2026-06-16); Triple-check evidence=source files removed (FACT: git ls-files empty for the removed cmd/\* dirs + pkg/sshworker + pkg/modelsbridge + ollama.go/llamacpp\*.go) + CM-NO-LOCAL-RUNTIME gate PASS. The KEPT distributed-API path is NOT Obsolete. | Component | Feature | Category | Implementation | Wiring | Real-use | Tests | Validation | Video-confirmation | |-----|-----|-----|-----|-----|-----|-----|-----|-----| sshworker | SSH worker | Library | **Obsolete (→ Fixed.md)** | Wired | SSH exec, file up/download, codebase sync, key generation | Not-inventoried | Source-confirmed | N/A | | sshworker | Monitored worker | Library | **Obsolete (→ Fixed.md)** | Wired | Event-monitored progress tracking for long commands | Not-inventoried | Source-confirmed | N/A |

## pkg/deployment

| Component  | Feature                 | Category | Implementation | Wiring | Real-use                                                   | Tests           |
|------------|-------------------------|----------|----------------|--------|------------------------------------------------------------|-----------------|
| deployment | Deployment orchestrator | Library  | Implemented    | Wired  | Automated multi-host instance deployment                   | Not-inventoried |
| deployment | Docker orchestrator     | Library  | Implemented    | Wired  | Generate/manage docker-compose for multi-service deploy    | Not-inventoried |
| deployment | SSH deployer            | Library  | Implemented    | Wired  | SSH-based deploy w/ validation & error handling            | Not-inventoried |
| deployment | Network discovery       | Library  | Implemented    | Wired  | UDP service discovery/broadcast                            | Not-inventoried |
| deployment | API comm logger         | Library  | Implemented    | Wired  | Retrofit-style REST request/response logging between nodes | Not-inventoried |
| deployment | Deployment types        | Library  | Implemented    | Wired  | DeploymentPlan/Status/NetworkService/APICommunicationLog   | Not-inventoried |

## pkg/grpc

| Component | Feature                  | Category | Implementation | Wiring | Real-use                                                               | Tests           |
|-----------|--------------------------|----------|----------------|--------|------------------------------------------------------------------------|-----------------|
| grpc      | gRPC TranslationService  | Library  | Implemented    | Wired  | gRPC server: sessions, event streaming, provider registry, concurrency | Not-inventoried |
| grpc      | Core translator pipeline | Library  | Implemented    | Wired  | Translation job exec w/ step tracking + progress via llm factory       | Not-inventoried |

## pkg/api (library layer)

| Component | Feature         | Category | Implementation | Wiring | Real-use                 | Tests           | Value                         |
|-----------|-----------------|----------|----------------|--------|--------------------------|-----------------|-------------------------------|
| api       | REST API server | Library  | Implemented    | Wired  | HTTP server: auth, CSRF, | Not-inventoried | Scalable, secure, easy to use |

| Component | Feature                    | Category | Implementation | Wiring | Real-use                                                                                 | Tests           | Val      |
|-----------|----------------------------|----------|----------------|--------|------------------------------------------------------------------------------------------|-----------------|----------|
| api       | Translation endpoints      | Library  | Implemented    | Wired  | rate-limit, routing<br>text/FB2/<br>ebook<br>translate, batch ops, lang/provider listing | Not-inventoried | Sc<br>co |
| api       | Batch translation handlers | Library  | Implemented    | Wired  | Batch requests w/ queue, progress, concurrency                                           | Not-inventoried | Sc<br>co |
| api       | Verifier endpoints         | Library  | Implemented    | Wired  | LLMsVerifier model<br>verification/<br>scoring/<br>selection; /<br>verified-models       | Not-inventoried | Sc<br>co |

**pkg/events, websocket, batch, progress, report, logger, hardware, hash**

| Component | Feature           | Category | Implementation | Wiring | Real-use                                                 | Tests           | Val        |
|-----------|-------------------|----------|----------------|--------|----------------------------------------------------------|-----------------|------------|
| events    | Event pub/sub bus | Library  | Implemented    | Wired  | Thread-safe pub/sub w/ subscription IDs + type filtering | Not-inventoried | Sou<br>con |
| websocket | WebSocket hub     | Library  | Implemented    | Wired  | Real-time session event broadcast to dashboards          | Not-inventoried | Sou<br>con |
| batch     | Batch processor   | Library  | Implemented    | Wired  | File/dir translation w/ concurrency & progress           | Not-inventoried | Sou<br>con |
| progress  | Progress tracker  | Library  | Implemented    | Wired  | Chapter/section progress w/ ETA                          | Not-inventoried | Sou<br>con |
| report    |                   | Library  | Implemented    | Wired  |                                                          |                 |            |

| Component | Feature                 | Category | Implementation | Wiring | Real-use                                         | Tests           | Val |
|-----------|-------------------------|----------|----------------|--------|--------------------------------------------------|-----------------|-----|
| logger    | Report generator        | Library  | Implemented    | Wired  | Session reporting (issues/warnings/logs/results) | Not-inventoried | Sou |
|           | Structured logger       |          |                |        | Text/JSON logging w/ levels                      | Not-inventoried | Sou |
|           | Hardware detector       |          |                |        | CPU/RAM/GPU detection + model-size estimation    | Not-inventoried | Sou |
|           | Codebase hash generator |          |                |        | SHA256 of source/config/deps/binaries            | Not-inventoried | Sou |

### pkg/language

| Component | Feature                                | Category | Implementation | Wiring | Real-use                                             | Tests           | Validation       |
|-----------|----------------------------------------|----------|----------------|--------|------------------------------------------------------|-----------------|------------------|
| language  | Language registry / heuristic detector | Library  | Implemented    | Wired  | ISO 639-1 registry + heuristic detection (18+ langs) | Not-inventoried | Source-confirmed |
| language  | LLM language detector                  | Library  | Implemented    | Wired  | LLM-driven language detection                        | Not-inventoried | Source-confirmed |

### pkg/models & modelsbridge

**Obsolete-Details:** Since=bridge phase-2 R-2/R-4 (2026-06-16); Reason=feature-removed (local-runtime + SSH-local translation removed; default path now sources the LLMsVerifier bridge — no local llama.cpp/Ollama, no SSH-local worker); Superseding-item=pkg/bridge (LLMsVerifier→agent bridge); Operator-approval=2026-06-15 D1/D2 (forbid all local runtimes) + R-1 redirect + the R-4 “keep distributed API, remove SSH-local” decision (2026-06-16); Triple-check evidence=source files removed (FACT: `git ls-files` empty for the removed cmd/\* dirs +

pkg/sshworker + pkg/modelsbridge + ollama.go/llamacpp\*.go) + CM-NO-LOCAL-RUNTIME gate PASS. The KEPT distributed-API path is NOT Obsolete. | Component | Feature | Category | Implementation | Wiring | Real-use | Tests | Validation | Video-confirmation | |---| | models | Model registry | Library | Implemented | Wired | Translation-model metadata registry (50+ models) | Not-inventoried | Source-confirmed | N/A | | models | Model downloader | Library | Implemented | Wired | HTTP model download w/ caching + sha256 verification | Not-inventoried | Source-confirmed | N/A | | models | User domain | Library | Implemented | Wired | User struct, bcrypt hashing, in-memory repo | Not-inventoried | Source-confirmed | N/A | | models | Error definitions | Library | Implemented | Wired | Domain error constants | Not-inventoried | Source-confirmed | N/A | | models | Verifier registry | Library | Implemented | Wired | LLMsVerifier-backed registry w/ thresholds & filtering | Not-inventoried | Source-confirmed | PENDING | | modelsbridge | Models bridge | Library | **Obsolete (→ Fixed.md)** | Wired | Adapter mapping models.LLMRequest/Response → llm.LLMClient | Not-inventoried | Source-confirmed | N/A |

pkg/bridge — LLMsVerifier→component+agent bridge

In-process bridge (no local models) that selects the best LLMsVerifier-scored model and routes component/agent calls to it; backs cmd/model-bridge CLI + MCP. Source: pkg/bridge/bridge.go, commit ab1bed3 (+ routing mutation seam a5860b2).

| Component | Feature                                                       | Category | Implementation | Wiring                               |
|-----------|---------------------------------------------------------------|----------|----------------|--------------------------------------|
| bridge    | Best-model selection                                          | Library  | Implemented    | Wired (via cmd/model-bridge CLI+MCP) |
| bridge    | Invoke routes to BestModel                                    | Library  | Implemented    | Wired                                |
| bridge    | BestTranslator (single strongest translator + fallback chain) | Library  | Implemented    | Wired (R-1 redirect seam)            |



| Component | Feature                                                     | Category | Implementation | Wiring                                 |
|-----------|-------------------------------------------------------------|----------|----------------|----------------------------------------|
| bridge    | BestTranslatorFunc (context-only single-translator closure) | Library  | Implemented    | Wired (R-1 redirect seam)              |
| bridge    | EnsembleFactory (provider-diverse ensemble seam)            | Library  | Implemented    | Wired (R-1 ensemble redirect)          |
| bridge    | ProviderDiverseTranslators                                  | Library  | Implemented    | Wired (backs EnsembleFactory)          |
| bridge    | ProviderDiverseClients                                      | Library  | Implemented    | Wired                                  |
| bridge    | ProviderDiverseModels                                       | Library  | Implemented    | Wired (backs the ProviderDiverse* set) |

| Component | Feature                                        | Category | Implementation | Wiring |
|-----------|------------------------------------------------|----------|----------------|--------|
| bridge    | BestClient (single strongest low-level client) | Library  | Implemented    | Wired  |

### pkg/version

| Component | Feature         | Category | Implementation | Wiring | Real-use                                                            | Tests           | Validation       |
|-----------|-----------------|----------|----------------|--------|---------------------------------------------------------------------|-----------------|------------------|
| version   | App version     | Library  | Implemented    | Wired  | Singleton version constant (2.3.0)                                  | Not-inventoried | Source confirmed |
| version   | Codebase hasher | Library  | Implemented    | Wired  | SHA256 codebase versioning over dirs/extensions w/ exclude patterns | Not-inventoried | Source confirmed |

### pkg/challenge\_runner — anti-bluff test harness (uses digital.vasic.challenges)

| Component        | Feature                             | Category | Implementation | Wiring | Real-use                                                                    | Tests           |
|------------------|-------------------------------------|----------|----------------|--------|-----------------------------------------------------------------------------|-----------------|
| challenge_runner | Challenge orchestrator              | Library  | Implemented    | Wired  | Coordinates 18+ integration challenges, parallel exec + filtering           | Not-inventoried |
| challenge_runner | Build & format-detection challenges | Library  | Implemented    | Wired  | Build-verification + FB2/EPUB/TXT/HTML/PDF/DOCX format-detection challenges | Not-inventoried |
| challenge_runner | Infrastructure challenges           | Library  | Implemented    | Wired  | Event-bus + other infra challenges                                          | Not-inventoried |

| Component        | Feature             | Category | Implementation | Wiring | Real-use                                                                                           | Tests           |
|------------------|---------------------|----------|----------------|--------|----------------------------------------------------------------------------------------------------|-----------------|
| challenge_runner | Provider challenges | Library  | Implemented    | Wired  | (run go test)<br>Verify LLM provider factory/<br>interface compile+load<br>(build, not live calls) | Not-inventoried |

### 3. Web Dashboards & Endpoints

#### Web Dashboards

| Component    | Feature                           | Category | Implementation | Wiring | Real-use                                                   | Tests           |
|--------------|-----------------------------------|----------|----------------|--------|------------------------------------------------------------|-----------------|
| monitor.html | WebSocket connection status       | Web      | Implemented    | Wired  | Green/red pulse dot + Connected/Disconnected indicator     | Not-inventoried |
| monitor.html | Session/Client ID display         | Web      | Implemented    | Wired  | Static fields (demo-session-123, web-demo)                 | Not-inventoried |
| monitor.html | Overall progress bar + percent    | Web      | Implemented    | Wired  | Driven by WS translation_progress/step_completed events    | Not-inventoried |
| monitor.html | Current step / step message panel | Web      | Implemented    | Wired  | Shows current step + message from WS                       | Not-inventoried |
| monitor.html | Duration timer                    | Web      | Implemented    | Wired  | Client-side elapsed clock                                  | Not-inventoried |
| monitor.html | Status badge                      | Web      | Implemented    | Wired  | Pending/Running/Completed/Failed                           | Not-inventoried |
| monitor.html | Event log                         | Web      | Implemented    | Wired  | Scrolling list of received WS events                       | Not-inventoried |
| monitor.html | Control Panel: Simulate Progress  | Web      | Implemented    | Wired  | Locally fakes & echoes progress events over WS (demo only) | Not-inventoried |

| Component             | Feature                                      | Category | Implementation | Wiring | Real-use                                                              | Tests     |
|-----------------------|----------------------------------------------|----------|----------------|--------|-----------------------------------------------------------------------|-----------|
| monitor.html          | Clear Log / Disconnect / Reconnect WS        | Web      | Implemented    | Wired  | Local log clear + WS connect/disconnect to ws://localhost:8090/ws     | Not-inver |
| enhanced-monitor.html | Stats header (Active/Completed/Errors)       | Web      | Implemented    | Wired  | Aggregated counters from WS-tracked sessions                          | Not-inver |
| enhanced-monitor.html | Control panel: Connect/Disconnect/Clear      | Web      | Implemented    | Wired  | WS to ws://localhost:8090/ws?client_id=dashboard                      | Not-inver |
| enhanced-monitor.html | Monitor specific session                     | Web      | Implemented    | Wired  | Input + button to filter UI to a given session_id                     | Not-inver |
| enhanced-monitor.html | Worker Information panel                     | Web      | Implemented    | Wired  | Host:port, model, capacity from WS worker_info                        | Not-inver |
| enhanced-monitor.html | Current Session Progress panel               | Web      | Implemented    | Wired  | Progress bar, step, current/total items, duration, status             | Not-inver |
| enhanced-monitor.html | Live progress chart (Chart.js)               | Web      | Implemented    | Wired  | Progress % over time, last 20 points                                  | Not-inver |
| enhanced-monitor.html | Event log                                    | Web      | Implemented    | Wired  | Color-coded WS event stream                                           | Not-inver |
| enhanced-monitor.html | Session History table                        | Web      | Implemented    | Wired  | Last 10 sessions: id, worker, status, duration, progress, start       | Not-inver |
| dashboard.html        | Stats cards (Total/Completed/Running/Failed) | Web      | Implemented    | Wired  | Polls GET /api/v1/translations every 5s                               | Not-inver |
| dashboard.html        | Active Sessions table                        | Web      | Implemented    | Wired  | Lists sessions w/ provider, status, progress, duration                | Not-inver |
| dashboard.html        | Session Details view                         | Web      | Implemented    | Wired  | Progress bar, steps, generated files via GET /api/v1/translations/:id | Not-inver |
| dashboard.html        |                                              | Web      | Implemented    | Wired  | Connects ws://localhost:8080/ws?session_id=...;                       | Not-inver |

| Component      | Feature                     | Category | Implementation | Wiring | Real-use                                                                              | Tests     |
|----------------|-----------------------------|----------|----------------|--------|---------------------------------------------------------------------------------------|-----------|
|                | Live progress via WebSocket |          |                |        | progress_update/step_*                                                                |           |
| dashboard.html | New Translation modal       | Web      | Implemented    | Wired  | File input, provider selector, source/target lang, API-key/SSH/llama fields (UI only) | Not-inver |
| dashboard.html | Start Translation (submit)  | Web      | Implemented    | Wired  | POST /api/v1/translations with provider config — triggers backend translation         | Not-inver |
| dashboard.html | Cancel session              | Web      | Implemented    | Wired  | DELETE /api/v1/translations/:id                                                       | Not-inver |

## Web Dashboard backend handler — pkg/api/dashboard.go

Backend that serves the dashboard page (/, /dashboard, /monitor) and the translations endpoints. Was previously UNROUTED (returned 404); now wired so the dashboard genuinely translates for end users. Source: pkg/api/dashboard.go, commit f6ba5cc.

| Component            | Feature                                 | Category | Implementation | Wiring                          | Real-use                                                                                                                                                                                   | Tests                                                                                                                                                                       |
|----------------------|-----------------------------------------|----------|----------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| api/<br>dashboard.go | Dashboard page + translations endpoints | Web      | Implemented    | Wired (was Unwired/404 pre-fix) | Serves the dashboard HTML at /, /dashboard, /monitor and the GET/POST /api/v1/translations path; Start-Translation now runs a real translation through the wired UI path (no longer a 404) | Covered + <del>5</del><br><b>RED→GR</b><br><b>guard</b><br>dashboard (default GR asserts page real translat RED_MODE= reproduces fix 404) — go test -pkg/api G this session |

# REST API — pkg/api/server.go (standalone Server, gin)

| Component         | Feature                     | Category | Implementation | Wiring | Real-use                                              |
|-------------------|-----------------------------|----------|----------------|--------|-------------------------------------------------------|
| api/<br>server.go | GET /<br>health             | API      | Implemented    | Wired  | Status + translator name                              |
| api/<br>server.go | POST /<br>api/<br>translate | API      | Implemented    | Wired  | translator.Translate(...)                             |
| api/<br>server.go | GET /api/<br>languages      | API      | Implemented    | Wired  | Static language list                                  |
| api/<br>server.go | GET /api/<br>stats          | API      | Implemented    | Wired  | Returns hardcoded zeros (not live metrics)            |
| api/<br>server.go | POST /<br>api/<br>upload    | API      | Implemented    | Wired  | Save uploaded file, detect format                     |
| api/<br>server.go | POST /<br>api/batch         | API      | Partial        | Wired  | Returns batch_id queued only; performs NO translation |

# REST API — pkg/api/handler.go (primary Handler, gin)

| Component          | Feature                                                           | Category | Implementation | Wiring | Real-use                                             |
|--------------------|-------------------------------------------------------------------|----------|----------------|--------|------------------------------------------------------|
| api/<br>handler.go | GET /health, /, /api/v1/version, /api/v1/providers, /api/v1/stats | API      | Implemented    | Wired  | Static/info cache stats                              |
| api/<br>handler.go | GET /ws                                                           | API      | Implemented    | Wired  | WebSockets to wsHub                                  |
| api/<br>handler.go | POST /api/v1/translate                                            | API      | Implemented    | Wired  | Distributed Translate target_languages was hardcoded |

| Component          | Feature                                                              | Category | Implementation | Wiring | Real-use                    |
|--------------------|----------------------------------------------------------------------|----------|----------------|--------|-----------------------------|
| api/<br>handler.go | POST /api/v1/translate/fb2                                           | API      | Implemented    | Wired  | Parse ebook                 |
| api/<br>handler.go | POST /api/v1/translate/batch                                         | API      | Implemented    | Wired  | Loops text                  |
| api/<br>handler.go | POST /api/v1/convert/script                                          | API      | Implemented    | Wired  | Cyrillic <sup>[2]</sup>     |
| api/<br>handler.go | GET /api/v1/status/:session_id                                       | API      | Implemented    | Wired  | Returns ha<br>a live sess   |
| api/<br>handler.go | GET /api/v1/languages                                                | API      | Implemented    | Wired  | Static list<br>language.C   |
| api/<br>handler.go | POST /api/v1/translate/validate                                      | API      | Implemented    | Wired  | Validates n<br>length); no  |
| api/<br>handler.go | POST /api/v1/preparation/<br>analyze                                 | API      | <b>Stub</b>    | Wired  | File stat/co<br>analysis, m |
| api/<br>handler.go | GET /api/v1/preparation/<br>result/:session_id                       | API      | <b>Stub</b>    | Wired  | Returns m                   |
| api/<br>handler.go | POST /api/v1/translate/ebook                                         | API      | <b>Stub</b>    | Wired  | Emits star<br>does NOT      |
| api/<br>handler.go | POST /api/v1/translate/<br>cancel/:session_id                        | API      | Implemented    | Wired  | Emits can<br>cancelle       |
| api/<br>handler.go | GET /api/v1/distributed/status                                       | API      | Implemented    | Wired  | dm.GetSt                    |
| api/<br>handler.go | POST /api/v1/distributed/<br>workers/discover                        | API      | Implemented    | Wired  | SSH work                    |
| api/<br>handler.go | POST /api/v1/distributed/<br>workers/:worker_id/pair                 | API      | Implemented    | Wired  | Pair work                   |
| api/<br>handler.go | DELETE /api/v1/distributed/<br>workers/:worker_id/pair               | API      | Implemented    | Wired  | Unpair wo                   |
| api/<br>handler.go | POST /api/v1/distributed/<br>translate                               | API      | Implemented    | Wired  | dm.Trans                    |
| api/<br>handler.go | POST /api/v1/update/<br>{upload,apply,rollback}                      | API      | Implemented    | Wired  | Worker se<br>install/rol    |
| api/<br>handler.go | GET /api/v1/monitoring/version/<br>{metrics,alerts,health,dashboard} | API      | Implemented    | Wired  | Version-sy                  |
| api/<br>handler.go | POST /api/v1/monitoring/<br>version/drift-check                      | API      | Implemented    | Wired  | Trigger dr                  |

| Component          | Feature                                                                       | Category | Implementation | Wiring | Real-use                 |
|--------------------|-------------------------------------------------------------------------------|----------|----------------|--------|--------------------------|
| api/<br>handler.go | GET /api/v1/monitoring/version/<br>alerts/history                             | API      | Implemented    | Wired  | Alert histo              |
| api/<br>handler.go | POST /api/v1/monitoring/<br>version/alerts/:alert_id/<br>acknowledge          | API      | Implemented    | Wired  | Ack alert                |
| api/<br>handler.go | POST /api/v1/monitoring/<br>version/alerts/channels/<br>{email,webhook,slack} | API      | Implemented    | Wired  | Add alert c              |
| api/<br>handler.go | GET /api/v1/monitoring/version/<br>dashboard.html                             | Web      | Implemented    | Wired  | Serve emb                |
| api/<br>handler.go | POST /api/v1/auth/login, /auth/<br>token                                      | API      | Implemented    | Wired  | JWT auth                 |
| api/<br>handler.go | GET /api/v1/profile                                                           | API      | Implemented    | Wired  | Return cla<br>middleware |

## REST API — pkg/api/batch\_handlers.go (under /api/v1)

| Component                 | Feature                                      | Category | Implementation | Wiring | Real-use                                | Tests         |
|---------------------------|----------------------------------------------|----------|----------------|--------|-----------------------------------------|---------------|
| api/<br>batch_handlers.go | POST /<br>api/v1/<br>translate/<br>string    | API      | Implemented    | Wired  | NewLLMTranslator<br>+ Translate         | Not-<br>inven |
| api/<br>batch_handlers.go | POST /<br>api/v1/<br>translate/<br>directory | API      | Implemented    | Wired  | Batch processor<br>translates each file | Not-<br>inven |



# REST API — pkg/api/verifier\_handlers.go (LLMsVerifier, under /api/v1)

| Component                    | Feature                                                  | Category | Implementation | Wiring                                          | Real-use                                                                                                                                                                                                                                                                                                               |
|------------------------------|----------------------------------------------------------|----------|----------------|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| api/<br>verifier_handlers.go | GET /api/<br>v1/verified-<br>models                      | API      | Implemented    | Wired (only<br>when<br>LLMsVerifier<br>enabled) | List verified<br>models<br>(LLMsVerifier<br>API call).<br>GAP<br>(§11.4.6):<br>LLMsVerifier<br>is DISABLED<br>in the current<br>config, so the<br>route is not<br>mounted and<br>returns HTTP<br>404. Not a<br>defect —<br>feature-<br>disabled-by-<br>config; needs<br>a verifier-<br>enabled<br>config to<br>confirm |
| api/<br>verifier_handlers.go | GET /api/<br>v1/verified-<br>models/:id                  | API      | Implemented    | Wired                                           | Get one<br>verified model                                                                                                                                                                                                                                                                                              |
| api/<br>verifier_handlers.go | GET /api/<br>v1/<br>verification-<br>status              | API      | Implemented    | Wired                                           | Ping<br>LLMsVerifier                                                                                                                                                                                                                                                                                                   |
| api/<br>verifier_handlers.go | POST /api/<br>v1/<br>verification/<br>refresh            | API      | Implemented    | Wired                                           | Refresh scores                                                                                                                                                                                                                                                                                                         |
| api/<br>verifier_handlers.go | GET /api/<br>v1/<br>providers/<br>verified               | API      | Implemented    | Wired                                           | Aggregated<br>verified<br>providers                                                                                                                                                                                                                                                                                    |
| api/<br>verifier_handlers.go | POST /api/<br>v1/<br>translate-<br>with-<br>verification | API      | Stub           | Wired                                           | Selects/<br>verifies a<br>model, returns<br>metadata +<br>text preview;<br>does NOT<br>translate                                                                                                                                                                                                                       |

# REST API — cmd/api-server/main.go (gRPC-proxying REST, :8080)

| Component  | Feature                                     | Category | Implementation | Wiring | Real-use                                         |
|------------|---------------------------------------------|----------|----------------|--------|--------------------------------------------------|
| api-server | POST /api/v1/translations                   | API      | Implemented    | Wired  | Proxies grpcClient.StartTranslating              |
| api-server | GET /api/v1/translations/:session_id        | API      | Implemented    | Wired  | Get status (proxy)                               |
| api-server | GET /api/v1/translations                    | API      | Implemented    | Wired  | List (proxy)                                     |
| api-server | DELETE /api/v1/translations/:session_id     | API      | Implemented    | Wired  | Cancel (proxy)                                   |
| api-server | GET /api/v1/translations/:session_id/stream | API      | Implemented    | Wired  | WS proxy of gRPC StreamTranslationP              |
| api-server | GET /api/v1/providers                       | API      | Implemented    | Wired  | Get providers (prox                              |
| api-server | GET /api/v1/health                          | API      | Implemented    | Wired  | Derived from gRPC state                          |
| api-server | GET /api/v1/metrics                         | API      | Implemented    | Wired  | Returns static/zero m (not live)                 |
| api-server | GET /ws                                     | Web      | Implemented    | Wired  | WS upgrade, register wsHub (requires session_id) |
| api-server | GET /static/*                               | Web      | Implemented    | Wired  | Static file server (./static)                    |
| api-server | GET /                                       | Web      | Implemented    | Wired  | Render dashboard.h template                      |

# WebSocket — hub & fan-out

| Component        | Feature                    | Category | Implementation | Wiring | Real-use                                                       | Tests           | Valid        |
|------------------|----------------------------|----------|----------------|--------|----------------------------------------------------------------|-----------------|--------------|
| websocket/hub.go | /ws endpoint (package mux) | Infra    | Implemented    | Wired  | WS upgrade; reads client_id + session_id                       | Not-inventoried | Source confi |
| websocket/hub.go | Event fan-out              | Infra    | Implemented    | Wired  | Subscribes to ALL bus events; marshals events.Event JSON; per- | Not-inventoried | Source confi |

| Component | Feature | Category | Implementation | Wiring | Real-use                          | Tests | Valid |
|-----------|---------|----------|----------------|--------|-----------------------------------|-------|-------|
|           |         |          |                |        | session<br>filter;<br>Broadcast() |       |       |

## gRPC — pkg/grpc/server.go (service TranslationService)

| Component | Feature                   | Category | Implementation | Wiring | Real-use                                                       |
|-----------|---------------------------|----------|----------------|--------|----------------------------------------------------------------|
| grpc      | StartTranslation          | gRPC     | Implemented    | Wired  | Reserves session<br>spawns runTrans<br>→<br>translator.Transla |
| grpc      | GetTranslationStatus      | gRPC     | Implemented    | Wired  | Snapshot session<br>translator.GetSta                          |
| grpc      | ListTranslations          | gRPC     | Implemented    | Wired  | Iterate sessions                                               |
| grpc      | CancelTranslation         | gRPC     | Implemented    | Wired  | Cancel ctx +<br>translator.Cancel                              |
| grpc      | StreamTranslationProgress | gRPC     | Implemented    | Wired  | Stream session<br>progress events                              |
| grpc      | GetProviders              | gRPC     | Implemented    | Wired  | Static<br>ProviderRegistry<br>(openai, anthropi<br>ssh)        |
| grpc      | SubscribeEvents           | gRPC     | Implemented    | Wired  | Stream filtered<br>SystemEvents fro<br>bus                     |

## CORS / Middleware / Auth (Infra)

| Component  | Feature             | Category | Implementation | Wiring | Real-use                                                                                                                       |
|------------|---------------------|----------|----------------|--------|--------------------------------------------------------------------------------------------------------------------------------|
| cmd/server | corsMiddleware      | Infra    | Implemented    | Wired  | Driven by<br>cfg.Security.CORSOrig<br>reflects allowlisted Or<br>+ Allow-Credentials;<br>wildcard * no-credenti<br>OPTIONS→204 |
| cmd/server | rateLimitMiddleware | Infra    | Implemented    | Wired  | Per-ClientIP via<br>security.RateLimiter; 4<br>on exceed                                                                       |
|            | authMiddleware      | Infra    | Implemented    | Wired  | Bearer JWT validation<br>applied to protected                                                                                  |

| Component          | Feature                     | Category | Implementation | Wiring | Real-use                                                              |
|--------------------|-----------------------------|----------|----------------|--------|-----------------------------------------------------------------------|
| pkg/api/handler.go |                             |          |                |        | subgroup, gated by Security.EnableAuth                                |
| pkg/api/server.go  | authMiddleware (standalone) | Infra    | Implemented    | Wired  | X-API-Key header == config.Security.APIKey Security.RequireAuth       |
| pkg/grpc/server.go | message-size limits         | Infra    | Implemented    | Wired  | 4 MB recv/send msg-s limits; no interceptors/auth/rate-limit register |

## 4. Owned Submodules

### challenges/

| Component  | Feature                        | Category  | Implementation | Wiring | Real-use                                                                         | Tests     |
|------------|--------------------------------|-----------|----------------|--------|----------------------------------------------------------------------------------|-----------|
| challenges | Challenge core engine          | Submodule | Implemented    | Wired  | Challenge interface, Config, Result, BaseChallenge, ProgressReporter (liveness)  | Not-inver |
| challenges | Registry + dependency ordering | Submodule | Implemented    | Wired  | Challenge registration, Kahn topological sort by deps                            | Not-inver |
| challenges | Runner / execution engine      | Submodule | Implemented    | Wired  | Sequential/parallel/ pipeline execution, liveness/stall monitoring               | Not-inver |
| challenges | Assertion engine               | Submodule | Implemented    | Wired  | 16 built-in evaluators (not_empty, contains, min_count, max_latency...) + custom | Not-inver |
| challenges | Report generation              | Submodule | Implemented    | Wired  | Markdown / JSON / HTML reporters                                                 | Not-inver |
| challenges | Live monitoring                | Submodule | Implemented    | Wired  | WebSocket dashboard, progress liveness                                           | Not-inver |
| challenges | Metrics                        | Submodule | Implemented    | Wired  | Prometheus-compatible challenge metrics                                          | Not-inver |
| challenges | HTTP client                    | Submodule | Implemented    | Wired  | Generic REST client with JWT auth, functional options                            | Not-inver |

| Component  | Feature                         | Category  | Implementation | Wiring | Real-use                                                                                                                  | Tests           |
|------------|---------------------------------|-----------|----------------|--------|---------------------------------------------------------------------------------------------------------------------------|-----------------|
| challenges | Challenge bank loader           | Submodule | Implemented    | Wired  | Load challenge definitions from JSON/YAML                                                                                 | Not-inventoried |
| challenges | Plugin system                   | Submodule | Implemented    | Wired  | Custom challenge types + assertion plugins                                                                                | Not-inventoried |
| challenges | Infra bridge                    | Submodule | Implemented    | Wired  | Bridge to digital.vasic.containers for test infra                                                                         | Not-inventoried |
| challenges | User-flow automation            | Submodule | Implemented    | Wired  | 8 adapter interfaces / 21 impls (Playwright, ADB, Tauri, HTTP, gRPC, WS, Gradle, Cargo, npm), 19 templates, 12 evaluators | Not-inventoried |
| challenges | userflow-runner CLI             | Submodule | Implemented    | Wired  | CLI runner for user-flow challenges                                                                                       | Not-inventoried |
| challenges | panoptic / i18n / env / logging | Submodule | Implemented    | Wired  | Observation, i18n, env-var redaction, structured logging                                                                  | Not-inventoried |
| challenges | anti_bluff lib                  | Submodule | Implemented    | Wired  | Shell anti-bluff helper library                                                                                           | Not-inventoried |

## containers/

| Component  | Feature             | Category  | Implementation | Wiring | Real-use                                     | Tests           |
|------------|---------------------|-----------|----------------|--------|----------------------------------------------|-----------------|
| containers | boot manager        | Submodule | Implemented    | Wired  | On-demand infra boot/start orchestration     | Not-inventoried |
| containers | compose             | Submodule | Implemented    | Wired  | docker/podman compose file orchestration     | Not-inventoried |
| containers | health checking     | Submodule | Implemented    | Wired  | TCP/HTTP health-check primitives             | Not-inventoried |
| containers | runtime auto-detect | Submodule | Implemented    | Wired  | Docker/ Podman/ Kubernetes runtime detection | Not-inventoried |
| containers | endpoint            | Submodule | Implemented    | Wired  | ServiceEndpoint builder                      | Not-inventoried |
| containers | lifecycle           | Submodule | Implemented    | Wired  |                                              |                 |

| Component  | Feature                      | Category  | Implementation | Wiring | Real-use                                                                   | Tests           |
|------------|------------------------------|-----------|----------------|--------|----------------------------------------------------------------------------|-----------------|
|            |                              |           |                |        | Container lifecycle management                                             | Not-inventoried |
| containers | service discovery / registry | Submodule | Implemented    | Wired  | Service discovery + registry                                               | Not-inventoried |
| containers | orchestrator / scheduler     | Submodule | Implemented    | Wired  | Orchestration + scheduling                                                 | Not-inventoried |
| containers | emulator suite               | Submodule | Implemented    | Wired  | Android/device emulator boot/matrix/cleanup/canary                         | Not-inventoried |
| containers | genymotion                   | Submodule | Implemented    | Wired  | Genymotion device support                                                  | Not-inventoried |
| containers | vm-matrix                    | Submodule | Implemented    | Wired  | VM matrix orchestration                                                    | Not-inventoried |
| containers | distributed build/test       | Submodule | Implemented    | Wired  | Distributed build + test commands                                          | Not-inventoried |
| containers | crossbuild                   | Submodule | Implemented    | Wired  | Cross-platform build                                                       | Not-inventoried |
| containers | ctop                         | Submodule | Implemented    | Wired  | Container top / monitoring TUI                                             | Not-inventoried |
| containers | network / volume             | Submodule | Implemented    | Wired  | Network + volume primitives                                                | Not-inventoried |
| containers | supporting primitives        | Submodule | Implemented    | Wired  | cache/metrics/monitor/event/policy/remote/lazyservice/brokertest/envconfig | Not-inventoried |

## doc\_processor/

| Component     | Feature             | Category  | Implementation | Wiring | Real-use                                                        | Tests           |
|---------------|---------------------|-----------|----------------|--------|-----------------------------------------------------------------|-----------------|
| doc_processor | Document loader     | Submodule | Implemented    | Wired  | Loads Markdown / YAML / HTML docs (10 MB cap)                   | Not-inventoried |
| doc_processor | Feature-map builder | Submodule | Implemented    | Wired  | Builds structured FeatureMap; heuristic extraction + LLM Enrich | Not-inventoried |

| Component     | Feature            | Category  | Implementation | Wiring | Real-use                                                                                 | Tests     |
|---------------|--------------------|-----------|----------------|--------|------------------------------------------------------------------------------------------|-----------|
| doc_processor | LLMAgent interface | Submodule | Implemented    | Wired  | Summarize/<br>ExtractFeatures/<br>ClassifyFeature/<br>InferScreens/<br>GenerateTestSteps | Not-inven |
| doc_processor | Coverage tracker   | Submodule | Implemented    | Wired  | Verification coverage tracking by platform/<br>category                                  | Not-inven |
| doc_processor | DocGraph           | Submodule | Implemented    | Wired  | Doc node/edge graph                                                                      | Not-inven |
| doc_processor | Config / i18n      | Submodule | Implemented    | Wired  | Configuration + i18n                                                                     | Not-inven |
| doc_processor | docprocessor CLI   | Submodule | Implemented    | Wired  | CLI running feature extraction against a docs dir                                        | Not-inven |
| doc_processor | archdoc (internal) | Submodule | Implemented    | Wired  | Architecture-doc helper (LLM-use UNCONFIRMED)                                            | Not-inven |

## docs\_chain/

| Component  | Feature          | Category  | Implementation | Wiring | Real-use                                                            | Tests         |
|------------|------------------|-----------|----------------|--------|---------------------------------------------------------------------|---------------|
| docs_chain | sync command     | Submodule | Implemented    | Wired  | Propagate changes through chain (regenerate + re-export atomically) | Not-inventori |
| docs_chain | verify command   | Submodule | Implemented    | Wired  | Deterministic CI/ pre-build gate (chain in sync)                    | Not-inventori |
| docs_chain | doctor command   | Submodule | Implemented    | Wired  | Diagnostics                                                         | Not-inventori |
| docs_chain | graph command    | Submodule | Implemented    | Wired  | Show DAG / topo order                                               | Not-inventori |
| docs_chain | watch daemon     | Submodule | Implemented    | Wired  | fsnotify-driven continuous sync                                     | Not-inventori |
| docs_chain | exec: transforms | Submodule | Implemented    | Wired  | Shell-out transforms (pandoc md→html/docx, weasyprint html→pdf)     | Not-inventori |

| Component  | Feature             | Category  | Implementation | Wiring | Real-use                                                                                  | Tests         |
|------------|---------------------|-----------|----------------|--------|-------------------------------------------------------------------------------------------|---------------|
| docs_chain | content-hash engine | Submodule | Implemented    | Wired  | Content-hash incremental recompute; roster/corpus fingerprint (§11.4.86)                  | Not-inventori |
| docs_chain | DAG + recompute     | Submodule | Implemented    | Wired  | Node/Edge/Graph, cycle detection, Kahn topo, early-cutoff, sync-edge conflict             | Not-inventori |
| docs_chain | adapters            | Submodule | Implemented    | Wired  | FileAdapter, SQLiteAdapter (pure-Go modernc), DERIVED pandoc/weasyprint (ToolAbsentError) | Not-inventori |
| docs_chain | orchestrator        | Submodule | Implemented    | Wired  | Atomic run: staged writes, SQLite-txn commit + rollback                                   | Not-inventori |
| docs_chain | DB builtins         | Submodule | Implemented    | Wired  | Bidirectional md-to-sqlite / sqlite-to-md (row-level drift); colorize-html                | Not-inventori |
| docs_chain | config + state      | Submodule | Implemented    | Wired  | YAML multi-context loader; state.json                                                     | Not-inventori |

## llm\_orchestrator/

| Component        | Feature                     | Category  | Implementation | Wiring | Real-use                                                       | Tests      |
|------------------|-----------------------------|-----------|----------------|--------|----------------------------------------------------------------|------------|
| llm_orchestrator | Agent interface + AgentPool | Submodule | Implemented    | Wired  | Thread-safe pool, capability matching, acquire/release, health | Not-invent |
| llm_orchestrator | CLI agent adapters          | Submodule | Implemented    | Wired  | OpenCode, ClaudeCode, Gemini, Junie, QwenCode                  | Not-invent |



| Component        | Feature                        | Category  | Implementation | Wiring | Real-use                                                               | Tests      |
|------------------|--------------------------------|-----------|----------------|--------|------------------------------------------------------------------------|------------|
|                  |                                |           |                |        | adapters (BaseAdapter)                                                 |            |
| llm_orchestrator | Transport / protocol           | Submodule | Implemented    | Wired  | PipeTransport (JSON-line stdin/stdout) + FileTransport, protocol types | Not-invent |
| llm_orchestrator | Response parser                | Submodule | Implemented    | Wired  | Parses agent JSON-line responses                                       | Not-invent |
| llm_orchestrator | HealthMonitor + CircuitBreaker | Submodule | Implemented    | Wired  | Health tracking + fault tolerance over agents                          | Not-invent |
| llm_orchestrator | Config / i18n                  | Submodule | Implemented    | Wired  | Pool/agent config; i18n                                                | Not-invent |
| llm_orchestrator | orchestrator CLI               | Submodule | Implemented    | Wired  | CLI entry for orchestration                                            | Not-invent |

## llm\_provider/

| Component    | Feature               | Category  | Implementation | Wiring | Real-use                                                               | Tests     |
|--------------|-----------------------|-----------|----------------|--------|------------------------------------------------------------------------|-----------|
| llm_provider | LLMProvider interface | Submodule | Implemented    | Wired  | Complete/ CompleteStream/ HealthCheck/ GetCapabilities/ ValidateConfig | Not-inven |
| llm_provider | Circuit breaker       | Submodule | Implemented    | Wired  | closed/open/half-open fault tolerance                                  | Not-inven |
| llm_provider | Health monitor        | Submodule | Implemented    | Wired  | healthy/ degraded/ unhealthy/ unknown                                  | Not-inven |
| llm_provider | Retry logic           | Submodule | Implemented    | Wired  | Exponential backoff + jitter, HTTP-status detection                    | Not-inven |
| llm_provider | Model discovery       | Submodule | Implemented    | Wired  | Provider/model discovery (HTTP/endpoint-based)                         | Not-inven |
| llm_provider | API-key management    | Submodule | Implemented    | Wired  | API key handling                                                       | Not-inven |
| llm_provider |                       | Submodule | Implemented    | Wired  | Shared HTTP client, request/                                           |           |

| Component    | Feature                             | Category  | Implementation | Wiring | Real-use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Tests         |
|--------------|-------------------------------------|-----------|----------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|              | HTTP client +<br>models + i18n      |           |                |        | response models,<br>i18n                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Not-<br>inver |
|              |                                     |           |                |        | ai21, anthropic,<br>cerebras, chutes,<br>claude,<br>cloudflare,<br>codestral,<br>cohere,<br>deepseek,<br>fireworks,<br>gemini, generic,<br>githubmodels,<br>groq,<br>huggingface,<br>hyperbolic,<br>junie, kilo, kimi,<br>mistral, modal,<br>nia, nlpcloud,<br>novita, nvidia,<br>ollama, openai,<br>openrouter,<br>perplexity,<br>publicai, qwen,<br>replicate,<br>sambanova,<br>sarvam,<br>siliconflow,<br>together,<br>upstage, venice,<br>vulavula, xai,<br>zai, zen, zhipu<br>(source<br>llm_provider/<br>pkg/<br>providers/<br><name>/) |               |
| llm_provider | Provider<br>implementations<br>(43) | Submodule | Implemented    | Wired  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Not-<br>inver |

| Component | Feature | Category | Implementation | Wiring | Real-use | Tests |
|-----------|---------|----------|----------------|--------|----------|-------|
|-----------|---------|----------|----------------|--------|----------|-------|

**llms\_verifier/**

| Component     | Feature            | Category  | Implementation | Wiring | Real-use                                                                                                              | Te     |
|---------------|--------------------|-----------|----------------|--------|-----------------------------------------------------------------------------------------------------------------------|--------|
| llms_verifier | Model verification | Submodule | Implemented    | Wired  | “Do you see my code?” + existence/responsiveness/latency/streaming/function-calling/vision/embeddings tests           | No inv |
| llms_verifier | Provider adapters  | Submodule | Implemented    | Wired  | OpenAI, Anthropic, Cohere, Groq, Together, Mistral, xAI, Replicate, DeepSeek, Cerebras, Cloudflare, SiliconFlow (12+) | No inv |
| llms_verifier | Scoring engine     | Submodule | Implemented    | Wired  |                                                                                                                       |        |

| Component     | Feature                                                   | Category  | Implementation | Wiring | Real-use                                                                 | Test   |
|---------------|-----------------------------------------------------------|-----------|----------------|--------|--------------------------------------------------------------------------|--------|
|               |                                                           |           |                |        | Quality scoring system (LLM-use UNCONFIRMED)                             | No inv |
| llms_verifier | Capabilities detection                                    | Submodule | Implemented    | Wired  | Per-model capability discovery                                           | No inv |
| llms_verifier | Failover / health monitoring                              | Submodule | Implemented    | Wired  | Real-time monitoring + intelligent failover (probes call LLM)            | No inv |
| llms_verifier | AI analytics / recommendations                            | Submodule | Implemented    | Wired  | AI-powered insights, trend analysis, model recommendations               | No inv |
| llms_verifier | RAG / context mgmt                                        | Submodule | Implemented    | Wired  | Vector DB semantic search, LLM-powered summarization                     | No inv |
| llms_verifier | LLMOps / self-improve / benchmark                         | Submodule | Implemented    | Wired  | LLM operations, self-improvement loop, benchmarking                      | No inv |
| llms_verifier | Messaging                                                 | Submodule | Implemented    | Wired  | Notification/messaging integration (Splunk/DataDog/etc.)                 | No inv |
| llms_verifier | suffix / verified export                                  | Submodule | Implemented    | Wired  | Mandatory branding suffix + verified-only config export                  | No inv |
| llms_verifier | Auth / security / API / API-keys                          | Submodule | Implemented    | Wired  | LDAP/SSO/SAML/OIDC, SQLCipher, REST API, key mgmt                        | No inv |
| llms_verifier | Multi-platform clients                                    | Submodule | Implemented    | Wired  | CLI, TUI, Web, Desktop, Mobile (UI; LLM-backed)                          | No inv |
| llms_verifier | helixqa / cliagents / crush / opencode                    | Submodule | Implemented    | Wired  | Integration packages (LLM-use UNCONFIRMED)                               | No inv |
| llms_verifier | scheduler / partners / bigdata / multimodal / performance | Submodule | Implemented    | Wired  | Scheduling, partners, big-data, multimodal, perf (multimodal likely LLM) | No inv |
| llms_verifier | main CLI + ACP                                            | Submodule | Implemented    | Wired  |                                                                          |        |

| Component | Feature | Category | Implementation | Wiring | Real-use                              | Tests  |
|-----------|---------|----------|----------------|--------|---------------------------------------|--------|
|           |         |          |                |        | Main CLI; ACP (Agent Client Protocol) | No inv |

security/

| Component | Feature                      | Category  | Implementation | Wiring | Real-use                                                                  | Tests       |
|-----------|------------------------------|-----------|----------------|--------|---------------------------------------------------------------------------|-------------|
| security  | Content guardrails           | Submodule | Implemented    | Wired  | Rule pipeline (MaxLength, ForbiddenPatterns, RequireFormat) w/ severities | Not-invento |
| security  | PII detection + redaction    | Submodule | Implemented    | Wired  | Email/Phone/SSN/CreditCard(Luhn)/IPv4 detection; Mask/Hash/Remove         | Not-invento |
| security  | Content filtering            | Submodule | Implemented    | Wired  | Composable chain: Length/Pattern/Keyword filters                          | Not-invento |
| security  | Policy enforcement           | Submodule | Implemented    | Wired  | Named policies, 8 condition operators, Allow/Deny/Audit + audit trail     | Not-invento |
| security  | Vulnerability scanner        | Submodule | Implemented    | Wired  | Findings/reports, severity filtering + merging                            | Not-invento |
| security  | HTTP security headers        | Submodule | Implemented    | Wired  | Middleware: CSP/HSTS/X-Frame-Options + 7 standard headers                 | Not-invento |
| security  | Secure storage               | Submodule | Implemented    | Wired  | AES-256-GCM encrypted file KV store, Argon2id KDF                         | Not-invento |
| security  | Privilege-escalation scanner | Submodule | Implemented    | Wired  | Probes /proc/self/status, capability bitmasks, namespace cgroups          | Not-invento |
| security  | SSRF denial                  | Submodule | Implemented    | Wired  | Denies SSRF on caller's outbound HTTP client                              | Not-invento |

| Component | Feature                       | Category  | Implementation | Wiring | Real-use               | Tests        |
|-----------|-------------------------------|-----------|----------------|--------|------------------------|--------------|
| security  | E2EE                          | Submodule | Implemented    | Wired  | End-to-end encryption  | Not-invented |
| security  | Attestation / GPU attestation | Submodule | Implemented    | Wired  | Attestation primitives | Not-invented |
| security  | i18n                          | Submodule | Implemented    | Wired  | i18n                   | Not-invented |

### vision\_engine/

| Component     | Feature                        | Category  | Implementation | Wiring | Real-use                                                                                 |
|---------------|--------------------------------|-----------|----------------|--------|------------------------------------------------------------------------------------------|
| vision_engine | Analyzer interface             | Submodule | Implemented    | Wired  | UI-element/text-region, issue detection, screen diff, key frames                         |
| vision_engine | LLM vision adapters            | Submodule | Implemented    | Wired  | OpenAI GPT-4o, Anthr Claude, Gemini 2.0 Fla Qwen VL, Kimi, StepF Ollama + Fallback chain |
| vision_engine | NavigationGraph                | Submodule | Implemented    | Wired  | Directed graph of screen transitions                                                     |
| vision_engine | Remote Ollama deployment       | Submodule | Implemented    | Wired  | SSH auto-install, mode lifecycle; GPU/CPU/R detection; distributed IL RPC                |
| vision_engine | OpenCV (stub + build-tag real) | Submodule | Partial        | Wired  | OpenCV-based CV — s default, real impl behind tag                                        |
| vision_engine | Config / i18n                  | Submodule | Implemented    | Wired  | Configuration (HELIX_VISION_PRO etc.), i18n                                              |

### Honest gaps & caveats (§11.4.6)

- Video coverage is 66 feature rows.** 66 features are confirmed by real, ffprobe- and content-verified recordings. **§11.4.6 cell reconciliation:** this caveat previously read **30** — a sync lag behind the authoritative running total carried in the Anti-bluff note (top of file) and the Coverage-summary Video-confirmed row (both **66**); it is corrected here to the true running total **66** (54 prior-authoritative + 4 Wave 7 + 5 Wave 8 + 3 Wave 9 = 66). For the full per-wave / per-feature mapping (Waves 1–9 of 2026-06-16, the genuine row-flips vs

headline-only re-confirmations, the §11.4.138 multipass demotion, and the honest non-confirmable gaps) see the authoritative Anti-bluff note + the Coverage-summary Video-confirmed row — this caveat is reconciled with both per §11.4.60. DOCX output and PDF output, formerly real-artifact-only, are now video-confirmed. Every other runtime/user-visible feature is PENDING a recording or N/A. This is stated, not hidden. 1a. **DOCX output is Implemented (Rev 3, commit 87cd2be)** — pure-Go OOXML writer; a real run produced a Microsoft Word 2007+ .docx; **now video-confirmed (Wave 2)** by helix\_translate-docx-output-20260616-112943.mp4 (openai/gpt-4, real Spanish in the .docx). **PDF output is Implemented (Rev 4, commit fb265e7)** — pkg/ebook/pdf\_writer.go (Book→HTML5→weasyprint→Cyrillic-faithful PDF), wired into unified-translator (.pdf output, main.go:1160); pkg/ebook PDF tests green; **now video-confirmed (Wave 2)** by helix\_translate-pdf-output-20260616-113057.mp4 (openai/gpt-4, valid PDF with real Spanish). Output formats are EPUB/FB2/TXT/HTML/MD/DOCX/PDF. 1b. **-multipass ≠ -verify**. The unified-translator -verify flag runs the CLI's own per-step output check; the separate -multipass flag (d53e085) invokes the pkg/verification multi-pass polisher engine — now wired and video-confirmed. 1c. **cmd/translator, cmd/translate-ssh, cmd/ebook-translator are now Obsolete (→ Fixed.md), Rev 7** — RECONCILED with the per-binary table rows (lines ~136/218/233) which mark all three Obsolete (→ Fixed.md) with Reason=feature-removed. The local-runtime + SSH-local translation paths were REMOVED in bridge phase-2 R-2..R-4 (operator-approved 2026-06-15 D1/D2 + R-4 “keep distributed API, remove SSH-local”); the default path now sources the LLMsVerifier bridge (pkg/bridge). These are therefore NO LONGER open STUB / OPERATOR-BLOCKED items — the earlier “STUB / OPERATOR-BLOCKED” wording was stale and is corrected here. The KEPT distributed-API translation path is NOT Obsolete. 1e. **GET /api/v1/verified-models returns 404** — LLMsVerifier is disabled in the current config so the route is not mounted (feature-disabled-by-config, not a defect). 1f. **cmd/cli title path-leak FIXED (d53e085) + write-safety FIXED (87cd2be, atomic write/no-clobber, guard cmd/cli/no\_partial\_output\_test.go)**.

2. **Tests = Not-inventoried** for all rows: the raw inventory did not perform per-feature test attribution. The repo carries extensive \_test.go + test/ suites, but mapping each to a feature is future work — recorded as honest unknown, never guessed Covered/None.
3. **4 STUB endpoints** return mock data and do NOT do the named work: POST /api/v1/translate/ebook, POST /api/v1/preparation/analyze, GET /api/v1/preparation/result/:id, POST /api/v1/translate-with-verification.
4. **1 Partial endpoint:** standalone pkg/api/server.go POST /api/batch returns a queued batch\_id only and performs no translation.
5. **Static/hardcoded returns** (not stubs, but not live): GET /api/stats (zeros), GET /api/v1/status/:id (hardcoded completed), GET /api/v1/metrics (static), monitor-server GET /api/v1/status (static monitoring\_active), several static language/provider lists. Marked Implemented with the static behaviour stated in Real-use.
6. **vision\_engine OpenCV** is Partial — stub by default, real CV only behind a build tag.
7. **UNCONFIRMED LLM determinations** carried verbatim from the inventory for thin OpenAI-compatible providers, several llms\_verifier packages, challenges/userflow evaluators, and doc\_processor/archdoc — noted inline rather than asserted.

8.  **Wave-1 DISCOVERED BLOCKER — RESOLVED (Wave 2, §11.4.4 / §11.4.107 / §11.4.108 / §11.4.138).** The default bridge TRANSLATOR-path runtime failure described below is FIXED: the Wave-2 recordings (DOCX output, PDF output, gRPC translate, and the 4 per-provider unified clips novita/mistral/groq/siliconflow) are real-use videos validator-verified (ffprobe+frame) showing the verified-bridge translator path producing real target-language output — the exact path that failed in Wave 1 now works, which is why those rows flip to CONFIRMED this wave. The historical forensic record of the blocker is preserved below for §11.4.6 / §11.4.138 traceability. **[HISTORICAL — Wave-1 finding, now fixed]** While recording Wave 1 (DOCX/PDF/gRPC), a real run of unified-translator (and, by source, the gRPC backend pkg/grpc/core\_translator.go which uses BestTranslatorFunc) FAILS at translate time with:
- bridge: no verified translator available: model 'Sao10K/L3-8B-Stheno-v3.2' is not valid for provider 'novita'. Valid models: [meta-llama/llama-3.1-70b-instruct mistralai/mixtral-8x7b-instruct]. **Root cause (FACT, §11.4.6):** VerifiedFactory.CreateTranslatorWithFallback / CreateTranslator build the verified translator via NewLLMTranslatorWithConfig, which re-validates the model against the STALE hardcoded ValidModels whitelist (pkg/translator/llm/llm.go:227-241); a genuinely LLMsVerifier-verified model whose ID is not in that whitelist is rejected. The BestModel/invoke path (used by model-bridge invoke + Wave-1 videos) correctly BYPASSES this whitelist (its own code comment, bridge.go:250-258, documents exactly why a verified model must not be gated on the whitelist) — and so does NOT exhibit the bug. **Impact:** unified-translator (all outputs: TXT/HTML/EPUB/FB2/MD/DOCX/PDF) + gRPC translate are non-functional via the default bridge path until fixed. This BLOCKS Wave-1 videos #2 (DOCX), #3 (PDF), #4 (gRPC), and the per-provider unified-path; recording any of them as “working” would be a §11.4.107 bluff, so they are honest SKIPS this wave. **Fix direction (not yet applied — needs its own §11.4.115 RED→GREEN + §11.4.142 independent review + §11.4.145 impact research + §11.4.40 full-suite retest):** route VerifiedFactory’s verified-translator construction through the ResolvedProvider resolver (FactoryProvider=“openai” + BaseURL) the way bridge.realClientBuild already does, bypassing the ValidModels whitelist for already-verified models. Tracked as a Wave-2 / dedicated fix item (severity HIGH — release-critical default path).