

CONTINUATION

CONTINUATION — HelixTranslate session-resumption file

Revision: 80 Last modified: 2026-06-16T00:00:00Z

 **RESUME HERE (2026-06-16) — bridge phase-2 R-2..R-5 DONE; phase-2 NEAR-COMPLETE (full §11.4.40 retest pending)**

§11.4.127 SHORT resumption (paste this first sentence into a fresh session)

Read docs/CONTINUATION.md (this file) + .remember/remember.md FIRST, then `git fetch --all --prune`; **bridge phase-2 is near-complete** — local llama.cpp + Ollama + SSH-local runtimes are REMOVED (default path sources the LLMsVerifier bridge; explicit local selection → honest error), the distributed/API path is KEPT, the CM-NO-LOCAL-RUNTIME pre-build gate + paired mutation are LANDED, and the §11.4.153 feature ledger is reconciled — the only remaining phase-2 step is the **full §11.4.40 retest on a clean baseline** (the conductor runs it next); continue the endless autonomous loop (§11.4.126), no force-push (§11.4.113), require API keys (no local runtime).

§11.4.127 FULL resumption (live-state anchors — verified this session against git)

- **Parent HEAD 3ce413e** on main, local == origin/main (verified `git fetch --all` this session; pushed FF to both upstreams github+HelixDevelopment). Untracked build/* + root binaries are EXTERNAL build-artifact churn (a gemini-cli/data-agent session rebuilds them) — NOT committed (§11.4.30).
- **⚠️ CONTESTED CHECKOUT (§11.4.84/§11.4.119):** an EXTERNAL gemini-cli/data-agent process intermittently runs `git checkouts` + has left a stale `.git/index.lock` in this repo. BEFORE EVERY commit: (a) confirm `git symbolic-ref -q HEAD == refs/heads/main`, (b) `ls .git/index.lock` absent (remove a STALE lock only if no live git process), (c) `git fetch --all` + confirm local == origin/main. Every R-5 commit survived via this protocol.

- **R-5 commits this session (all FF-pushed):** 102c773 CM-NO-LOCAL-RUNTIME gate + paired meta-test · abc0912 Part-B NITs (bridge/format test asserts + bridgeOpener seam + detector XHTML anchor) · 7036a30 config.worker.json default_provider ollama→openai · 3ce413e §11.4.153 ledger 39 rows Obsolete + verifier-doc framing fix.
- **Prior phase-2 commits (P-1..R-4):** 8325f9d R-4 remove worker configs + SSH/llama/ollama scripts · 86175d0/earlier R-4 remove SSH binaries + pkg/sshworker + pkg/modelsbridge + llamacpp_provider + markdown bridge wiring; P-1 BestClient e5307ce.

Bridge phase-2 — the CRITICAL no-local-runtime mandate (state: NEAR-COMPLETE)

Operator-CRITICAL: NO local runtime — only LLMsVerifier strongest models via pkg/bridge, bridged to components AND this Claude Code session. Plan: **docs/design/BRIDGE_PHASE2_EXECUTION_PLAN.md** (+ design docs/design/LLMSVERIFIER_BRIDGE.md, removal map docs/design/LOCAL_RUNTIME_REMOVAL.md).

LOCKED operator decisions: D1 remove local runtimes entirely; D2 forbid ALL local runtimes (llama.cpp + Ollama); R1 → **R-4 decision (2026-06-16): keep the distributed/API path, remove SSH-local** (the SSH-local binaries + worker body Obsolete §11.4.90; version_manager/ssh_pool/distributed coordination KEPT); R2 **require API keys everywhere** (no offline/local fallback — honest error/SKIP, never a silent local fallback); D4/D5 **top-1 + fallback, in-process; ensemble = “Provider-diverse verified”**.

Status — DONE: - **P-1 / R-1** BestClient/BestTranslator + all default-path components redirected to the bridge. - **R-2** Ollama removed · **R-3** llama.cpp removed · **R-4** SSH-local binaries + pkg/sshworker + pkg/modelsbridge + local worker configs/scripts removed (operator-confirmed). - **R-5 (this session):** CM-NO-LOCAL-RUNTIME pre-build gate (3 arms, default-path-only) + paired §1.1 meta_test_no_local_runtime.sh (baseline PASS / Mut1 Arm1 FAIL / Mut2 Arm3 FAIL / Neg PASS); Part-B NITs; config.worker.json fixed; §11.4.153 ledger 39 rows Obsolete (docs_chain features re-synced HTML/PDF/DOCX); AGENTS.md + README.md + this CONTINUATION updated.

REMAINING: the full §11.4.40 retest on a clean baseline (conductor runs next) → then phase-2 closed. Out-of-scope observation: internal/working/config.distributed.{json,test,thinker}.json still carry legacy llamacpp/gguf tokens (KEPT distributed path, excluded from CM-NO-LOCAL-RUNTIME’s documented exceptions) — flag for a future R-cycle if the distributed worker body is API-migrated.

Standing constraints (binding every session)

- **No force-push EVER** (§11.4.113 — merge-onto-latest-main, FF-only); **never git add -A** (§11.4.30); **never touch the helix_qa submodule** — another session owns it (§11.4.119 single-resource-owner); **never touch owned submodules** in this R-5 scope.
- **No host power-management** (§12 / CONST-033). **Require API keys, NO local llama.cpp/Ollama/SSH-distributed runtimes.** Operator-blocked →

AskUserQuestion (§11.4.66). Endless autonomous loop is the DEFAULT (§11.4.126).

- **Working API keys:** DEEPSEEK_API_KEY + GROQ_API_KEY present (real translations work); GEMINI/ZHIPU invalid/quota-blocked (honest errors). NEVER print key values (§11.4.10).
 - **Contested checkout:** apply the pre-commit vigilance protocol above before every commit (§11.4.84/§11.4.119).
-

🚫 (SUPERSEDED 2026-06-15 ~22:30 — subagent runtime has since reset; reconciliation + P-1 landed) RATE-LIMIT BLOCK + OWED CRASHED- STREAM WORK (2026-06-15 ~19:05)

The subagent runtime hit a session/usage limit (subagents die instantly, ~178 tokens). NO new subagents can run until the **7:10pm Europe/Moscow reset**. Two phase-1 bridge streams CRASHED mid-work (§11.4.147 crash≠done — work OWED, partial state PRESERVED uncommitted in the worktree, do NOT discard, do NOT commit-incomplete §11.4.84/§11.4.121):

LLMsVerifier-bridge mandate (operator CRITICAL 2026-06-15): no local llama.cpp — only LLMsVerifier strongest models + bridge to components AND this Claude Code session. Design: docs/design/LLMSVERIFIER_BRIDGE.md; removal map: docs/design/LOCAL_RUNTIME_REMOVAL.md. LOCKED operator decisions: D1 remove llama.cpp entirely; D2 **forbid ALL local runtimes** (llama.cpp + Ollama + SSH/distributed); D3 agent access = **CLI + MCP**; D4/D5 **top-1 + fallback, in-process** pipeline (env *_API_KEY keys, no service); R1 **Obsolete** cmd/translate-ssh + cmd/ssh-translation + llamacpp/ollama worker configs (§11.4.90); R2 **require keys everywhere** (no offline path — tests FAIL not skip when keys absent).

OWED CRASHED STREAMS (respawn after reset, §11.4.147 + §11.4.84 quiescence-check first): - **bridge-core** (was a9659f5) — INCOMPLETE, does NOT build: cmd/model-bridge/main.go:52: undefined: runMCP (crashed before writing the MCP stdio server). Preserved partial: pkg/bridge/ (BestTranslator/Invoke/BestModel/ListVerified facade), cmd/model-bridge/main.go (CLI), internal/verifier/provider_resolver.go+_test.go (numeric-ProviderID gap-fix). RESPAWN to: finish runMCP (MCP stdio server) + .mcp.json wiring + full tests + real best-model/invoke evidence + docs/guides/LLMSVERIFIER_BRIDGE_USAGE.md; then §11.4.142 review + commit. - **web-UI** (was aaf872a) — BUILDS clean (pkg/api + cmd/server). Preserved: pkg/api/dashboard.go+dashboard_test.go, pkg/api/handler.go (M) — wires the unrouted Web Dashboard translation UI (the real §11.4.153 web gap). OWED: independent §11.4.142 review + real-server real-translation evidence run, then commit. (Note: a later phase swaps its provider to bridge.BestTranslator.)

NEXT (post-reset, phased per LOCAL_RUNTIME_REMOVAL.md R-0→R-5): (1) respawn bridge-core to finish; (2) review+commit web-UI; (3) phase-2: redirect all 9 components to bridge.BestTranslator, remove Ollama, remove llama.cpp, Obsolete SSH/distributed (R1), add CM-N0-LOCAL-RUNTIME gate + paired mutation, require-keys-everywhere (R2); (4) HelixQA web-runner browser+video backend

extension (needs the helix_qa session) → then the real web-dashboard video. Web-dashboard video remains PENDING until both the UI wiring lands AND HelixQA gains a web/video backend.

DONE + PUSHED this session (all remotes, FF-only): constitution §11.4.153 (74e7fbe, 10 remotes); parent 58178a5→a5e8866→86bf81e→d53e085→fb74c2d→87cd2be→e73e0b7→fb265e7; submodules llm_provider 724e284, containers 2a9923a, llms_verifier 89719e2b. §11.4.153 mandate + 470/472 ledger (21 video-confirmed) + DOCX & PDF output writers + multipass wiring + cli title/atomic-write fixes + prep-translator/server/ REST bug fixes + README §11.4.57 + all 9 submodules GREEN.

✓ §11.4.153 LEDGER RE-SYNC (2026-06-15, +DOCX output + -multipass video + cli atomic-write)

Three capabilities became real+evidenced this session and landed+pushed; the feature ledger (docs/features/Status.md + Status_Summary.md) is re-synced honestly (docs UNCOMMITTED — conductor commits, no git add -A): - **DOCX output** — gap → **Implemented** (pure-Go OOXML writer pkg/ebook/docx_writer.go, commit 87cd2be). Verified this session by re-producing a .docx via the shipped writer → file = Microsoft Word 2007+, all 4 OOXML parts, real translated content, correct XML escaping. **Real-artifact-confirmed (NOT video — no .mp4 yet, video PENDING).** - **-multipass multi-pass verification** — now **video-confirmed**: helixtranslate-cli-multipass-verify-20260615.mp4 (ffprobe 888x630, 93 frames, 9.3s) shows “Step 4: Multi-pass Polishing ✓ Success — Polished over 1 pass with deepseek” + real Spanish output. Engine wired into unified-translator via -multipass in d53e085. - **cmd/cli atomic-write / no-clobber** (87cd2be) — write-safety fix, guard cmd/cli/no_partial_output_test.go (unit-proven, no video required); title path-leak fixed in d53e085. - **Honest counts**: video-confirmed **20 → 21** (the -multipass flip) + **1 real-artifact-confirmed** (DOCX); Status/Status_Summary Rev 2→3; not-implemented gap rows 2→1. - **Exports re-synced**: docs_chain sync features (6 derived nodes) → docs_chain verify features = **in-sync (RC=0)**; HTML+PDF+DOCX siblings regenerated for both docs (all file-verified). - **Remaining gaps now**: PDF output (no writer); cmd/translator local path STUB; llm_provider gofmt hygiene (23 flagged files); cosmetic docx title-twice; web-dashboard translation video **OPERATOR-BLOCKED** (HelixQA-gated). translate-ssh/ebook-translator stay OPERATOR-BLOCKED.

✓ GAP-CLOSURE BATCH (2026-06-15, video/coverage-surfaced gaps — all reviewed GO + pushed)

Three gap-closures (each RED-first §11.4.115, mutation-verified, independent batch review VERDICT GO §11.4.142) landed + pushed: - **Parent d53e085** (pushed all remotes): (1) **cmd/cli title path-leak FIXED** — TXT parser set Metadata.Title=filepath → translated → leaked into output EPUB <dc:title>; sanitizeBookTitle() added at the cmd/cli input→book seam

(genuine titles pass through; real run <dc:title>Tiha bašta</dc:title>, NO LEAK). (2) **pkg/verification multipass engine WIRED** (§11.4.124 — git-history proved it was NEVER imported by any cmd/, born dormant 717bf18, finished real code not scaffolding) via opt-in `-multipass` flag (default OFF, back-compat; guardrails: passes≥1, base preserved on error/empty); RED→GREEN httpstest + real DeepSeek “Step 4: Multi-pass Polishing ”; §11.4.150 research docs/research/20260615_video_surfaced_fixes/verification_multipass_wiring.md. - **llm_provider 724e284** (pushed LLMProvider remote; parent gitlink bumped in d53e085): contract test for the interface-only pkg/provider (zero-coverage §11.4.28 gap; mutation-proven; suite green).

NEXT (open gaps, tracked — none blocking the current scope): implement DOCX/PDF **output** writers in pkg/ebook (input-only today); implement cmd/translator local path (STUB “not yet implemented”); fix cmd/cli silent-fail-exit-0 when `-model` omitted (incidental finding); record a `-multipass` video for §11.4.153 ledger confirmation (currently real-run+RED→GREEN evidenced, no .mp4 yet); gofmt the 23 pre-existing flagged files in llm_provider; web-dashboard translation video is **OPERATOR-BLOCKED** (HelixQA-gated, separate session). `translate-ssh/ebook-translator` stay OPERATOR-BLOCKED (need remote SSH/llama.cpp host).

§11.4.153 FEATURE-STATUS VIDEO-CONFIRMATION SYNC (2026-06-15, ~25 real videos → ledger honest)

The §11.4.153 per-feature Status ledger is now in honest sync with the real video evidence captured this session (docs uncommitted — conductor to commit; do NOT `git add -A`).

What landed before this sync (already pushed): - §11.4.153 doc set (docs/features/Status.md + Status_Summary.md, 470/472 features, four-format HTML+PDF+DOCX) shipped in 58178a5; constitution bump 74e7fbe. - **3 video-surfaced bugs FIXED + pushed** in a5e8866 (the green suite had missed all 3, §11.4.4/§11.4.138): (1) preparation-translator DEAD — DeepSeek API key never reached config (`-api-key/env` not wired) → “DeepSeek API key is required”, no analysis JSON; (2) cmd/server TLS startup — config with no `tls_cert_file` failed to start; fix backfills self-signed certs in LoadConfig; (3) REST POST /api/v1/translate ignored `target_lang` (hardcoded) → always Serbian regardless of requested language. - **~25 real videos** captured under /Volumes/T7/Downloads/Recordings/helixtranslate-*.mp4 (all ffprobe-verified dur>0+frames>0; key ones content-verified frame-by-frame this session). - **All 9 owned submodules GREEN** — coverage logs qa-results/submodule_coverage_20260615/. - **README §11.4.57** Tracked-Items doc-link section added (prior session).

This sync (Status.md/Status_Summary.md Rev 1→2 + exports re-synced): - **Video-confirmed: 1 → 20** feature rows (≈4.3% of 472), each flipped to Confirmed: ONLY after the cited .mp4 was content-verified (§11.4.6 no overclaim). Confirmed: unified-translator (DeepSeek translate; EPUB→TXT / HTML→EPUB / FB2→EPUB / FB2→FB2; Serbian-Cyrillic; -script Cyrillic↔Latin; format-detection; help/version; -verify), REST API (POST /api/v1/translate real DeepSeek + `target_lang` FIXED, TLS startup FIXED, /health/version-/providers), gRPC (real EN→ES), markdown-translator (EPUB↔MD

round-trip), preparation-translator (FIXED), cmd/cli (real DeepSeek), monitor-server (live WS hub), DeepSeek library client. - **Honest gaps recorded (§11.4.6, NOT confirmed):** DOCX output + PDF output UNIMPLEMENTED (no writer in pkg/ebook; unified-translator rejects them; 2 new gap rows added → 472 total); -verify ≠ pkg/verification multipass engine (engine has no CLI entry point wired in); cmd/translator local path = STUB (“local translation not yet implemented”); cmd/translate-ssh + cmd/ebook-translator = OPERATOR-BLOCKED (need remote SSH/llama.cpp worker host); GET /api/v1/verified-models = 404 (LLMsVerifier disabled in config); cmd/cli minor cosmetic file-path-leak into title metadata. - **Exports + fingerprint re-synced** via docs_chain sync features (applied: 6 derived nodes — HTML/PDF/DOCX × 2 docs) → docs_chain verify features = **in-sync** (RC=0); evidence qa-results/docs_chain/20260615T144104Z/sync.log; docs_chain state.json = §11.4.86 content-hash fingerprint store.

NEXT (open gaps queued): implement DOCX/PDF output writers in pkg/ebook; wire pkg/verification multipass engine into a CLI entry point; implement cmd/translator local path; produce videos for remaining PENDING runtime features (web dashboard translation, other providers) to lift coverage. translate-ssh/ebook-translator stay OPERATOR-BLOCKED until a remote SSH/llama.cpp host is provided.



WAVE 15 — SECOND-PASS + determinism (campaign 101→110; second pass STILL productive)

Parent HEAD 6c89910, build/vet/test green, git OK, llms_verifier pointer intact. - **pkg/ebook** 6c11dee (#102): EPUB parser set chapter.Title to the zip entry name → EPUB→translate→EPUB rendered “OEBPS/chapter1.xhtml” as every chapter heading + TOC entry (core use case). Fix = extractChapterTitle (