

INHERITED FROM Helix Constitution

Base agent rules live in the Helix Constitution submodule at the parent project's constitution/AGENTS.md and the universal constitution/Constitution.md it references. **READ THOSE FIRST.** The base file is authoritative for any topic not covered here. Module-specific rules below extend them; they never weaken them.

Critical universal rules every CLI agent (Claude Code, Cursor, Aider, Codex, Gemini CLI) MUST honour while working in this module:

- **No bluffing.** Every PASS carries positive evidence. Constitution §11.4.
- **Mutation-paired gates.** Every new gate has a paired mutation proving it catches regressions. Constitution §1.1.
- **No guessing language** (likely, probably, maybe, seems). Constitution §11.4.6.
- **Credentials never tracked.** .env patterns git-ignored; runtime-load only. Constitution §11.4.10.
- **Never force-push.** Force-push requires explicit per-session authorization AND a green §9.1.5 post-op gate. Constitution §9.
- **CONTINUATION.md kept in sync** in every non-trivial commit. Constitution §12.10.
- **60% RAM cap.** Heavy work wrapped in bounded execution scope. Constitution §12.6.

Canonical reference: <https://github.com/HelixDevelopment/HelixConstitution>

AGENTS.md — HelixCode Authoritative Agent Guide

Base agent rules: HelixConstitution/AGENTS.md — READ IT FIRST. All rules in HelixConstitution/AGENTS.md apply unconditionally. Rules below extend them and MUST NOT weaken any inherited clause.

HelixCode Agent Guidelines

Version: 3.0.0 (Updated with full architecture audit) **Date:** 2026-04-30 **Scope:** All AI agents, human contributors, and automated processes working on HelixCode **Authority:** Derived from HelixAgent AGENTS.md with HelixCode-specific enhancements

Project Overview

HelixCode is an enterprise-grade distributed AI development platform built in Go. It enables intelligent task division, work preservation, cross-platform development workflows, and multi-provider LLM integration through a unified REST API, CLI, Terminal UI, Desktop, and Mobile client architecture.

Current Status: The internal/ foundation is largely solid (auth, database, server, worker, task, workflow, tools, editor, notification, MCP, **verifier** are real implementations). Critical bluff and stub areas remain in select entry points and peripheral packages. All agents **MUST** prioritize zero-bluff implementation.

LLMsVerifier Integration Status: internal/verifier/ package is now implemented with REST API client, two-tier cache, circuit breaker health monitor, background poller, score adapter, and event publisher. BLUFF-002 (hardcoded CLI models) and BLUFF-004 (hardcoded external models) are **FIXED**. BLUFF-005 (scoring ignores verifier data) is **FIXED** in `ModelManager.SelectOptimalModel()`.

Key Features: - **Distributed Computing:** SSH-based worker pools with health monitoring, auto-installation, and consensus - **Multi-Provider LLM Integration:** 15+ providers (OpenAI, Anthropic, Gemini, Ollama, Azure, Bedrock, Groq, Mistral, Cohere, xAI, DeepSeek, Qwen, OpenRouter, HuggingFace, Llama.cpp) - **Development Workflows:** Automated planning, building, testing, refactoring with real shell execution - **Task Management:** Intelligent task division with priorities, dependencies, checkpointing, and Redis caching - **MCP Protocol:** Full Model Context Protocol server over WebSocket with tool dispatch - **Multi-Client Architecture:** REST API (Gin), Cobra CLI, Terminal UI (tview), Desktop (Fyne), Mobile (gomobile), WebSocket - **Memory Systems:** In-memory, filesystem, Redis, Memcached, Cognee, ChromaDB, Qdrant, Weaviate integrations - **Advanced Editor:** Multi-format code editing (diff, whole-file, search/replace, line-based) with backups - **Tools Ecosystem:** 40+

tools across filesystem, shell, web, browser, mapping, multiedit, confirmation, notebook, git - **Notifications:** Multi-channel support (Slack, Email, Telegram, Discord, Yandex Messenger, Max)

Technology Stack

Core Technologies: - **Language:** Go 1.24.0 with toolchain go1.24.9 - **Module:** dev.helix.code - **HTTP Framework:** Gin v1.11.0 - **Authentication:** JWT v4.5.2, bcrypt + argon2 - **Database:** PostgreSQL 15+ via pgx/v5 (optional) - **Cache:** Redis 7+ via go-redis/v9 (optional) - **Configuration:** Viper v1.21.0 - **CLI Framework:** Cobra v1.8.0 - **Testing:** Testify v1.11.1

UI Technologies: - **Desktop:** Fyne v2.7.0 - **Terminal UI:** tview v0.42.0 - **Mobile:** gomobile bindings

External Integrations: - **Browser Automation:** chromedp v0.14.2 - **Web Scraping:** goquery v1.10.3 - **Tree-sitter:** go-tree-sitter - **Identity:** Azure SDK, AWS SDK v2 - **Vector/Memory:** Cognee, ChromaDB, Qdrant, Weaviate clients - **Container Orchestration:** digital.vasic.containers (vasic-digital/Containers submodule)

Working Directory & Build System

CRITICAL: All build and test commands must be run from the helix_code/ subdirectory, not the repository root.

`cd HelixCode`

Build Commands

Command	Purpose
make build	Build server binary to bin/helixcode
make test	Run go test -v ./...
make test-all	Run tests + coverage + benchmarks + docs
make test-coverage	Generate coverage report
make test-benchmark	Run Go benchmarks
make logo-assets	Generate logo assets (required before first build)
make setup-deps	Run go mod tidy
make fmt	Run go fmt ./...

Command	Purpose
make lint	Run golangci-lint run ./...
make clean	Clean build artifacts
make dev	Start development server
make prod	Cross-platform production build
make mobile	Build iOS + Android targets
make aurora-os	Build Aurora OS target
make harmony-os	Build Harmony OS target

Full Infrastructure Test Commands

Command	Purpose
make test-infra-up	Start full Docker test infrastructure
make test-infra-down	Stop full Docker test infrastructure
make test-full	ALL tests with real infrastructure (zero skips)
make test-unit-full	Unit tests with real services
make test-integration-full	Integration tests with -tags=integration
make test-e2e-full	E2E challenge tests via runner
make test-security-full	Security test suite
make test-load-full	Load tests
make test-complete	Sequential run of all full test types
make coverage-full	Coverage with full infrastructure

Containerized Builds (NO Host Dependencies)

Command	Purpose
make container-builder-image	Build the builder container image
make container-build	Build application inside container
make container-test	Run tests inside container
make container-lint	Run linter inside container
make container-shell	Interactive shell in builder container

Command	Purpose
make container-dev-up	Start containerized dev environment
make container-dev-down	Stop containerized dev environment
make container-release	Full release build in container
./scripts/containers/build-in-container.sh	Convenience wrapper script

The builder container includes: Go 1.24, gcc, postgresql-client, redis, docker-cli, golangci-lint, and all build tools. The only host requirement is Docker/Podman.

Standalone Test Scripts

Script	Purpose
./run_tests.sh --unit	Unit tests
./run_tests.sh --integration	Integration tests
./run_tests.sh --e2e	E2E tests
./run_tests.sh --coverage	Coverage analysis
./run_tests.sh --security	Security tests
./run_all_tests.sh	Orchestrates ALL suites sequentially
./run_integration_tests.sh	DB integration tests with Docker

Single Test Execution

```
go test -v -run TestName ./path/to/package
go test -v -tags=integration ./internal/database
cd tests/e2e/challenges && go run cmd/runner/main.go -challenge
    ascii-art-generator-001 -providers ollama
```

Architecture & Code Organization

```
helix_code/
├── cmd/
│   ├── server/main.go
│   ├── cli/main.go
│   ├── root.go
│   ├── main_commands.go
│   ├── other_commands.go
│   └── version, etc.
└── local-llm.go
```

Application entry points

HTTP server entry point

Legacy flag-based CLI client

Cobra root command (`helix`)

`helix start`, `helix auto`

`helix server`, `helix

`helix local-llm` command tree

		local-llm-advanced.go	# Advanced local-llm commands
		helix-config/main.go	# Dedicated config management
CLI			
		security-test/main.go	# Simulated security test runner
		security-fix/main.go	# Security fix wrapper
		security-fix-standalone/main.go	# Standalone security scanner
performance-optimization/main.go # Performance optimizer			
		performance-optimization-standalone/main.go	# Standalone perf simulator
		config-test/main.go	# Config hot-reload test utility
		internal/	# Internal packages (~40 packages)
		auth/	# JWT authentication, bcrypt/argon2, sessions
		llm/	# LLM provider implementations (15+ providers)
		providers/	# Per-provider HTTP clients
		compression/	# Context compression
		vision/	# Vision/multimodal support
		provider/	# Provider abstractions
		providers/	# Provider management
		worker/	# SSH-based worker pool, health checks
		task/	# Task queues, dependencies, checkpoints
		server/	# Gin HTTP server, routes, middleware
		database/	# PostgreSQL pgx pool, schema initialization
		redis/	# go-redis wrapper with graceful degradation
		tools/	# 40+ tool ecosystem registry
		filesystem/	# fs_read, fs_write, fs_edit, glob, grep
		shell/	# shell, shell_background with sandbox
		web/	# web_fetch, web_search
		browser/	# browser_launch, browser_navigate, browser_screenshot
		multiedit/	# Transactional multi-file editing
		git/	# Git automation
		editor/	# Multi-format code editing with backups
		memory/	# Memory providers (in-mem, filesystem, Redis, etc.)
		cognee/	# Cognee.ai memory integration
		context/	# Hierarchical context management with TTL
		notification/	# Multi-channel notification

```

engine
├── mcp/                                # Model Context Protocol
WebSocket server
├── workflow/                          # Development workflow execution
├── config/                            # Viper-based configuration
management
├── event/                             # Pub/sub event bus
├── logging/                           # Structured logging wrapper
├── monitoring/                        # Metric collection framework
├── security/                          # Security scanning (stubbed)
├── session/                           # Development session management
├── agent/                             # Agent orchestration
├── project/                           # Project management
├── rules/                             # Rules engine
├── hooks/                             # Hook system
├── focus/                             # Focus chain management
├── template/                          # Template system
├── persistence/                       # State persistence
├── deployment/                        # Deployment management
├── discovery/                         # Service/model discovery
├── hardware/                          # Hardware abstraction
├── repomap/                           # Repository mapping
├── version/                           # Version management
├── fix/                               # Security fix engine
├── performance/                       # Performance optimization
├── testutil/                          # Test utilities
├── mocks/                             # Shared mocks
├── applications/                      # Platform-specific applications
│   ├── desktop/                       # Fyne desktop app
│   ├── terminal-ui/                   # tview terminal UI
│   ├── android/                       # Android app
│   ├── ios/                           # iOS app
│   ├── aurora-os/                     # Aurora OS client
│   └── harmony-os/                    # Harmony OS client
├── api/                               # OpenAPI specification
│   └── openapi.yaml                   # Full REST API spec (OpenAPI
3.0.3)
├── config/                            # Configuration files
│   ├── config.yaml                   # Primary application config
│   ├── production-config.yaml        # Enterprise production config
│   └── minimal-config.yaml           # Minimal test config (DB/Redis
disabled)
│   ├── test-config.yaml              # Test-specific config
│   ├── working-config.yaml           # Working variant
│   ├── azure_example.yaml            # Azure-specific example
│   └── model-aliases.example.yaml    # Model alias examples
├── tests/                             # New test framework
│   └── e2e/challenges/               # Challenge-based E2E tests

```

└─ automation/	# Hardware automation tests
└─ test/	# Legacy/parallel test suites
└─ integration/	# Integration tests
└─ e2e/	# Legacy E2E tests
└─ automation/	# Provider automation tests
└─ load/	# Load tests
└─ benchmarks/	# Performance benchmarks
└─ security/	# Security tests
└─ standalone_tests/	# Standalone CLI tests
└─ docker/	# Docker assets and extended
compose	
└─ scripts/	# Build and deployment scripts
└─ assets/	# Logo and image assets

Verified Real Implementations

AUTH-001: Authentication System (VERIFIED REAL)

File: internal/auth/auth.go (~470 lines) **Assessment:** Production-ready - User registration with validation - Password hashing with bcrypt + argon2 fallback - JWT token generation and verification (JWT v4) - Session management with crypto-random tokens - Constant-time comparison for timing attack prevention - Full test coverage in internal/auth/auth_test.go (~777 lines)

DB-001: Database Layer (VERIFIED REAL)

File: internal/database/database.go **Assessment:** Production-ready - PostgreSQL connection pool via pgx/v5 - Full schema initialization (users, workers, tasks, projects, sessions, LLM providers, MCP servers, notifications, audit logs) - DatabaseInterface for testability - Graceful degradation when host is empty

SRV-001: HTTP Server (VERIFIED REAL)

File: internal/server/server.go **Assessment:** Production-ready - Gin-based server with 50+ routes across /api/v1/ - JWT auth middleware, CORS, security headers - WebSocket endpoint for MCP - Health check with DB + Redis validation - Graceful shutdown (30s timeout)

LLM-001: LLM Providers (VERIFIED REAL)

File: internal/llm/ (~5000+ lines across providers) **Assessment:** Real HTTP clients - AnthropicProvider (~752 lines): Full SSE streaming, prompt caching, extended thinking, tool calls - OpenAIProvider (~431+ lines): Full HTTP API client - ModelManager: Multi-provider orchestration, selection strategy, fallback chain - 16 provider subdirectories with real HTTP implementations - **Note:** The internal/llm/ package is genuine. Bluff areas are at cmd/cli/main.go only.

WRK-001: Worker Pool (VERIFIED REAL)

File: internal/worker/ (~800+ lines) **Assessment:** Real distributed worker management - WorkerManager: Register, heartbeat, assign tasks, complete tasks - SSH config parsing, capability matching, resource tracking - Health checks with TTL

TSK-001: Task Management (VERIFIED REAL)

File: internal/task/ (~1000+ lines) **Assessment:** Real task lifecycle - Priority queues, dependency validation, checkpointing - Redis caching with graceful degradation - Retry logic and cleanup

WFL-001: Workflow Engine (VERIFIED REAL)

File: internal/workflow/ (~1100+ lines) **Assessment:** Real shell execution - Executor dispatches to real exec.CommandContext() calls - Security filtering via isDangerousCommand() (rm, dd, mkfs, fork bombs, etc.) - LLM integration with real LLMRequest - Supports Go, Node, Python, Rust project types

TOO-001: Tools Ecosystem (VERIFIED REAL)

File: internal/tools/ (~2000+ lines) **Assessment:** Real tool registry - 8 categories: filesystem, shell, web, browser, mapping, multiedit, confirmation, notebook - Real chromedp browser automation - Transactional multi-file editing

EDT-001: Code Editor (VERIFIED REAL)

File: internal/editor/ (~600+ lines) **Assessment:** Real file I/O - Diff, whole-file, search/replace, line-based editors - Automatic file backup with io.Copy - EditApplier / EditValidator interfaces

NOT-001: Notification Engine (VERIFIED REAL)

File: internal/notification/ (~800+ lines) **Assessment:** Real HTTP/SMTP calls - Slack (webhook HTTP POST), Email (SMTP via net/smtp), Telegram (Bot API), Discord (webhook) - Yandex Messenger (OAuth API), Max (enterprise API) - Rate limiting, retry, queue, metrics

MCP-001: MCP Protocol Server (VERIFIED REAL)

File: internal/mcp/ (~400+ lines) **Assessment:** Real WebSocket server - gorilla/websocket concurrent session handling - JSON-RPC-like message format - Tool execution dispatch

CFG-001: Configuration Management (VERIFIED REAL)

File: internal/config/ (~1700+ lines) **Assessment:** Full Viper integration - Environment variable binding (HELIX_*) - Config file search (., \$HOME/.helixcode, /etc/helixcode) - Validation rules, default config creation - ConfigManager for load/save/merge

QA-001: HelixQA Integration (VERIFIED REAL)

Files: internal/helixqa/, internal/server/qa_handlers.go, applications/terminal-ui/main.go **Assessment:** Full embedded QA engine with real session lifecycle - Engine struct manages QA sessions with map + sync.RWMutex - StartSession(), CancelSession(), GetSession(), ListSessions() with real state tracking - REST API: POST /api/v1/qa/session, GET /api/v1/qa/session/:id/status, GET /api/v1/qa/session/:id/report, GET /api/v1/qa/session/:id/screenshot/:name, DELETE /api/v1/qa/session/:id - CLI flags: --qa-run, --qa-list, --qa-report, --qa-screenshot, --qa-cancel - TUI dashboard with session table, stats panel, refresh/cancel actions - Screenshot pipeline: 8 platform engines (Linux, Web, iOS, Android, CLI, TUI, macOS, Windows) - Tests: internal/helixqa/wrapper_test.go, internal/server/qa_handlers_test.go, pkg/screenshot/*_test.go

Verified Bluff & Stub Areas (MUST FIX)

BLUFF-001: LLM Generation is Simulated in Legacy CLI (CRITICAL) — FIXED

File: cmd/cli/main.go lines ~236-284 **Evidence:** Previously returned `fmt.Sprintf("Generated response for: %s...", prompt)` without calling any provider. **Fix:** `handleGenerate()` now constructs a real `llm.LLMRequest` with user messages and calls `provider.Generate()` / `provider.GenerateStream()`. Errors are propagated to the user if the provider is unavailable. **Verification:** `go build -tags nogui ./cmd/cli/` compiles; provider call is real (returns error if Ollama/etc. is not running). **Fix Priority:** P0 — RESOLVED

BLUFF-002: Model Listing is Hardcoded in Legacy CLI (CRITICAL) — FIXED

File: cmd/cli/main.go lines ~101-128 **Evidence:** Previously only 3 hardcoded models. No dynamic discovery. **Fix:** Replaced with verifier-aware `handleListModels()` that queries `LLMsVerifier` adapter first, falls back to provider discovery, then to constitutional `FallbackModels` (7 models with scores and verification status). **Verification:** `go test -v ./internal/verifier/...` passes; `go build ./cmd/cli/...` compiles. **Fix Priority:** P0 — RESOLVED

BLUFF-003: Command Execution is Simulated in Legacy CLI (HIGH) — FIXED

File: cmd/cli/main.go lines ~310-324 **Evidence:** Previously printed the command and slept for 1 second without executing anything. **Fix:** `handleCommand()` uses `exec.CommandContext(ctx, "sh", "-c", command)` with real `os.Stdout/os.Stderr` redirection. Exit codes are reported. **Verification:** `go build -tags nogui ./cmd/cli/` compiles. **Fix Priority:** P0 — RESOLVED

STUB-001: Security Scanning is Simulated

File: internal/security/security.go (~132 lines) **Evidence:** `ScanFeature()` contains explicit "Simulate security scanning logic" comment. Always returns `Success=true, Score=95` with empty issues. **Fix Priority:** P1

STUB-002: Memory Redis/Memcached Providers Store Locally

File: internal/memory/ (~1800+ lines) **Evidence:** RedisMemoryProvider and MemcachedMemoryProvider store data in local maps with comments like "Redis client would be used in production." Connection config is parsed but not used. **Fix Priority:** P2

STUB-003: Security-Test Entry Point is Entirely Simulated

File: cmd/security-test/main.go **Evidence:** Hardcoded list of 12 simulated security tests. simulateSecurityScan() returns pre-canned issue lists per category. **Fix Priority:** P2

STUB-004: Several helix Subcommands are Print-Only

File: cmd/other_commands.go **Evidence:** server, generate, test, worker, notify commands are stubbed (print placeholder messages). **Fix Priority:** P2

STUB-005: Several helix-config Subcommands are Placeholders

File: cmd/helix-config/main.go **Evidence:** Many template/history/schema subcommands print placeholder messages. **Fix Priority:** P3

BLUFF-004: LLMsVerifier Integration is Stubbed or Bypassed (CRITICAL)

File Pattern: internal/verifier/*.go containing empty structs, // TODO, or methods that return hardcoded data instead of calling the verifier. **Evidence:** - VerificationService methods return hardcoded VerificationResult{OverallScore: 8.5} instead of querying the verifier database - ModelDiscoveryService returns an empty slice instead of calling provider APIs - The verifier client returns fallback models without attempting a real HTTP call **Fix Priority:** P0 - Immediate **Verification Command:**

```
make test-verifier-integration
# This MUST pass with real verifier data, not mocked scores
```

BLUFF-005: Provider Discovery Uses Hardcoded Env Var Names (HIGH)

File Pattern: internal/verifier/startup.go or provider adapter files containing hardcoded strings like "OPENAI_API_KEY" without checking SupportedProviders[provider].EnvVars. **Fix Priority:** P1 - High

BLUFF-006: Model Capabilities Are Hardcoded (HIGH)

File Pattern: internal/llm/*.go containing SupportsToolUse: true as a struct literal for specific models, or Provider.GetCapabilities() returning a static slice. **Fix Priority:** P1 - High **Constitutional Impact:** Violates CONST-041 (MCP/LSP/ACP/Embedding/RAG/Skills/Plugins Integration Mandate).

BLUFF-007: Test Claims Integration But Uses Mocked Verifier (CRITICAL)

File Pattern: *_test.go files with testify/mock or testMode: true in non-unit test files. **Fix Priority:** P0 - Immediate **Constitutional Impact:** Violates CONST-038 (Model Provider Anti-Bluff Guarantee) and CONST-035 (Zero-Bluff Testing).

BLUFF-008: Scoring Weights Do Not Sum to 1.0 (MEDIUM)

File Pattern: configs/verifier.yaml or internal/verifier/config.go where scoring weights are misconfigured. **Fix Priority:** P2 - Medium

BLUFF-009: /metrics Endpoint Returns Hardcoded Zeros (CRITICAL) — FIXED

File: internal/server/handlers.go lines ~834-855 **Evidence:** All dynamic metrics (goroutines, memory, database connections) were hardcoded to 0. **Fix:** getMetrics() now calls runtime.ReadMemStats(), runtime.NumGoroutine(), and s.db.Pool.Stat() to return real values. **Fix Priority:** P0 — RESOLVED

BLUFF-010: Multi-Edit Conflict Detection is a No-Op (HIGH) — FIXED

File: internal/tools/multiedit/transaction.go lines ~352-369

Evidence: detectFileConflict() always returned nil, nil with comment "For now, we'll assume no conflicts." **Fix:** Implemented real conflict detection — reads the file from disk, computes SHA-256, and compares against the Checksum field. Returns ConflictModified or ConflictDeleted when appropriate. **Fix**

Priority: P1 — RESOLVED

Configuration Management

Primary Configuration

Main config at config/config.yaml:

```
server:
  address: "0.0.0.0"
  port: 8080
  read_timeout: 30
  write_timeout: 30
  idle_timeout: 300
  shutdown_timeout: 30

database:
  host: "" # Empty string disables PostgreSQL
  port: 5432
  user: "helix"
  password: "${HELIX_DATABASE_PASSWORD}"
  dbname: "helixcode_prod"
  sslmode: "disable"

redis:
  host: "redis"
  port: 6379
  password: "${HELIX_REDIS_PASSWORD}"
  db: 0
  enabled: true

auth:
  jwt_secret: "${HELIX_AUTH_JWT_SECRET}"
  token_expiry: 86400
  session_expiry: 604800
  bcrypt_cost: 12

workers:
  health_check_interval: 30
  health_ttl: 120
```

```
max_concurrent_tasks: 10

tasks:
  max_retries: 3
  checkpoint_interval: 300
  cleanup_interval: 3600

llm:
  default_provider: "local"
  max_tokens: 4096
  temperature: 0.7
  timeout: 30
  max_retries: 3
  providers:
    <name>:
      type: <provider-type>
      endpoint: <url>
      enabled: true
      parameters:
        timeout: 30.0
        max_retries: 3
        streaming_support: true
        api_key: ""
  selection:
    strategy: "performance"
    fallback_enabled: true
    health_check_interval: 30

logging:
  level: "info"
  format: "text"
  output: "stdout"

notifications:
  enabled: true
  rules:
    - name: "... "
      condition: "type==error"
      channels: ["slack", "email"]
      priority: urgent
      enabled: true
  channels:
    slack: { enabled, webhook_url, channel, username, timeout }
    telegram: { enabled, bot_token, chat_id, timeout }
    email: { enabled, smtp: { server, port, username, password,
      tls }, recipients, timeout }
    discord: { enabled, webhook_url, timeout }
```

Environment Variables

Required for Production: - HELIX_DATABASE_PASSWORD -
HELIX_AUTH_JWT_SECRET - HELIX_REDIS_PASSWORD

LLM Provider Keys (as needed): - OPENAI_API_KEY,
ANTHROPIC_API_KEY, GEMINI_API_KEY, XAI_API_KEY, DEEPSEEK_API_KEY,
GROQ_API_KEY, MISTRAL_API_KEY, COHERE_API_KEY, AZURE_OPENAI_API_KEY,
AWS_ACCESS_KEY_ID / AWS_SECRET_ACCESS_KEY

Notification Integrations: - HELIX_SLACK_WEBHOOK_URL -
HELIX_TELEGRAM_BOT_TOKEN, HELIX_TELEGRAM_CHAT_ID -
HELIX_EMAIL_SMTP_SERVER, HELIX_EMAIL_USERNAME, HELIX_EMAIL_PASSWORD
- HELIX_DISCORD_WEBHOOK_URL

Testing Strategy

Test Categories

1. **Unit tests:** Mocks allowed, *_test.go, -short flag
2. **Contract tests:** Real API schemas, no mocks
3. **Component tests:** Real subsystems wired together
4. **Integration tests:** Full app with real dependencies
(-tags=integration)
5. **E2E challenges:** Complete user workflows against real LLM APIs
6. **Security tests:** OWASP compliance
7. **Performance tests:** Benchmarks
8. **Automation tests:** Provider/hardware automation
(-tags=automation)
9. **Load tests:** Stress testing

Anti-Bluff Testing Rules

- Unit tests: Mocks OK
- **ALL other tests: Real infrastructure ONLY**
- Every PASS guarantees **Quality + Completion + Usability**
- Challenges fail on simulated/stubbed behavior
- No bare t.Skip() without SKIP-OK: #<ticket> marker

Docker Test Infrastructure

- docker-compose.test.yml: PostgreSQL 16, Redis 7, Memcached, Cognee, ChromaDB, Qdrant, Ollama, Prometheus, Grafana
- docker-compose.full-test.yml: Complete stack with mock-LLM server, Selenium, ChromeDP, SSH server + 3 workers, Cognee, Weaviate, mock-Slack, multicast router

Challenge Framework (tests/e2e/challenges/)

The most rigorous test system validates HelixCode by having it **generate real projects** and testing them: - **Challenge Definitions:** JSON specs (ASCII art generator, CLI task manager, JSON validator, notes API, tic-tac-toe TUI, URL shortener) - **Execution Flow:** Load spec → Call real LLM API → Parse generated code → Compile → Test → Runtime validation - **Validation Layers:** Directory structure, code quality, compilation, testing, functionality, runtime validation with diverse data - **Test Matrix:** Supports CLI, TUI, REST, WebSocket interfaces across 15+ providers and worker pool distributions

Test Scripts Summary

```
# Basic
cd HelixCode && make test

# Full infrastructure (recommended for validation)
make test-infra-up
make test-complete
make test-infra-down

# Individual categories
make test-unit-full
make test-integration-full
make test-e2e-full
make test-security-full
make test-load-full

# Legacy scripts
./run_tests.sh --all
./run_all_tests.sh
./run_integration_tests.sh
```

Docker Deployment

Production (docker-compose.yml)

Services: helixcode-server (8080, 2222), postgres:15, redis:7, nginx (80, 443), prometheus (9090), grafana (3000)

Quick Start

```
cd HelixCode
cp .env.example .env
# Edit .env with secure passwords
```

```
docker compose up -d
docker compose ps
curl http://localhost/health
```

Other Compose Files

File	Purpose
docker-compose-simple.yml	Minimal dev (postgres + redis only)
docker-compose.test.yml	Integration/E2E testing stack
docker-compose.full-test.yml	Zero-skip full test infrastructure
docker-compose.aurora-os.yml	Security-focused Aurora OS platform
docker-compose.harmony-os.yml	Distributed Harmony OS platform
docker-compose.specialized-platforms.yml	Combined Aurora + Harmony
docker/docker-compose.yml	Extended full-stack with Milvus, Elasticsearch, MLflow, Jaeger, Jupyter, Portainer

Deployment Patterns

- Healthchecks on every service
- Docker profiles: monitoring, distributed, with-redis, production, dev, server
- Isolated bridge networks per deployment
- Named persistent volumes for all stateful services
- .env file for secrets

Code Style & Development Conventions

Go Conventions

- Standard Go formatting: `go fmt ./...`
- Linting: `golangci-lint run ./...` (timeout 10m in CI)
- Vet: `go vet ./...`
- Table-driven tests with `t.Run()` subtests
- Build tags for integration/automation tests: `//go:build integration`

Project Conventions

- **Always work from `helix_code/` subdirectory**
- **Generate logo assets before first build:** `make logo-assets`
- **Database/Redis optional:** Disable by setting `database.host:`
""
- **Environment variables override config file**
- Use `internal/` for all core packages; no `pkg/` directory in active use
- Error handling: explicit, no silent failures
- Concurrent access: use `sync.RWMutex` or channel patterns

API Conventions

- REST API documented in `api/openapi.yaml` (OpenAPI 3.0.3)
 - Base path: `/api/v1`
 - Authentication: Bearer JWT via Authorization header
 - Health endpoint: `GET /health` (no auth required)
-

Security Considerations

Verified Security Features

- Password hashing: `bcrypt` (cost 12) with `argon2` fallback
- JWT with constant-time comparison
- CORS middleware, security headers (X-Frame-Options, CSP, HSTS)
- Rate limiting support in production config
- Session timeout, concurrent session limits, IP binding options
- Workflow `isDangerousCommand()` filter blocks `rm`, `dd`, `mkfs`, `fork bombs`, etc.
- Input validation in auth and server packages

Security Testing

- `security/security_test.go`: OWASP Top 10, SAST, DAST, credential scanning, TLS enforcement, input validation (path traversal, XSS, SQL injection, command injection, SSRF)
- File permission checks (0600 for configs)

Known Security Stubs

- `internal/security/security.go`: Simulated scanning (always returns clean)
- `cmd/security-test/main.go`: Entirely simulated security tests

Production Hardening

- Use `HELIX_AUTH_JWT_SECRET` with high entropy
 - Enable PostgreSQL SSL in production
 - Enable Redis authentication
 - Configure CORS `allowed_origins` explicitly
 - Enable audit logging
 - Set `bcrypt_cost`: 14 in production
-

Universal Mandatory Constraints

Hard Stops (permanent, non-negotiable)

1. **NO CI/CD pipelines** (Note: existing workflow files in `.github/workflows/` are legacy and must not be expanded)
2. **NO HTTPS for Git** (SSH only)
3. **NO manual container commands** (orchestrator-owned)

Mandatory Development Standards

1. **100% Test Coverage** (unit, integration, E2E, automation, security, benchmark)
2. **Challenge Coverage** (every component)
3. **Real Data** (actual API calls, real DB, live services)
4. **Health & Observability** (health endpoints, circuit breakers)
5. **Documentation & Quality** (update docs with code changes)
6. **Validation Before Release** (full suite + all challenges)
7. **No Mocks in Production**
8. **Comprehensive Verification** (runtime, compile, structure, dependencies, compatibility)
9. **Resource Limits** (30-40% of host resources max)
10. **Bugfix Documentation** (root cause, affected files, fix, verification link)
11. **Real Infrastructure for All Non-Unit Tests**
12. **Reproduction-Before-Fix** (Challenge first, then fix)
13. **Concurrent-Safe Collections**

Definition of Done

A change is NOT done because code compiles. "Done" requires: -
Pasted terminal output from a real run - No self-certification
words without evidence - Demo commands that run against real
artifacts - Loud skips with `SKIP-OK: #<ticket>` markers

CONST-035 — End-User Usability Mandate

A test or Challenge that PASSES is a CLAIM that the tested behavior **works for the end user of the product**.

The HelixAgent project has repeatedly hit the failure mode where every test ran green AND every Challenge reported PASS, yet most product features did not actually work — buggy challenge wrappers masked failed assertions, scripts checked file existence without executing the file, “reachability” tests tolerated timeouts, contracts were honest in advertising but broken in dispatch. **This MUST NOT recur in HelixCode.**

Every PASS result MUST guarantee: a. **Quality** — correct behavior under real inputs, edge cases, concurrency b. **Completion** — wired end-to-end with no stub/placeholder gaps c. **Full usability** — a user following documentation succeeds

A passing test that doesn’t certify all three is a **bluff** and MUST be tightened.

Bluff Taxonomy (each pattern observed and now forbidden)

- **Wrapper bluff** — assertions PASS but wrapper’s exit-code logic is buggy
- **Contract bluff** — system advertises capability but rejects it in dispatch
- **Structural bluff** — file exists but doesn’t contain working code
- **Comment bluff** — comment promises behavior code doesn’t have
- **Skip bluff** — `t.Skip("not running yet")` without SKIP-OK: #<ticket> marker

The taxonomy is illustrative, not exhaustive. Every Challenge or test added going forward MUST pass an honest self-review against this taxonomy before being committed.

Constitutional anchors (cascaded from CONSTITUTION.md)

Article XI §11.9 — Anti-Bluff Forensic Anchor

Verbatim user mandate: *“We had been in position that all tests do execute with success and all Challenges as well, but in reality the most of the features does not work and can’t be*

used! This MUST NOT be the case and execution of tests and Challenges MUST guarantee the quality, the completion and full usability by end users of the product!"

Operative rule: **The bar for shipping is not "tests pass" but "users can use the feature."** Every PASS in this codebase MUST carry positive runtime evidence captured during execution. Metadata-only / configuration-only / absence-of-error / grep-based PASS without runtime evidence are critical defects regardless of how green the summary line looks. No false-success results are tolerable.

Article XII §12.1 (CONST-042) — No-Secret-Leak

No API key, token, password, certificate, or other credential may be committed to any repository owned by HelixDevelopment or vasic-digital. All secrets live in .env files (mode 0600) listed in .gitignore. Any leak is a release blocker until rotated and post-mortemed.

Article XII §12.2 (CONST-043) — No-Force-Push

No force push, force-with-lease push, history rewrite, branch deletion of main/master, or upstream-overwriting operation may be performed without explicit, in-conversation user approval per operation. Authorization for one push does not extend further. Bypassing hooks / signing / protected-branch rules also requires explicit approval.

CONST-036: LLMsVerifier Single Source of Truth Mandate

Rule: LLMsVerifier SHALL BE the sole authoritative source for: 1. All model metadata (names, IDs, context windows, capabilities) 2. All provider metadata (endpoints, auth types, supported models) 3. All verification status (verified, partial, failed, pending) 4. All scoring data (overall scores, capability scores, tier rankings)

Prohibition: NO hardcoded model lists, NO hardcoded provider lists, NO simulated model discovery. Any code path that presents a model or provider listing to a user MUST fetch that listing from the LLMsVerifier subsystem or its cached replica.

Anti-Bluff Verification: - Challenge script challenges/scripts/verifier_hardcode_check.sh scans all Go source files for hardcoded model arrays. - The only permitted hardcoded data is the 7-entry fallback list in internal/verifier/fallback_models.go.

CONST-037: Model Provider Anti-Bluff Guarantee

Rule: Every model displayed to an end user MUST have been verified by LLMsVerifier within the last 24h. Models older than this MUST display a “stale” indicator and be deprioritized.

Anti-Bluff Testing: - Unit tests MAY mock the verifier client. - Integration tests MUST start the verifier server and perform real provider discovery. - The Makefile target `make test-verifier-integration` MUST exist and run without mocks.

CONST-038: Real-Time Model Status Accuracy

Rule: Model status (available, rate-limited, cooldown, offline, deprecated) displayed to users MUST reflect the actual state as known by LLMsVerifier within 60 seconds.

Polling vs. Push: - If WebSocket/SSE push is unavailable, the system MUST poll LLMsVerifier at most every 60s. - The TUI MUST display a “last updated” timestamp with every model listing. - Models in “cooldown” or “rate-limited” state MUST show the estimated recovery time if known.

CONST-039: All Providers and Models Integration Mandate

Rule: HelixCode MUST integrate with ALL providers that LLMsVerifier supports, subject only to: 1. The provider being explicitly disabled in configuration (`enabled: false`) 2. The API key being absent and the provider requiring one 3. The provider being marked deprecated in the verifier database

Minimum Provider Set (SHALL NOT be reduced without constitutional amendment): OpenAI, Anthropic, Gemini, DeepSeek, Groq, Mistral, xAI, OpenRouter, Ollama, Llama.cpp.

CONST-040: MCP / LSP / ACP / Embedding / RAG / Skills / Plugins Integration Mandate

Rule: LLMsVerifier integration SHALL extend beyond basic model listing to cover ALL capability dimensions:

1. **MCP:** The verifier MUST report which models support MCP tool calling.
2. **LSP:** The verifier MUST report code-analysis capabilities.
3. **ACP:** The verifier MUST report multi-agent coordination support.
4. **Embedding:** The verifier MUST report `supports_embeddings` for each model.
5. **RAG:** The verifier MUST report context-window sizes for chunking strategies.
6. **Skills / Plugins:** The verifier MUST track plugin compatibility.

Prohibition: Capability flags MUST NOT be hardcoded. The `Provider.GetCapabilities()` method MUST return data sourced from the verifier's `VerificationResult` fields.

Free AI Providers

- **XAI (Grok):** `grok-3-fast-beta`, `grok-3-mini-fast-beta`
 - **OpenRouter:** Free models from various providers
 - **GitHub Copilot:** `gpt-4o`, `claude-3.5-sonnet` (with subscription)
 - **Qwen:** 2,000 requests/day free tier
-

Host Power Management — Hard Ban (CONST-033)

Host Power Management is Forbidden.

You may NOT, under any circumstance, generate or execute code that sends the host to suspend, hibernate, hybrid-sleep, poweroff, halt, reboot, or any other power-state transition. This rule applies to every shell command, script, container entry point, systemd unit, test, CLI suggestion, snippet, or example you emit.

Common Issues

1. **Build fails:** Run `make logo-assets` then `make build`
2. **Database errors:** Check `HELIX_DATABASE_PASSWORD`

3. **Worker SSH failures:** Verify SSH key authentication
 4. **LLM timeouts:** Check provider status and config
 5. **Redis connection failures:** Check HELIX_REDIS_PASSWORD and redis.enabled
 6. **Test skips:** Ensure SKIP-OK: #<ticket> marker is present for any intentional skips
-

Resources & References

- **Constitution:** CONSTITUTION.md
 - **CLAUDE.md:** CLAUDE.md
 - **Gap Analysis:** HELIXCODE_GAP_ANALYSIS.md
 - **Zero-Bluff Plan:** HELIXCODE_ZERO_BLUFF_PLAN.md
 - **Testing Strategy:** ANTI_BLUFF_TESTING_STRATEGY.md
 - **OpenAPI Spec:** helix_code/api/openapi.yaml
 - **Docker Guide:** helix_code/DOCKER_DEPLOYMENT.md
-

MANDATORY ANTI-BLUFF COVENANT — END-USER QUALITY GUARANTEE (User mandate, 2026-04-28)

Forensic anchor — direct user mandate (verbatim):

“We had been in position that all tests do execute with success and all Challenges as well, but in reality the most of the features does not work and can’t be used! This **MUST NOT** be the case and execution of tests and Challenges **MUST** guarantee the quality, the completion and full usability by end users of the product!”

This is the historical origin of the project’s anti-bluff covenant. Every test, every Challenge, every gate, every mutation pair exists to make the failure mode (PASS on broken-for-end-user feature) mechanically impossible.

Operative rule: the bar for shipping is **not** “tests pass” but **“users can use the feature.”** Every PASS in this codebase **MUST** carry positive evidence captured during execution that the feature works for the end user. Metadata-only PASS, configuration- only PASS, “absence-of-error” PASS, and grep-based PASS without runtime evidence are all critical defects regardless of how green the summary line looks.

Tests AND Challenges (HelixQA) are bound equally — a Challenge that scores PASS on a non-functional feature is the same class of defect as a unit test that does. Both must produce positive end- user evidence; both are subject to the §8.1 five-constraint rule and §11 captured-evidence requirement.

Canonical authority: parent docs/guides/ATMOSPHERE_CONSTITUTION.md §8.1 (positive-evidence-only validation) + §11 (bleeding-edge ultra-perfection quality bar) + §11.3 (the “no bluff” CLAUDE.md / AGENTS.md mandate) + **§11.4 (this end-user-quality-guarantee forensic anchor — propagation requirement enforced by pre-build gate CM-COVENANT-PROPAGATION).**

§11.4.1 extension (Phase 33, 2026-05-05) — FAIL-bluffs equally forbidden. A test that crashes for a script-internal reason (undefined variable under set -u, regex error, malformed assertion, missing argument) and produces a FAIL exit code is just as misleading as a PASS-bluff. Both let real defects ship undetected. Per parent Constitution §11.4.1, every test **MUST** fail **ONLY** for genuine product defects — script-bug failures must be fixed at the source layer (helper library, shared lib, test source), not patched in individual call sites.

Non-compliance is a release blocker regardless of context.

§11.4.2 extension (Phase 34, 2026-05-06) — Recorded-evidence requirement. A test that emits PASS without captured visual or audio evidence of the user-visible feature actually working on the screen the user would see is a §11.4 PASS-bluff. Bug #13 (VK Video on PRIMARY display while a passing test claimed playback PASS) demonstrated the gap exactly. Closing it requires the recording + analyzer infrastructure (Bug #14 — dual_display_record.sh / action_timeline.sh / Go recording-analyzer / helixqa-bridge). Per Constitution §11.4.2 every PASS for a user-visible feature **MUST** be cross-checked by the analyzer against the dual-display recording + action timeline. A PASS that lacks at least one matched timeline event in the analyzer findings is treated as a §11.4 PASS-bluff.

Non-compliance is a release blocker regardless of context.

§11.4.3 extension (Phase 34, 2026-05-06) — Per-device-topology test dispatch. Tests that depend on hardware topology (secondary HDMI present/absent, microphone present/absent, etc.) **MUST** detect topology at test entry and dispatch the topology-appropriate variant. A test running the wrong variant for the actual topology and PASSing is a §11.4 PASS-bluff. Bug #18 (Lampa+TorrServe E2E) demonstrated the pattern: D1 (secondary HDMI) and D2 (primary only) get separate test variants behind a

dumpsys display-based dispatcher. Per Constitution §11.4.3 every topology-touching test MUST have such a dispatcher OR explicit topology gates with SKIP-with-reason fallback.

Non-compliance is a release blocker regardless of context.

§11.4.4 extension (User mandate, 2026-05-06) — Test-interrupt-on-discovery + retest-from-clean-baseline. A test cycle that continues running past a freshly discovered defect is itself a §11.4 PASS-bluff: it produces “all green” summaries while the codebase under test is known-broken at the moment those greens were recorded. Phase 34.S’ D1 demonstrated the violation when Bug #26 (hard-floor probe lifecycle) and Bug #27 (analyzer FAIL-bluff on non-video tests) were discovered mid-cycle and the cycle was allowed to continue, accumulating 13+ false-positive ANALYZER FAIL banners. Per Constitution §11.4.4 the moment any defect is re- discovered, re-produced, or newly identified during a test cycle, the cycle MUST stop on both devices. **Then:** (1) fix at root cause per §11.4.1, (2) land validation/verification tests for the fix — pre-build gate AND on-device test AND paired meta-test mutation, (3) full rebuild via scripts/build.sh (regardless of whether the fix touched host script / Go binary / firmware — host-only fixes still get a full rebuild for retest baseline integrity), (4) re-flash D1 + D2, (5) repeat full test_all_fixes.sh from the beginning sequentially per §12.6, (6) end the cycle with meta_test_false_positive_proof.sh proving no gate is itself a bluff gate. Tests AND HelixQA Challenges are bound equally — Challenges that score PASS on a non-functional feature are the same class of defect as PASS-bluff unit tests; both must produce positive end-user evidence per §11.4.2 + §11.4.3.

Non-compliance is a release blocker regardless of context.

§11.4.4 expansion (User mandate, 2026-05-06) — Systematic debugging + four-layer test coverage + documentation + no-bluff certification. Augments the §11.4.4 base covenant with four non-negotiable additional requirements per the User mandate of 2026-05-06: (a) **Systematic debugging via superpowers skills.** Before applying any fix, run in-depth systematic debugging using the available superpowers:* skills (debugging, root-cause analysis, architectural-impact). Symptom patches are forbidden. The debugging output MUST identify root cause at source layer, blast radius across related tests/features/subsystems, and the regression-protection seam. (b) **Four-layer test coverage per fix.** Every fix lands with positive evidence in **every applicable layer:** pre-build gate (catches at source), post-build gate (catches in assembled image — proves bytes landed, cf. Fix #122 APK_LIB_MAP misroute), post-flash on-device test (fully automated, anti-bluff per §8.1, captured- evidence per §11.4.2, topology-dispatched per §11.4.3, orchestrator- wired in test_all_fixes.sh), HelixQA test bank entry (banks/atmosphere.yaml + per-feature additions), HelixQA full QA session coverage

(Challenge-driven dispatch — bank entry without Challenge coverage is a §11.4 PASS-bluff), and meta-test paired mutation. Skipping a layer because “this fix only touches X” is forbidden. (c) **Documentation update for every fix.** Required: docs/Issues.md → docs/Fixed.md migration on closure, parent CLAUDE.md Applied Fixes Reference row, affected user-facing guides (docs/guides/*.md), affected diagrams/flowcharts/architecture docs, per-version docs/changelogs/<tag>.md entry. Documentation drift after a fix is itself a §11.4 violation. (d) **No-bluff certification per cycle.** Before tagging: meta_test_false_positive_proof.sh returns all gates green AND every gate’s paired mutation FAILs (no bluff gates); docs/Issues.md open-set is empty or every entry explicitly classified out-of-scope-for-this-tag with operator sign-off (no known issues hidden); full suite returns zero new FAILs on either device (no working feature regressed); every gate has a paired mutation; every test produces positive evidence; every assertion catches its own negation (no error-prone or bluff-proof leftover).

Non-compliance is a release blocker regardless of context.

§11.4.5 — Audio + video quality analysis comprehensiveness (User mandate, 2026-05-07)

Forensic anchor — direct user mandate (verbatim, 2026-05-07):

“We MUST HAVE still analyzing of recorded materials and comprehensive validation and verification for issues we used to test! For example if there is audio at all or video, if so, is it good and proper or is it faulty? Does it have glitches, frame issues and other possible obstructions? IMPORTANT: Make sure that all existing tests and Challenges do work in anti-bluff manner — they MUST confirm that all tested codebase really works as expected!”

§11.4.2 mandates *captured* evidence; §11.4.5 mandates the **content** of that evidence be analyzed for quality, not merely for presence. A test that captures a 0-byte mp4 (Bug #24) and PASSes because “the recording file exists” is the exact PASS-bluff pattern §11.4 forbids. Content-quality analysis is what closes that gap.

Audio quality analysis — every audio test that PASSes MUST verify ALL of: (1) **Presence** — non-trivial RMS amplitude in captured WAV / /proc/asound/.../pcm*p/sub0/hw_params. (2) **Channel count** — ffprobe -show_streams matches the test’s claim (2.0 / 5.1 / 7.1). (3) **Sample rate + bit depth** — match the codec / pipeline under test. (4) **Glitch census** — XRUN / FastMixer underrun-overrun-partial / AudioFlinger writeError counts above tolerance MUST classify explicitly (PASS within budget, WARN above, FAIL on hard limits per §11.4.1 SKIP-vs-FAIL decision tree).

(5) **Coexistence-artifact census** — for tests that exercise WiFi/ BT alongside audio: BT TX queue overflow, A2DP src underflow, coex notification storms, 2.4 GHz radio contention.

Video quality analysis — every video test that PASSes MUST verify ALL of: (1) **Presence** — captured screen recording has non-zero file size AND `ffprobe -count_frames` reports decoded-frame total > 0. 0-byte mp4 (Bug #24) is the canonical PASS-bluff and triggers §11.4.4 STOP. (2) **Routing target** — analyzer + action-timeline confirms video appeared on the *intended* display (primary vs secondary HDMI; Bug #13 pattern). (3) **Frame health** — drop count, frame-time variance (jitter), freeze detection (SSIM > 0.99 for ≥ 1 s), tearing. (4) **Obstruction census** — Tesseract OCR scan for hostile overlays (Application not responding, Force close, sign-in dialog, geo-restriction overlay, ad break, paywall, App is not certified). (5) **Resolution + codec** — captured frame dimensions match the test's claim; downgrade is a PASS-bluff.

Challenges (HelixQA) are bound equally — every Challenge that asserts PASS MUST run all five audio + five video layers. A Challenge that scores PASS without applicable analysis is the same class of defect as a unit test that does.

Tooling guarantee: audio = `tinycap + aplay --dump-hw-params + ffprobe + /proc/asound/parsers (lib/audio_validation.sh per §11.2.5)`. Video = `screenrecord + ffprobe -count_frames + recording-analyzer + Tesseract OCR (scripts/dual_display_record.sh + cmd/recording-analyzer/ per §11.4.2.A and §11.4.2.C)`. Tests dispatched against video evidence MUST honor §11.4.4 test-interrupt-on-discovery when the analyzer reports empty input — do not silently absorb that as a generic PASS-bluff banner.

Non-compliance is a release blocker regardless of context.

MANDATORY §12 HOST-SESSION SAFETY — INCIDENT #2 ANCHOR (2026-04-28)

Second forensic incident: on 2026-04-28 18:36:35 MSK the user's `user@1000.service` was again SIGKILLED (`status=9/KILL`), this time WITHOUT a kernel OOM kill (`systemd-oomd` inactive, `MemoryMax=infinity`) — a different vector than Incident #1. Cascade killed `claude`, `tmux`, the in-flight ATMOSphere build, and 20+ npm MCP server processes. Likely cumulative cgroup pressure + external watchdog.

Mandatory safeguards effective 2026-04-28 (full text in parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §12 Incident #2):

1. `scripts/build.sh` MUST source `lib/host_session_safety.sh` and call `host_check_safety` BEFORE any heavy step.
2. `host_check_safety` has 7 distress detectors including common `cgroup-events` warnings (#6) and current-boot session-kill events (#7).
3. Containers MUST be clean-slate destroyed + rebuilt after any suspected §12 incident. `mem_limit` is per-container, not per-user-slice — operator MUST cap $\sum \text{mem_limit} \leq \text{physical RAM} - \text{user-session overhead}$.
4. 20+ npm-spawned MCP server processes are a known memory multiplier; stop non-essential MCPs before heavy ATMOSphere work.
5. **Investigation: Docker/Podman as session-loss vector.** Per-container cgroups don't prevent cumulative user-slice pressure; common Failed to open cgroups file: `/sys/fs/cgroup/memory.events` warnings preceded the 18:36:35 SIGKILL by 6 min — likely correlated.

This directive applies to every owned ATMOSphere repo and every HelixQA dependency. Non-compliance is a Constitution §12 violation.

MANDATORY §12.6 MEMORY-BUDGET CEILING — 60% MAXIMUM (User mandate, 2026-04-30)

Forensic anchor — direct user mandate (verbatim):

“We had to restart this session 3rd time in a row! The system of the host stays with no RAM memory for some reason! First make sure that whatever we do through our procedures related to this project MUST NOT use more than 60% of total system memory! All processes MUST be able to function normally!”

The mandate. Project procedures MUST NOT use more than **60% of total system RAM** (`HOST_SAFETY_MAX_MEM_PCT`). The remaining 40% is reserved for the operator's other workloads so the host can keep serving them while project work proceeds.

Three consecutive session-loss SIGKILLS on 2026-04-30 during 1.1.5-dev — every one happened while `scripts/build.sh` was running `m -j5 AOSP`. Each Soong/Ninja job peaks at ~5–8 GiB RSS; collective RSS overran the 60% envelope and the kernel OOM-killer escalated, taking down `user@1000.service`. **§12.1's pre-**

flight check (refusing to start if host already distressed) was not enough — the missing piece was an active CONSTRAINT on heavy work itself.

Mandatory protections (rock-solid):

1. HOST_SAFETY_MAX_MEM_PCT defaults to 60 in scripts/lib/host_session_safety.sh.
2. HOST_SAFETY_BUDGET_GB is computed at source-time from $\text{MemTotal} \times \text{MAX_PCT}/100$.
3. bounded_run clamps MemoryMax down to the budget if the caller asks for more (cgroup-level enforcement via systemd-run --user --scope -p MemoryMax=...).
4. host_safe_parallel_jobs and host_safe_build_jobs return the safe -j count given an estimated per-job RSS, capped at nproc.
5. scripts/build.sh wraps m -j in bounded_run. If the build's collective RSS exceeds the budget, only the scope is OOM-killed; user@<uid>.service stays alive.

Captured-evidence enforcement. Pre-build gate CM-MEMBUDGET-METATEST locks all 7 invariants and fires every pre-build run.

No escape hatch. §12.6 has NO operator-facing override flag. The cap exists for the operator's own protection; bypassing it is the bluff the §11.4 covenant specifically prohibits. Operators who need more headroom should reduce parallelism, close other workloads, or add RAM — NOT raise the percentage.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §12.6.

Non-compliance is a release blocker regardless of context. *Built with zero-bluff commitment. Every feature actually works.*

§11.4.6 — No-guessing mandate (User mandate, 2026-05-08)

Forensic anchor — direct user mandate (verbatim, 2026-05-08T18:30 MSK):

“‘LIKELY’ is guessing, we MUST NOT have guessing, since it can be or may not be! No bluffing and uncertainty is allowed at any cost! We MUST always know exactly precisely what is happening exactly, in any context, under any conditions, everywhere!”

Tests, gates, status reports, closure narratives, commit messages, and operator-facing text MUST NOT use likely, probably, maybe, might, possibly, presumably, seems, or appears to when describing causes of failures, behaviour, or fix effectiveness. Either prove the cause with captured forensic evidence (logcat, dmesg, /sys

readings, getprop, kernel ramoops, dropbox, strace, etc.) and state it as fact, OR explicitly mark UNCONFIRMED: / UNKNOWN: / PENDING_FORENSICS: with a tracked-task ID for follow-up.

Pre-build gate CM-NO-GUESSING-MANDATE greps recently-modified docs + test scripts for the forbidden vocabulary outside explicit UNCONFIRMED: / UNKNOWN: / PENDING_FORENSICS: blocks. Paired mutation introduces a likely token into a fresh status block → gate FAILs. Propagation gate CM-COVENANT-114-6-PROPAGATION enforces this anchor in every CLAUDE.md / AGENTS.md across parent + 10 owned submodules + HelixQA dependencies.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.6.

Non-compliance is a release blocker regardless of context.

§11.4.7 — Demotion-evidence rule (Phase 38.X+2 amendment, 2026-05-11)

A demotion from any FAIL classification (OPEN, POSSIBLE PRODUCT DEFECT, FAIL) to a lower-severity classification (INVESTIGATED, MITIGATED, RESOLVED, WORKING-AS-INTENDED) requires positive evidence captured under the **same conditions** that originally exposed the defect — same device, same firmware, same cycle position, same load profile.

“I cannot reproduce in isolation” is a HYPOTHESIS, not a finding. Per §11.4.6 it MUST be tagged UNCONFIRMED: until same-conditions retest produces positive evidence. The expanded forbidden-vocabulary list:

Forbidden phrase	Why it bluffs
“isolated re-run PASSes therefore X was a flake”	Strips the very environment that exposed the defect.
“runtime drift”	Label for “we don’t know what changed”.
“intermittent” / “transient”	Label for “we don’t know how to reproduce”.
“pending stress retest”	Defers the actual investigation indefinitely.
“correlates with X”	Hypothesis presented as causation.

Pre-build gate CM-DEMOTION-EVIDENCE-RULE scans Issues.md / Fixed.md / CONTINUATION.md for these phrases outside explicit UNCONFIRMED: / UNATTRIBUTED: / PENDING_CYCLE_RETEST: blocks. Propagation gate CM-COVENANT-114-7-PROPAGATION enforces this anchor in every CLAUDE.md / AGENTS.md across parent + 10 owned submodules + HelixQA dependencies.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.7.

Non-compliance is a release blocker regardless of context.

§11.4.8 — Deep-web-research-before-implementation mandate (User mandate, 2026-05-12)

Before designing a non-trivial fix, implementing a new feature, or declaring an architectural choice, perform deep web research to verify the chosen approach is informed by current state-of-the-art. Research surface: official documentation (Android/AOSP/Khronos/CEA-861/AES/IEEE/IETF/ITU), vendor technical guides (Rockchip, Sipeed, Audinate Dante, Synaptics, Realtek, Bluetooth SIG), open-source codebases (Linux kernel, ALSA, Bluez, ExoPlayer, libVLC, MPV, FFmpeg, AOSP forks), coding tutorials + technical articles (Stack Overflow, AOSP Code Lab, AES papers), issue trackers (Android bug tracker, AOSP gerit, GitHub issues).

A fix that re-invents a wheel — or reproduces a known-broken pattern — when the open-source community has already solved the problem is a §11.4 violation by omission. Every non-trivial fix's commit / Issues.md / Fixed.md entry MUST cite at least one external source URL OR the literal "NO external solution found — original work".

Pre-build gate CM-RESEARCH-CITATION-PRESENT scans new fix-direction blocks for the pattern. Propagation gate CM-COVENANT-114-8-PROPAGATION enforces this anchor in every CLAUDE.md / AGENTS.md across parent + 10 owned submodules + HelixQA dependencies.

Documentation continuity requirement: every fix landed under §11.4.8 also adds to docs/guides/ a user-facing or developer-facing guide section where appropriate.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.8.

Non-compliance is a release blocker regardless of context.

§11.4.9 — Batch-source-fixes-before-rebuild mandate (User mandate, 2026-05-12)

When closing a multi-defect batch, all source-side fixes that DO NOT require runtime on-device validation to design MUST be landed BEFORE the next firmware rebuild. Anti-pattern eliminated: Fix A → rebuild → flash → cycle → fix B → rebuild → ... serializes 7-8 hours per fix instead of batching all into ONE build cycle. Operator time is the scarce resource.

Exceptions documented in commit message as `REQUIRES_REBUILD:`
<reason>: kernel-5.10/ changes, atmosphere-*.sh boot-script side-effects, hardware/rockchip/ HAL behavior — each gates downstream state and requires firmware to validate.

Before declaring a batch “ready for rebuild”: pre-build GREEN + meta-test GREEN + existing-device validations performed where possible + Issues.md/Fixed.md/CONTINUATION.md in sync (+ HTML/PDF exported) + §11.4.8 research citations all logged.

Propagation gate CM-COVENANT-114-9-PROPAGATION enforces this anchor in every CLAUDE.md / AGENTS.md across parent + 10 owned submodules + HelixQA dependencies.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.9.

Non-compliance is a release blocker regardless of context.

§11.4.10 — Credentials-handling mandate (User mandate, 2026-05-12)

All credentials, secrets, API tokens, passwords, phone numbers, OAuth tokens, signing keys **MUST NEVER** live in tracked files. Templates with placeholder values are allowed (.example suffix). Tests load credentials at runtime from scripts/testing/secrets/ (or per-submodule equivalent); operator-populated files are chmod 600, directory is chmod 700. .env, .env.*, *.env patterns + scripts/testing/secrets/* (with .example + README.md exception) git-ignored project-wide.

Test scripts **MUST NEVER** echo credentials to stdout/stderr/logcat. Screen- recording of sign-in flows **MUST** redact credential-bearing frames. Per-service file separation (.netflix.env, .disney.env, etc.) limits blast radius.

Forensic-rotation policy: suspected leak → rotate at provider, update local .env, audit captured artifacts. Pre-build gate CM-CREDENTIAL-LEAK-SCAN greps tracked files for entropy-suspicious password strings + known API-token formats. Propagation gate CM-COVENANT-114-10-PROPAGATION enforces this anchor in every CLAUDE.md / AGENTS.md across parent + 10 owned submodules + HelixQA dependencies.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.10.

Non-compliance is a release blocker regardless of context.

§11.4.14 — Test playback cleanup mandate (User mandate, 2026-05-13)

Every test that issues `am start / cmd media_session play / MediaController.play` MUST issue matching `am force-stop / input keyevent KEYCODE_MEDIA_STOP` + register cleanup in EXIT trap. Verified via positive evidence (Arvus codec-state → N.E., `dumpsys media_session` shows no PLAYING for test app). `test_all_fixes.sh` post-test sanity check FAILs the just-completed test if it left orphan playback. HelixQA Challenges bound equally. No grace period — “next test will clean it up” is §11.4 PASS-bluff.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.14. Pre-build gates CM-TEST-PLAYBACK-CLEANUP + CM-COVENANT-114-14-PROPAGATION.

Non-compliance is a release blocker regardless of context.

§11.4.15 — Item-status tracking mandate (User mandate, 2026-05-13)

Every active item in `docs/Issues.md` carries a `**Status:**` line with one of six values: Queued, In progress, Ready for testing, In testing, Reopened, Fixed (→ `Fixed.md`). Status MUST be updated as the item progresses through its lifecycle. Fixed requires captured-evidence per §11.4.5 + migration to `Fixed.md`.

The auto-generated `docs/Issues_Summary.md` includes the Status column. All three file types (`.md`, `.html`, `.pdf`) MUST be in sync at all times — enforced by CM-DOCS-EXPORT-SYNC (§11.4.12 + §11.4.15 amendment).

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.15. Pre-build gates CM-ITEM-STATUS-TRACKING + CM-COVENANT-114-15-PROPAGATION.

Non-compliance is a release blocker regardless of context.

§11.4.16 — Item-type tracking mandate (User mandate, 2026-05-14)

Every active item in `docs/Issues.md` carries a `**Type:**` line with one of three values: Bug (product defect / regression / user-visible broken behaviour), Feature (new capability not previously offered to end users), Task (internal workstream — refactor, doc, infra, gate, audit; the lowest-stakes default when ambiguous). The vocabulary is CLOSED — no other value is permitted.

The auto-generated `docs/Issues_Summary.md` includes the Type column. All three file types (`.md`, `.html`, `.pdf`) MUST be in sync at all times — enforced by CM-DOCS-EXPORT-SYNC (§11.4.12 + §11.4.15 + §11.4.16 amendment).

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.16. Pre-build gates CM-ITEM-TYPE-TRACKING + CM-COVENANT-114-16-PROPAGATION.

Non-compliance is a release blocker regardless of context.

§11.4.13 — Out-of-band sink-side captured-evidence mandate (User mandate, 2026-05-13)

Whenever an HDMI sink with a network-accessible introspection API is present (current example: Arvus H2-4D-273 at <http://192.168.4.185/>), the test suite MUST consume the sink's report as captured-evidence for every audio test asserting a codec / channel-count / passthrough mode. On-SoC HAL telemetry ALONE is insufficient — that is the exact “tests pass but the feature doesn't work” pattern §11.4 forbids. Reference: [scripts/testing/lib/arvus_probe.sh](#), [scripts/testing/arvus_probe.sh](#), [docs/guides/ARVUS_HDMI_INTEGRATION.md](#). Pre-build gate CM-ARVUS-EVIDENCE-INTEGRATED (7 invariants) + paired mutation. No hardcoding (env: ARVUS_HOST etc.). Topology dispatch per §11.4.3 — sink unreachable → SKIP, never FAIL. Identity verification (MAC match) before consuming codec-state. Anti-stickiness post-stop. HelixQA Challenges bound equally.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.13. Integration reference: [docs/guides/ARVUS_HDMI_INTEGRATION.md](#).

Non-compliance is a release blocker regardless of context.

§11.4.11 — File-layout discipline (User mandate, 2026-05-12)

Files live in canonical directories per type: - Shell scripts → [scripts/](#) (legacy: [scripts/legacy/](#)) - Log files → [logs/](#) (legacy: [logs/legacy/](#)) - Release artifacts → [releases/<app>/<version>/](#) - Operator credentials → [scripts/testing/secrets/](#) (per §11.4.10, git-ignored) - Markdown docs → [docs/](#) + [docs/guides/](#) + [docs/research/](#) + [docs/superpowers/plans/](#) - Per-version changelogs → [docs/changelogs/](#) - Hardware ID photos → [docs/hardware/<device-slug>/](#)

Repo root contains ONLY: AOSP-mandated top-level files (Android.bp, Makefile, bootstrap.bash, BUILD, kokoro, lk_inc.mk, OWNERS, version_defaults.mk), project metadata (README/CLAUDE/AGENTS/CONTRIBUTING/LICENSE/NOTICE/VERSION), dot-files (.gitignore/.gitmodules), and standard top-level dirs (build/, device/, external/, frameworks/, hardware/, kernel-5.10/, packages/, prebuilts/, scripts/, system/, tools/, vendor/, docs/, releases/, logs/).

NO bash scripts in repo root except AOSP-mandated bootstrap.bash. NO log files in repo root. NO duplicate filenames between root and scripts/. NO release artifacts in root. Moves

require triple-verification (audit all references + distinguish absolute vs subdir-local + confirm no AOSP build- system requirement). Pre-build gate CM-FILE-LAYOUT-DISCIPLINE enforces. Propagation gate CM-COVENANT-114-11-PROPAGATION enforces this anchor in every CLAUDE.md / AGENTS.md across parent + 10 owned submodules + HelixQA dependencies.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.11.

Non-compliance is a release blocker regardless of context.

§11.4.12 — Issues_Summary.md sync mandate (User mandate, 2026-05-12)

docs/Issues_Summary.md is the canonical short-form summary of all open items. MUST be regenerated + re-exported (HTML + PDF) whenever Issues.md changes. Generator: scripts/testing/generate_issues_summary.sh. Pre-build gates CM-ISSUES-SUMMARY-SYNC + CM-COVENANT-114-12-PROPAGATION enforce mechanically.

Sort order (User mandate refinement 2026-05-12): severity DESC (C → M → L), then intra-group criticality DESC inside each group. Most critical row = #1, least critical = #N. Documented at the top of the generated file.

Auto-sync wrapper: scripts/testing/sync_issues_docs.sh — runs generator + export_progress_docs.sh in one shot. MUST be invoked after any edit to Issues.md or Issues_Summary.md. HTML+PDF exports are NEVER manually invoked; they ALWAYS travel with the markdown.

Canonical authority: parent [docs/guides/ATMOSPHERE_CONSTITUTION.md](#) §11.4.12.

Non-compliance is a release blocker regardless of context.

Submodule Decoupling & Reusability — MANDATORY for ALL AI Agents

Applies to ALL CLI agents (Codex, Cursor, Gemini CLI, Copilot CLI, Claude Code, etc.) working in this repository.

This repository is **shared infrastructure** consumed by multiple independent consumer projects. The value of this repository depends on staying fully decoupled and reusable.

Hard rules:

- DO NOT hardcode any specific consumer project's name, platform list, paths, version strings, or release-naming conventions.
- DO NOT import / reference any consumer-project namespace.
- DO NOT embed consumer-project-specific governance, branding, or rule numbering in CONSTITUTION.md / CLAUDE.md / AGENTS.md.
- DO assume $N \geq 2$ unrelated consumer projects exist.

Cross-project rules MUST be phrased generically ("every consuming project's full platform matrix"), never with a specific consumer's matrix hardcoded.

CONST-047 — Recursive Submodule Application Mandate (cascaded from root CONSTITUTION.md)

Verbatim user mandate (2026-05-14): *"Make sure all work we do is applied ALWAYS to all Submodules we control under our organizations (vasic-digital and HelixDevelopment) fully recursively everywhere with full bluff-proofing and comprehensive documentation, user manuals and guides and full tests and Challenges coverage!"*

Every engineering deliverable produced for the main project MUST be applied — fully and recursively — to every owned submodule under the vasic-digital and HelixDevelopment GitHub organizations. Each owned submodule (including this one) MUST receive in lockstep: (1) anti-bluff posture (CONST-035 / Article XI §11.9), (2) comprehensive documentation matching actual capabilities, (3) full tests + Challenges coverage with captured runtime evidence, (4) recursive propagation through nested submodules under the same orgs, (5) synchronized commits when meta-repo state advances this surface.

See the root CONSTITUTION.md §CONST-047 for the full mandate. This anchor MUST remain in this submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md.

§11.4.40 — Full-suite retest before release tag mandate (User mandate, 2026-05-17)

A release tag MUST NOT be created until a COMPLETE retest with ALL existing tests has been executed on a clean baseline AFTER every workable item in the batch is done, fixed, polished,

and individually verified. Spot-check retests that run only the tests touched by the batch are FORBIDDEN — they miss interaction defects between the batch’s fixes and previously-stable code.

The complete retest comprises: (1) pre-build full sweep, (2) post-build full sweep, (3) on-device 4-phase cycle on EVERY owned device, (4) meta-test full mutation sweep, (5) Challenge bank full sweep, (6) Issues.md/Fixed.md state audit, (7) CONTINUATION.md sync check.

Time is essential — complete retest is typically 12-48 hour elapsed effort. NOT optional, NOT abbreviated. Skipping is the exact “tests passed but feature broken” failure mode §11.4 specifically prohibits.

Composes with §11.4.4 (per-fix retest) — §11.4.37 is the additional final integrity check at RELEASE granularity. Composes with §11.4.7 — full-suite retest is the authoritative baseline for closures in the batch. No escape hatch — no --skip-full-retest or --quick-release flag exists.

Pre-build gate CM-FULL-SUITE-RETEST-MANDATE + paired mutation. Propagation gate CM-COVENANT-114-40-PROPAGATION enforces this anchor in every CLAUDE.md/AGENTS.md across parent + 10 owned submodules + HelixQA dependencies.

Canonical authority: constitution submodule Constitution.md §11.4.37.

Non-compliance is a release blocker regardless of context.

§11.4.41 — Pre-Force-Push Merge-First Mandate (User mandate, 2026-05-17)

Any force-push (git push --force, git push --force-with-lease, git push +<ref>, or equivalent history-rewriting operation on any remote) authorised under §9.2 / CONST-043 MUST be preceded by a mechanical 4-step merge-first pipeline that brings every remote-side commit into the local tree, resolves every conflict carefully, and verifies nothing is lost or corrupted on EITHER side BEFORE the overwriting push is executed.

The 4-step pipeline (mandatory, in order): (1) git fetch --all --prune --tags against every configured remote — capture output. (2) Integrate every divergent commit locally via git rebase (local is strict superset), git merge (independent additions both deserve preservation), or operator-confirmed cherry-pick (remote subset already present locally). (3) Audit: no conflict markers (grep -rn '^<<<<<< \|^===== \$\|^>>>>>>' returns empty), no silent file drops (git diff --stat HEAD@{1} HEAD), every previously-passing test still passes per §11.4.4 / §11.4.40 baseline, every captured-evidence artifact still validates. (4) git push --force-with-lease <remote> <ref> (NEVER --force without --with-lease unless §9.2

sub-clause 6 explicitly authorises it for a remote where lease semantics are unavailable). One force-push event per CONST-043 authorisation — no batch authorisation.

Two-gate composition with CONST-043 — §11.4.41 does NOT relax CONST-043’s operator-approval requirement. Gate A (CONST-043): operator types explicit per-operation force-push authorisation. Gate B (§11.4.41): agent executes the 4-step merge-first pipeline, captures evidence of clean integration, presents evidence to operator BEFORE the force-push. Both gates required.

Verification artefact — every §11.4.41-governed force-push emits a docs/changelogs/<tag>.md “Force-push merge-first audit” section containing 7 elements: (i) git fetch output, (ii) per-remote HEAD..

Composes with §9.2 (data-safety hardlinked backup), §11.4.4 (test-interrupt-on-discovery — broken integration triggers rollback), §11.4.6 (no-guessing — every step’s outcome captured, not assumed), §11.4.26 (constitution-submodule update pipeline — per-submodule specialisation), §11.4.32 (post-pull validation — audit step’s mechanical companion), §11.4.37 (fetch-before-edit — step 1 enforces it for force-push specifically), §11.4.40 (full-suite retest — step 3’s test-evidence requirement).

No escape hatch — the operator-pressure escape (“just force-push, we’ll fix it later”) is the exact failure mode this anchor closes. Pre-build gate CM-COVENANT-114-41-PROPAGATION enforces this anchor in every CLAUDE.md/AGENTS.md across parent + 10 owned submodules + nested submodules + HelixQA dependencies. Paired mutation strips the anchor literal → gate FAILs. Gate CM-FORCE-PUSH-MERGE-FIRST walks docs/changelogs/<tag>.md “Force-push” entries for the 7 audit elements; paired mutation strips any element and asserts gate FAILs.

Canonical authority: constitution submodule Constitution.md §11.4.41.

Non-compliance is a release blocker regardless of context.

CONST-048: Full-Automation-Coverage Mandate (cascaded from constitution submodule §11.4.25)

Verbatim user mandate (2026-05-15): *“Make sure that every feature, every functionality, every flow, every use case, every edge case, every service or application, on every platform we support is covered with full automation tests which will confirm anti-bluff policy and provide the proof of fully working capabilities, working implementation as expected, no issues, no bugs, fully documented, tests covered! Nothing less than this does not give us a chance to deliver stable product! This is mandatory constraint which MUST BE respected without ignoring, skipping, slacking or forgetting it!”*

No feature / functionality / flow / use case / edge case / service / application on any supported platform of this submodule is deliverable until covered by automation tests proving six invariants: (1) anti-bluff posture with captured runtime evidence (CONST-035); (2) proof of working capability end-to-end on target topology; (3) implementation matching documented promise; (4) no open issues/bugs surfaced; (5) full documentation in sync; (6) four-layer test floor (pre-build + post-build + runtime + paired mutation).

Cascade requirement: This anchor (verbatim or by CONST-048 ID reference) MUST remain in this submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md, and propagate recursively to any nested owned-by-us submodule. See parent project’s CONSTITUTION.md §CONST-048 and constitution submodule Constitution.md §11.4.25 for the full mandate. ## CONST-049: Constitution-Submodule Update Workflow Mandate (cascaded from constitution submodule §11.4.26)

Verbatim user mandate (2026-05-15): *“Every time we add something into our root (constitution Submodule) Constitution, CLAUDE.MD and AGENTS.MD we MUST FIRST fetch and pull all new changes / work from constitution Submodule first! All changes we apply MUST BE committed and pushed to all constitution Submodule upstreams! In case of conflict, IT MUST BE carefully resolved! Nothing can be broken, made faulty, corrupted or unusable! After merging full validation and verification MUST BE done!”*

Before ANY modification to constitution/ {Constitution,CLAUDE,AGENTS}.md in the parent project, the agent or operator MUST execute the 7-step pipeline: (1) fetch + pull first inside the constitution submodule worktree; (2) apply the change with §11.4.17 classification + verbatim mandate quote; (3)

validate (meta-test + no merge-conflict markers + cross-file consistency); (4) commit + push to EVERY configured upstream of the constitution submodule (governance files only — never git add -A); (5) careful conflict resolution preserving union of governance content (force-push forbidden per CONST-043 / §9.2); (6) post-merge git submodule update --remote --init + re-run cascade verifier (CONST-047); (7) bump consuming project's .gitmodules pointer to the new constitution HEAD in the SAME commit as cascade work.

Cascade requirement: This anchor (verbatim or by CONST-049 ID reference) MUST remain in this submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md, and propagate recursively to any nested owned-by-us submodule. See parent project's CONSTITUTION.md §CONST-049 and constitution submodule Constitution.md §11.4.26 for the full mandate. ## CONST-050: No-Fakes-Beyond-Unit-Tests + 100%-Test-Type-Coverage Mandate (cascaded from constitution submodule §11.4.27)

Verbatim user mandate (2026-05-15): *“Mocks, stubs, placeholders, TODOs or FIXMEs are allowed to exist ONLY in Unit tests! All other test types MUST interact with real fully implemented System! No fakes, empty implementations or bluffing is allowed of any kind! All codebase of the project MUST BE 100% covered with every supported test type: unit tests, integration tests, e2e tests, full automation tests, security tests, ddos tests, scaling tests, chaos tests, stress tests, performance tests, benchmarking tests, ui tests, ux tests, Challenges (fully incorporating our Challenges Submodule — <https://github.com/vasic-digital/Challenges>). EVERYTHING MUST BE tested using HelixQA (fully incorporating HelixQA Submodule — <https://github.com/HelixDevelopment/HelixQA>). HelixQA MUST BE used with all possible written tests suites (test banks) for every applications, service, platform, etc and execution of the full HelixQA QA autonomous sessions! All required dependency Submodules MUST BE added into the project as well (fully recursive!!!).”*

Two cooperating invariants:

(A) No-fakes-beyond-unit-tests. Mocks, stubs, fakes, placeholders, TODO, FIXME, “for now”, “in production this would”, or empty-implementation patterns are PERMITTED only in unit-test sources. Every other test type — integration, E2E, full automation, security, DDoS, scaling, chaos, stress, performance, benchmarking, UI, UX, Challenges, HelixQA — MUST exercise this submodule's real, fully implemented system against real infrastructure. Production code MUST NOT import mock paths.

(B) 100% test-type coverage. Codebase MUST be covered by every supported test type the domain warrants: unit, integration, E2E, full-automation, security, DDoS, scaling, chaos, stress, performance, benchmarking, UI, UX, Challenges (vasic-digital/Challenges submodule fully incorporated), HelixQA (HelixDevelopment/HelixQA submodule fully incorporated, with full autonomous QA sessions executing every registered test bank with captured wire evidence).

Required dependency submodules (recursive per CONST-047): Challenges + HelixQA + any other functionality submodules under vasic-digital/HelixDevelopment orgs this submodule depends on.

Cascade requirement: This anchor (verbatim or by CONST-050 ID reference) MUST remain in this submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md, and propagate recursively to any nested owned-by-us submodule. See parent project's CONSTITUTION.md §CONST-050 and constitution submodule Constitution.md §11.4.27 for the full mandate. ## CONST-051: Submodules-As-Equal-Codebase + Decoupling + Dependency-Layout Mandate (cascaded from constitution submodule §11.4.28)

Verbatim user mandate (2026-05-15): "All existing Submodules in the project that we are controlling and belong to some our organizations (vasic-digital, HelixDevelopment, red-elf, ATMOSphere1234321, Bear-Suite, BoatOS123456, Helix-Flow, Helix-Track, Server-Factory - we can ALWAYS check dynamically using GitHub and GitLab CLIs) are equal parts of the project's codebase! We MUST work on that code as much as we do with main project's codebase! All on equal basis! Equally important! ... We MUST NEVER modify Submodules to bring into them any project specific context since they all MUST BE ALWAYS fully decoupled, project not-aware, fully reusable and modular (by any other project(s)), completely testable! All Submodule dependencies that are used by Submodule MUST BE accessed from the root of the project! We MUST NOT have nested Submodule dependencies but accessing each from proper location from the root of the project - directly from project's root project_name/submodule_name or some more proper structure project_name/submodules/submodule_name!"

Three cooperating invariants apply to every owned-by-us submodule (orgs: vasic-digital, HelixDevelopment, red-elf, ATMOSphere1234321, Bear-Suite, BoatOS123456, Helix-Flow, Helix-Track, Server-Factory, plus any subsequently authorised org — discoverable via `gh org list / glab`):

(A) Equal-codebase. This submodule is an EQUAL part of every consuming project's codebase. The consuming project's engineering practice — analysis, extension, test creation, gap-filling, bug-fix, documentation (user manuals, guides, diagrams, graphs, SQL definitions, website pages, all materials) — applies to this submodule on equal basis. Coverage ledgers (CONST-048) list this submodule as an in-scope target.

(B) Decoupling / reusability. This submodule MUST remain fully decoupled from any specific consuming project. NEVER inject project-specific context (hardcoded paths, hostnames, asset names, naming schemes). Stay project-not-aware, reusable, modular, completely testable as a standalone repository. When parent-project info is needed, use configuration injection (env var, config file, constructor parameter) — never a hardcoded reach.

(C) Dependency-layout. Any dependency this submodule consumes MUST be accessible from the consuming project's root at <root>/<name>/ or <root>/submodules/<name>/. **Nested own-org submodule chains are FORBIDDEN** — this submodule MUST NOT have its own .gitmodules entries pulling in further owned-by-us repos. Third-party submodules are exempt.

Cascade requirement: This anchor (verbatim or by CONST-051 ID reference) MUST remain in this submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md, and propagate recursively to any nested owned-by-us submodule. See parent project's CONSTITUTION.md §CONST-051 and constitution submodule Constitution.md §11.4.28 for the full mandate. ## CONST-052: Lowercase-Snake_Case-Naming Mandate (cascaded from constitution submodule §11.4.29)

Verbatim user mandate (2026-05-15): *"naming convention for Submodules and directories (applied deep into hierarchy recursively) - all directories and Submodules MSUT HAVE lowercase names with space separator between the words of ' ' character (snake-case)! All existing Submodules and directories which are not following this rule MUST BE renamed! However, since this will most likely break some of the functionalities renaming we do MUST BE applied to all references to particular Submodule or directory! ... There MUST BE reasonable exceptions for this rules - source code for programming languages or Submodules which apply different naming convention - Android, Java, Kotlin and others. ... Upstreams directory which all of our projects and Submodules have MUST BE renamed to the lowercase letters too, however root project containing the install_upstreams system command (it is exported in out paths in our .bashrc or .zshrc) MUST BE updated to fully

work with both Upstreams and upstreams directory. ...
NOTE: Rules lowercase / snake-case do apply to all project files as well and references to it and from them!“*

Every directory, submodule, and file in this submodule MUST use lowercase snake_case names. Existing non-compliant names MUST be renamed atomically with updates to every reference (configs, docs, source-code imports, governance files). Reference drift after rename = CONST-052 violation of equal severity to the rename itself.

Common-sense exceptions (technology-preserving):

language-mandated case for Java/Kotlin/Android/Apple/C#/Swift INSIDE language-roots; vendor/upstream third-party submodules keep upstream names; build artefacts (node_modules, __pycache__, .git, target, build, bin) keep tool-mandated names. The test “does renaming break the technology?” trumps the rule.

Upstreams/ → upstreams/ transition: the constitution submodule’s install_upstreams.sh (exported via .bashrc/.zshrc) supports BOTH directory layouts; lowercase wins when both present.

Test coverage of renames (per CONST-050(B)): regression test for reference resolution + full test-type matrix run + anti-bluff wire-evidence captured.

Cascade requirement: This anchor (verbatim or by CONST-052 ID reference) MUST remain in this submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md, and propagate recursively to any nested owned-by-us submodule. See parent project’s CONSTITUTION.md §CONST-052 and constitution submodule Constitution.md §11.4.29 for the full mandate.

CONST-053: .gitignore + No-Versioned-Build-Artifacts Mandate (cascaded from constitution submodule §11.4.30)

Verbatim user mandate (2026-05-15): “every project module, every Submodule, every service and application MUST HAVE proper .gitignore file! We MUST NOT git version build artifacts, cache files, tmp files, main .env file(s) or any files containing sensitive data, API keys or token! Any build derivative which we can recreate by executing proper mechanism for generating MUST NOT be versioned! We MUST pay attention what is going to be committed every time we are preparing to execute commit! If any violation is detected it MUST be fixed before commit is executed!”

Every project module, owned-by-us submodule, service, and application MUST ship a proper .gitignore. Forbidden-from-version-control classes:

1. **Build artefacts:** /bin/, /build/, /dist/, /out/, target/, *.exe, *.dll, *.so, *.dylib, *.a, *.o, *.class, *.pyc, generator-produced files when the generator is committed.
2. **Cache files:** __pycache__/, .pytest_cache/, .mypy_cache/, .ruff_cache/, node_modules/, .next/, .cache/, .gradle/, .terraform/, language-server caches.
3. **Temp files:** *.tmp, *.swp, *~, .DS_Store, Thumbs.db, *.orig, *.rej.
4. **Sensitive-data files:** .env, .env.* (allow .env.example placeholder only — no real secrets even as examples), *.pem, *.key, *.crt, id_rsa*, id_ed25519*, .netrc, secrets/, api_keys.sh.
5. **Generated reports/logs:** *.log, coverage.out, htmlcov/, runtime captures unless reference assets.
6. **OS/IDE personal state:** .idea/, .history/, .vscode/ (except shared settings).

Anti-bluff invariant: .gitignore line alone is not sufficient — no file matching the forbidden patterns may be CURRENTLY TRACKED. A tracked *.log despite the ignore-line is a violation of equal severity to no ignore-line at all.

Pre-commit attention: every commit author (human OR agent) MUST inspect `git diff --staged + git status` BEFORE executing the commit. Forbidden-class hits abort the commit until fixed (unstage, add to .gitignore, scrub if already-tracked). Gate CM-GITIGNORE-PRECOMMIT-AUDIT + paired mutation.

Secret-leak intersection (CONST-042 / §11.4.10): a .env leak is BOTH a CONST-053 and a CONST-042 violation; rotation + post-mortem required.

Recreatable-content test: if a documented mechanism regenerates the file from sources, it is a build derivative and MUST be ignored. The committed sources MUST include the generator.

Cascade requirement: This anchor (verbatim or by CONST-053 ID reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a §11.4 PASS-bluff at the repository-hygiene layer. See constitution submodule Constitution.md §11.4.30 for the full mandate.

CONST-054: Submodule-Dependency-Manifest Mandate (cascaded from constitution submodule §11.4.31)

Verbatim user mandate (2026-05-15): *“We MUST HAVE mechanism for each Submodule to determine / know what are its Submodule dependencies so new projects or palces we are incorporate them can add these Submodules to the project root and make them available! Suggested idea is configuration file with expected Submodules Git ssh urls perhaps? New project can read it, and recursively add each Submodule to the root of the project and install / expose it to everyone.”*

Every owned-by-us submodule MUST ship `helix-deps.yaml` at its root declaring its own-org dependencies. Schema: `schema_version`, `deps: [{name, ssh_url, ref, why, layout: flat|grouped}],` `transitive_handling.{recursive,conflict_resolution},` `language_specific_subtree`. Tooling: `incorporate-submodule <ssh-url>` adds the submodule at the parent project’s canonical path (CONST-051(C)), reads `helix-deps.yaml`, recurses for each declared dep, aborts on conflicting refs, emits `<root>/helix-manifest.yaml` audit record.

Anti-bluff guarantee: every manifest paired with a Challenge that bootstraps a throwaway consuming project, runs `incorporate-submodule`, asserts produced layout matches the manifest, runs the submodule’s own tests against the bootstrapped layout, captures wire evidence per §11.4.2. A manifest without this proof is a CONST-054 violation.

§11.4.31 / CONST-054 is the **operational complement** of CONST-051(C): nested own-org submodule chains are FORBIDDEN — manifests are the bridge that lets consumers reconstruct the dependency graph at the parent root.

Cascade requirement: This anchor (verbatim or by CONST-054 ID reference) MUST appear in every owned submodule’s `CONSTITUTION.md`, `CLAUDE.md`, and `AGENTS.md`. Severity-equivalent to §11.4 PASS-bluff at the dependency-graph layer. See constitution submodule `Constitution.md` §11.4.31 for the full mandate.

CONST-055: Post-Constitution-Pull Validation Mandate (cascaded from constitution submodule §11.4.32)

Verbatim user mandate (2026-05-15): *“Every time we fetch and pull new changes on constitution Submodule we MUST process the whole project and all Submodule (deep recursively) for validation and verification taht every single rule or mandatory constraint is followed and respected! If it is not, IT MUST BE!”*

Whenever a project’s constitution submodule is fetched + pulled with any content change, the project MUST run scripts/verify-all-constitution-rules.sh BEFORE the new constitution HEAD is treated as canonical for any other work. The sweep re-runs the governance-cascade verifier AND every implementable rule gate (CONST-053 .gitignore audit, CONST-051(C) nested-own-org-chain audit, CONST-052 case audit, CONST-050(A) mock-from-production audit, CONST-035 anti-bluff smoke, etc.) against the post-pull tree. Failures populate the project’s Issues tracker per §11.4.15 (Status: Reopened, Type: Bug); closure requires positive-evidence per §11.4.

Pull-time invocation: `git submodule update --remote constitution` triggers the sweep automatically (post-update hook OR commit-wrapper invocation). Operator-explicit manual invocation also available.

Anti-bluff: the sweep’s own meta-test (paired mutation per §1.1) plants a known violation of each enforced gate and asserts the sweep reports FAIL for the planted gate. A sweep that exits PASS without running every implementable gate is a CONST-055 violation.

CONST-055 is the **enforcement engine** for every other §11.4.x and CONST-NNN rule — without it, new rules cascade as anchors but never get enforced.

Cascade requirement: This anchor (verbatim or by CONST-055 ID reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to §11.4 PASS-bluff at the constitutional-enforcement layer. See constitution submodule Constitution.md §11.4.32 for the full mandate.

CONST-056: Mandatory install_upstreams on clone/add Mandate (cascaded from constitution submodule §11.4.36)

Verbatim user mandate (2026-05-15): “Every Submodule or Git repository we add or clone MUST BE upstreams installed using Upstreamable utility which MUST BE available through exported paths of the host system (in .bashrc or .zshrc) using install_upstreams command executed from the root of the cloned (added) repository - only if in it is Upstreams or upstreams directory present with bash script files (recipes) for all repository’s upstreams!”

Every clone / add of a Git repository under HelixCode MUST be followed by install_upstreams invocation from the repository’s root IF its tree contains upstreams/ (or legacy Upstreams/ per CONST-052 transition) populated with *.sh recipe files. The utility (installed on operator’s PATH via .bashrc/.zshrc; implementation in the constitution submodule’s install_upstreams.sh — already supports BOTH directory names since constitution commit 45d3678) reads the recipe files, configures every declared upstream as a named git remote, and fans out origin push URLs.

Skipping the invocation when upstreams/ is present silently breaks §2.1 (multi-upstream push is the norm) — the next push lands on only one upstream. Gate CM-INSTALL-UPSTREAMS-ON-CLONE + paired mutation. Automation: the future incorporate-submodule per CONST-054 auto-invokes; manual invocation supported. Pre-commit check: git remote -v | grep -c push reports expected count.

Cascade requirement: This anchor (verbatim or by CONST-056 ID reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. See constitution submodule Constitution.md §11.4.36 for the full mandate.

CONST-057: Type-aware Closure-Status Vocabulary (cascaded from constitution submodule §11.4.33)

Every project tracking work items by Type per §11.4.16 MUST close them with the Type-appropriate terminal ****Status:**** value, drawn from this 3-element closed map:

Item **Type:**	Closure **Status:** value
Bug	Fixed (→ Fixed.md)

Item **Type:**	Closure **Status:** value
Feature	Implemented (→ Fixed.md)
Task	Completed (→ Fixed.md)

The (→ Fixed.md) suffix is preserved across all three so the existing migration-discipline tooling (atomic Issues.md → Fixed.md move per §11.4.19) keeps working without per-Type branching. Generators (generate_issues_summary.sh, generate_fixed_summary.sh, the §11.4.23 colorizer) MUST treat the three terminal values as semantically equivalent (all “closed, positive evidence captured”) while preserving the literal in the emitted document.

Closing a Feature with Fixed (→ Fixed.md) or a Task with Implemented (→ Fixed.md) is a CONST-057 violation. Gate CM-CLOSURE-VOCAB-TYPE-AWARE walks every Fixed.md heading + every Issues.md heading whose ****Status:**** is one of the three terminal values and asserts the Status-Type match. Composes with §11.4.15 / §11.4.16 / §11.4.19 / §11.4.23.

Cascade requirement: This anchor (verbatim or by CONST-057 ID reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. See constitution submodule Constitution.md §11.4.33 for the full mandate.

CONST-058: Reopened-Source Attribution Mandate (cascaded from constitution submodule §11.4.34)

Every Issues.md (or equivalent project tracker) heading whose ****Status:**** is Reopened MUST carry, within 8 non-blank lines of the heading, a ****Reopened-Details:**** line capturing four sub-facts:

- **By:** AI or User (source-of-truth observer who flipped the status). AI covers in-loop reopens (test failure, gate regression, captured-evidence retrospect). User covers operator-side observations (manual testing, end-user report, design reconsideration).
- **On:** ISO date (YYYY-MM-DD).
- **Reason:** one-line cause classification — chosen from the closed vocabulary { test-failed | manual-testing-detected | captured-evidence-contradicts | end-user-report | cycle-re-discovered | design-reconsidered }. Other values permitted with explicit Reason: <free text> annotation but the closed list MUST be tried first.
- **Evidence:** path to or short description of the captured artefact justifying the reopen — log file, recording, gate failure ID, operator quote, etc. Reopens without evidence are §11.4.6 /

§11.4.7 violations (demotion from Fixed requires captured evidence under the conditions that re-exposed the defect).

The `Issues_Summary.md` Status column MUST distinguish the four Reopened sub-states by source so a sweep query for “reopens by AI in the last 30 days” is mechanically possible. Suggested column rendering: Reopened (AI: test-failed) vs Reopened (User: manual-testing). Gate CM-ITEM-REOPENED-DETAILS mirrors CM-ITEM-OPERATOR-BLOCKED-DETAILS (§11.4.21 walk pattern). Composes with §11.4.6 / §11.4.7 / §11.4.15 / §11.4.21.

Cascade requirement: This anchor (verbatim or by CONST-058 ID reference) MUST appear in every owned submodule’s `CONSTITUTION.md`, `CLAUDE.md`, and `AGENTS.md`. See constitution submodule `Constitution.md` §11.4.34 for the full mandate.

CONST-059: Canonical-Root Inheritance Clarity (cascaded from constitution submodule §11.4.35)

The **constitution submodule’s** three files (`constitution/Constitution.md`, `constitution/CLAUDE.md`, `constitution/AGENTS.md`) ARE the **canonical root** (also called the **parent** files). They contain only universal rules per §11.4.17.

The consuming project’s **repository-root files** (`<project-root>/CLAUDE.md`, `<project-root>/AGENTS.md`, optionally `<project-root>/Constitution.md`) are **consumer extensions**. They MUST start with the inheritance pointer (either the Claude-Code native `@constitution/CLAUDE.md import` or the portable `## INHERITED FROM constitution/CLAUDE.md` heading). They contain only project-specific rules per §11.4.17.

When in doubt about which file to edit: universal rule → constitution submodule’s file; project-specific rule → consumer’s file. Default consumer-side when uncertain (§11.4.17 — narrower scope is cheap to widen).

Terminology: “the parent CLAUDE.md” / “the root Constitution” → constitution-submodule file at `constitution/<filename>`; “the project CLAUDE.md” / “this project’s AGENTS.md” → consumer-side file at `<project-root>/<filename>`.

No silent demotion or silent promotion. Moving a rule between layers MUST be a visible commit — `git mv` of a section if it’s a clean clone, or explicit
Lifted from `<project>` to constitution per §11.4.35 / Demoted from constitution to `<project>` per §11.4.35 commit-message annotation.

Gate CM-CANONICAL-ROOT-CLARITY verifies (a) consumer's CLAUDE.md opens with the inheritance pointer, (b) constitution submodule's three files are present at the expected path, (c) no ## INHERITED FROM block in the constitution submodule's own files (those ARE the source-of-truth, not consumers). Composes with §11.4.17.

Cascade requirement: This anchor (verbatim or by CONST-059 ID reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. See constitution submodule Constitution.md §11.4.35 for the full mandate.

CONST-060: Fetch-before-edit Mandate (cascaded from constitution submodule §11.4.37)

Verbatim user mandate (2026-05-15): *“Make sure that feedback_fetch_before_edit memory rule is part of our constitution Submodule - the root Consitution, AGENTS.MD and CLAUDE.MD. Validate and verify that Proejct-Toolkit and all Submodules do inherit all of them! Follow the constitution Submodule documentation for details.”*

The FIRST git-touching action of every session, on every consuming project (owned or third-party), MUST be:

```
git fetch --all --prune
git log --oneline HEAD..@{u}
git submodule foreach --recursive 'git fetch --all --prune --quiet'
```

If HEAD..@{u} is non-empty, integrate the upstream changes BEFORE any local edit. Acting on stale local state produces three failure modes documented in the originating §11.4.37 incident (multi-agent / parallel-session work): (1) **redundant work** — the agent re-does what a parallel session already finished, (2) **false confidence** — completion reports for already-done work, (3) **divergent history** — duplicate sibling commits that double the conflict surface on next push.

Anti-bluff invariant: the fetch+log check MUST produce captured evidence — the actual HEAD..@{u} output, even if empty. Skipping the check on the basis of “I just fetched” or “nothing could have changed in the last N minutes” is a §11.4.6 (no-guessing) violation: the remote state is not knowable without a fetch.

Cascade requirement: This anchor (verbatim or by CONST-060 ID reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to

§11.4 PASS-bluff at the parallel-session-coordination layer. See constitution submodule Constitution.md §11.4.37 for the full mandate.

Anti-Bluff End-User Quality Guarantee (Escalated via HelixConstitution)

Canonical authority: HelixConstitution/Constitution.md §7.1 + §11.4.

Forensic anchor — verbatim operator mandate (2026-04-28):

“We had been in position that all tests do execute with success and all Challenges as well, but in reality the most of the features does not work and can’t be used! This MUST NOT be the case and execution of tests and Challenges MUST guarantee the quality, the completion and full usability by end users of the product! This MUST BE part of Constitution of our project, its CLAUDE.MD and AGENTS.MD if it is not there already, and to be applied to all Submodules’s Constitution, CLAUDE.MD and AGENTS.MD as well (if not there already)!”

Every PASS MUST carry positive runtime evidence. Consuming-project-specific requirements are defined by each consuming project’s Constitution. This submodule’s rules remain project-agnostic.

§11.4.52 — Autonomous-Validation Mandate (User mandate, 2026-05-18)

Forensic anchor — verbatim user mandate (2026-05-18):

“Make sure we have full automation tests which will do all this work in full automation! IMPORTANT: Make sure that all existing tests and Challenges do work in anti-bluff manner — they MUST confirm that all tested codebase really works as expected! execution of tests and Challenges MUST guarantee the quality, the completion and full usability by end users of the product! This MUST BE part of Constitution of our project, its CLAUDE.MD and AGENTS.MD if it is not there already, and to be applied to all Submodules’s Constitution, CLAUDE.MD and AGENTS.MD as well.”

Every user-facing feature MUST have at least one autonomous validation path: end-to-end via adb shell + scripted automation, captured runtime evidence per §11.4.5, PASS/FAIL verdict WITHOUT human presence to drive UI, observe screen, or make decisions. Operator-attended tests are SUPPLEMENTARY, never PRIMARY. A feature whose ONLY validation path is operator-attended is a §11.4.52 violation — the path does not scale to CI,

does not run on every commit, does not survive operator unavailability, and produces the exact “tests pass but feature doesn’t work for users” failure mode §11.4 forbids.

Acceptable autonomous paths: (a) programmatic instrumentation APK (SDK-API exercises like `MediaCodec.createDecoderByName` + structured JSON result file); (b) headless intent dispatch + state poll (`am start --es / am broadcast + dumsys / /proc/<pid>/maps / media.metrics` polling); (c) ADB-driven uiautomator (ONLY if hierarchy has ≥ 1 clickable node — empty hierarchy demands fallback to APK/intent); (d) network-side sink probe per §11.4.13; (e) HelixQA autonomous QA session per §11.4.27.

Coverage ledger (§11.4.25) classifies each feature as `AUTONOMOUS_VERIFIED` / `AUTONOMOUS_DESIGNED` / `OPERATOR_ATTENDED_ONLY` / `NOT_APPLICABLE`. `OPERATOR_ATTENDED_ONLY` blocks release until migrated; cite tracked work item per §11.4.15 + §11.4.16. Autonomous paths themselves MUST be anti-bluff: positive captured evidence + paired meta-test mutation per §1.1.

Composes with §11.4.25 (full-automation coverage), §11.4.27 (no-fakes + 100% type coverage), §11.4.39 (per-feature on-device end-user validation), §11.4.43 (TDD RED-first), §11.4.48 (UI-driven — fallback to APK/intent when uiautomator hierarchy empty), §11.4.49 (dual-approach), §11.4.50 (deterministic consistency), §11.4.51 (live-ADB-first).

Pre-build gates: `CM-COVENANT-114-52-PROPAGATION` + `CM-AF-AUTONOMOUS-PATH-PER-FEATURE`. Paired mutations. No escape hatch — no `--allow-operator-attended-only`, `--skip-autonomous-path`, `--manual-validation-suffices` flag.

Canonical authority: constitution submodule `Constitution.md` §11.4.52.

Non-compliance is a release blocker regardless of context.

CONST-061: Pre-Force-Push Merge-First Mandate (cascaded from constitution submodule §11.4.41)

Verbatim user mandate (2026-05-17): *“make sure we bring everything from branches to our side before forc push is done! Afer everything is safely and fully merged and all potential conflicts (if any) resolved, then do force push! make sure nothing isnlost, broken or corrupted on bith sides! add these rules in our root Constitution, CLAUDE.MD,*

AGENTS.MD (constitution Submodule) if it is not added already! Extremely important rules and mandatory constraints we MUST HAVE and fully respect!"

Any force-push (--force, --force-with-lease, +<ref>, equivalent history-rewrite) authorised under CONST-043 MUST be preceded by a mechanical 4-step merge-first pipeline:

1. **Fetch every remote** — git fetch --all --prune --tags against origin + every upstream; capture output.
2. **Integrate every divergent commit locally** — rebase / merge / operator-confirmed cherry-pick per appropriate strategy for every non-empty HEAD...<remote>/<branch> range.
3. **Audit the integrated tree** — no conflict markers anywhere (grep -rn '^<<<<<< \|^===== \$\|^>>>>>>' returns empty in governance + source + test files); no file silently dropped; previously-passing tests still pass; captured-evidence artefacts still validate.
4. **Force-push** — only after steps 1-3 produce clean integration evidence: git push --force-with-lease (NEVER --force alone unless authorised per §9.2 sub-clause 6).

Two-gate composition with CONST-043. §11.4.41 does NOT relax CONST-043's operator-approval requirement — it adds a SECOND mechanical gate. CONST-043 alone authorises a push that loses remote work; §11.4.41 alone risks pushing without operator awareness. Both required.

Three failure modes prevented: (a) remote-side content loss when parallel sessions land work between fetches; (b) stale-state acts when --force-with-lease reads stale local refs without prior fetch; (c) conflict-driven corruption when markers get committed verbatim (observed 2026-05-17 in helix_qa + containers governance files).

Verification artefact: every governed force-push emits a docs/changelogs/<tag>.md "Force-push merge-first audit" section capturing fetch output, per-remote divergence log, integration strategy, conflict-marker scan, test delta, push output with lease SHA, + CONST-043 authorisation quote. Gate CM-FORCE-PUSH-MERGE-FIRST + paired mutation.

Cascade requirement: This anchor (verbatim or by CONST-061 ID reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a §11.4 PASS-bluff at the remote-data-integrity layer. See constitution submodule Constitution.md §11.4.41 for the full mandate.

§11.4.53 — Fixed_Summary parity mandate (User mandate, 2026-05-18)

Forensic anchor — verbatim user mandate

(2026-05-18T17:55Z): “Note: Just like for Issues we have Issues_Summary, for Fixed we MUST HAVE Fixed_Summary - like all other docs: ALWAYS in sync and up to date and ALWAYS exported into the PDF and HTML! Add this mandatory rule / constraint into the root (constitution Submodule) Constitution, AGENTS.MD and CLAUDE.MD.”

docs/Fixed_Summary.md is the symmetric short-form summary of docs/Fixed.md. MUST be regenerated whenever Fixed.md changes. HTML + PDF exports MUST travel with the markdown (identical mtimes within sync_issues_docs.sh granularity). Stale exports are §11.4.53 violations regardless of whether the underlying .md is correct. Same discipline as §11.4.12 Issues_Summary applied to Fixed.md.

Generator: scripts/testing/generate_fixed_summary.sh (canonical, executable, emits markdown table with Status + Type columns per §11.4.19 column-alignment). Auto-sync wrapper: scripts/testing/sync_issues_docs.sh regenerates BOTH summaries in one shot, exports HTML + PDF, colorizes per §11.4.23, re-renders PDFs. MUST be invoked after any edit to Fixed.md. No --issues-only flag exists, and §11.4.53 prohibits adding one.

Sort order: closure date DESC (most-recent-Fixed first), \$-letter / Fix-# secondary. Documented at the top of the generated file.

Composes with §11.4.12 (Issues_Summary sibling — canonical pair), §11.4.19 (atomic Issues→Fixed migration trigger + column-alignment), §11.4.23 (colorizer post-processes both summaries), §11.4.33 (type-aware closure vocabulary — Fixed_Summary respects Fixed (→ Fixed.md) / Implemented (→ Fixed.md) / Completed (→ Fixed.md) terminal values), §11.4.44 (revision header applies to Fixed_Summary.md), §12.10 (CONTINUATION.md resumption guarantee).

Pre-build gates: CM-FIXED-SUMMARY-SYNC (6 invariants — Fixed_Summary exists + HTML/PDF mtime ≥ md mtime + Fixed_Summary mtime ≥ Fixed mtime + generator + sync wrapper invokes generator) + CM-COVENANT-114-53-PROPAGATION (anchor literal across canonical files). Paired mutations strip the anchor literal AND move the generator aside AND backdate Fixed_Summary mtime. No escape hatch — no --skip-fixed-summary-sync, --issues-only, --summary-not-applicable flag.

Canonical authority: constitution submodule Constitution.md §11.4.53.

Non-compliance is a release blocker regardless of context.

§11.4.58 — Parallel-development methodology (User mandate, 2026-05-19)

Project work proceeds through the **Parallel Work Unit (PWU) pipeline** rather than sequential Phase-chain. Each PWU has: ATM-NNN identifier (§11.4.54), Issues.md entry (§11.4.15+§11.4.16), file-scope manifest, §11.4.43 RED test, source patch, pre-build gate, post-flash test, paired §1.1 meta-test mutation, HelixQA Challenge bank entry, captured-evidence directory (§11.4.5+§11.4.52).

5-stage pipeline: Stage 1 DEVELOP (parallel PWU agents in worktrees) → Stage 2 MERGE (serial conductor + §11.4.41 4-step merge-first) → Stage 3 REBUILD+FLASH (parallel where hardware allows) → Stage 4 VALIDATE (parallel D3+D4+meta-test+coverage) → Stage 5 SWEEP (parallel HelixQA + Fixed.md migration + README refresh). Stage 1 of round N+1 overlaps with Stages 4-5 of round N.

Synchronization: 4-layer lock hierarchy (parent flock / per-submodule git / contention-path advisory locks for 10 forbidden cross- PWU paths / per-PWU worktree). Disjoint-scope PWUs fully parallel.

Anti-bluff merge-time enforcement (mandatory, all four): C1 §11.4.43 RED-test captured. C2 §1.1 paired meta-test mutation FAILs the gate. C3 §11.4.50 3-iter (or 10-iter) deterministic-consistency. C4 §11.4.5 captured-evidence per feature type. Metadata-only / configuration-only / absence-of-error / grep-without-runtime PASS REJECTED. HelixQA Challenge bank coverage MANDATORY for every user- visible PWU.

Phase 39.EX infrastructure gates (5 gates land the parallel infrastructure itself): CM-PWU-PARALLEL-VALIDATION-ORCHESTRATOR, CM-PWU-HELIXQA-PER-DOMAIN-RUNNER, CM-PWU-WORKER-POOL-LOCKING, CM-PWU-FILE-SCOPE-PARTITION, CM-PWU-AUTO-MERGE-GATE-6CONDITIONS. Each ships a paired meta-test mutation per §1.1.

Pre-build gates CM-PWU-LOCK-HIERARCHY + CM-PWU-ANTI-BLUFF-COVERAGE + CM-PWU-MERGE-QUEUE-DISCIPLINE + CM-PWU-PARALLEL-AGENT-LIMIT + CM-COVENANT-114-58-PROPAGATION. Paired mutations cover each gate. No escape hatch.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.58. Project-specific implementation reference: [docs/guides/PARALLEL_DEVELOPMENT_METHODODOLOGY.md](#).

Non-compliance is a release blocker regardless of context.

§11.4.65 — Universal Markdown export mandate (User mandate, 2026-05-19)

Every Markdown document inside the project that is NOT part of an application or service's source-code tree MUST have synchronized .html and .pdf siblings. Includes: project-root *.md, docs/**/*.*.md, scripts/**/*.*.md (doc-format companion docs), owned-

submodule top-level README.md / CLAUDE.md / AGENTS.md / CHANGELOG.md and their docs/**/*.*md, constitution/**/*.*md, owned HelixQA submodules' equivalents. Excludes: external/**, prebuilts/**, packages/modules/**, kernel-5.10/**, out/**, build/**, application/service source-code trees, and third-party submodules NOT in the owned set. Every edit triggers regeneration via scripts/testing/sync_all_markdown_exports.sh (pandoc HTML + weasyprint PDF, timeout 60 per file, capped at 500 candidates). HTML + PDF mtime MUST be $\geq$ source .md mtime at all times.

Pre-build gates CM-UNIVERSAL-MARKDOWN-EXPORT-SYNC + CM-COVENANT-114-65-PROPAGATION. Paired meta-test mutations. Composes with §11.4.12 / §11.4.18 / §11.4.23 / §11.4.44 / §11.4.45 / §11.4.53 / §11.4.59 / §11.4.60 / §11.4.63 / §11.4.64. No escape hatch — no --skip-md-exports, --no-pdf-only, --md-export-not-applicable flag.

Canonical authority: constitution submodule Constitution.md §11.4.65.

Non-compliance is a release blocker regardless of context.

§11.4.66 — Blocker-resolution interactive-clarification mandate (User mandate, 2026-05-19)

When any task is blocked (operator decision, hardware access, external authorization, ambiguous scope), the agent MUST: (1) research what's doable from the agent side without operator input; (2) calculate minimum-viable operator input; (3) construct 2-4 mutually-exclusive options with one marked "Recommended" and each stating what the agent does after that answer; (4) present via the platform's interactive question mechanism (AskUserQuestion on Claude Code) — NEVER free-text "what would you like?" for closed- set decisions; (5) after the answer, resume work without follow-up round-trips. Composes with §11.4.6 / §11.4.7 / §11.4.40 / §11.4.41 / §11.4.42 / §11.4.52. No silent waiting; no bulk-text questions when interactive options would do.

Pre-build gate CM-COVENANT-114-66-PROPAGATION enforces the anchor literal across the 42-file consumer fleet. Paired meta- test mutation strips the literal → gate FAILs. No escape hatch — no --skip-ask, --silent-wait, --free-form-only flag.

Canonical authority: constitution submodule Constitution.md §11.4.66.

Non-compliance is a release blocker regardless of context.

§11.4.67 — Shell-script target-shell-parseability mandate (User mandate, 2026-05-19)

Forensic anchor — direct user mandate (verbatim, 2026-05-19): “any issue we spot must be fixed, bash scripts as well if they are broken!” + “Make sure that this is mandatory rule!”

Every shell script that may be invoked under a target shell other than the one in its shebang MUST parse cleanly under that target shell. Forensic incident: device/rockchip/rk3588/tests/test_all_fixes.sh:114 used bash-only `exec > >(tee -a "$f") 2>&1` on a `sh` script. `sh` callsite — Android `mksh` parses the whole script BEFORE executing, so the runtime `[ -n "${BASH_VERSION:-}" ]` guard could not save it. Fixed by wrapping in `eval 'exec > >(tee ...) 2>&1'` so the parser sees only a string.

Closed-set scope: every tracked `.sh` under `device/rockchip/rk3588/tests/`, `scripts/`, `scripts/testing/` (and equivalent paths in owned submodules). OUT of scope: `external/`, `prebuilts/`, `packages/modules/`, `kernel-5.10/`, `out/`, `build/`, `scripts/legacy/`. Mandatory invariants: (1) every in-scope script parses under `sh -n`; (2) bash-only constructs (`>(...)`, `<(...)`, `[[ ]]`, `<<<`, arrays, `${var^^}`, etc.) MUST be wrapped in `eval` OR guarded by bash-only loading; (3) shebangs honest — `#!/bin/bash` only if bash actually expected; (4) fix at source per §11.4.1, never at callsites. Composes with §11.4.1 / §11.4.4 / §11.4.6 / §11.4.50 / §11.4.51.

Pre-build gate `CM-SCRIPT-TARGET-SHELL-PARSEABLE` runs `sh -n` on every in-scope script. Propagation gate `CM-COVENANT-114-67-PROPAGATION` enforces the anchor literal across the 44-file consumer fleet. Paired mutations: inject bash-only outside `eval` → parse gate FAILs; strip 11.4.67 literal → propagation gate FAILs. No escape hatch — no `--skip-parseability-check`, `--bash-only-script`, `--runtime-guard-suffices` flag.

Canonical authority: constitution submodule [Constitution.md](#) §11.4.67.

Non-compliance is a release blocker regardless of context.

§11.4.69 — Universal sink-side positive-evidence taxonomy + mechanical enforcement (User mandate, 2026-05-20)

Forensic anchor — direct user mandate (verbatim, 2026-05-20):

“THIS MUST HAPPEN NEVER AGAIN!!! We MUST HAVE this all working! Not just for audio but for every single piece of the System!!! Proper full automation when executed with success MUST MEAN that manual testing will be as much positive at least regarding the success results! ... Solution MUST BE universal, generic that solves working flows for all System components and for all future and all existing

projects! ... Everything we do MUST BE validated and verified with rock-solid proofs and anti-bluff policy enforcement and fulfillment!”

Universal generalisation of §11.4.68 (audio-specific) across every user-visible feature class. Closes the PASS-bluff pattern where tests reported green while end users hit broken features (2026-05-19→20 D3 audio “82/84 PASS” + empty Arvus Codec-In-Use).

The mandate. Every user-visible feature MUST map to one entry in the closed-set §11.4.69 sink-side evidence taxonomy (audio_output, audio_input, video_display, network_throughput, network_connectivity, bluetooth_a2dp, bluetooth_pair, touch_input, sensor, gpu_render, storage_read, storage_write, mediacodec_decode, mediacodec_encode, miracast, cast, boot_service, package_install, permission_grant, wifi_link, wifi_throughput, ethernet_link, display_topology, drm_playback, subtitle_render — open to additions). Every PASS for a feature in the taxonomy MUST cite a captured-evidence artefact path matching the required evidence shape.

Helper contracts (additive during grace; mandatory after 2026-06-19):

- ab_pass_with_evidence <description> <evidence_path> — the new canonical PASS helper. Verifies path exists AND non-empty; emits PASS: <description> [evidence: <path>].
- ab_skip_with_reason <description> <closed-set-reason> — reasons: geo_restricted, operator_attended, hardware_not_present, topology_unsupported, network_unreachable_external, feature_disabled_by_config. Forbids network_unreachable_external for any taxonomy feature with a sink-side probe.
- Bare ab_pass deprecated — WARN pre-grace, FAIL post-grace (2026-06-19).

Mechanical enforcement. Three pre-build gates + three paired §1.1 meta-test mutations:

- CM-SINK-EVIDENCE-PER-FEATURE — walks tests for # §11.4.69 FEATURE: <class> annotation + verifies taxonomy probe + ab_pass_with_evidence use.
- CM-NO-FAIL-OPEN-SKIP — audits sink-side probe helpers; FAILs if any code path converts empty/unreachable response to PASS-counting SKIP for a feature class with a sink-side probe.
- CM-AB-PASS-WITH-EVIDENCE-EVERYWHERE — pre-grace WARN, post-grace FAIL on bare ab_pass calls.

Composes with §11.4.1 (FAIL-bluffs forbidden), §11.4.2 (recorded-evidence), §11.4.5 (audio + video 5-layer quality), §11.4.6 (no-guessing), §11.4.13 (sink-side captured-evidence),

§11.4.27 (no-fakes-beyond-unit), §11.4.50 (deterministic consistency), §11.4.52 (autonomous-validation), §11.4.68 (audio-specific sink-side — §11.4.69 is the universal generalisation).

No escape hatch — no `--skip-evidence`, `--config-only-pass`, `--allow-fail-open-skip`, `--legacy-ab-pass-permitted` flag. The discipline exists because the 2026-05-20 forensic incident demonstrated the failure: tests reported audio-routing PASS while the user heard nothing and the Arvus Codec-In-Use field was empty.

Propagation gate CM-COVENANT-114-69-PROPAGATION enforces this anchor literal across the ~44-file consumer fleet. Paired mutation strips the literal → gate FAILs.

Canonical authority: constitution submodule Constitution.md §11.4.69.

Non-compliance is a release blocker regardless of context.

§11.4.68 — Positive Sink-Side / Downstream Evidence Mandate (cascaded from constitution submodule §11.4.68)

Verbatim user mandate (2026-05-20): *“We still do not hear any audio played from D3 device! Arvus Web Dashboard when we play music from D3 shows nothing for Codec In Use! This MUST BE investigated and fixed! How come we passed the tests with Arvus validation? What were values for the Codec In Use field? Empty means nothing! This is not working! It MUST BE FIXED, TESTED AND VERIFIED WITH FULL AUTOMATION TESTING ASAP!!!”*

A test that asserts audio or video routing PASS MUST capture and verify **positive sink-side or downstream evidence** — never config-only, never metadata-only, never PCM-open-state-only. At least one of the closed enumeration MUST be captured for every audio/video routing PASS: (1) sink-side codec-state with non-empty Codec-In-Use matching the expected codec regex; (2) strictly-positive PCM frames-written delta from `/proc/asound/.../status hw_ptr`; (3) ALSA ELD/EDID-Like-Data showing negotiated channel count + format; (4) `ffprobe-on-captured-mp4` with non-zero frame count + expected codec/resolution/fps; (5) recording-analyzer event match per §11.4.2/§11.4.5; (6) `tinycap RMS` amplitude above the line-level floor. Empty `/ <unreachable> / <N.E.> / <None>` placeholders are NOT positive evidence; a missing-but-required sink is OPERATOR-BLOCKED (release-blocker), never SKIP,

never PASS. No escape hatch — no `--skip-sink-evidence`, `--allow-empty-codec`, `--sink-unreachable-is-pass`, `--metadata-only-suffices` flag exists.

Cascade requirement: This anchor (verbatim or by §11.4.68 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a §11.4 PASS-bluff at the sink-side-evidence layer. **Canonical authority:** constitution submodule Constitution.md §11.4.68 for the full mandate.

§11.4.70 — Subagent-Driven Execution Is The Default (cascaded from constitution submodule §11.4.70)

Verbatim user mandate (2026-05-20): *“Always do if possible Subagent-driven! Add this into our root (constitution Submodule) Constitution.md, CLAUDE.md and AGENTS.md. This should be the default choice ALWAYS!”*

When executing implementation plans (or any task-decomposed execution flow), the **default execution model is subagent-driven** per `superpowers:subagent-driven-development`. Inline execution is permitted ONLY when (a) the task is trivial AND fits a single sub-300-line edit, OR (b) the operator explicitly requests inline at brainstorm-handoff time. Subagent-driven is the default because it gives isolated context per task, naturally enforces two-stage review, is parallel-PWU compatible (§11.4.58), creates an anti-bluff seam (§11.4), and survives operator absence. No escape hatch — `--inline-execution-required`, `--no-subagents`, `--monolithic-execution` are NOT permitted flags. Skipping subagent-driven for non-trivial work without recorded operator authorisation is itself a §11.4 PASS-bluff.

Cascade requirement: This anchor (verbatim or by §11.4.70 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a §11.4 PASS-bluff at the execution-model layer. **Canonical authority:** constitution submodule Constitution.md §11.4.70 for the full mandate.

§11.4.71 — Pre-Push Fetch + Investigate + Integrate Mandate (cascaded from constitution submodule §11.4.71)

Verbatim user mandate (2026-05-20): *“before pushing changes to any upstream for any repository - main repo or Submodule, we MUST fetch and pull all changes. Once these are obtained WE MUST investigate what is different compared to head position we were on last time before fetching and pulling new changes! We MUST understand what is done and for what purpose, easpecially how that does affect our project and our System in general! Any mandatory changes or improvements required by fresh changes we just have brought in MUST BE incorporated, covered with all supported types of the tests which will produce as a result of its success execution REAL PROOFS of working for all componetns and functionalities covered and work fully in anti-bluff manner!”*

The everyday-push variant of §11.4.41. EVERY push (every repository — main + every submodule) MUST follow the 5-step cycle: (1) fetch all remotes (git fetch --all --prune --tags, capture stdout); (2) pull all upstream branches whose tip differs, resolving conflicts per consumer judgment (never auto---ours/--theirs); (3) investigate the diff vs OUR previous HEAD — read EVERY foreign commit’s body, understand what/why/how-it-affects-our-system; (4) integrate mandatory changes with §11.4.4(b) four-layer coverage + §11.4.43 TDD-fix discipline, every PASS carrying §11.4.5 captured-evidence (REAL PROOFS, not metadata-only); (5) only then push, verifying with git ls-remote post-push. No escape hatch — no --skip-fetch, --no-investigate, --fast-push, --trust-upstream flag.

Cascade requirement: This anchor (verbatim or by §11.4.71 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a §11.4 PASS-bluff at the push-discipline layer. **Canonical authority:** constitution submodule Constitution.md §11.4.71 for the full mandate.

§11.4.72 — Audio Top-Priority Mandate (cascaded from constitution submodule §11.4.72)

Verbatim user mandate (2026-05-20): *“Make sure all fixes for audio are always top priority in main working stream!”*

The conductor (main working stream — Claude Code session, AI agent, or human operator) **MUST** treat audio fixes as the highest-priority class on the serial dispatch queue. Any time the conductor faces a choice between dispatching an audio task vs a non-audio task on the SAME serial resource, the audio task wins. Parallel BACKGROUND subagents (research, refactors, infrastructure documentation) **MAY** run concurrently with audio work but do **NOT** preempt audio on the main-stream serial dispatch queue. No escape hatch — there is no “but this non-audio task is faster” or “but this research is more interesting” override; audio-stack regressions are user-perceptible and high-impact while research and refactors can wait.

Cascade requirement: This anchor (verbatim or by §11.4.72 reference) **MUST** appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a process violation at the dispatch-priority layer. **Canonical authority:** constitution submodule Constitution.md §11.4.72 for the full mandate.

§11.4.73 — Main-Specification Document Versioning + Revision Discipline (cascaded from constitution submodule §11.4.73)

Verbatim user mandate (2026-05-20): “Make sure everything we add now in previous and upcoming requests IS ALWAYS applied to the main specification — if we have one. Since all these are not major changes we could increase Specification version per change for secondary version instead of the primary. Primary version MUST BE increased for much bigger levels of changes! Add this into root (constitution Submodule) Constitution.md, CLAUDE.md and AGENTS.md as mandatory rule / constraint applicable ONLY IF we have something like the main specification document or we do recognize something like the main specification document. Document MUST BE updated ALWAYS to follow the versioning rules we are applying here + revision and other properties we have!”

Applies **only when a project recognises a main specification document**. When it does: (1) every additive operator requirement, refinement, or accepted recommendation **MUST** be applied to the spec before or as part of the implementing work; (2) spec versioning has two axes — *primary* (V1/V2/V3, bumped for major rewrites by explicit operator decision, old versions archived) and *secondary* (the §11.4.61 metadata-table Revision integer, bumped for every other change); (3) the metadata table **MUST** stay current (Revision, Last modified, Status summary, Fixed);

(4) propagated copies of the rule MUST reference the active specification.V<primary>.md, not a stale archive; (5) on primary bump the old file moves to <spec-dir>/archive/ with Status: superseded. Classification: universal, applicable conditionally per the scope condition.

Cascade requirement: This anchor (verbatim or by §11.4.73 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a release blocker when a project has a main spec and lets it drift.
Canonical authority: constitution submodule Constitution.md §11.4.73 for the full mandate.

§11.4.74 — Submodule-Catalogue-First Discovery + Extend-Don't-Reimplement (cascaded from constitution submodule §11.4.74)

Verbatim user mandate (2026-05-20): *“We MUST ALWAYS check which already developed features / functionalities do exist as a part of our comprehensive Submodules catalogue located in vasic-digital and HelixDevelopment organizations on GitHub and GitLab both! Project MUST BE aware of all its existence so we do not implement same things multiple times if they are already done as some of existing universal, reusable general development purpose Submodules! For any missing features that some Submodules we incorporate may be missing we MUST IMPLEMENT the properly and extend those Submodules further! We do control all of the and we CAN and MUST maintain and extend the regularly! All development cycle rules we have MUST BE applied to them and fully respected!”*

Before scaffolding ANY new module, package, helper, or utility, the contributor (human or AI agent) MUST: (1) survey the canonical Submodule catalogue — vasic-digital and HelixDevelopment on both GitHub AND GitLab; (2) inventory existing Submodules; (3) reuse before reimplement — if a Submodule provides the functionality (or 80%+ of it), add it as a Git submodule rather than write fresh; (4) extend in-place when 80%+ matches but features are missing — add the missing features TO THAT SUBMODULE (PR upstream + bump pointer), never as a duplicating consuming-project helper; (5) apply all development-cycle rules to those Submodules; (6) document the survey result in the feature's tracker entry with a Catalogue-Check: field (reuse <org/repo>@<sha> / extend <org/repo>@<sha> / no-match <date>). Classification: universal.

Cascade requirement: This anchor (verbatim or by §11.4.74 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Severity-equivalent to a process violation; duplicate implementations landed without catalogue check are release blockers. **Canonical authority:** constitution submodule Constitution.md §11.4.74 for the full mandate.

§11.4.85 — Stress + Chaos Test Mandate (User mandate, 2026-05-24)

Forensic anchor — direct user mandate (verbatim, 2026-05-24):

“Every fix or improvement you do MUST BE covered with full automation stress and chaos tests so we are sure nothing can break the functionality and all edge cases are monitored and polished and additionally fixed if that is needed! Everything must produce rock solid proofs and follow fully no-bluff policy!”

Every fix or improvement landed in this project MUST ship with full-automation **stress** AND **chaos** test suites that exercise edge cases, sustained load, concurrent contention, and failure-injection. Happy-path coverage alone is a §11.4 / §107 PASS-bluff at the resilience layer.

Stress (closed-set, mechanically auditable): sustained load ($N \geq 100$ iterations OR ≥ 30 s wall-clock; per-iteration latency p50/p95/p99 recorded) + concurrent contention ($N \geq 10$ parallel invocations; no deadlock, no resource leak) + boundary conditions (empty / max / off-by-one input; every boundary produces a categorised result, never an uncaught exception).

Chaos (closed-set, applied per fix-class appropriateness): process-death injection (kill primary or upstream mid-call; categorised recovery) + network-fault injection (drop/delay/reorder; category=network|upstream per §11.4.69) + input-corruption injection (corrupt .env / config / input file mid-test; detected + reported) + resource-exhaustion injection (disk full, OOM, FD exhaustion; refuse cleanly OR degrade gracefully — NEVER crash) + state-corruption injection (mid-flight lock loss, partial-write fault; recovery restores consistent state).

Anti-bluff (mandatory). Every stress + chaos test PASS cites a captured-evidence artefact path per §11.4.5 + §11.4.69 (per-iteration latency.json, categorised_errors.txt, state_delta_snapshot.json, recovery_trace.log). Helper library stress_chaos.sh provides ab_stress_run, ab_stress_concurrent, ab_chaos_kill_pid_during, ab_chaos_drop_network_during, ab_chaos_corrupt_file_during, ab_chaos_oom_pressure_during, ab_chaos_disk_full_during, each composing with ab_pass_with_evidence / ab_skip_with_reason. Chaos-injection

cleanup is non-negotiable — corrupt-restore, disk-fill-cleanup, process-restart MUST run in trap '...' EXIT; cleanup failure = §11.4.14 violation.

4-layer coverage per §11.4.4(b): pre-build gate (stress + chaos test files exist + executable + parseable under sh -n + bash -n per §11.4.67; helper library exists; the fix's pre-build gate cites the stress + chaos test file path) + paired meta-test mutation per §1.1 (stripping chaos-injection or per-iteration evidence capture → gate FAILs) + on-device test (if LIVE_ADB_TESTABLE per §11.4.51, dispatched against real device, evidence under qa-results/<run-id>/stress_chaos/) + HelixQA Challenge entry (if user-visible feature per §11.4.4(b) layer 4).

Composes with §11.4 / §107 (resilience IS end-user quality), §11.4.1 (FAIL-bluffs forbidden), §11.4.5 (captured-evidence quality applies to latency distribution + error categories), §11.4.6 (no guessing — categorised errors only), §11.4.43 (TDD RED-first under load/chaos), §11.4.50 (N iterations identical exit + identical evidence-hashes), §11.4.52 (autonomous validation), §11.4.69 (universal sink-side positive-evidence taxonomy), §11.4.83 (recovery transcripts ARE end-user-channel proofs).

Canonical authority: constitution submodule [Constitution.md](#) §11.4.85.

Non-compliance is a release blocker regardless of context. No escape hatch — no --skip-stress, --no-chaos, --happy-path-suffices, --stress-test-later flag exists.

§11.4.87 — Endless-loop autonomous work + zero-idle agent dispatch + anti-bluff testing mandate (User mandate, 2026-05-26)

When operator instructs an AI agent to “continue in endless loop fully autonomously” (or semantically-equivalent), the agent MUST treat as HARD-CONTRACT covenant covering five obligations: (A) continue until docs/Issues.md non-terminal Status entries = 0 AND docs/CONTINUATION.md §3 Active work empty AND no subagent in-flight AND no external dep in-flight; (B) dispatch background subagents for parallelisable work — main + subagents concurrent, “waiting for results” is the ONLY idle reason; (C) every closure lands four-layer test coverage per §11.4.4(b) with captured-evidence “physical proofs” (tinycap WAV + RMS / screen recording + ffprobe / dumphsys + sink-probe / uiautomator dump / sysfs snapshots) — metadata-only / config-only / absence-of-error / grep-without-runtime PASS are critical defects; (D) §11.4 anti-bluff covenant family operative end-to-end (tests AND HelixQA Challenges bound equally per forensic anchor “tests pass but features don’t work”); (E) loop terminates ONLY on all-conditions-met, explicit operator STOP, host-safety demand (§12 family), or scheduled wake on known-future-actionable signal.

Composes with §11.4 / §11.4.1 / §11.4.2 / §11.4.4 / §11.4.5 / §11.4.6 / §11.4.7 / §11.4.20 / §11.4.27 / §11.4.42 / §11.4.43 / §11.4.50 / §11.4.52 / §11.4.58 / §11.4.68 / §11.4.69 / §11.4.70 / §11.4.83 / §11.4.85 / §11.4.86 / §12.10. Pre-build gate CM-COVENANT-114-87-PROPAGATION + paired §1.1 mutation.

Canonical authority: constitution submodule Constitution.md §11.4.87.

Non-compliance is a release blocker regardless of context. No escape hatch — --idle-OK, --skip-endless-loop, --bluff-permitted-for-this-task, --metadata-only-test-suffices, --no-physical-proof-required are FORBIDDEN flags.

§11.4.75 — Mechanical Enforcement Without Exception (cascaded from constitution submodule §11.4.75)

Verbatim user mandate (2026-05-20): “Why do these violations still happen!? This is a serious problem! We cannot rely on stability nor consistency if we cannot respect our Constitution, mandatory rules and constraints! Is there a way to make this always respected, followed and applied without exception fully and unconditionally!? WE MUST HAVE THIS WORKING FLAWLESSLY!!! Do investigate the root causes of such problems! Once all problems are identified WE MUST apply proper mechanisms for this not to happen NEVER EVER AGAIN!”

The §11.4 covenant historically relied on agent + operator vigilance; three 2026-05-19→20 forensic incidents proved that late-binding enforcement fires hours-to-days after the violator commit reaches every remote. §11.4.75 closes the gap with FIVE independent mechanical enforcement layers — bypassing any single layer does not bypass the discipline: (1) local pre-commit git hook (refuses staged .md lacking sibling .html+.pdf); (2) commit_all.sh integration (_constitution_sibling_check + auto-sync_all_markdown_exports.sh self-repair); (3) local pre-push git hook (re-runs siblings + propagation-gate subset); (4) post-commit auto-repair hook (auto-generates orphan-.md siblings, idempotent + recursion-guarded); (5) local-only final-gate ritual (remote CI DISABLED per User mandate — operator runs pre_build_verification.sh + meta-test before every tag per §11.4.40). Helper contracts: scripts/install_git_hooks.sh, scripts/git_hooks/{pre-commit,pre-push,post-commit,commit-msg}, _constitution_sibling_check. The commit-msg hook enforces a Bypass-rationale: <reason> footer when --no-verify is detected; docs/audit/bypass_events.md accumulates the audit trail. Five gates with paired §1.1 mutations: CM-COVENANT-114-75-PROPAGATION, CM-GIT-HOOKS-INSTALL-SCRIPT, CM-GIT-HOOKS-SOURCE-DIR, CM-COMMIT-ALL-

SIBLING-CHECK, CM-CI-WORKFLOW-PRESENT. No escape hatch — no --skip-hooks, --bypass-enforcement, --allow-orphan-md, --ci-not-applicable, --mechanical-enforcement-not-needed flag.

Cascade requirement: This anchor (verbatim or by §11.4.75 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-75-PROPAGATION; paired mutation strips the literal → gate FAILs. Severity-equivalent to a §11.4 PASS-bluff at the enforcement layer. **Canonical authority:** constitution submodule Constitution.md §11.4.75 for the full mandate.

§11.4.76 — Containers-Submodule Mandate (cascaded from constitution submodule §11.4.76)

Verbatim user mandate (2026-05-20): *“For any work or requirements of running services or codebase inside the Containers (Docker / Podman / Qemu / Emulators, and so on) we MUST USE / INCORPORATE the Containers Submodule properly: <https://github.com/vasic-digital/containers> ([git@github.com:vasic-digital/containers.git](https://github.com/vasic-digital/containers.git)). Containers Submodule contains all means for us to Containerize our code and services! If any feature or Containing System is missing or not supported we MUST EXTEND IT properly like we do all of our projects! No bluff work is allowed of any kind!”*

For ANY containerized workload (Docker / Podman / Qemu / Kubernetes / container-backed emulators), every consuming project MUST: (1) install vasic-digital/containers (digital.vasic.containers) as a Git submodule; (2) consume via replace directive during development + pinned commit SHAs in production; (3) boot infra on-demand via pkg/boot + pkg/compose + pkg/health so operators are never required to start podman machine / docker compose up manually — the boot is part of the test entry point (the on-demand-infra invariant); (4) extend the Submodule (PR upstream) for missing runtimes / lifecycle primitives — never reimplement in-project (per §11.4.74); (5) anti-bluff: integration tests claiming to exercise containerized components MUST actually boot them via the Submodule — short-circuit fakes that bypass boot are a §11.4 violation. Tracker rows touching containerization MUST record Catalogue-Check: extend vasic-digital/containers@<sha> (or reuse). Planned gate CM-CONTAINERS-USED scans container-touching PRs for digital.vasic.containers/... imports; paired mutation strips the import + asserts FAIL.

Cascade requirement: This anchor (verbatim or by §11.4.76 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-

COVENANT-114-76-PROPAGATION; paired mutation strips the literal → gate FAILs. **Canonical authority:** constitution submodule Constitution.md §11.4.76 for the full mandate.

§11.4.77 — Regeneration-Mechanism-Required Mandate (cascaded from constitution submodule §11.4.77)

Verbatim user mandate (2026-05-20): *“We must be sure that after excluding anything from Git versioning we still have the mechanism which will out of the box obtain or re-generate missing content!”*

Every .gitignore entry excluding (a) >~100 MiB OR (b) any artefact essential to building / running / testing the project MUST carry a documented + automated mechanism to either re-obtain (download from authoritative source: vendor tarball, SDK installer, npm/pip/cargo/go-mod/container registry, dedicated git submodule, S3/GCS) OR re-generate (run from tracked source via build pipeline, code-gen, asset render, captured-evidence replay, container build). Required artefacts per qualifying entry: (1) .gitignore-meta/<entry-slug>.yaml declaring pattern + mechanism-type + script-path + expected-disk-usage + vendor-url-or-source + integrity hash + requires-network + requires-credentials; (2) a non-interactive entry in scripts/setup.sh post-clone bootstrap; (3) a pre-build gate verifying regenerated content present OR a recent .gitignore-meta/.regenerated/<slug>.ok stamp; (4) README + docs/guides/*.md describing the mechanism + manual fallback + time/disk budget + §11.4.10 credentials. Bare .gitignore additions without the mechanism are a §11.4 PASS-bluff variant — codebase appears complete but a fresh clone cannot build/run. No escape hatch — no --skip-regen-mechanism, --gitignore-is-enough, --operator-already-has-content flag. Planned gate CM-GITIGNORE-REGEN-MECHANISM + paired §1.1 mutation (strip a required YAML key → gate FAILs).

Cascade requirement: This anchor (verbatim or by §11.4.77 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-77-PROPAGATION; paired mutation strips the literal → gate FAILs. Severity-equivalent to a §11.4 PASS-bluff at the repository-hygiene layer. **Canonical authority:** constitution submodule Constitution.md §11.4.77 for the full mandate.

§11.4.78 — CodeGraph Code-Intelligence Mandate (cascaded from constitution submodule §11.4.78)

Verbatim user mandate (2026-05-20): *“Make codegraph MANDATORY CHOICE for this purpose for all of our project ... All project which do not have configured and installed codegraph yet MUST DO IT and MUST USE IT!”*

Every consuming project worked on by AI coding agents MUST install, initialize, and use **CodeGraph** (<https://github.com/colbymchenry/codegraph>, npm @colbymchenry/codegraph) — a local SQLite semantic code-knowledge-graph exposed to agents over MCP (100% local, no cloud). (1) Install globally via npm with a user-writable npm prefix (no sudo). (2) codegraph init + codegraph index: .codegraph/config.json is tracked, .codegraph/codegraph.db is gitignored with codegraph index as its §11.4.77 regeneration mechanism; the config.json exclude list MUST exclude every credential/secret path per §11.4.10. (3) Wire codegraph serve --mcp into every CLI agent (Claude Code .mcp.json, OpenCode opencode.json, Qwen Code .qwen/settings.json, Crush .crush.json, host-local otherwise) referencing the bare codegraph command on PATH (no hardcoded host path). (4) Cover the integration with an anti-bluff suite whose per-agent end-to-end layer uses an unforgeable challenge (a fact obtainable only by calling a CodeGraph MCP tool, e.g. index node count via codegraph_status); a genuinely un-drivable agent is a documented SKIP per §11.4.3, never a faked PASS. (5) Document in docs/CODEGRAPH.md, kept in sync per §11.4.12 / §11.4.65. CodeGraph is consumed as the published npm package (§11.4.74) — not a git submodule, adds no Git remote. Planned gate CM-CODEGRAPH-WIRED + paired §1.1 mutation (strip a secret-exclusion → gate FAILs).

Cascade requirement: This anchor (verbatim or by §11.4.78 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-78-PROPAGATION; paired mutation strips the literal → gate FAILs. **Canonical authority:** constitution submodule Constitution.md §11.4.78 for the full mandate.

§11.4.79 — Own-Org Submodules MUST Be Included in the CodeGraph Index (cascaded from constitution submodule §11.4.79)

Verbatim user mandate (2026-05-21): *“All Submodules we use in the project and that are part of organizations to which we have the full access via GitHub, GitLab and other CLIs MUST BE included into the codegraph database and initialized / scanned / synced!”*

Refines §11.4.78’s exclude-list with a per-submodule-ownership split: (a) own-org submodules (full write access via the project’s CLIs — canonical orgs vasic-digital + HelixDevelopment) MUST be INCLUDED in the index; (b) third-party submodules (the §11.4.74 no-match → vendor path) MUST be EXCLUDED. Operational steps: (1) `git submodule update --remote --merge` to pull latest before re-indexing, respecting load-bearing pins on third-party submodules; (2) adjust `.codegraph/config.json` exclude list to keep own-org paths in scope; (3) re-index via `scripts/codegraph_setup.sh`; (4) verify via `scripts/codegraph_validate.sh` with ≥ 1 probe resolving a symbol living ONLY inside an own-org submodule; (5) paired §1.1 mutation — temporarily add the own-org submodule to exclude → validate MUST FAIL on the cross-submodule probe → restore. An index that lies about reachable symbols is a PASS-bluff against AI agents. Own-org submodules silently excluded without an audit trail in `.codegraph/config.json` comments is a release blocker.

Cascade requirement: This anchor (verbatim or by §11.4.79 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-79-PROPAGATION; paired mutation strips the literal → gate FAILs. **Canonical authority:** constitution submodule Constitution.md §11.4.79 for the full mandate.

§11.4.80 — CodeGraph Regular-Update + Sync Automation Mandate (cascaded from constitution submodule §11.4.80)

Verbatim user mandate (2026-05-21): *“We MUST regularly check for the updates and execute codegraph npm updates so the latest version of it is always installed on the host machine! ... Make sure we have proper full automation bash scripts which will run regularly and that these are part of the constitution Submodule ... Make sure all updates, sync processes we do and important codegraph related events are*

all documented under docs/codegraph in Status and Status_Summary documents ... and regularly export them like all other Status docs into the PDF and HTML!"

Three deliverables (all living in the constitution submodule, inherited by reference per §3 — consuming projects invoke at \$ {CONST_DIR}/scripts/codegraph_*.sh, never copy): (1) scripts/codegraph_update.sh — npm-installs latest @colbymchenry/codegraph after a registry version check; appends old/new version to docs/codegraph/Status.md; anti-bluff verifies codegraph --version reflects the new version after install (npm exit 0 ≠ working binary). (2) scripts/codegraph_sync.sh — after a successful update runs codegraph status → codegraph sync . → codegraph status → the project's scripts/codegraph_validate.sh; appends every step's output to BOTH the project's and the constitution's docs/codegraph/Status.md. (3) docs/codegraph/Status.md + Status_Summary.md append-only ledgers, exported to .html + .pdf per §11.4.65. Cadence: weekly floor (per §11.4.45). A consuming project that has not run codegraph_update.sh in >2 weeks AND has open AI-agent work is a release blocker. Paired §1.1 mutation: downgrade installed version → script detects drift → restore.

Cascade requirement: This anchor (verbatim or by §11.4.80 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-80-PROPAGATION; paired mutation strips the literal → gate FAILs. **Canonical authority:** constitution submodule Constitution.md §11.4.80 for the full mandate.

§11.4.81 — Cross-Platform-Parity Mandate (cascaded from constitution submodule §11.4.81)

Verbatim user mandate (2026-05-21): "Any Linux-only blocker / issue we have MUST BE created macOS and other supported platforms equivalent! So, depending on platform proper implementation will be used for particular OS! EVERYTHING MUST BE PROPERLY EXTENDED AND UPDATED!"

Every consuming project whose supported-platforms manifest lists more than one OS MUST, for every feature/test/gate/challenge/mutation depending on platform-specific primitives, ship a per-OS-equivalent implementation chosen at runtime via uname -s (or equivalent detection). Three sub-mandates: **(A) Per-OS implementation REQUIRED** — Linux cgroup/systemd//proc primitives MUST have documented per-OS equivalents (POSIX setrlimit/ulimit, macOS launchd, BSD rctl, Windows Job Object) chosen via runtime dispatch. **(B) Per-OS tests REQUIRED** — every platform-dependent gate test MUST have

case "\$(uname -s)" in branches with positive captured evidence per §11.4.2 + §11.4.5 in each branch; SKIP-with-reason acceptable ONLY when the platform genuinely cannot enforce the invariant.

(C) Honest kernel-gap citation + adjacent equivalent test REQUIRED — where a Linux primitive has NO equivalent due to a documented kernel limitation (canonical: XNU does not enforce RLIMIT_AS for unprivileged processes), the test MUST detect the gap at runtime, SKIP with exact kernel reason + reproducer + honest-gap-doc link, AND provide an ADJACENT test exercising the closest invariant the platform CAN enforce (e.g. RLIMIT_CPU+SIGXCPU as the macOS proxy), itself anti-bluff with a paired §1.1 mutation. Gate CM-CROSS-PLATFORM-PARITY scans for case "\$(uname -s)" blocks asserting a non-SKIP branch (or honest-gap citation) per platform in the manifest; paired mutation strips a Darwin branch → gate FAILs. No escape hatch.

Cascade requirement: This anchor (verbatim or by §11.4.81 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-81-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker on multi-platform projects.

Canonical authority: constitution submodule Constitution.md §11.4.81 for the full mandate.

§11.4.82 — Iteration-Speedup Discipline Mandate (cascaded from constitution submodule §11.4.82)

Verbatim user mandate (2026-05-22): *"How can we speed-up this whole development and fixing process? ... Do not forget to all speed optimizations critical rules and mandatory constraints MUST BE all added into our root (constitution Submodule) Constitution.md, CLAUDE.md, AGENTS.md and QWEN.md and all other relevant constitution Submodules files!"*

Iteration cycle time is a first-order quality enabler. Every consuming project's build / test / commit / debug pipeline MUST adopt these speedup disciplines AS MANDATORY (each independently enforceable): (A) Phase-1 forensic (superpowers:systematic-debugging) before any speculative source patch — speculative patches without FACT-grade root cause are §11.4.6 + §11.4.82 violations; (B) Live-ADB-First (or live-equivalent) before any rebuild — strengthens §11.4.51 to a release-blocker mandate; (C) 30-second pre-flight before launching rebuild orchestrators (device/sink reachability, host memory/disk, no stale locks, no orphan processes); (D) persistent build caches outside containers (ccache/sccache/Gradle daemon bind-mounted to host); (E) module-only rebuild for loadable-module-only changes; (F) parallel multi-device testing with

separate qa-results/<TS>/<device-tag>/ outputs; (G) subagent scope discipline + worktree isolation (≤30 min budget, single-responsibility, isolation: "worktree" default); (H) lock-file + stale-process hygiene (clean .git/index.lock, disable auto git-gc in concurrent repos); (I) cycle telemetry per §11.4.24 (commit hash, per-phase wall-clock, speedup-flag set, outcome — aggregated weekly). Gate CM-ITERATION-SPEEDUP-DISCIPLINE audits recent cycles for telemetry citing which of (A)-(I) applied; paired §1.1 mutation strips the speedup-flag column → gate FAILs. No escape hatch — no --skip-phase1-forensic, --no-pre-flight, --rebuild-everything-always, --unlimited-subagent-scope, --ignore-locks, --no-telemetry flag.

Cascade requirement: This anchor (verbatim or by §11.4.82 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-82-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.82 for the full mandate.

§11.4.83 — docs/qa/ End-User Evidence Mandate (cascaded from constitution submodule §11.4.83)

Verbatim user mandate (2026-05-22): “every feature that ships MUST carry a recorded e2e communication transcript + any attached materials under docs/qa/<run-id>/ (per-feature subdirectories). A feature with no QA transcript is itself a §107 PASS-bluff — it claims to work but has no auditable runtime evidence. Bot-driven automation MUST preserve full bidirectional communication threads as proof.”

Every feature that ships MUST carry a recorded end-to-end communication transcript plus any attached materials (screenshots, request/response payloads, audio, file uploads) committed under docs/qa/<run-id>/ — one directory per feature run. Operative rule: (1) every consuming project MUST maintain a docs/qa/ tree, each new feature under docs/qa/<run-id>/ where <run-id> is monotonic + greppable (timestamp / ATM-NNN / other workable-item ID per §11.4.54); (2) transcripts MUST be full bidirectional — every prompt/command sent + every response received (one-sided is not a transcript); (3) attached materials MUST be committed in-repo (no external-only links — that is a §11.4.13 sink-side violation); (4) bot-driven / agent-driven QA automation MUST preserve the full conversation thread as the proof artefact; (5) release gates MUST refuse to tag a version that has any feature-shipping commit without its matching docs/qa/

<run-id>/ directory. A feature with no QA transcript is a §11.4 / §107 PASS-bluff. Composes with §11.4.2 / §11.4.5 / §11.4.13 / §11.4.65 / §11.4.69 / §1.1.

Cascade requirement: This anchor (verbatim or by §11.4.83 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-83-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker — no --qa-evidence-optional escape hatch. **Canonical authority:** constitution submodule Constitution.md §11.4.83 for the full mandate.

§11.4.84 — Working-Tree Quiescence Rule for Subagent Commits (cascaded from constitution submodule §11.4.84)

Verbatim user mandate (2026-05-22): “no subagent commit may proceed while any concurrent mutation gate is in flight in the same checkout. Before git add, the committing agent MUST grep its own working tree for mutation markers (MUTATED for paired, // always pass, return json.Marshal shortcut paths, etc.). Any unexplained file in the staging area triggers ABORT.”

No subagent (or main-thread) commit may proceed while any concurrent mutation gate, paired-mutation experiment, or other in-flight mutation is live in the same checkout. Before git add, the committing agent MUST grep its own working tree for mutation markers (MUTATED for paired, // always pass, return json.Marshal shortcut paths, // MUTATION / # MUTATION annotations, _mutated_* filename suffixes, etc.) and explicitly account for every modified file in the staging area; any unexplained file → ABORT. (Forensic case: a logo-fix subagent's git add swept an // always pass JWT-verify mutation residue into an unrelated commit pushed to all four mirrors — a real security-defect window.) Operative rule: (1) pre-git add greps for mutation markers + cross-checks git status --porcelain against the subagent's declared scope; unaccounted entries → ABORT; (2) any active mutation gate MUST be serialised (mutate → assert FAIL → restore → assert PASS) and the working tree verifiably clean before any unrelated commit; (3) concurrent subagents in the SAME checkout MUST coordinate through a lockfile (.git/MUTATION_IN_PROGRESS) — cleaner solution is git worktree add per subagent (composes with §11.4.20/§11.4.70); (4) post-commit mutation-residue-scanner MUST run before push — any commit containing a mutation marker → push BLOCKED.

Cascade requirement: This anchor (verbatim or by §11.4.84 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-84-PROPAGATION; paired mutation strips the literal →

gate FAILs. A mutation marker that lands in a tagged commit is a critical defect regardless of how briefly it persisted. **Canonical authority:** constitution submodule Constitution.md §11.4.84 for the full mandate.

§11.4.86 — Roster/Corpus-Backed Status-Doc Auto-Sync Mandate (cascaded from constitution submodule §11.4.86)

Verbatim user mandate (2026-05-25): *“Make sure that assets and players Status docs are ALWAYS regularly updated and in sync like all others Status docs — any time we add or modify the assets content(s) or we change or add new / remove existing pre-installed video and audio player apps! This MUST WORK OUT OF THE BOX!”*

Some Status docs (§11.4.45) are backed by a tracked roster (installed apps/components) or a tracked asset corpus (test/media asset directory) rather than narrative alone. Their freshness MUST NOT depend on operator vigilance — the moment a roster/corpus member changes (app added/removed/renamed; asset added/modified/removed) the Status doc + Status_Summary + HTML + PDF MUST resync out of the box, mechanically. Mechanism (all must hold): (1) drift-proof fingerprint — sha256 of the sorted member list (NOT mtime), persisted in a sidecar beside the Status doc; (2) a sync helper that regenerates the fingerprint + re-exports HTML+PDF via the §11.4.65 exporter, wired so sync is automatic; (3) a pre-build gate that FAILs when the live fingerprint differs from the persisted one (mirrors §11.4.12 CM-ISSUES-SUMMARY-SYNC + §11.4.45 sync_integration_status); (4) a paired §1.1 mutation corrupting the fingerprint and asserting the gate FAILs. Classification: universal — the consuming project supplies the specific docs, roster/corpus sources, helper, and gate name per §11.4.35.

Cascade requirement: This anchor (verbatim or by §11.4.86 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-86-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker — no --skip-roster-sync, --allow-status-drift, --roster-sync-not-applicable flag. **Canonical authority:** constitution submodule Constitution.md §11.4.86 for the full mandate.

§11.4.88 — Background-Push Mandate: Commit-Lock Release Immediately After Commit, Push Runs Detached (cascaded from constitution submodule §11.4.88)

Forensic anchor (2026-05-26): a single `commit_all.sh` held its flock ~5 hours because `do_push` ran synchronously after the commit landed — every subsequent commit blocked on a slow mirror push irrelevant to the local commit's durability. Implementation seam for §11.4.87(B) zero-idle. The mandate: (A) `.git/.commit_all.lock` MUST be released IMMEDIATELY after `git commit` returns 0 — the commit is durable on local disk regardless of remote push outcome; (B) push runs detached via `nohup ./push_all.sh ... ><log> 2>&1 & + disown` — the orchestrator's exit code reports COMMIT success, NOT push success; (C) `push_all.sh` acquires per-remote flock `.git/.push.<remote>.lock` so concurrent invocations targeting the same remote serialize but different-remote invocations run in parallel; (D) backgrounded push failures land in `qa-results/push_failures/<ts>_<remote>.log` — the next autonomous-loop tick checks per §11.4.87(A) “no external dependency in-flight” gate; (E) synchronous-push escape: explicit `--sync-push` CLI flag preserves legacy behaviour for §11.4.41 force-push merge-first audit paths. Gates CM-COVENANT-114-88-PROPAGATION + CM-BACKGROUND-PUSH-WIRED + paired §1.1 mutations. Synchronous push (without `--sync-push`) = §11.4 PASS-bluff at the execution layer.

Cascade requirement: This anchor (verbatim or by §11.4.88 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-88-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker — no escape hatch beyond `--sync-push` for force-push events. **Canonical authority:** constitution submodule Constitution.md §11.4.88 for the full mandate.

§11.4.89 — Background Test Execution Mandate (cascaded from constitution submodule §11.4.89)

Verbatim user mandate (2026-05-27): *“Any tests we are executing, especially long test cycles, MUST BE performed in background in parallel with main work stream! This MUST NOT block our capabilities to work on queued*

workable items. Main work stream can be blocked or sit idle only if absolutely needed and if it depends hard on results of some background execution.”

Symmetric anchor to §11.4.88 (background push) at the test-execution layer. Mandate: (A) long-running tests (>30 s expected: pre_build, meta_test, test_all_fixes, recent_work_validate, HelixQA banks, 4-phase cycles, full-suite retests, audio supervisors, dual-display recorders) MUST run via nohup ... > <log> 2>&1 & + disown with the log under a known dir (qa-results/<test_id>_<ts>.log); (B) the main stream proceeds to the §11.4.42 priority queue immediately; (C) hard-dependency gating — poll an exit-status file or pgrep -af <test> before steps that need the exit code, surfacing as §11.4.66 interactive options if the test is still running; (D) failures land in <log> files, the next loop tick checks; (E) foreground execution permitted ONLY for <30 s tests OR explicit operator authorisation; (F) per-script flock serialises same-script invocations, different-script invocations parallel. Gates CM-COVENANT-114-89-PROPAGATION + CM-BACKGROUND-TEST-EXECUTION-WIRED + paired §1.1 mutations.

Cascade requirement: This anchor (verbatim or by §11.4.89 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-89-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker — no escape hatch beyond explicit per-invocation operator authorisation. **Canonical authority:** constitution submodule Constitution.md §11.4.89 for the full mandate.

§11.4.90 — Obsolete Status + Per-Item Obsolescence Audit (cascaded from constitution submodule §11.4.90)

Verbatim user mandate (2026-05-27): “Bug No 6 ... seems obsolete after latest request for new behavior ... mark obsolete tickets with some light gray background ... text - the description to be strikethrough styled ... review all existing open or resolved workable items if they are obsolete - not valid any more ... There MUST NOT be any mistake! No bluff is allowed of any kind!”

The §11.4.15 Status closed-set is extended with a terminal Obsolete (→ Fixed.md) value (orthogonal to Type per §11.4.16). Obsolescence reasons (closed vocabulary): superseded-by-design-change | superseded-by-later-mandate | feature-removed | duplicate-of | unsupported-topology. Every Obsolete heading MUST carry an ****obsolete-Details:**** line (Since + Reason + Superseding-item + Triple-check evidence) within 8 non-blank lines. The §11.4.23 colorizer adds a cell-status-obsolete class —

light-gray #E0E0E0 background + strikethrough description. Audit cadence: every release-gate sweep per §11.4.40 + §11.4.42; triple-check is non-negotiable per the operator mandate. Composes with §11.4.15 / §11.4.16 / §11.4.19 / §11.4.21 / §11.4.23 / §11.4.33 / §11.4.34 / §11.4.40 / §11.4.42 / §11.4.66 / §11.4.71. Gates CM-COVENANT-114-90-PROPAGATION + CM-ITEM-OBSOLETE-DETAILS + CM-OBSOLETE-COLORIZER-WIRED + paired §1.1 mutations.

Cascade requirement: This anchor (verbatim or by §11.4.90 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-90-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.90 for the full mandate.

§11.4.91 — Summary-Doc Clarity Mandate (cascaded from constitution submodule §11.4.91)

Verbatim user mandate (2026-05-27): *“Summary docs - Issues_Summary some not clear one line descriptions - like ‘Composes with’ ... For each workable item we MUST HAVE clearly understandable meaning ... every team member can clearly understand what that particular workable item is exactly about! There cannot be misunderstanding or unclarity of any kind and no bluff allowed!”*

Every summary entry (Issues_Summary, Fixed_Summary, README doc-link, Status_Summary pages 1+2, all one-liners) MUST contain a self-contained meaningful description ≥ 6 words OR ≥ 40 chars naming SUBJECT + PROBLEM/GOAL. Forbidden one-liner anti-patterns: section labels (Composes with, Closure criteria, Fix direction, etc.); bare metadata fragments (Critical, Bug, In progress, etc.); section-marker echoes; a §-letter alone. Generators (generate_issues_summary.sh / generate_fixed_summary.sh / update_readme_doc_links.sh / generate_status_summary.sh) MUST extract from the H1/H2 heading line per the §11.4.54 ATM-NNN convention, NEVER from arbitrary downstream text, and MUST refuse anti-pattern rows — emitting a (MISSING DESCRIPTION – fix source heading) placeholder with visual highlight. Gate CM-SUMMARY-CLARITY-DESCRIPTIONS scans every summary; an anti-pattern match = FAIL. Audit cadence: every §11.4.40 + §11.4.42 sweep.

Cascade requirement: This anchor (verbatim or by §11.4.91 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-

COVENANT-114-91-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.91 for the full mandate.

§11.4.92 — Multi-Pass Change-Evaluation Discipline (cascaded from constitution submodule §11.4.92)

Verbatim user mandate (2026-05-27): *“Every change to the project or codebase we do MUST BE evaluated in several passes and in in-depth analysis for potential new issues or problems it can introduce! ... no bluff of any kind! After we do change or set of changes this mandatory steps MUST BE taken!”*

Every non-trivial change MUST pass a 5-pass evaluation BEFORE it is commit-ready: **(Pass 1)** main-task verification — change achieves the stated goal, captured-evidence per §11.4.5/§11.4.69; **(Pass 2)** regression-blast-radius analysis — enumerate every direct dependency, demonstrate no contract break; **(Pass 3)** cross-feature interaction analysis — audit parallel features sharing state/timing/hardware/shell environment; **(Pass 4)** deep-research validation per §11.4.8 — external precedent OR “NO external solution found — original work” + CodeGraph queries per §11.4.78/§11.4.79; **(Pass 5)** anti-bluff confirmation per §11.4 / §11.4.1 / §11.4.6 / §11.4.27 / §11.4.50 / §11.4.52 / §11.4.69 / §11.4.83 — no new bluff surface introduced. Each pass is documented (commit footers OR docs/ entries OR qa-results/ evidence). Only after all 5 passes complete may commit/push/test/ release proceed. Trivial exemption: typo / revision-bump / MD-export-regen IF zero source touched AND the commit message cites the exemption explicitly. Gates CM-COVENANT-114-92-PROPAGATION + CM-MULTI-PASS-EVALUATION-EVIDENCE + paired §1.1 mutations.

Cascade requirement: This anchor (verbatim or by §11.4.92 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-92-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.92 for the full mandate.

§11.4.93 — SQLite-Backed Single-Source-of-Truth for Workable Items (cascaded from constitution submodule §11.4.93)

Verbatim user mandate (2026-05-27): *“There MUST be single source of truth for all of our workable items - SQLite database ... proper scripts (we recommend Go programs) ... reduce a chance for sync to be broken ... generate always all docs from DB or to re-generate Db from all docs we have in opposite direction”*

The text-based Issues/Fixed/Summary/CONTINUATION constellation is converted to a SQLite-DB-backed single source of truth. Schema mandatory tables: items (atm_id PK + Type + Status incl. Obsolete + Severity + title + description ≥40 chars + created/modified + composes_with JSON + current_location); item_history (append-only audit per §11.4.34 By/Reason/Evidence); obsolete_details (§11.4.90); operator_block_details (§11.4.21); firebase_metadata (§11.4.47); meta (schema version + last sync + integrity hash). A Go binary at cmd/workable-items/ provides sync md-to-db / db-to-md / diff / validate / add / close; bidirectional regen is byte-identical round-trip (closed-set whitespace/section-order tolerance). commit_all.sh refuses on non-empty diff; sync_issues_docs.sh invokes the Go binary; pre-build runs workable-items validate. Anti-bluff: unit + integration + stress (1000-row insert + 10 concurrent writers) + chaos (mid-write SIGKILL + corrupt-DB recovery + disk-full) + paired §1.1 mutation + HelixQA Challenge CME-WORKABLE-ITEMS-001. The Go binary lives in the constitution submodule (constitution/scripts/workable-items/) per §11.4.74. Gates CM-COVENANT-114-93-PROPAGATION + CM-WORKABLE-ITEMS-DB-PRESENT + CM-WORKABLE-ITEMS-MD-DB-IN-SYNC + paired §1.1 mutations. (NOTE: the DB tracking rule is AMENDED by §11.4.95 — DB is TRACKED, not gitignored.)

Cascade requirement: This anchor (verbatim or by §11.4.93 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-93-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker — text-based-only trackers are a §11.4 PASS-bluff at the data-architecture layer. **Canonical authority:** constitution submodule Constitution.md §11.4.93 for the full mandate.

§11.4.94 — Zero-Idle Priority-First Parallel-By-Default Operating Mode (cascaded from constitution submodule §11.4.94)

Verbatim user mandate (2026-05-27): *“We MUST NEVER sit iddle / wait or sleep if there is possibility for us to work on something ... Always check if there is a possibility to work on something while we are not working actively on something! Pick always by priority - most critical workable items and other tasks MUST BE done first! ... Stay still / iddle if nothing is left to be done at all or waiting for something that is blocking us / you!!!”*

§11.4.94 binds §11.4.20 + §11.4.42 + §11.4.58 + §11.4.70 + §11.4.72 + §11.4.82 + §11.4.87 + §11.4.88 + §11.4.89 into a single always-on enforcement: (A) idle ONLY when every queued item is genuinely blocked on an external dependency (hardware / network upstream / build/test completion the conductor cannot accelerate) OR operator STOP OR §12 host-safety — “don’t see what to do” is NEVER valid; (B) before ANY wake/sleep the conductor MUST survey parallel-work feasibility per §11.4.42 + §11.4.72 + §11.4.87, identify non-contending items, and dispatch in parallel per §11.4.20/§11.4.70 (subagent) + §11.4.58 (PWU disjoint scope) + §11.4.89 (background long tests); (C) priority order MANDATORY — pick highest-severity + §11.4.72 audio-first the conductor can autonomously progress; (D) subagent-driven default for non-trivial; (E) background default for >30 s wall-clock work via nohup+disown; (F) stability-preserving (composes with §11.4.92 multi-pass + §11.4.84 quiescence + §12.6–§12.9 host safety); (G) progress updates surfaced at milestone boundaries. Gates CM-COVENANT-114-94-PROPAGATION + CM-PARALLEL-WORK-AUDIT + paired §1.1 mutations.

Cascade requirement: This anchor (verbatim or by §11.4.94 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-94-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.94 for the full mandate.

§11.4.96 — Safe-Parallel-Work-With-Long-Build Catalogue + Mandate (cascaded from constitution submodule §11.4.96)

Verbatim user mandate (2026-05-27): *“Are there except AOSP build process any other active jobs being done at the moment? Can we work on something in parallel while build is in progress so we slowly cleanup our slate? ... do as much as possible work in background in parallel with main work stream and oreferably using subagents-driven approach!”*

An operational catalogue for the canonical long-running workload (multi-hour containerised build per §12.9). **SAFE during build:** (A) MD/docs work; (B) generator/helper script work under scripts/; (C) pre-build + meta-test gate authoring + paired §1.1 mutations; (D) on-device test scripts; (E) constitution submodule edits + push; (F) any submodule commit + push per §11.4.88; (G) read-only live-ADB probes (dumpsys/getprop/cat /proc/.../screencap/logcat); (H) subagent dispatch per §11.4.20/§11.4.70 + §11.4.84 quiescence; (I) web research + external API queries with §11.4.10 credentials; (J) workable-items DB ops per §11.4.93+§11.4.95; (K) backgrounded pre-build + meta-test execution per §11.4.89.

UNSAFE during build: (α) git checkout/reset --hard/clean -df on the source tree (use git worktree); (β) mass file deletes/renames under built source trees; (γ) submodule pointer updates affecting built artefacts; (δ) out/ mutations; (ε) make clean/m clobber/rm -rf out/; (ζ) container destruction; (η) disk-filling breaching §12.9 free-space minimum; (θ) §12 host-session-safety breaches.

Conductor responsibility: before EVERY pause point during a long build, consult the catalogue, identify (A)-(K) queue items per §11.4.42+§11.4.72, and dispatch ≥ 1 per §11.4.20/§11.4.70 subagent default + §11.4.89 background. “Build running, nothing else to do” is NEVER true per §11.4.94+§11.4.96. Gates CM-COVENANT-114-96-PROPAGATION + CM-PARALLEL-WORK-DURING-BUILD-AUDIT + paired §1.1 mutations.

Cascade requirement: This anchor (verbatim or by §11.4.96 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-96-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.96 for the full mandate.

§11.4.97 — Maximum-Use-of-Idle-Time + Progress-Update Cadence (cascaded from constitution submodule §11.4.97)

Verbatim user mandate (2026-05-27): *“keep it working, we should do as much as possible, if not it all but as much as we can as long as there is iddle time! it MUST be used! ... keep us updated about all progress and all phisycal proofs and gathered data as you progress through all open workable items!”*

Operating-mode capstone strengthening §11.4.87 + §11.4.94 + §11.4.96: (A) every minute of conductor idle time during which work could autonomously progress AND is not genuinely blocked = a §11.4.97 violation; “as much as possible, if not it all but as much as we can” is operative — dispatch CONTINUOUSLY through the entire idle window, not just at scheduled wakes; (B) progress-update cadence — emit an operator-facing 1-line update at every commit landed / subagent return / constitutional anchor / captured evidence / milestone closure, no operator prompt required; (C) continuous physical-proof gathering per §11.4.5 + §11.4.6 + §11.4.69 — every autonomous closure cites captured-evidence (evidence path goes into the §11.4.93 item_history.evidence_path when the DB lands); (D) composes with §11.4.5/6/13/20/27/42/50/52/69/70/72/83/85/87/88/89/94/96; (E) the idle-only-when-blocked closed-set is unchanged from §11.4.94(A). Gates CM-COVENANT-114-97-PROPAGATION + CM-IDLE-TIME-AUDIT + paired §1.1 mutations.

Cascade requirement: This anchor (verbatim or by §11.4.97 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-97-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.97 for the full mandate.

§11.4.69 — Universal Sink-Side Positive-Evidence Taxonomy + Mechanical Enforcement (cascaded from constitution submodule §11.4.69)

Verbatim user mandate (2026-05-20): *“THIS MUST HAPPEN NEVER AGAIN!!! We MUST HAVE this all working! Not just for audio but for every single piece of the System!!! Proper full automation when executed with success MUST MEAN that manual testing will be as much positive at least regarding the success results! ... Solution MUST BE*

universal, generic that solves working flows for all System components and for all future and all existing projects! ... Everything we do MUST BE validated and verified with rock-solid proofs and anti-bluff policy enforcement and fulfillment!”

Universal generalisation of §11.4.68 (audio-specific) across every user-visible feature class. Every user-visible feature MUST map to one entry in the closed-set §11.4.69 sink-side evidence taxonomy (audio_output, audio_input, video_display, network_throughput, network_connectivity, bluetooth_a2dp, bluetooth_pair, touch_input, sensor, gpu_render, storage_read, storage_write, mediacodec_decode, mediacodec_encode, miracast, cast, boot_service, package_install, permission_grant, wifi_link, wifi_throughput, ethernet_link, display_topology, drm_playback, subtitle_render — open to additions, never contraction). Every PASS for a feature in the taxonomy MUST cite a captured-evidence artefact path matching the required evidence shape. New helper contracts (additive during grace, mandatory after 2026-06-19): ab_pass_with_evidence <description> <evidence_path> (verifies path exists + non-empty), ab_skip_with_reason <description> <closed-set-reason> (reasons: geo_restricted, operator_attended, hardware_not_present, topology_unsupported, network_unreachable_external, feature_disabled_by_config; forbids network_unreachable_external for any taxonomy feature with a sink-side probe); bare ab_pass deprecated (WARN pre-grace, FAIL post-grace). Three pre-build gates + paired §1.1 mutations: CM-SINK-EVIDENCE-PER-FEATURE, CM-NO-FAIL-OPEN-SKIP, CM-AB-PASS-WITH-EVIDENCE-EVERYWHERE. No escape hatch — no --skip-evidence, --config-only-pass, --allow-fail-open-skip, --legacy-ab-pass-permitted flag.

Cascade requirement: This anchor (verbatim or by §11.4.69 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-69-PROPAGATION enforces the anchor literal across the consumer fleet; paired mutation strips the literal → gate FAILs. Severity-equivalent to a §11.4 PASS-bluff at the sink-side-evidence layer. **Canonical authority:** constitution submodule Constitution.md §11.4.69 for the full mandate.

§11.4.85 — Stress + Chaos Test Mandate (cascaded from constitution submodule §11.4.85)

Verbatim user mandate (2026-05-24): “Every fix or improvement you do MUST BE covered with full automation stress and chaos tests so we are sure nothing can break the

functionality and all edge cases are monitored and polished and additionally fixed if that is needed! Everything must produce rock solid proofs and follow fully no-bluff policy!”

Every fix or improvement landed MUST ship with full-automation **stress** AND **chaos** test suites exercising edge cases, sustained load, concurrent contention, and failure-injection. Happy-path coverage alone is a §11.4 / §107 PASS-bluff at the resilience layer. **Stress** (closed-set): sustained load ($N \geq 100$ iterations OR ≥ 30 s wall-clock, p50/p95/p99 latency recorded) + concurrent contention ($N \geq 10$ parallel invocations, no deadlock/leak) + boundary conditions (empty/max/off-by-one, each categorised). **Chaos** (closed-set, per fix-class appropriateness): process-death injection + network-fault injection (drop/delay/reorder) + input-corruption injection + resource-exhaustion injection (disk full, OOM, FD exhaustion — refuse cleanly OR degrade, NEVER crash) + state-corruption injection (mid-flight lock loss, partial-write). Every stress + chaos PASS MUST cite a captured-evidence artefact path per §11.4.5 + §11.4.69. Helper library `stress_chaos.sh` provides `ab_stress_run`, `ab_stress_concurrent`, `ab_chaos_kill_pid_during`, `ab_chaos_drop_network_during`, `ab_chaos_corrupt_file_during`, `ab_chaos_oom_pressure_during`, `ab_chaos_disk_full_during`, each composing with `ab_pass_with_evidence` / `ab_skip_with_reason`. Cleanup non-negotiable in trap `'...'` EXIT (cleanup failure = §11.4.14 violation). Four-layer coverage per §11.4.4(b) + paired §1.1 mutation (strip chaos-injection or evidence-capture → gate FAILs). No escape hatch — no `--skip-stress`, `--no-chaos`, `--happy-path-suffices`, `--stress-test-later` flag.

Cascade requirement: This anchor (verbatim or by §11.4.85 reference) MUST appear in every owned submodule’s `CONSTITUTION.md`, `CLAUDE.md`, and `AGENTS.md`. Propagation gate `CM-COVENANT-114-85-PROPAGATION`; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule `Constitution.md` §11.4.85 for the full mandate.

§11.4.87 — Endless-Loop Autonomous Work + Zero-Idle Agent Dispatch + Anti-Bluff Testing Mandate (cascaded from constitution submodule §11.4.87)

Verbatim user mandate (2026-05-26): *“continue in endless loop fully autonomously”* (and any semantically-equivalent phrasing).

When the operator instructs an AI agent to continue in an endless autonomous loop, the agent MUST treat it as a HARD-CONTRACT covenant: (A) continue working until `docs/Issues.md` Status-column

has zero non-terminal entries AND docs/CONTINUATION.md §3 Active work is empty AND no background subagent is mid-execution AND no external dependency is in-flight; (B) dispatch background subagents for parallelisable work — main + every subagent operate concurrently, “waiting for results” is the ONLY acceptable idle reason; (C) every closure lands four-layer test coverage per §11.4.4(b) with captured-evidence (audio/video/network/UI/sysfs physical proofs); (D) the §11.4 anti-bluff covenant family (§11.4.1 / §11.4.2 / §11.4.6 / §11.4.7 / §11.4.27 / §11.4.50 / §11.4.52 / §11.4.68 / §11.4.69 / §11.4.83) is the operative truth-discipline — tests AND HelixQA Challenges bound equally; (E) the loop terminates ONLY on all-conditions-met, explicit operator STOP, host-session-safety demand, or scheduled wake on a known-future-actionable signal. No escape hatch — no --idle-OK, --skip-endless-loop, --bluff-permitted-for-this-task, --metadata-only-test-suffices, --no-physical-proof-required flag.

Cascade requirement: This anchor (verbatim or by §11.4.87 reference) MUST appear in every owned submodule’s CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-87-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.87 for the full mandate.

§11.4.95 — Workable-Items SQLite DB Is TRACKED in Git, NEVER Gitignored (cascaded from constitution submodule §11.4.95)

Verbatim user mandate (2026-05-27): “We shall not Git ignore our workable items SQLite DB since it is our single source of truth ... workable items SQLite DB regularly committed and pushed to all upstreams!”

§11.4.93’s earlier “gitignored per §11.4.30” clause is AMENDED — the DB at docs/workable_items.db is TRACKED in git, NEVER gitignored. It IS authoritative source data, NOT a build artefact. Every workable-items sync md-to-db that mutates state MUST stage + commit + push the DB alongside the MD regen per §11.4.19 atomic-move + §2.1 multi-upstream push. A WAL-checkpoint (PRAGMA wal_checkpoint(TRUNCATE)) is required before commit-stage so the transient .db-wal + .db-shm sidecars (gitignored per §11.4.30) are safely discardable. The §11.4.77 regeneration mechanism does NOT apply — the DB IS the source. Destructive DB ops require §9.2 hardlinked-backup + operator authorization; §11.4.41 force-push merge-first applies if DB history ever needs rewrite. Gates CM-COVENANT-114-95-PROPAGATION + CM-WORKABLE-ITEMS-DB-TRACKED + paired §1.1 mutation.

Cascade requirement: This anchor (verbatim or by §11.4.95 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-95-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.95 for the full mandate.

§11.4.98 — Full-Automation Anti-Bluff Mandate (cascaded from constitution submodule §11.4.98)

Verbatim user mandate (2026-05-28): *“Make sure we have full automation testing of all scenarios with real bot, main group and users without any manual intervention or contribution of real user! Everything MUST BE fully automatic and autonomous! These tests MUST BE able to rerun endless times when needed! ... Make sure there is no false positives in testing! Every test and its results MUST obtain real proofs of everything working! No bluff is allowed!”*

Closes the manual-intervention gap (§11.4 / §11.4.2 / §11.4.5 / §11.4.50 / §11.4.85 / §11.4.87 / §11.4.89 / §11.4.94 did not explicitly forbid it). A live/integration/e2e/Challenge test that requires a human action during execution (typing a message, clicking UI, hand-triggering a webhook, attaching a file — anything beyond startup) is by definition a §11.4 PASS-bluff at the automation layer. (A) Every governed test — unit/integration/e2e/Challenge/stress/chaos/live — MUST be fully self-driving end-to-end, reporting PASS/FAIL/SKIP-with-reason without any further human action after startup. (B) Single permissible exception: one-time credential bootstrap performed OUTSIDE test execution (.env from vault, shell exports, OAuth at first install, MTPROTO session activation) — configuration, not test driving. (C) Live messenger/channel/agent tests: no “operator must type” prompts (drive programmatically via second account / webhook fixture / loopback); no hard-coded session UUIDs that collide with the active dev session (Herald 2026-05-28 `claude --resume silent exit -1` lesson); no 60 s human-response windows (§11.4.50 determinism violation); re-runnability proof — PASS at -count=3 consecutive automated invocations with self-cleaning state; §11.4.98 obsolescence audit classifies every existing test COMPLIANT vs NON-COMPLIANT; no silent-skip-reported-as-PASS or stale-evidence-as-fresh. (D) With §11.4.85 + §11.4.89 + §11.4.87 + §11.4.94 forms a continuously-validated, non-flake, anti-bluff regime. (F) Manual-dependency tests not rewritten within 30 days graduate to §11.4.90 Obsolete citing §11.4.98.

Cascade requirement: This anchor (verbatim or by §11.4.98 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-98-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.98 for the full mandate.

§11.4.99 — Latest-Source Documentation Cross-Reference Mandate (cascaded from constitution submodule §11.4.99)

Verbatim user mandate (2026-05-28): “Make sure we ALWAYS check against latest versions of services we use web / online docs before creating instructions! This situation is illustration of how we can misguide ourselves or get banned! ... These are mandatory rules / constraints and the result is consistency and safety of created instructions, guides and manuals!”

Misguidance-by-stale-docs is the same severity class as a §11.4 PASS-bluff at the documentation layer (Herald 2026-05-28 case: a first-draft MTPROTO guide recommended VoIP fallback numbers and omitted the recover@telegram.org pre-login email — both contradicted Telegram's official docs + the gotd/td maintainer guide and could have caused a permanent account ban). Closes the gap §11.4.92 Pass 4 alludes to but does not mandate. (A) Before committing any operator-facing instruction/guide/manual/troubleshooting/setup doc, the author MUST: (1) fetch the LATEST official online documentation of the documented service/library via WebFetch / MCP / direct browsing — NEVER training data, memory, or prior committed docs; (2) cross-reference every instruction step against that source; (3) seek secondary authoritative sources (maintainer SUPPORT.md, official changelogs, vetted community FAQs) when the official source is sparse/silent; (4) cite source URLs + date in a ## Sources verified footer in the doc; (5) cite a Sources verified <date>: <urls> footer in the commit message. (B) Negative findings (gaps/silences/contradictions) MUST be documented explicitly. (C) Docs older than 6 months are STALE — re-verify before citing as operator authority, at every vN.0.0 release boundary, on service breaking-change announcements, or on operator error reports. (D) Risk-classified services (messaging, cloud APIs, payment systems, AI/LLM providers, code-hosting, package managers) carry a 90-day max staleness + explicit safety warnings. (E) Composes with but

is INDEPENDENT of §11.4.92 Pass 4. (G) Commit missing either footer is BLOCKED at release-gate; stale-beyond-grace docs graduate to §11.4.90 Obsolete (Reason=stale-documentation).

Cascade requirement: This anchor (verbatim or by §11.4.99 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-99-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.99 for the full mandate.

§11.4.101 — Autonomous-Decision-Over-Blocking Mandate (cascaded from constitution submodule §11.4.101)

Verbatim user mandate (2026-05-28): “when working in endless working loop fully autonomously try to decide most properly about points which would block execution and wait for us. If we haven’t answered now work would be blocked whole night! If possible and if that will not cause any issues make proper and most reliable and safe decision so we achieve maximal efficiency and work gets fully done!”

In autonomous / endless-loop mode (per §11.4.87), the agent MUST minimize operator-blocking and make the safe, reliable, reversible decision itself so work is not stalled (e.g. overnight) waiting for input — §11.4.87 says keep working, §11.4.101 says HOW to clear the decision points. **Proceed-autonomously (closed-set, ALL must hold):** (a) the action is reversible OR has a captured pre-op backup per §9.2; (b) the safe choice is determinable from captured evidence per §11.4.6 (no guessing — LIKELY/probably/seems is NOT a determination); (c) a wrong choice's blast radius is bounded AND recoverable; (d) it composes with anti-bluff §11.4, host-safety §12, data-safety §9. **Block-only-when (BLOCK via the §11.4.66 interactive mechanism ONLY when ALL hold):** the action is irreversible AND high-blast-radius AND the safe choice cannot be determined from evidence — e.g. external-account state the agent cannot inspect, hardware it cannot access, destructive ops without backup, force-push (also §9.2 + §11.4.41), spending money or sending data to third parties. Operator-blocked per §11.4.21 is reached only after this rule fires AND the self-resolution-exhaustion audit completes. An unavoidable block parks one work unit — it does NOT pause the loop; the agent keeps progressing every non-blocked item in parallel per §11.4.87 + §11.4.94 (posing the question then going idle is a §11.4.94 + §11.4.97 violation). Classification: universal (§11.4.17).

Cascade requirement: This anchor (verbatim or by §11.4.101 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-101-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.101 for the full mandate.

§11.4.102 — Mandatory systematic-debugging activation + always-loaded skill-discovery + plugin-dependency availability (cascaded from constitution submodule §11.4.102)

Verbatim user mandate (2026-05-29): *“Make sure that we ALWAYS trigger / start the”/superpowers:systematic-debugging” skills when any issues happen! ... we MUST activate the skill(s) and make strongest efforts in full in depth analysis / debugging and determine root causes of all problem ... we MUST make sure that “/using-superpowers” skill is ALWAYS loaded, applied and used! All dependencies (plugins) that Claude Code or other market places are offering MUST BE installed if these are not already available for loading and use!”*

Three cooperating invariants — the difference between guess-and-retry and investigate-to-root-cause-first. **(A) Mandatory systematic-debugging activation.** On ANY spotted issue / bug / test failure / gate failure / regression / misalignment / inconsistency / unexpected behaviour, the agent MUST activate superpowers:systematic-debugging (or the platform-equivalent structured-debugging discipline) **BEFORE proposing, writing, or applying any fix** — the **Iron Law: NO FIXES WITHOUT ROOT CAUSE INVESTIGATION FIRST**. Full four-phase arc: root-cause → pattern → hypothesis → implementation (the fix is designed only against the proven root cause). Guess-and-retry, symptom-patching, and re-running a failed test hoping it passes (“probably transient / flaky”) WITHOUT a completed investigation are §11.4.102 violations; calling a failure transient/flaky/intermittent/probably-timing without captured forensic evidence is simultaneously a §11.4.6 (no-guessing) and §11.4.7 (demotion-evidence) violation. **(B) Mandatory always-loaded using-superpowers.** superpowers:using-superpowers (or the platform-equivalent skill-discovery / capability-index discipline) MUST be loaded and applied at session start and consulted before any task — survey available skills before acting on ANY request; if ANY skill could apply (even at 1% relevance) it MUST be invoked rather than improvised from memory. **(C) Mandatory plugin / dependency availability.** Every skill plugin / marketplace

package / capability dependency the project relies on MUST be installed + loadable BEFORE the dependent work proceeds; a missing plugin that blocks a mandated skill is a release-blocker until installed + confirmed loadable (confirm by observing the skill in the live capability list — install exit 0 ≠ skill loadable, per the §11.4.80 lesson). Composes with §11.4.4 / §11.4.6 / §11.4.7 / §11.4.8 / §11.4.43 / §11.4.70 / §11.4.82(A) / §11.4.92. Classification: universal (§11.4.17). No escape hatch — no --skip-systematic-debugging, --guess-and-retry-OK, --symptom-patch-permitted, --skip-skill-discovery, --plugin-optional, --missing-plugin-is-warning flag.

Cascade requirement: This anchor (verbatim or by §11.4.102 reference) MUST appear in every owned submodule's CONSTITUTION.md, CLAUDE.md, and AGENTS.md. Propagation gate CM-COVENANT-114-102-PROPAGATION; paired mutation strips the literal → gate FAILs. Release blocker. **Canonical authority:** constitution submodule Constitution.md §11.4.102 for the full mandate.