

API_REFERENCE

VisionEngine API Reference

pkg/analyzer

Interfaces

- Analyzer - Primary vision analysis interface
- VideoProcessor - Video analysis capabilities

Types

- Rect - Bounding box rectangle
- Size - Image dimensions
- UIElement - Detected UI element
- TextRegion - Detected text region
- VisualIssue - Detected visual problem
- Action - Navigation/interaction action
- ScreenIdentity - Unique screen identifier
- ScreenAnalysis - Full screen analysis result
- ScreenDiff - Screen comparison result
- KeyFrame - Video key frame

Functions

- NewStubAnalyzer() - Create stub analyzer (no OpenCV)
- NewStubAnalyzerWithProvider(provider) - Create stub with LLM vision

pkg/graph

Interfaces

- NavigationGraph - Directed graph of screens and transitions

Types

- `ScreenNode` - Node in the graph
- `Transition` - Directed edge
- `GraphSnapshot` - Serializable graph state

Functions

- `NewNavigationGraph()` - Create empty graph
- `ExportDOT(g)` - Export to Graphviz DOT
- `ExportJSON(g)` - Export to JSON
- `ExportMermaid(g)` - Export to Mermaid

pkg/llmvision

Interfaces

- `VisionProvider` - LLM vision API adapter

Types

- `ProviderConfig` - Provider configuration
- `FallbackProvider` - Multi-provider with fallback

Functions

- `NewOpenAIProvider(config)` - GPT-4o adapter
- `NewAnthropicProvider(config)` - Claude adapter
- `NewGeminiProvider(config)` - Gemini adapter
- `NewQwenProvider(config)` - Qwen-VL adapter
- `NewFallbackProvider(providers...)` - Fallback chain

pkg/config

Types

- `Config` - VisionEngine configuration

Functions

- `DefaultConfig()` - Sensible defaults
- `LoadFromEnv()` - Load from environment variables