HelixCode Extensions Catalog

HelixCode Extensions Catalog

Revision	1
Created	2026-09-23
Last modified	2026-09-23T00:35:58Z
Status	active
Status summary	—
Continuation	docs/CONTINUATION.md

Per-§11.4.228 (Cross-agent extension lifecycle mandate) catalog of EVERY skill registered under `scripts/skills_manifest.tsv` — the single T-P1.04.2 manifest `scripts/register_skills.sh` provisions from — with a per-platform compatibility matrix across the five governed CLI-agent platforms this constitution names as its minimum: Claude Code, OpenCode, HelixCode, Gemini CLI, Qwen Code. Generated FROM the manifest by `helix_code/scripts/extensions_catalog/generate_catalog.py` — **never hand-transcribed** — with a real, live filesystem probe per skill × platform cell, never a blank cell (§11.4.201(6)).

Closed status vocabulary (§11.4.228(A)(1)): `SUPPORTED` (verified working, real per-platform liveness probe this run) / `CONFIG-ONLY` (declared — this platform HAS a registrar targeting it — but not currently wired) / `UNTESTED` (this platform has NO registrar/wiring mechanism reaching this skill at all — an honest §11.4.197-tracked gap) / `UNSUPPORTED` (proven structurally impossible per §11.4.112 — unused by this generator; no platform here has been proven incapable of loading a Markdown-frontmatter skill).

Table of contents

- Compatibility matrix
- Per-skill detail
- Source tracking

Compatibility matrix

Skill	Claude Code	OpenCode	HelixCode	Gemini CLI	Qwen Code
action-prefix-system	SUPPORTED (.claude/skills/action-prefix-system)	UNTESTED (N/A)	SUPPORTED (.claude/skills/action-prefix-system (external tier))	UNTESTED (N/A)	UNTESTED (N/A)
media-validator	CONFIG-ONLY (.claude/skills/media-validator)	UNTESTED (N/A)	CONFIG-ONLY (.claude/skills/media-validator (external tier))	UNTESTED (N/A)	UNTESTED (N/A)
multitrack	CONFIG-ONLY (.claude/skills/multitrack)	UNTESTED (N/A)	CONFIG-ONLY (.claude/skills/multitrack (external tier))	UNTESTED (N/A)	UNTESTED (N/A)
reporting-workable-items	CONFIG-ONLY (.claude/skills/reporting-workable-items)	UNTESTED (N/A)	CONFIG-ONLY (.claude/skills/reporting-workable-items (external tier))	UNTESTED (N/A)	UNTESTED (N/A)
scheduled-work-queue	CONFIG-ONLY (.claude/skills/	UNTESTED (N/A)	CONFIG-ONLY (.claude/skills/scheduled-	UNTESTED (N/A)	UNTESTED (N/A)

Skill	Claude Code	OpenCode	HelixCode	Gemini CLI	Qwen Code
	scheduled-work-queue)		work-queue (external tier))		
session-sync	CONFIG-ONLY (.claude/skills/session-sync)	UNTESTED (N/A)	CONFIG-ONLY (.claude/skills/session-sync (external tier))	UNTESTED (N/A)	UNTESTED (N/A)
skill-catalog	SUPPORTED (.claude/skills/skill-catalog)	UNTESTED (N/A)	SUPPORTED (.claude/skills/skill-catalog (external tier))	UNTESTED (N/A)	UNTESTED (N/A)
workable-item-lifecycle	SUPPORTED (.claude/skills/workable-item-lifecycle)	UNTESTED (N/A)	SUPPORTED (.claude/skills/workable-item-lifecycle (external tier))	UNTESTED (N/A)	UNTESTED (N/A)

Per-skill detail

action-prefix-system

- **Owner (registrar):** constitution
- **Manifest source:** constitution/skills/action-prefix-system

Platform	Status	Loading path	Evidence / Note
Claude Code	SUPPORTED	.claude/skills/action-	symlink, SKILL.md read 6515 bytes (resolves to the manifest-declared

Platform	Status	Loading path	Evidence / Note
		`prefix-system`	source). Live-probed 2026-09-23T00:35:58Z.
OpenCode	UNTESTED	`N/A`	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	SUPPORTED	`.claude/skills/action-prefix-system (external tier)`	via external tier -> .claude/skills/action-prefix-system. helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to '.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/helixcode_wire/20260922T190852Z/ (green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	`N/A`	No .gemini/skills/ directory exists in this checkout (only .gemini/commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).
	UNTESTED	`N/A`	

Platform	Status	Loading path	Evidence / Note
Qwen Code			No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).

`media-validator`

- **Owner (registrar):** `constitution`
- **Manifest source:** `constitution/skills/media-validator`

Platform	Status	Loading path	Evidence / Note
Claude Code	CONFIG-ONLY	`.claude/skills/media-validator`	declared in scripts/skills_manifest.tsv; not present at .claude/skills/media-validator this run (live probe, 2026-09-23T00:35:58Z).
OpenCode	UNTESTED	`N/A`	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	CONFIG-ONLY	`.claude/skills/media-validator (external tier)`	external tier defaults to .claude/skills/media-validator (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); that directory does not currently carry this skill (declared in scripts/skills_manifest.tsv; not present at .claude/skills/media-validator this run (live probe, 2026-09-23T00:35:58Z).). helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to

Platform	Status	Loading path	Evidence / Note
			'.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/helixcode_wire/20260922T190852Z/ (green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	N/A	No .gemini/skills/ directory exists in this checkout (only .gemini/ commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).
Qwen Code	UNTESTED	N/A	No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).

`multitrack`

- **Owner (registrar):** `constitution`
- **Manifest source:** `constitution/skills/multitrack`

Platform	Status	Loading path	Evidence / Note
Claude Code	CONFIG-ONLY	`.claude/skills/multitrack`	declared in scripts/skills_manifest.tsv; not present at .claude/skills/multitrack this run (live probe, 2026-09-23T00:35:58Z).
OpenCode	UNTESTED	`N/A`	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	CONFIG-ONLY	`.claude/skills/multitrack (external tier)`	external tier defaults to .claude/skills/multitrack (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); that directory does not currently carry this skill (declared in scripts/skills_manifest.tsv; not present at .claude/skills/multitrack this run (live probe, 2026-09-23T00:35:58Z).). helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to '.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/helixcode_wire/20260922T190852Z/ (green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	`N/A`	No .gemini/skills/ directory exists in this checkout (only .gemini/

Platform	Status	Loading path	Evidence / Note
			commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).
Qwen Code	UNTESTED	`N/A`	No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).

`reporting-workable-items`

- **Owner (registrar):** `constitution`
- **Manifest source:** `constitution/skills/reporting-workable-items`

Platform	Status	Loading path	Evidence / Note
Claude Code	CONFIG-ONLY	`.claude/skills/reporting-workable-items`	declared in scripts/skills_manifest.tsv; not present at .claude/skills/reporting-workable-items this run (live probe, 2026-09-23T00:35:58Z).
OpenCode	UNTESTED	`N/A`	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	CONFIG-ONLY	`.claude/skills/reporting-`	external tier defaults to .claude/skills/reporting-workable-items (config-injectable via

Platform	Status	Loading path	Evidence / Note
		`workable-items (external tier)`	HELIXCODE_EXTERNAL_SKILLS_DIR); that directory does not currently carry this skill (declared in scripts/skills_manifest.tsv; not present at .claude/skills/reporting-workable-items this run (live probe, 2026-09-23T00:35:58Z).). helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to '.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/helixcode_wire/20260922T190852Z/ (green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	`N/A`	No .gemini/skills/ directory exists in this checkout (only .gemini/commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).
Qwen Code	UNTESTED	`N/A`	No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's

Platform	Status	Loading path	Evidence / Note
			own §11.4.228 forensic anchor names for this platform).

`scheduled-work-queue`

- **Owner (registrar):** `constitution`
- **Manifest source:** `constitution/skills/scheduled-work-queue`

Platform	Status	Loading path	Evidence / Note
Claude Code	CONFIG-ONLY	`.claude/skills/scheduled-work-queue`	declared in scripts/skills_manifest.tsv; not present at .claude/skills/scheduled-work-queue this run (live probe, 2026-09-23T00:35:58Z).
OpenCode	UNTESTED	`N/A`	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	CONFIG-ONLY	`.claude/skills/scheduled-work-queue (external tier)`	external tier defaults to .claude/skills/scheduled-work-queue (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); that directory does not currently carry this skill (declared in scripts/skills_manifest.tsv; not present at .claude/skills/scheduled-work-queue this run (live probe, 2026-09-23T00:35:58Z).). helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to '.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/helixcode_wire/20260922T190852Z/

Platform	Status	Loading path	Evidence / Note
			(green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	N/A	No .gemini/skills/ directory exists in this checkout (only .gemini/commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).
Qwen Code	UNTESTED	N/A	No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).

`session-sync`

- **Owner (registrar):** `constitution`
- **Manifest source:** `constitution/skills/session-sync`

Platform	Status	Loading path	Evidence / Note
Claude Code	CONFIG-ONLY	`.claude/skills/session-sync`	declared in scripts/skills_manifest.tsv; not present at .claude/skills/session-sync this run (live probe, 2026-09-23T00:35:58Z).

Platform	Status	Loading path	Evidence / Note
OpenCode	UNTESTED	`N/A`	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	CONFIG-ONLY	`.claude/skills/session-sync (external tier)`	external tier defaults to .claude/skills/ session-sync (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); that directory does not currently carry this skill (declared in scripts/skills_manifest.tsv; not present at .claude/skills/session-sync this run (live probe, 2026-09-23T00:35:58Z).). helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to '.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/helixcode_wire/20260922T190852Z/ (green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	`N/A`	No .gemini/skills/ directory exists in this checkout (only .gemini/commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own

Platform	Status	Loading path	Evidence / Note
			§11.4.228 forensic anchor names for this platform).
Qwen Code	UNTESTED	N/A	No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).

skill-catalog

- **Owner (registrar):** constitution
- **Manifest source:** constitution/skills/skill-catalog

Platform	Status	Loading path	Evidence / Note
Claude Code	SUPPORTED	.claude/skills/skill-catalog	symlink, SKILL.md read 2328 bytes (resolves to the manifest-declared source). Live-probed 2026-09-23T00:35:58Z.
OpenCode	UNTESTED	N/A	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	SUPPORTED	.claude/skills/skill-catalog (external tier)	via external tier -> .claude/skills/skill-catalog. helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to '.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/

Platform	Status	Loading path	Evidence / Note
			helixcode_wire/20260922T190852Z/ (green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	N/A	No .gemini/skills/ directory exists in this checkout (only .gemini/ commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).
Qwen Code	UNTESTED	N/A	No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).

`workable-item-lifecycle`

- **Owner (registrar):** `constitution`
- **Manifest source:** `constitution/skills/workable-item-lifecycle`

Platform	Status	Loading path	Evidence / Note
Claude Code	SUPPORTED	`.claude/skills/workable-`	symlink, SKILL.md read 4648 bytes (resolves to the manifest-declared

Platform	Status	Loading path	Evidence / Note
		`item-lifecycle`	source). Live-probed 2026-09-23T00:35:58Z.
OpenCode	UNTESTED	`N/A`	No .opencode/skills/ directory exists in this checkout and no registrar (scripts/register_skills.sh only ever writes .claude/skills/) targets one — zero recorded loading path this cycle, tracked per §11.4.197. .opencode/ here carries only SpecKit *commands* (.opencode/commands/), not skills.
HelixCode	SUPPORTED	`.claude/skills/workable-item-lifecycle (external tier)`	via external tier -> .claude/skills/workable-item-lifecycle. helix_code/internal/agent/skill_dirs.go ExternalSkillsDir() defaults to '.claude/skills' (config-injectable via HELIXCODE_EXTERNAL_SKILLS_DIR); the external tier's end-to-end load+list+invoke path is REAL-BINARY verified at qa-results/hxc159/helixcode_wire/20260922T190852Z/ (green_cli_e2e.txt). Honest boundary (§11.4.6, T-P5.05.4 in specs/001-helixskills-incorporation/tasks.md): the per-skill activation-allowlist/ceiling mechanism was NOT verifiable from within helix_code/'s own file scope this cycle — grep-confirmed zero Go implementation of a per-skill activation ceiling in this module.
Gemini CLI	UNTESTED	`N/A`	No .gemini/skills/ directory exists in this checkout (only .gemini/commands/, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).
	UNTESTED	`N/A`	

Platform	Status	Loading path	Evidence / Note
Qwen Code			No .qwen/skills/ directory exists in this checkout (only .qwen/commands/ + .qwen/settings.json, unrelated to the Agent-Skill format) and no registrar targets one — zero recorded loading path this cycle, tracked per §11.4.197 (the exact G1 gap the constitution's own §11.4.228 forensic anchor names for this platform).

Source tracking

Per §11.4.228(B): every extension's canonical source is machine-readable via `scripts/skills_manifest.tsv` itself (name, repo-relative source directory, owning registrar) — the manifest row IS this catalogue's `EXTENSION_SOURCE` record for every entry here (no separate `EXTENSION_SOURCE.yaml` per skill; the manifest already carries the same three fields at repo scope, avoiding a duplicated, driftable second record per §11.4.106). All eight entries are constitution-owned (`owner=constitution`) and SYMLINKED (never copied) from `constitution/skills/<name>/` into `.claude/skills/<name>` by `scripts/register_skills.sh` — the preferred-over-copies provenance §11.4.228(B)(2) requires.

Source manifest: `/home/milosvasic/Projects/helix_code/scripts/skills_manifest.tsv` (8 rows).