PHASE — anti_bluff Submodule: Incorporation Record

Field	Value
Revision	1
Last modified	2026-07-23T04:59:28Z
Author	(T1/main - claude1) BG-QUALITY-ROOTCAUSE Phase 4 subagent, Fable, §11.4.182
Mandate	Operator directive (verbatim in §0) — full incorporation via the constitution submodule, new `anti_bluff` repos under vasic-digital via GitHub + GitLab CLIs, out-of-the-box for every consumer
Inputs	`README.md` (this dir — 10 SOL docs + 11 POC suites, 65/65 GREEN RED-first), `../ROOT_CAUSE_ANALYSIS.md`, `../GAMECHANGERS_ANALYSIS.md`, `../TOOLING_STACK_VERIFICATION.md`
Classification	universal (§11.4.17) — the engine carries zero project literals; consumers supply DB path + vocabulary as DATA (§11.4.35)

. The operator's mandate (verbatim)

> "do full incorporation of everything into the Project and the System through the constitution Submodule to which we will add newly created Submodule (with newly created repos using GitHub and GitLab CLIs under vasic-digital organization)! Incorporated solution MUST WORK out of the box with any project which incorporates constitution Submodule as soon as they fetch and pull the changes and Submodule is cloned. Lets call the repo for new Submodule: anti_bluff."

. What shipped (this slice — genuinely-binding, self-validated seams)

Per the honest-scope rule this is the FIRST COHERENT SLICE (the three highest-leverage mechanisms per the measured ranking), not the whole program. Everything not listed here is OWED (§6) — nothing un-built is claimed.

Mechanism	Seam it binds	Shipped as	Golden-bad result (the self-validation)
SOL-03 needled measurement primitive	every load-bearing measurement	`lib/needle.sh` (`nq_absent` / `nq_count` / `nq_stream_contains`)	injected see-nothing grep → `INSTRUMENT-BLIND(2)`, never `CERTIFIED-ABSENT`; alternation query + literal needle → `NEEDLE-CLASS-MISMATCH(3)`; mid-line carrier does NOT satisfy an anchored query (negative control); 2 MB SIGPIPE payload read PRESENT by construction
SOL-01 status custody at the DB layer	status-write (triggers travel WITH the data — bind raw `sqlite3` writers) + build (full-table sweep)	`seams/status_custody/` (`apply_custody.sh` + templated triggers + `custody_sweep.sh`)	raw un-evidenced terminal `UPDATE` → `CUSTODY-REFUSED` (trigger abort); identical RED/GREEN fingerprints → refused (§11.4.115(F)); un-staged `Reopened` → refused; `item_history` UPDATE → refused; legacy DB flagged by sweep NAMING the item; open item NOT flagged (§11.4.201(1) negative control); empty table → `SWEEP-BLIND-OR-EMPTY(2)` never PASS

Mechanism	Seam it binds	Shipped as	Golden-bad result (the self-validation)
SOL-04 evidence-class-at-closure	status-write (the discriminator: runtime-vs-source at closure)	`seams/evidence_class/evidence_class_check.sh`	grep transcript wearing a runtime label → `WRONG-LAYER` ; fieldless label → `SHAPE-INCOMPLETE` ; artifact evidence for a user-visible defect → `CLASS-INSUFFICIENT` ; source-on-source ACCEPTED (negative control — no false refusal); unreadable evidence → `BLIND(2)`

Consumer-data surface (zero project literals, §11.4.28/§11.4.177): DB path via `--db` , terminal vocabulary via `AB_TERMINAL_STATUSES` (suffixed literals like `Fixed (→ Fixed.md)` proven in test case I), instrument via `SQLITE` / `NQ_GREP` . `install.sh` with no arguments REFUSES with usage — it never guesses a project's paths (§11.4.6). `apply_custody.sh` proves the refusal LIVE on the target DB inside a never-committed transaction (zero residue) before reporting success — `PROBE-REFUSED-OK` is the §11.4.108 runtime signature.

. TDD + evidence trail (§ . . — observed, not narrated)

1. **RED first:** all 4 test suites authored before any implementation existed; run captured at `test/evidence/RED_initial.txt` — 4/4 suites RED, exit 1.
2. **GREEN:** `test/evidence/GREEN_iter1.txt` + `GREEN_iter2.txt` — 4/4 suites, **41 checks PASS** (needle 9, custody 18, evidence-class 6, out-of-box 8), two iterations with IDENTICAL verdict lines and exit 0 (§11.4.50).
3. **A real defect was caught by the RED-capable suite during the build** (the suites are not ceremony): the first `apply_custody.sh` used a `sed "s\x01…"` substitution whose `\x01` is NOT a control character inside bash double quotes — the template marker survived, the triggers never landed, and 11 checks failed

loudly. Fixed by replacing sed with bash `${var//pat/rep}` (literal replacement side — no metacharacter surface) plus a post-substitution needle asserting the marker is gone. This is instrument trap class §11.4.201(7)(c) (the path is part of the instrument), consistent with the ledger in `README.md` §5.2.
[3]

4. Parse-clean per §11.4.67: `bash -n` OK on all 11 scripts.

. Repo creation — really created, CLI evidence (never faked)

Pre-flight control needles (§11.4.201(7)(b)): `gh auth status` → logged in as `milos85vasic`, and the instrument proven seeing by `gh repo view vasic-digital/continuum` → `{"name":"continuum","visibility":"PUBLIC"}`; `glab auth status` → logged in as `milos85vasic`, `glab repo view vasic-digital/continuum` returned the real project. Then:

Step	Command	Result
GitHub create	`gh repo create vasic-digital/anti_bluff --public …`	`https://github.com/vasic-digital/anti_bluff`, rc=0
GitLab create	`glab repo create vasic-digital/anti_bluff --public …`	`https://gitlab.com/vasic-digital/anti_bluff`, rc=0
Read-back (a tool's success message is not proof, §11.4.200)	`gh repo view` + `glab repo view` on the NEW repo	both resolve, `PUBLIC`
Push	`git push origin main` (origin push-fans to both mirrors, continuum pattern)	both `[new branch] main -> main`
Verify-after-write	`git ls-remote` on BOTH mirrors vs local HEAD	all three = `1e193e10bf-be6653db9ad18bfad-ff0767710f413`

. Constitution incorporation (§ . . + § . . (C))

1. Fetch-first: constitution `github/main` had moved `9261537..6fd244e` (3 doc-harvest commits, zero file overlap with other agents' uncommitted work — verified by `comm` of the two file sets); integrated `--ff-only` to `6fd244e`.
2. `git submodule add git@github.com:vasic-digital/anti_bluff.git submodules/anti_bluff` — depth-1 under the §11.4.28(C) carve-out, ships `helix-deps.yaml` (§11.4.31), nests ZERO further own-org submodules.
3. Cloned gitlink verified at `1e193e1` (== both mirrors).
4. Staged BY NAME (`.gitmodules` , `submodules/anti_bluff` , this record) — never `git add -A` (§11.4.26 step 4); other agents' in-flight files untouched.
5. Constitution HEAD after the incorporation commit + per-remote push results: recorded in the Phase-4 final report (the commit is made after this file is written so its own sha cannot appear inside itself — §11.4.6).

. The out-of-the-box proof (hermetic — not asserted, executed)

`test/test_out_of_box.sh` does exactly what a consumer does and nothing else: `git clone` of the COMMITTED tree into a throwaway consumer project → one documented command (`install.sh --db consumer.db --init`) → assertions. Result **8/8 PASS**, run TWICE: once inside the repo's own suite, and once again FROM THE INCORPORATED CLONE at `constitution/submodules/anti_bluff/` (the exact artifact consumers receive):

- OB2/OB3 — one-command install succeeds; installer output carries `PROBE-REFUSED-OK` (live refusal on the consumer DB, zero residue).
- OB4 — **a raw `sqlite3` un-evidenced terminal write on the consumer DB is REFUSED** (`CUSTODY-REFUSED`): the seam binds out of the box, even for writers that bypass every wrapper.
- OB5 — a full-custody write lands AND the DB writes its own audit row.

- OB6/OB7/OB8 — sweep, evidence-class checker, and needle library all run from the clone (the checker refuses a grep-echo; the needle certifies an absence only with a sighted needle).

An uncommitted implementation file cannot pass this test — only the shipped tree travels (§11.4.108 SOURCE≠ARTIFACT applied to the packaging itself).

. OWED (next slices — honest register, § . . tracked follow-ups)

Proven POCs exist for every item below under `solutions/poc/`; none of them is claimed shipped:

1. **SOL-02 coverage-aware verdict semantics at the release-tag seam** (absence of a verdict blocks like a FAIL; the fixture-B replay of the 61-guards/exit-0 incident) — next by measured leverage.
2. **Stop-seam completion gate + PostToolUse detective hooks** (ghost-edit checksum + exit-code) — the two unoccupied runtime seams from GAMECHANGERS_ANALYSIS.
3. **Go-native fuzzing corpus-replay** (committed crashers re-run in every `go test`) — the Go component of the submodule (this slice is pure bash+SQL; no Gin service is needed anywhere per the gamechangers finding).
4. **Deterministic conformance** (`go-arch-lint`-style, never similarity scoring); SOL-05 gate ledger + implementation ratchet; SOL-06 anchor-block integrity; SOL-07 intake dedup + writer-repair; SOL-08 scope coverage; SOL-09 detection-pressure scheduler; SOL-10 MU-layer mechanics.
5. **Consumer wiring** — `CM-*` pre-build gate code invoking `custody_sweep.sh` / `evidence_class_check.sh` from consuming projects' suites + paired §1.1 mutations (per §11.4.205 the wiring lands with its golden-bad in the SAME commit, as a separate tracked item per consumer); ATMOSphere's `docs/workable_items.db` adoption (schema mapping + the §11.4.66 operator-gated legacy-backlog ratchet per SOL-01 §6.2) is deliberately NOT done here — the conductor owns parent-repo integration.

6. **§11.4.85 stress/chaos suites** (trigger throughput under ≥10 concurrent writers is UNPROVEN — stated in the README's honest boundaries), `Obsolete` evidence shape, adoption lint for un-needled `| grep -q` sites, four-format doc exports for this record.

. Anti-bluff certification

- No PASS above is metadata-only: every mechanism's PASS is a captured refusal or acceptance OBSERVED in a real sqlite/bash execution, transcripts committed under `test/evidence/` in the anti_bluff repo at `1e193e1`.
- Every reported absence in this phase ran a control needle first (CLI auth needles, sqlite instrument needles, template-marker needle, sweep emptiness needle); `find -newermt` was not used anywhere.
- The repos were verified by READ-BACK and `ls-remote` fingerprint match, never by the creating tool's own success message.
- The out-of-box claim is made ONLY for what the hermetic test exercises (clone → install → custody seam binds + sibling instruments run); mechanisms in §6 are OWED and carry no out-of-box claim.
- RED transcripts precede the implementations (§11.4.224), and the one defect the suite caught mid-build (the sed substitution) is reported in §2.3, not hidden.