gate_helix_code_home_resolves.sh — Gate Guide

Revision: 1 **Last modified:** 2026-07-17T00:00:00Z

Overview

Pre-build gate `CM-HELIX-CODE-HOME-RESOLVES` — verifies the HelixCode home resolver exists, is parse-clean, and its companion doc is present. Phase 1 Task 1.1 gate for the HelixCode integration (INTEGRATION_PLAN.md §3).

Invariants

#	Name	Check
S1	script-exists	`helix_code_home.sh` exists AND is executable
S2	script-parseable	`bash -n` exits 0
S3	companion-doc	`helix_code_home.md` exists AND is non-empty

GREEN = 111, any 0 = FAIL.

Usage

```
# Run the gate
bash constitution/scripts/helix_code/gate_helix_code_home_resolves.sh

# Self-test (verifies golden-good/golden-bad fixtures)
bash constitution/scripts/helix_code/gate_helix_code_home_resolves.sh --selftest
```

Paired § . Mutation

The metatest strips the case-(b) auto-clone from `helix_code_home.sh` → the gate's functional invariant breaks → gate FAILs. Proves the gate is load-bearing, not a bluff.

Cross-references

- `docs/helix_code/INTEGRATION_PLAN.md` §3 Task 1.1
- `constitution/scripts/helix_code/helix_code_home.sh` — the resolver
- `constitution/docs/scripts/helix_code_home.md` — the resolver companion doc
- Constitution §11.4.6 (no-guessing), §11.4.18 (script docs)