11 4 93

workable-items — § . . SQLite-SSoT Go binary

Revision: 4 **Last modified:** 2026-08-25T00:00:00Z **Description:** Authoritative source-of-truth registry for every workable item in every consuming project. Bidirectional regen between SQLite DB and Markdown trackers per Constitution §11.4.93.

Overview

Per Constitution §11.4.93, every consuming project's workable-items inventory (Issues.md / Fixed.md / Issues_Summary.md / Fixed_Summary.md / Status.md fleet / CONTINUATION.md §3) is reconstructible from this DB-backed registry. The DB is the **authoritative** source; all Markdown / HTML / PDF surfaces are generator output.

Sync drift is mechanically impossible because every regeneration starts from the DB.

Layout

Path	Purpose
`schema.sql`	DDL — 6 tables: items + item_history + obsolete_details + operator_block_details + firebase_metadata + meta
`cmd/workable-items/main.go`	Go binary entrypoint (Phase 2 scaffold)
`pkg/itemsdb/`	SQLite access layer (Phase 2 scaffold)
`pkg/mdparser/`	Markdown→DB parser (Phase 3 scaffold)
`pkg/mdrender/`	DB→Markdown renderer (Phase 4 scaffold)
`tests/`	Unit + integration + stress + chaos tests per §11.4.85

Subcommands (implemented)

All subcommands below are implemented and tested against a real SQLite DB (no mocks). `--db <path>` is required by every subcommand.

```
workable-items sync md-to-db --db <p> [--issues <p>] [--fixed <p>]
                                    # parse Issues.md+Fixed.md → upsert DB
workable-items sync db-to-md --db <p> [--out-issues <p>] [--out-fixed <p>]
                                    # regen MD docs from DB (byte-
identical round-trip)
workable-items diff --db <p> [--issues <p>] [--fixed <p>] [--partial-
scope] | --db-only
                                    # show DB vs MD divergence (CI gate).
                                    # REFUSES rather than emit a verdict
it cannot
                                    # support: with NO Markdown path
(BOB-155), and
                                    # when the supplied path(s) do not
account for
                                    # every DB item's current_location
(BOB-186) —
                                    # e.g. --issues alone while the DB
holds Fixed
                                    # rows, which previously reported "in
sync"
                                    # having compared none of them.
                                    # --db-only     : DB-internal checks
only, reads
                                    #                 no Markdown (verdict
says so).
                                    # --partial-scope: compare only the
tracker(s)
                                    #                 supplied; the
verdict names the
                                    #                 locations it did NOT
cover and
                                    #                 never claims a full
sync.
workable-items validate --db <p>    # invariant + schema sanity (pre-build
gate)
workable-items add <type> <severity> --db <p> --title <T> --description
<D> [--id <id>] [--prefix <P>]
                                    # create a new Queued item in Issues;
--id
                                    # auto-generated as <PREFIX>-NNN when
absent
                                    # (PREFIX defaults to WIT). §11.4.91
floor
                                    # enforced on --description at entry.
workable-items update --id <ID> --db <p> [--title|--severity|--
```

```
description|--type|--status|--created-by|--assigned-to ...] [--location
Issues|Fixed]
                                    # mutate ONLY the explicitly-set
fields on an
                                    # existing item; regenerate body_md;
append an
                                    # item_history 'Updated' row
(§11.4.34). Rejects
                                    # unknown ids, no-field calls,
§11.4.91-short desc.
workable-items reopen --id <ID> --db <p> --why <reason> --who <AI|User> --
when <ISO> --incident <p> [--location Issues|Fixed]
                                    # set Status=Reopened with the four
§11.4.34
                                    # attribution facts (By/On/Reason/
Evidence). --why
                                    # drawn from the closed set: test-
failed |
                                    # manual-testing-detected | captured-
evidence-
                                    # contradicts | end-user-report |
cycle-re-
                                    # discovered | design-reconsidered.
ALL four
                                    # mandatory (a reopen is a §11.4.7
demotion).
workable-items block --id <ID> --db <p> --details <WHAT> [--why <T>] [--
unblock <T>] [--who <T>] [--location Issues|Fixed]
                                    # set Status=Operator-blocked + an
                                    # operator_block_details row
(§11.4.21). --details
                                    # (the WHAT) is mandatory and non-
empty.
workable-items close <atm-id> --db <p> --status <fixed|implemented|
completed|obsolete> --evidence <p>
                                    # atomic Issues→Fixed move (§11.4.19);
--evidence
                                    # mandatory (§11.4.5/§11.4.90);
records item_history.
workable-items report --db <p> [--by-type|--by-status|--by-severity|--by-
assigned|--by-creator|--obsolete-audit]
                                    # read-only grouped tally; --obsolete-
audit lists
                                    # Obsolete items + flags missing
§11.4.90 details.
workable-items export --db <p> [--out-dir <d>] [--no-formats] [--out-
```

```
issues <p>] [--out-fixed <p>]
                                    # regenerate Issues.md + Fixed.md
(byte-identical
                                    # round-trip) + Issues_Summary.md
(§11.4.12 open-
                                    # only Type×Status tally) +
Fixed_Summary.md
                                    # (§11.4.53 closed-only) + §11.4.65
HTML/PDF/DOCX
                                    # siblings via pandoc (--pdf-
engine=weasyprint).
                                    # Sibling steps are exec.LookPath-
gated: when
                                    # pandoc/weasyprint is absent the .md
is still
                                    # written + an honest message printed
— NO fake
                                    # sibling is fabricated (§6.J/
§11.4.6).
```

Positional and flag arguments may be given in either order (e.g. both `add Bug Critical --db x …` and `add --db x … Bug Critical` are accepted).

`add`, `update`, `reopen`, `block`, and `close` all mutate the DB *and* keep the §11.4.93 byte-identical round-trip intact: they generate / regenerate / move the canonical `## <ID> — <title>` item block + its `doc_segments` entry so a subsequent `sync db-to-md` regenerates a well-formed, re-parseable tracker (add is a stable fixed point; close round-trips and re-validates; update/reopen/ block regenerate `body_md` with the new status + any §11.4.34/§11.4.21 detail line embedded in the heading-adjacent meta block).

11 4 93 11 4 85

Anti-bluff coverage (mandatory per § . . + § . .)

Layer	Test
Unit	every CRUD operation + every schema invariant + closed-set validators
Integration	full MD→DB→MD round-trip byte-identical (modulo whitespace tolerance)
Stress per §11.4.85	1000-row insert; 10 concurrent writers; sustained read throughput
Chaos per §11.4.85	mid-write SIGKILL; corrupt-DB recovery; disk-full; FD exhaustion
Paired §1.1 mutation	strip CRUD function → unit test FAILs
HelixQA Challenge	`CME-WORKABLE-ITEMS-001` 11 4 93 exercises end-to-end DB→MD→DB→MD

6

-phase migration per § . . (consuming-project work)

1. **Phase 1** — Issues entry `§LA` filed, scope-locked.
2. **Phase 2** — Go binary scaffold + DDL committed (this PWU).
3. **Phase 3** — `sync md-to-db` lands + captures initial migration.
4. **Phase 4** — `sync db-to-md` lands + byte-identical round-trip CI gate.
5. **Phase 5** — Existing bash generators (`generate_issues_summary.sh` etc.) become Go-binary shims.
6. **Phase 6** — Legacy text-direct edits prohibited (pre-commit hook).

Composes with constitution anchors

§11.4 / §11.4.12 / §11.4.15 / §11.4.16 / §11.4.17 / §11.4.19 / §11.4.21 / §11.4.27 / §11.4.30 / §11.4.33 / §11.4.34 / §11.4.42 / §11.4.43 / §11.4.44 / §11.4.45 / §11.4.50 / §11.4.52 / §11.4.53 / §11.4.54 / §11.4.55 / §11.4.56 / §11.4.57 / §11.4.58 / §11.4.60 / §11.4.65 / §11.4.74 / §11.4.77 / §11.4.83 / §11.4.85 / §11.4.86 / §11.4.87 / §11.4.89 / §11.4.90 / §11.4.91 / §11.4.92.

Canonical authority

`../../Constitution.md` §11.4.93.