

Fixture: plan_struct_causes / golden-good

Minimal, well-formed register mirroring the real `specs/004-fast-dev-cycles/research.md` §2.1/§2.2 structure exactly (same heading text, same 9-column table shape) with FOUR rows, one of each real class (CONFIRMED x2, REFUTED, UNDETERMINED), every row's Class cell populated and every row's last ("Removed / measured by") cell populated, and a §2.2 table whose stated per-class counts agree exactly with §2.1's real tally. Expected `causes` verdict (SC-C-001): exit 0 -- no structural problem.

- Root-cause register

- Register table

RC	Cause	Origin	Class	Measured magnitude (named denominator)	Share of total cycle	Evidence	Settling evidence / what remains	Removed / measured by
RC-01	Fixture cause one	O1	CONFIRMED	1 of 1 fixture measurement	UN-MEASURED	fixture evidence line one	settling note (T-X01)	T-X01
RC-02	Fixture cause two	O2	CONFIRMED	1 of 1 fixture measurement	UN-MEASURED	fixture evidence line two	settling note (T-X02)	T-X02
RC-03	Fixture cause three	O3	REFUTED	fixture refutation note	n/a	fixture evidence line three	n/a	T-X03 (verification only, no removal task needed)
RC-04	Fixture cause four	O4	UNDETERMINED	fixture magnitude unmeasured	UN-MEASURED	fixture evidence line four	settling evidence needed (T-X04)	T-X04

. Register counts (machine count over the
Class column of § .)

Class	Rows	Row ids
CONFIRMED	2	RC-01, RC-02
REFUTED	1	RC-03
UNDETERMINED	1	RC-04
Total	4	