

CodeGraph — Status

Revision: 1 **Last modified:** 2026-05-28T12:03:15Z

Field	Value
Revision	1
Created	2026-05-28
Last modified	2026-05-28T12:03:15Z
Status	active
Status summary	Append-only ledger of every CodeGraph-related event for HelixCode (config changes, index regenerations, sync runs, validation probes). Per §11.4.78 (CodeGraph parent), §11.4.79 (own-org submodule inclusion), §11.4.80 (regular-update + sync automation), §11.4.45 / §11.4.56 (Status-doc shape). The weekly update + sync automation is INHERITED BY REFERENCE from the constitution submodule — invoke constitution/scripts/codegraph_update.sh and constitution/scripts/codegraph_sync.sh (never copied).
Issues	none
Issues summary	—
Fixed	HXC-017 (own-org submodule inclusion in index)
Continuation	sibling Status_Summary.md carries the operator-readable digest per §11.4.56.

Table of contents

- [Cadence + automation \(§11.4.80\)](#)
- [Index configuration \(§11.4.79\)](#)

- Event ledger

Cadence + automation (§11.4.80)

Per §11.4.80, HelixCode MUST run the CodeGraph update + sync automation at least weekly (cadence floor per §11.4.45 status-digest cadence). The two canonical scripts are **inherited by reference** from the constitution submodule (per §3 submodule inheritance) and MUST be invoked at their constitution-submodule paths — never copied into HelixCode:

- `constitution/scripts/codegraph_update.sh` — npm-installs the latest `@colbymchenry/codegraph`, verifies `codegraph --version` reflects the new version (anti-bluff: `npm exit 0` is not proof of a working binary), and appends old/new version to this ledger.
- `constitution/scripts/codegraph_sync.sh` — after a successful update runs `codegraph status → codegraph sync . → codegraph status → validation`, appending every step's output to this ledger.

Regeneration mechanism (per §11.4.77): `.codegraph/codegraph.db` is gitignored; `codegraph index . (full)` or `codegraph sync . (incremental)` regenerates it from `.codegraph/config.json` (tracked).

Index configuration (§11.4.79)

`.codegraph/config.json` (tracked) controls which paths enter the index. Per §11.4.79 the dependencies/ tree is split by submodule ownership:

INCLUDED — own-org submodules (full CLI access via vasic-digital + HelixDevelopment):

- `dependencies/vasic-digital/**` — ~55 own-org submodules (EventBus, Concurrency, Observability, Auth, Storage, VectorDB, Embeddings, Database, Cache, Messaging, Formatters, MCP_Module, RAG, Memory, Optimization, Plugins, Agentic, LLM_Ops, SelfImprove, Planning, Benchmark, ToolSchema, SkillRegistry, Models, LLMProvider, BackgroundTasks, DocProcessor, conversation, LLMOrchestrator, VisionEngine, Normalize, RedTeam, PliniusCommon, GandalfSolutions, AutoTemp, HyperTune, I-LLM, Streaming, Veritas, LeakHub, Claritas, Ouroborous, Config, Lazy, Watcher, Middleware, RateLimiter, I18n, Recovery, Document, Filesystem, TOON, ...).
- `dependencies/HelixDevelopment/**` — own-org submodules (DocProcessor, LLMOrchestrator, LLMProvider, VisionEngine, LLMsVerifier, Models, HelixMemory, HelixSpecifier, HelixLLM, DebateOrchestrator, ...).

EXCLUDED — third-party vendored submodules (per §11.4.74 no-match → vendor):

- dependencies/LLama_CPP/** — git@github.com:ggml-org/llama.cpp.git
- dependencies/Ollama/** — git@github.com:ollama/ollama.git
- dependencies/HuggingFace_Hub/** — git@github.com:huggingface/huggingface_hub.git

Credential/secret exclusions (per §11.4.10, belt-and-suspenders): the include list is code-extensions only (no .env / .key / .pem), and the exclude list additionally pins **/.env, **/.env.*, **/*.key, **/*.pem, **/secrets/** so no credential path can ever be indexed.

Event ledger

(events appended below by the automation; newest at the bottom)

2026-05-28T12:03:15Z — HXC-017 config fix: include own-org submodules, exclude only third-party (§11.4.79)

- **Defect:** .codegraph/config.json carried a blanket dependencies/** exclude that wrongly removed ALL own-org submodules (dependencies/vasic-digital/** + dependencies/HelixDevelopment/**) from the index — a §11.4.79 violation (own-org submodules MUST be INCLUDED; only third-party submodules excluded).
- **Fix:** replaced the blanket dependencies/** exclude with three specific third-party excludes (dependencies/LLama_CPP/**, dependencies/Ollama/**, dependencies/HuggingFace_Hub/**); added explicit credential excludes (**/.env, **/.env.*, **/*.key, **/*.pem, **/secrets/**) per §11.4.10.
- **Config JSON validity:** confirmed via python3 -c "import json;json.load(open('.codegraph/config.json'))" → VALID.
- **Index status BEFORE re-index:** Files 39,024 / Nodes 624,103 / Edges 1,643,200 / DB 1609.00 MB.
- **Index status AFTER re-index** (codegraph index ., exit 0): Files **76,044** / Nodes **1,255,974** / Edges **3,955,444** / DB 2617.24 MB. The +37,020 files / +631,871 nodes delta is the newly-included own-org submodule trees.
- **§11.4.79 anti-bluff probe (own-org symbol now resolves):**
 - codegraph query EventBus → dependencies/vasic-digital/event_bus/pkg/bus/bus.go:85  (would NOT have resolved under the old blanket dependencies/** exclude).
 - codegraph query helix_memory → dependencies/HelixDevelopment/helix_memory/pkg/config/config.go (+more) .

- codegraph query llama filtered to dependencies/LLama_CPP → **empty** ✓ (third-party correctly excluded).
- **HXC-017 status:** fully done — config fixed, re-index complete, own-org inclusion proven, third-party exclusion proven.

2026-05-29T06:37:00Z — codegraph_sync.sh @ /run/media/ milosvasic/DATA4TB/Projects/HelixCode

FAIL — codegraph sync exited non-zero. Tail of log: `` ` Syncing CodeGraph [2m] [0m (raw progress-spinner log line removed — was 25387 chars of ANSI noise from codegraph_sync.sh; see qa-results/ logs) (raw progress-spinner log line removed — was 3007584 chars of ANSI noise from codegraph_sync.sh; see qa-results/ logs)

2026-05-29 — codegraph 0.9.7 update: index/sync FAIL + §11.4.79 own-org regression (HXC-033)

Event: operator installed codegraph **0.9.7** on the host (codegraph --version → 0.9.7).

§11.4.80 post-update sync — FAILED (honest ledger, no bluff): - The 0.9.7 install reset the gitignored index DB (was 76,044 files / 1,255,974 nodes at HXC-017; dropped to 39,203). - constitution/scripts/codegraph_sync.sh ran codegraph sync . → exited before completing its 4 steps (index reached 43,073 files). - Full re-index codegraph index . → process **KILLED mid-run, no diagnostic / no exit code** (terminated by signal); index left at 54,207 files. Reproduced. - codegraph index . --force --quiet → **KILLED again, no diagnostic**; --force wiped + left only 4,630 files. - codegraph sync . --quiet → **exit 1** at 8,461 files. - Host memory ample (51 GiB free) — not an obvious §12.6 OOM.

§11.4.79 anti-bluff probe — FAILS: codegraph_search BundleTranslator (MCP) returns ONLY helix_code/internal/tools/askuser/... — the own-org dependencies/HelixDevelopment/llm_orchestrator/pkg/i18n/bundle.go symbol does NOT resolve. Own-org submodules are NOT reachable in the 0.9.7 index. **This is a §11.4.79 regression introduced by the 0.9.7 update.**

Not a config regression: tracked .codegraph/config.json is intact (git-clean) — own-org includes + §11.4.10 credential excludes (**/.env, **/*.key, **/secrets/**) all present.

Root cause: UNCONFIRMED (§11.4.6) — codegraph 0.9.7 index/sync terminate without an actionable diagnostic on this 76k-file repo. Not determinable from captured evidence whether it is a 0.9.7 stability bug, a submodule-traversal change, or a config-schema change. Filed as **HXC-033**; needs operator decision (downgrade to prior working version / upstream bug report / accept degraded index). Evidence: qa-results/codegraph_index_*.log, codegraph_recover_*.log.

2026-05-29 — codegraph 0.9.7 RESOLVED: wipe + init + re-index restored own-org index (HXC-033 → Fixed)

Resolution (operator-directed: “clear all indexed data fully and re-index — it MUST be a data-compatibility problem; ALWAYS index main + HelixDevelopment + vasic-digital”). Confirmed correct.

Root cause (now CONFIRMED, was UNCONFIRMED): codegraph **0.9.7 requires an explicit codegraph init** before index (behavioral change vs the prior version). The pre-0.9.7 index DB was incompatible; operating on it produced the failures. After a full wipe of the gitignored DB (codegraph.db/-wal/-shm; the 1.7 GB stale WAL was a tell) + codegraph init (tracked config.json preserved — own-org includes + §11.4.10 credential excludes intact) + codegraph index ., the index rebuilt cleanly.

Two earlier mis-diagnoses corrected (per §11.4.6 — stated here as the record): (1) “index crashes/killed mid-run” was a FAULTY pgrep pattern (codegraph index vs the real node ... codegraph.js index .) giving false “ENDED” reads — the process was simply slow (76k files); real ps showed it alive (~600 MB RSS, healthy, climbing). (2) “own-org symbols do not resolve” used the WRONG CLI verb (codegraph search — removed in 0.9.7; the verb is codegraph query) AND queried a stale MCP-server DB handle from before the re-index.

Result (CLI codegraph status on fresh 0.9.7 DB): Files **75,663** / Nodes **1,272,492** / Edges finalizing (1.7M→ toward ~3.95M; edge-enrichment phase runs async after node indexing).

§11.4.79 anti-bluff probe — PASS (codegraph query, fresh DB):
- NewBundleTranslator → dependencies/HelixDevelopment/
llm_orchestrator/pkg/il8n/bundle.go:34 (+ dependencies/vasic-digital/..., doc_processor) — 10 own-org hits. 

HelixDevelopment + vasic-digital both reachable. - EventBus → resolves.  - llama_model_load under dependencies/LLama_CPP → empty.  third-party correctly excluded.

Status.md hygiene fix: this ledger had bloated to 3.66 MB — a single 3,007,584-char line of raw ANSI progress-spinner output that constitution/scripts/codegraph_sync.sh dumped verbatim on its earlier FAIL. Stripped to 8 KB (all 7 real ledger entries preserved). FOLLOW-UP: codegraph_sync.sh should strip ANSI / not dump raw spinner logs into Status.md (constitution-submodule fix per §11.4.26).

Operational follow-up: the agent-facing codegraph **MCP server** (tools/codegraph/...serve --mcp, a separate install) holds the pre-wipe DB inode — it must be **restarted** to serve the fresh index to AI agents; the CLI query already reflects it.