

ledger

HelixCode Coverage Ledger (CONST-048 / §11.4.25)

Last regenerated: 2026-05-15 (mechanical, via `scripts/regenerate-coverage-ledger.sh` — round tag: `mechanical-regeneration`) **Sources:** Feature catalogue from `docs/user_manual/ZERO_BLUFF_USER_MANUAL.md`; test-type inventory from `helix_code/Makefile+helix_code/tests/`; submodule audit from `docs/improvements/submodule_owned.txt`; governance verifier from `scripts/verify-governance-cascade.sh`.

Mechanical-regeneration notes

This document was regenerated by `scripts/regenerate-coverage-ledger.sh`. The generator: - **Preserves** every VERIFIED cell from the prior edition (30 cells preserved this run). Promotions UNCONFIRMED: → VERIFIED happen ONLY when an operator hand-marks a cell after observing captured evidence per CONST-035 / §11.4.2. - **Refreshes** mechanical-signal cells (submodule layout, governance anchor cascade, test-type presence) based on the post-pull tree. - **Emits CONFLICT markers** when a hand-marked VERIFIED disagrees with a mechanical signal (e.g., the feature’s Challenge script just got deleted) — operator MUST resolve before the next release-gate sweep.

Six invariants per feature (CONST-048)

#	Invariant
1	Anti-bluff posture with captured runtime evidence (CONST-035)
2	Proof of working capability end-to-end on target topology
3	Implementation matches the documented promise
4	No open issues / bugs surfaced by the suite
5	Full documentation in sync per §11.4.12
6	Four-layer test floor (pre-build + post-build + runtime + mutation)

Cell-status vocabulary

Symbol	Meaning
VERIFIED	Positive evidence captured in the current cycle (path-to-evidence below)
PARTIAL	Some invariants pass, others UNCONFIRMED — see notes
UNCONFIRMED:	No captured evidence yet (per §11.4.6 — never claim PASS without it)
BLOCKED:	Operator-dependency (env, key, hardware) — Status: Operator-blocked
CONFLICT:	

Symbol	Meaning
	Mechanical signal contradicts hand-marked status — resolve before release
N/A	Invariant does not apply to this feature / platform combination

Supported platforms (9 platforms detected)

linux,macos,windows,ios,android,aurora-os,harmony-os,containers,headless

Feature × invariant rollup (30 features detected)

The per-feature row body is preserved from the prior hand-authored edition (close-out¹⁴) where present; new features get inserted as UNCONFIRMED: across all 6 invariants. Re-mark cells by hand after capturing evidence — the generator never auto-promotes.

The per-feature row body is preserved from the prior hand-authored edition (close-out¹⁴) where present; new features get inserted as UNCONFIRMED: across all 6 invariants. Re-mark cells by hand after capturing evidence — the generator never auto-promotes.

The per-feature row body is preserved from the prior hand-authored edition (close-out¹⁴) where present; new features get inserted as UNCONFIRMED: across all 6 invariants. Re-mark cells by hand after capturing evidence — the generator never auto-promotes.

The per-feature row body is preserved from the prior hand-authored edition (close-out¹⁴) where present; new features get inserted as UNCONFIRMED: across all 6 invariants. Re-mark cells by hand after capturing evidence — the generator never auto-promotes.

For brevity the per-platform breakout is collapsed into a single row per feature; the **Platforms** column lists which platforms ship the feature. The CLI surface (F01–F12 F14–F25 F26–F30) is platform-agnostic Go and runs on every supported platform. The desktop/mobile UI features are flagged per-platform.

Feature	Description	I1 anti-bluff	I2 E2E proof	I3
F01 First-Run Wizard	helixcode wizard interactive setup	UNCONFIRMED:	UNCONFIRMED:	V
F02 Permission rules	Allow / deny tool, allow / deny path	UNCONFIRMED:	UNCONFIRMED:	V
F03 Tool result persistence	Structured results to sessions//tool_results.jsonl	UNCONFIRMED:	UNCONFIRMED:	V
F04 Git Worktree Agent Isolation	/worktree create, /worktree exit	UNCONFIRMED:	UNCONFIRMED:	V
F05 Hooks	pre-tool/post-tool/on-error/on-commit	UNCONFIRMED:	UNCONFIRMED:	V

Feature	Description	I1 anti-bluff	I2 E2E proof	I3 n c
F06 MCP Full Lifecycle	/mcp commands	UNCONFIRMED:	UNCONFIRMED:	V
F07 Background Task System	task subcommand, long-running jobs + checkpoints	UNCONFIRMED:	UNCONFIRMED:	V
F08 Plan Mode	/plan on, /plan off	UNCONFIRMED:	UNCONFIRMED:	V
F09 Slash Commands	Built-in + user-defined	VERIFIED	VERIFIED	V
F10 Skill System	.md + frontmatter at ~/.config/helixcode/skills/	UNCONFIRMED:	UNCONFIRMED:	V
F11 Session Transcript & Resume	sessions list, sessions resume <id>	UNCONFIRMED:	UNCONFIRMED:	V
F12 LLM Providers (15 in Path A)	HELIX_LLM_PROVIDER=<provider> ./bin/cli	VERIFIED	VERIFIED	V
F13 LSP Integration	lsp list-servers, /lsp start <lang>, /lsp hover	UNCONFIRMED:	UNCONFIRMED:	V
F14 Sandboxed Shell Execution	read-only / workspace-write / danger-full-access	UNCONFIRMED:	UNCONFIRMED:	V
F15 Subagent Team	Task tool	UNCONFIRMED:	UNCONFIRMED:	V
F16 Telemetry	OpenTelemetry exporters	UNCONFIRMED:	UNCONFIRMED:	V
F17 Smart File Editing	4 formats auto-selected per model	UNCONFIRMED:	UNCONFIRMED:	V
F18 No-Flicker Rendering	render.yaml	VERIFIED	UNCONFIRMED:	V

Feature	Description	I1 anti-bluff	I2 E2E proof	I3 n
F19 Ask User Question	LLM-generated, locale-aware (CONST-046)	UNCONFIRMED:	UNCONFIRMED:	V
F20 Theme System	/theme list,/theme set,/theme reload	UNCONFIRMED:	UNCONFIRMED:	V
F21 Codex Approval Modes	suggest/auto-edit/full-auto/dangerously-bypass	UNCONFIRMED:	UNCONFIRMED:	V
F22 Aider Git Auto-Commit	/git_auto_commit on/off	UNCONFIRMED:	UNCONFIRMED:	V
F23 Cline Browser Tool	chromedp headless browser	UNCONFIRMED:	UNCONFIRMED:	V
F24 Project Memory	/memory show/add/clear	UNCONFIRMED:	UNCONFIRMED:	V
F25 Plandex Plan Trees	/plan tree,/plan rollback	UNCONFIRMED:	UNCONFIRMED:	V
F26 Workspace Manager	/workspace show/switch	UNCONFIRMED:	UNCONFIRMED:	V
F27 Aider Voice & Repomap	/repomap show,/voice on	UNCONFIRMED:	BLOCKED:	V
F28 Kilocode Refactoring	/refactor rename/extract,/impact	UNCONFIRMED:	UNCONFIRMED:	V
F29 RooCode Full Port	/roo agent <task>	UNCONFIRMED:	UNCONFIRMED:	V
F30 Continue IDE	IDE companion integration	UNCONFIRMED:	UNCONFIRMED:	V

Test-type matrix (CONST-050(B))

Test type	Tests dir present	Make target present	Status
unit	YES	YES	present
integration	YES	YES	present
e2e	YES	YES	present

Test type	Tests dir present	Make target present	Status
security	YES	YES	present
performance	YES	YES	present
benchmarking	YES (go test -bench=)	N/A	present (Go benchmark idiom)
ddos	NO	NO	MISSING
scaling	NO	NO	MISSING
chaos	NO	NO	MISSING
stress	NO	NO	MISSING
ui	NO	NO	MISSING
ux	NO	NO	MISSING
challenges	YES (./Challenges + tests/e2e/challenges/)	N/A	present
helixqa	YES (./HelixQA submodule)	N/A	present

Submodule × invariant rollup (CONST-051 audit summary)

Submodule	CONST-051(C) layout	Nested own-org submodules	Notes
Challenges	VERIFIED	0	
containers	VERIFIED	0	
submodules/doc_processor	VERIFIED	0	
submodules/helix_llm	VERIFIED	0	
submodules/helix_memory	VERIFIED	0	
submodules/helix_specifier	VERIFIED	0	
submodules/llm_orchestrator	VERIFIED	0	
submodules/llm_provider	VERIFIED	0	
submodules/llms_verifier	VERIFIED	0	
submodules/models	VERIFIED	0	
submodules/vision_engine	VERIFIED	0	
submodules/agentc	VERIFIED	0	
submodules/auth	VERIFIED	0	
submodules/auto_temp	VERIFIED	0	
submodules/background_tasks	VERIFIED	0	
submodules/benchmark	VERIFIED	0	

Submodule	CONST-051(C) layout	Nested own-org submodules	Notes
submodules/cache	VERIFIED	0	
submodules/claritas	VERIFIED	0	
submodules/concurrency	VERIFIED	0	
submodules/config	VERIFIED	0	
submodules/conversation	VERIFIED	0	
submodules/database	VERIFIED	0	
submodules/doc_processor	VERIFIED	0	
submodules/document	VERIFIED	0	
submodules/embeddings	VERIFIED	0	
submodules/event_bus	VERIFIED	0	
submodules/filesystem	VERIFIED	0	
submodules/formatters	VERIFIED	0	
submodules/ gandalf_solutions	VERIFIED	0	
submodules/hyper_tune	VERIFIED	0	
submodules/i18n	VERIFIED	0	
submodules/i_llm	VERIFIED	0	
submodules/lazy	VERIFIED	0	
submodules/leak_hub	VERIFIED	0	
submodules/llm_ops	VERIFIED	0	
submodules/llm_orchestrator	VERIFIED	0	
submodules/llm_provider	VERIFIED	0	
submodules/mcp_module	VERIFIED	0	
submodules/memory	VERIFIED	0	
submodules/messaging	VERIFIED	0	
submodules/middleware	VERIFIED	0	
submodules/models	VERIFIED	0	
submodules/normalize	VERIFIED	0	
submodules/observability	VERIFIED	0	
submodules/optimization	VERIFIED	0	
submodules/ouroborous	VERIFIED	0	
submodules/planning	VERIFIED	0	
submodules/plinius_common	VERIFIED	0	
submodules/plugins	VERIFIED	0	
submodules/rag	VERIFIED	0	

Submodule	CONST-051(C) layout	Nested own-org submodules	Notes
submodules/rate_limiter	VERIFIED	0	
submodules/recovery	VERIFIED	0	
submodules/red_team	VERIFIED	0	
submodules/self_improve	VERIFIED	0	
submodules/skill_registry	VERIFIED	0	
submodules/storage	VERIFIED	0	
submodules/streaming	VERIFIED	0	
submodules/tool_schema	VERIFIED	0	
submodules/toon	VERIFIED	0	
submodules/vector_db	VERIFIED	0	
submodules/veritas	VERIFIED	0	
submodules/vision_engine	VERIFIED	0	
submodules/watcher	VERIFIED	0	
github_pages_website	VERIFIED	0	
HelixAgent	VERIFIED	0	
helix_qa	VERIFIED	0	
panoptic	VERIFIED	0	
Security	VERIFIED	0	

Governance anchor cascade

Verifier result: **PASS**

```
=== Result: 0 failures ===
PASS
```

Full output: see `/tmp/coverage-ledger-verifier-*.log` for the most recent run.

Regeneration

```
bash scripts/regenerate-coverage-ledger.sh
```

The generator is idempotent. Run `ROUND_TAG=close-outNN bash scripts/regenerate-coverage-ledger.sh` to tag the regeneration with a specific round (default: mechanical-regeneration).

Honest gap inventory (mechanical signals)

- **UNCONFIRMED: cells preserved:** 36 (from prior edition). Promotions require captured-evidence per §11.4.2; the generator never promotes.
- **Owned submodules with nested own-org chains:** 0 total references across all submodules. Each non-zero CONST-051(C) layout cell above is a tracked remediation.
- **Test-type matrix:** see table above for present / partial / missing.

Audit trail

Date	Author	Round	Notes
2026-05-15	Claude Opus 4.7	round 41 close-out ¹³	First publication. Honest about UNCONFIRMED: cells. Closes Task #257 surface; generator script pending.
2026-05-15	Claude Opus 4.7	close-out-18-regen	Mechanical regeneration. Preserved 30 VERIFIED cells; refreshed 9 platform entries + 11 test-type rows + 46 nested-submodule signals. Verifier: PASS.
2026-05-15	Claude Opus 4.7	mechanical-regeneration	Mechanical regeneration. Preserved 30 VERIFIED cells; refreshed 9 platform entries + 11 test-type rows + 46 nested-submodule signals. Verifier: PASS.
2026-05-15	Claude Opus 4.7	mechanical-regeneration	Mechanical regeneration. Preserved 30 VERIFIED cells; refreshed 9 platform entries + 11 test-type rows + 46 nested-submodule signals. Verifier: PASS.
2026-05-15	Claude Opus 4.7	mechanical-regeneration	Mechanical regeneration. Preserved 30 VERIFIED cells;

Date	Author	Round	Notes
			refreshed 9 platform entries + 11 test-type rows + 0 nested-submodule signals. Verifier: PASS.

Sources verified 2026-05-29: internal-governance doc — no third-party-service operator instructions to cross-reference. This is HelixCode’s own CONST-048 feature × invariant rollup (F01–F30); external mentions (chromedp/ chromium, bubblewrap, tree-sitter, OpenTelemetry, Cognition) are stack-description notes attached to feature rows, not version-pinned setup instructions, and the LLM provider names in F12 (groq/ openrouter/mistral/deepseek + “10 remaining”) are LLMsVerifier-sourced at runtime per CONST-036 (helixcode llm models list) — deliberately NOT re-pinned here. Version authority per CLAUDE.md §3.1 (confirmed in-tree): inner module go 1.26, root go 1.25.2; PostgreSQL 15+; Redis 7+ — no stale build/Docker version pins in this doc to correct. Reviewed against the live tree on this date; no corrections required.