

competitor-baseline-2026-05-20

Competitor Wall-Clock Baseline — 20260520T133654Z

Speed-programme Phase 0 task **P0-T03**. Establishes the competitor numbers HelixCode must beat (R4 §3). Captured by `scripts/testing/competitor_speed_baseline.sh`.

Field	Value
Host	Linux 6.12.61-6.12-alt1 x86_64
Generated (UTC)	20260520T133654Z
Runs per scenario	3
Timing tool	/usr/bin/time

Measured wall-clock

Agent	Command	Scenario	Median	Detail
Claude Code	claude	S1 cold-start	111 ms	min 102 / mean 110 / max 117 ms (n=3)
Gemini CLI	gemini	S1 cold-start	2015 ms	min 1920 / mean 1988 / max 2031 ms (n=3)
Aider	aider	S1 cold-start	645 ms	min 624 / mean 651 / max 685 ms (n=3)
Cline	cline	S1 cold-start	SKIP-OK	not installed on host
Crush	crush	S1 cold-start	128 ms	min 117 / mean 127 / max 136 ms (n=3)
OpenCode	opencode	S1 cold-start	1025 ms	min 970 / mean 1018 / max 1060 ms (n=3)
Qwen Code	qwen	S1 cold-start	919 ms	min 887 / mean 916 / max 943 ms (n=3)

S1 cold-start = `<agent> --version` wall-clock — a safe, no-LLM-cost, repeatable measurement. SKIP-OK rows are agents not installed on this host; per CONST-035 / §11.4.6 no number is fabricated for them.

S2-S4 (LLM-invoking): skipped — they would cost real API tokens. Set `COMPETITOR_BENCH_LLM=1` to opt in. The S1 cold-start figures above are the default no-cost baseline (CONST-050: no fake LLM, no fabricated number).

Raw time evidence (anti-bluff — independently checkable)

Claude Code (claude) — S1 cold-start

binary: /home/milosvasic/.local/bin/claude samples (ms): 111 117 102 median: 111 ms | mean: 110 ms | min: 102 ms | max: 117 ms

```
run 1: wall=111ms rc=0
  2.1.143 (Claude Code)
    Command being timed: "claude --version"
    User time (seconds): 0.06
    System time (seconds): 0.04
    Percent of CPU this job got: 102%
    Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.10
    Average shared text size (kbytes): 0
    Average unshared data size (kbytes): 0
    Average stack size (kbytes): 0
    Average total size (kbytes): 0
    Maximum resident set size (kbytes): 203280
    Average resident set size (kbytes): 0
    Major (requiring I/O) page faults: 0
    Minor (reclaiming a frame) page faults: 18757
    Voluntary context switches: 75
    Involuntary context switches: 42
    Swaps: 0
    File system inputs: 0
    File system outputs: 0
    Socket messages sent: 0
run 2: wall=117ms rc=0
  2.1.143 (Claude Code)
    Command being timed: "claude --version"
    User time (seconds): 0.07
    System time (seconds): 0.04
    Percent of CPU this job got: 103%
    Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.11
    Average shared text size (kbytes): 0
    Average unshared data size (kbytes): 0
    Average stack size (kbytes): 0
    Average total size (kbytes): 0
    Maximum resident set size (kbytes): 202640
    Average resident set size (kbytes): 0
    Major (requiring I/O) page faults: 0
    Minor (reclaiming a frame) page faults: 18551
    Voluntary context switches: 99
    Involuntary context switches: 164
    Swaps: 0
    File system inputs: 0
    File system outputs: 0
    Socket messages sent: 0
```

```
run 3: wall=102ms rc=0
2.1.143 (Claude Code)
  Command being timed: "claude --version"
  User time (seconds): 0.06
  System time (seconds): 0.03
  Percent of CPU this job got: 104%
  Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.09
  Average shared text size (kbytes): 0
  Average unshared data size (kbytes): 0
  Average stack size (kbytes): 0
  Average total size (kbytes): 0
  Maximum resident set size (kbytes): 203252
  Average resident set size (kbytes): 0
  Major (requiring I/O) page faults: 0
  Minor (reclaiming a frame) page faults: 18760
  Voluntary context switches: 83
  Involuntary context switches: 107
  Swaps: 0
  File system inputs: 0
  File system outputs: 8
  Socket messages sent: 0
```

Gemini CLI (gemini) — S1 cold-start

binary: /home/milosvasic/.npm-global/bin/gemini samples (ms): 2031 2015 1920 median: 2015
ms | mean: 1988 ms | min: 1920 ms | max: 2031 ms

```
run 1: wall=2031ms rc=0
0.33.2
  Command being timed: "gemini --version"
  User time (seconds): 2.38
  System time (seconds): 0.28
  Percent of CPU this job got: 131%
  Elapsed (wall clock) time (h:mm:ss or m:ss): 0:02.02
  Average shared text size (kbytes): 0
  Average unshared data size (kbytes): 0
  Average stack size (kbytes): 0
  Average total size (kbytes): 0
  Maximum resident set size (kbytes): 234212
  Average resident set size (kbytes): 0
  Major (requiring I/O) page faults: 0
  Minor (reclaiming a frame) page faults: 58960
  Voluntary context switches: 673
  Involuntary context switches: 299
  Swaps: 0
  File system inputs: 0
  File system outputs: 96
  Socket messages sent: 0
run 2: wall=2015ms rc=0
0.33.2
  Command being timed: "gemini --version"
  User time (seconds): 2.40
  System time (seconds): 0.27
```

```
Percent of CPU this job got: 132%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:02.01
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 232532
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 62428
Voluntary context switches: 609
Involuntary context switches: 144
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0
run 3: wall=1920ms rc=0
0.33.2
Command being timed: "gemini --version"
User time (seconds): 2.31
System time (seconds): 0.25
Percent of CPU this job got: 134%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:01.91
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 232264
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 59879
Voluntary context switches: 707
Involuntary context switches: 117
Swaps: 0
File system inputs: 0
File system outputs: 8
Socket messages sent: 0
```

Aider (aider) — S1 cold-start

binary: /home/milosvasic/.local/bin/aider samples (ms): 624 645 685 median: 645 ms | mean: 651 ms | min: 624 ms | max: 685 ms

```
run 1: wall=624ms rc=0
aider 0.86.2
Command being timed: "aider --version"
User time (seconds): 0.57
System time (seconds): 0.04
Percent of CPU this job got: 100%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.62
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
```

```

Average total size (kbytes): 0
Maximum resident set size (kbytes): 73100
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 15165
Voluntary context switches: 9
Involuntary context switches: 10
Swaps: 0
File system inputs: 256
File system outputs: 0
Socket messages sent: 0
run 2: wall=645ms rc=0
aider 0.86.2
  Command being timed: "aider --version"
  User time (seconds): 0.59
  System time (seconds): 0.04
  Percent of CPU this job got: 100%
  Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.64
  Average shared text size (kbytes): 0
  Average unshared data size (kbytes): 0
  Average stack size (kbytes): 0
  Average total size (kbytes): 0
  Maximum resident set size (kbytes): 73032
  Average resident set size (kbytes): 0
  Major (requiring I/O) page faults: 0
  Minor (reclaiming a frame) page faults: 15164
  Voluntary context switches: 9
  Involuntary context switches: 8
  Swaps: 0
  File system inputs: 0
  File system outputs: 0
  Socket messages sent: 0
run 3: wall=685ms rc=0
aider 0.86.2
  Command being timed: "aider --version"
  User time (seconds): 0.63
  System time (seconds): 0.04
  Percent of CPU this job got: 99%
  Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.68
  Average shared text size (kbytes): 0
  Average unshared data size (kbytes): 0
  Average stack size (kbytes): 0
  Average total size (kbytes): 0
  Maximum resident set size (kbytes): 73116
  Average resident set size (kbytes): 0
  Major (requiring I/O) page faults: 0
  Minor (reclaiming a frame) page faults: 15171
  Voluntary context switches: 9
  Involuntary context switches: 8
  Swaps: 0
  File system inputs: 0
  File system outputs: 0
  Socket messages sent: 0

```

Cline (cline) — SKIP-OK

CONST-§11.4.3 topology-dispatch: cline not found on PATH; no number fabricated.

Crush (crush) — S1 cold-start

binary: /home/milosvasic/.npm-global/bin/crush samples (ms): 136 117 128 median: 128 ms |
mean: 127 ms | min: 117 ms | max: 136 ms

```
run 1: wall=136ms rc=0
      crush version v0.56.0
        Command being timed: "crush --version"
        User time (seconds): 0.14
        System time (seconds): 0.03
        Percent of CPU this job got: 134%
        Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.13
        Average shared text size (kbytes): 0
        Average unshared data size (kbytes): 0
        Average stack size (kbytes): 0
        Average total size (kbytes): 0
        Maximum resident set size (kbytes): 75104
        Average resident set size (kbytes): 0
        Major (requiring I/O) page faults: 0
        Minor (reclaiming a frame) page faults: 11324
        Voluntary context switches: 301
        Involuntary context switches: 19
        Swaps: 0
        File system inputs: 0
        File system outputs: 0
        Socket messages sent: 0
run 2: wall=117ms rc=0
      crush version v0.56.0
        Command being timed: "crush --version"
        User time (seconds): 0.12
        System time (seconds): 0.03
        Percent of CPU this job got: 140%
        Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.11
        Average shared text size (kbytes): 0
        Average unshared data size (kbytes): 0
        Average stack size (kbytes): 0
        Average total size (kbytes): 0
        Maximum resident set size (kbytes): 73728
        Average resident set size (kbytes): 0
        Major (requiring I/O) page faults: 0
        Minor (reclaiming a frame) page faults: 11543
        Voluntary context switches: 282
        Involuntary context switches: 7
        Swaps: 0
        File system inputs: 0
        File system outputs: 0
        Socket messages sent: 0
run 3: wall=128ms rc=0
      crush version v0.56.0
```

```
Command being timed: "crush --version"
User time (seconds): 0.13
System time (seconds): 0.03
Percent of CPU this job got: 137%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.12
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 72540
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 11430
Voluntary context switches: 269
Involuntary context switches: 10
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0
```

OpenCode (opencode) — S1 cold-start

binary: /home/milosvasic/.opencode/bin/opencode samples (ms): 1060 970 1025 median: 1025
ms | mean: 1018 ms | min: 970 ms | max: 1060 ms

run 1: wall=1060ms rc=0

1.14.41

```
Command being timed: "opencode --version"
User time (seconds): 1.13
System time (seconds): 0.18
Percent of CPU this job got: 125%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:01.05
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 271512
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 54936
Voluntary context switches: 1648
Involuntary context switches: 883
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0
```

run 2: wall=970ms rc=0

1.14.41

```
Command being timed: "opencode --version"
User time (seconds): 1.09
System time (seconds): 0.13
Percent of CPU this job got: 127%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.96
```

```
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 272056
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 54384
Voluntary context switches: 1918
Involuntary context switches: 1091
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0
run 3: wall=1025ms rc=0
1.14.41
Command being timed: "opencode --version"
User time (seconds): 1.14
System time (seconds): 0.14
Percent of CPU this job got: 126%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:01.02
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 275816
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 55452
Voluntary context switches: 1722
Involuntary context switches: 788
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0
```

Qwen Code (qwen) — S1 cold-start

binary: /home/milosvasic/.npm-global/bin/qwen samples (ms): 887 919 943 median: 919 ms |
mean: 916 ms | min: 887 ms | max: 943 ms

```
run 1: wall=887ms rc=0
0.14.5
Command being timed: "qwen --version"
User time (seconds): 0.89
System time (seconds): 0.11
Percent of CPU this job got: 114%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.88
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 218432
```



```

Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 55465
Voluntary context switches: 305
Involuntary context switches: 27
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0
run 2: wall=919ms rc=0
0.14.5
Command being timed: "qwen --version"
User time (seconds): 0.93
System time (seconds): 0.13
Percent of CPU this job got: 116%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.91
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 227436
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 57994
Voluntary context switches: 296
Involuntary context switches: 67
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0
run 3: wall=943ms rc=0
0.14.5
Command being timed: "qwen --version"
User time (seconds): 0.96
System time (seconds): 0.12
Percent of CPU this job got: 115%
Elapsed (wall clock) time (h:mm:ss or m:ss): 0:00.93
Average shared text size (kbytes): 0
Average unshared data size (kbytes): 0
Average stack size (kbytes): 0
Average total size (kbytes): 0
Maximum resident set size (kbytes): 227764
Average resident set size (kbytes): 0
Major (requiring I/O) page faults: 0
Minor (reclaiming a frame) page faults: 57817
Voluntary context switches: 274
Involuntary context switches: 54
Swaps: 0
File system inputs: 0
File system outputs: 0
Socket messages sent: 0

```