

CHANGELOG

Changelog

All notable changes to HelixCode are recorded here. Format loosely follows [Keep a Changelog](#). Release tags are **helixcode-prefixed semver**: `helixcode-vX.Y.Z`.

[helixcode-v1.0.0] — 2026-06-15

First release tag.

Release-gate evidence (all green)

- `go build ./...` → exit 0 (whole inner module `dev.helixcode`).
- Unit suite `go test -short ./...` → **188 packages, 0 failures**.
- Anti-bluff smoke (CONST-035) → **0 real production bluffs**.
- Integration e2e against a **live LLM provider** (real round-trips, no mocks): `POST /api/v1/llm/generate`, `POST /api/v1/llm/stream` (token-by-token SSE + `[DONE]`), `browser` → `server` → `provider` → `browser` (chromedp, real DOM), and `POST /api/v1/specify` (real 2-agent speckit debate) — all PASS.
- Durable cross-session memory (sqlite `DiskStore`): `persist` → `restart` → `recall` proven.

Runtime evidence: `docs/qa/web-llm-e2e-20260615/`.

Added

- Honest TUI context-window USED-% indicator — real per-session token accounting, omits when the model window is unknown (CONST-035) (HXC-077).
- Overlapping-skill precedence guard — deterministic lexicographic resolution coverage (HXC-078).
- Internal-package `i18n` wiring on **all** entry paths (`cmd/server`, TUI, desktop, `aurora_os`, `harmony_os`) so user-facing strings resolve for real users while the loud raw-key default is preserved (HXC-099).
- Runtime e2e suites for the web LLM endpoints — `/generate`, `/stream`, `browser`, `/specify` (HXC-103, HXC-105).
- `helix_agent` durable-fallback path-resolver test coverage — `persist`→`restart`→`recall` through the production-chosen disk store (HXC-106).

Fixed

- `streamLLM` production hang: `chunkChan` was never closed, so `[DONE]` was never emitted and **every** `/api/v1/llm/stream` request hung until the 120s deadline (HXC-104).
- `security` TLS test: removed a live external-network dependency and a `nil-deref` panic that crashed the whole `security` test binary (HXC-101).
- Out-of-box config: a `config.json` omitting `version/server.port` no longer fails validation — the JSON load path now merges viper defaults (HXC-098).
- `harmony_os` REPL Goodbye!/Error strings routed through `i18n` (HXC-102).
- `/specify` + `/debate` min-agents wiring and model-tag parsing (earlier in cycle).

Docs / hygiene

- docs/CONTINUATION.md de-bloated (line-1 header 54,856 → 2,931 chars) and resynced; CONST-064 metadata table + ToC restored (HXC-100).
- SQLite-backed workable-items tracker kept in sync; every closure carries captured RED→GREEN evidence.

Known gaps (NOT headlessly validated in this release gate)

- Mobile clients (iOS / Android / Aurora OS / Harmony OS) and GUI desktop feature recordings require simulator / device / display access.