

# Issues\_Summary

Open workable items (current\_location = Issues), regenerated from the SQLite single-source-of-truth (§11.4.12).

## Counts by Type × Status

| Type    | Status                   | Count |
|---------|--------------------------|-------|
| Bug     | Fixed (→ Fixed.md)       | 19    |
| Bug     | Queued                   | 2     |
| Feature | Implemented (→ Fixed.md) | 3     |
| Feature | Queued                   | 2     |
| Task    | Completed (→ Fixed.md)   | 18    |
| Task    | Fixed (→ Fixed.md)       | 1     |
| Task    | Queued                   | 3     |
| TOTAL   |                          | 48    |

## Items

| ATM ID  | Type    | Status                 | Severity | Description                                                                         |
|---------|---------|------------------------|----------|-------------------------------------------------------------------------------------|
| HXA-001 | Bug     | Fixed (→ Fixed.md)     | —        | helix_agent handler tests surface after round-109 fix                               |
| HXA-002 | Bug     | Fixed (→ Fixed.md)     | —        | helix_agent debate/llmprovider sibling-submodule API drift                          |
| HXA-003 | Bug     | Fixed (→ Fixed.md)     | —        | venice TestGetCapabilities mod drift (CONST-037)                                    |
| HXC-001 | Task    | Completed (→ Fixed.md) | —        | CONST-052 rename programme: repo directories still PascalCase - CLOSED (→ Fixed.md) |
| HXC-002 | Bug     | Fixed (→ Fixed.md)     | —        | Round-74 residual LOGIC-class F (CLOSED)                                            |
| HXC-003 | Feature |                        | High     |                                                                                     |

| ATM ID   | Type    | Status                         | Severity                                                                                                                 | Description                                                                                                                                                  |
|----------|---------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          |         | Implemented<br>(→<br>Fixed.md) |                                                                                                                          | CONST-046 i18n migration backl<br>CLOSED (migrated to docs/Fixed                                                                                             |
| HXC-004  | Bug     | Fixed (→<br>Fixed.md)          | —                                                                                                                        | Recovery-batch under-verification<br>(40% FAIL rate per round-193 au<br>cmd/<br>performance_optimization_stand<br>main.go is a CONST-035 simulation<br>bluff |
| HXC-005  | Bug     | Fixed (→<br>Fixed.md)          | —                                                                                                                        |                                                                                                                                                              |
| HXC-006  | Feature | Implemented<br>(→<br>Fixed.md) | High                                                                                                                     | HelixCode Speed Programme —<br>CLOSED (migrated to docs/Fixed                                                                                                |
| HXC-007  | Task    | Completed<br>(→<br>Fixed.md)   | —                                                                                                                        | Constitution §11.4.68/70-74 casca<br>meta-pointer bump — CLOSED<br>(migrated to docs/Fixed.md)                                                               |
| HXC-008  | Bug     | Fixed (→<br>Fixed.md)          | —                                                                                                                        | CONST-055 G1 governance gaps<br>surfaced by post-constitution-pu<br>validation sweep — CLOSED<br>(migrated to docs/Fixed.md)                                 |
| HXC-009  | Task    | Completed<br>(→<br>Fixed.md)   | —                                                                                                                        | Owned-submodule GitHub ↔ Gi<br>mirror-divergence reconciliation<br>CLOSED (migrated to docs/Fixed                                                            |
| HXC-010  | Task    | Completed<br>(→<br>Fixed.md)   | —                                                                                                                        | End-to-end Kimi CLI + Qwen Cod<br>CodeGraph verification — CLOS<br>(migrated to docs/Fixed.md)                                                               |
| HXC-013  | Feature | Implemented<br>(→<br>Fixed.md) | —                                                                                                                        | Adopt SQLite-backed single-sour<br>truth for workable items (§11.4.9                                                                                         |
| HXC-014  | Task    | Completed<br>(→<br>Fixed.md)   | —                                                                                                                        | Stress + chaos test coverage (§11                                                                                                                            |
| HXC-014b | Bug     | Fixed (→<br>Fixed.md)          | Medium<br>(latent:<br>requires<br>SetTranslator()<br>concurrent<br>with tr();<br>existing -race<br>tests pass<br>because | Systemic unguarded i18n<br>translator.go data-race + panic-c<br>(cross-package)                                                                              |

| ATM ID  | Type | Status                        | Severity                                                                                                                                                                                                            | Description                                                                                       |
|---------|------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
|         |      |                               | SetTranslator<br>is boot-only in<br>practice)                                                                                                                                                                       |                                                                                                   |
| HXC-015 | Task | Completed<br>( →<br>Fixed.md) | —                                                                                                                                                                                                                   | Cross-platform parity (§11.4.81)<br>**Closure (2026-05-28, subagent-<br>driven §11.               |
| HXC-016 | Task | Completed<br>( →<br>Fixed.md) | —                                                                                                                                                                                                                   | §11.4.69–97 governance cascade<br>owned submodules (CONST-047/<br>CLOSED ( → Fixed.md)            |
| HXC-017 | Task | Completed<br>( →<br>Fixed.md) | —                                                                                                                                                                                                                   | CodeGraph own-org submodule<br>indexing + update automation<br>(§11.4.79/80) — CLOSED ( → Fixed   |
| HXC-018 | Task | Completed<br>( →<br>Fixed.md) | —                                                                                                                                                                                                                   | Obsolete status (§11.4.90) + summr<br>doc clarity (§11.4.91) tracker tool                         |
| HXC-019 | Task | Completed<br>( →<br>Fixed.md) | —                                                                                                                                                                                                                   | docs/qa/ end-user evidence tree<br>(§11.4.83)                                                     |
| HXC-022 | Bug  | Fixed ( →<br>Fixed.md)        | —                                                                                                                                                                                                                   | test_bank platform + integration<br>packages do not compile (pre-ex<br>— CLOSED ( → Fixed.md)     |
| HXC-023 | Bug  | Fixed ( →<br>Fixed.md)        | —                                                                                                                                                                                                                   | Assert(true,...) / AssertTrue(true<br>literal-true bluffs across test_bar<br>CLOSED ( → Fixed.md) |
|         |      |                               | Medium<br>(CONST-050(B):<br>the llm<br>integration<br>suite cannot<br>compile/run;<br>masks<br>integration<br>regressions +<br>blocks the new<br>ollama<br>integration<br>stress/chaos<br>tests from<br>running via |                                                                                                   |
| HXC-024 | Bug  | Fixed ( →<br>Fixed.md)        |                                                                                                                                                                                                                     | internal/llm -tags=integration b<br>broken (stale tests reference dele<br>providers)              |

| ATM ID  | Type | Status                    | Severity                                                                                                          | Description                                                                                                                         |
|---------|------|---------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
|         |      |                           | the normal path)                                                                                                  |                                                                                                                                     |
| HXC-025 | Task | Completed<br>(→ Fixed.md) | —                                                                                                                 | Constitution §11.4.98/99/101 case (CONST-047/§3/§11.4.26)                                                                           |
| HXC-026 | Task | Completed<br>(→ Fixed.md) | —                                                                                                                 | workable-items md ↔ db sync gap (§11.4.93/95 follow-up)                                                                             |
| HXC-027 | Task | Completed<br>(→ Fixed.md) | —                                                                                                                 | §11.4.98 live-test full-automation compliance audit                                                                                 |
| HXC-028 | Task | Completed<br>(→ Fixed.md) | —                                                                                                                 | §11.4.99 latest-source documentation cross-reference (README)                                                                       |
| HXC-029 | Task | Completed<br>(→ Fixed.md) | —                                                                                                                 | §11.4.98 full-automation compliance sweep of every live/integration/e Challenge test (no human-in-the- — CLOSED (→ Fixed.md)        |
| HXC-030 | Task | Completed<br>(→ Fixed.md) | —                                                                                                                 | §11.4.99 forward: latest-source documentation cross-reference s across all operator-facing docs — CLOSED (→ Fixed.md)               |
| HXC-032 | Bug  | Fixed (→ Fixed.md)        | High (breaks helix_agent go build ./...; a §11.4 PASS-bluff at the build layer — tracked source does not compile) | LLMOrchestrator submodule: committed merge-conflict marker break helix_agent build — CLOSED (→ Fixed.md)                            |
| HXC-033 | Bug  | Fixed (→ Fixed.md)        | High (§11.4.79 release-blocker — AI agents querying the code-graph get NO own-org submodule                       | codegraph 0.9.7 update: full index sync crashes + own-org submodule dropped from the index (§11.4.79 regression) — CLOSED (→ Fixed. |

| ATM ID  | Type | Status                       | Severity                                                                                                                                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------|------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         |      |                              | symbols; index<br>also<br>unbuildable)                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| HXC-034 | Task | Completed<br>(→<br>Fixed.md) | —                                                                                                                                                                                            | Cascade constitution §11.4.102 in<br>owned submodules + implement<br>COVENANT-114-102-PROPAGATI<br>gate — CLOSED (→ Fixed.md)                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| HXC-035 | Bug  | Fixed (→<br>Fixed.md)        | High (no user<br>can register →<br>no JWT<br>mintable →<br>every<br>authenticated<br>API path is<br>undrivable;<br>blocks the<br>positive-path<br>coverage of all<br>4 HXC-029 API<br>banks) | POST /api/v1/auth/register retu<br>400 internal_auth_failed_create<br>on the live server (blocks all<br>authenticated flows) — CLOSED<br>Fixed.md)                                                                                                                                                                                                                                                                                                                                                                                                                       |
| HXC-036 | Task | Fixed (→<br>Fixed.md)        | —                                                                                                                                                                                            | Systemic CONST-046 i18n defect:<br>packages emitted raw message-I<br>keys because boot-time translat<br>wiring was never implemented -<br>CLOSED (→ Fixed.md)                                                                                                                                                                                                                                                                                                                                                                                                            |
|         |      |                              |                                                                                                                                                                                              | Governance rule CONST-040 req<br>that every advanced capability a<br>model supports be reported by t<br>central verifier component rathe<br>than hardcoded. Today the verifi<br>only records whether a model<br>supports embeddings; the other<br>capabilities are documented as<br>verifier-sourced but are not<br>implemented there. As a result t<br>product cannot truthfully tell us<br>which models support which<br>capabilities. The work adds thes<br>capability fields to the verifier's<br>results and has the product read<br>from there. Users then receive |
| HXC-117 | Bug  | Queued                       | High                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

| ATM ID  | Type    | Status | Severity | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------|---------|--------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         |         |        |          | <p>accurate, single-source-of-truth capability information.</p> <p>A dedicated Retrieval-Augmented Generation component is maintained as its own reusable module, but the main application does not import or use it anywhere. A capability the product is expected to offer (answering using retrieved documents) is therefore effectively unavailable to end users despite code existing. The work integrates existing RAG module into the application, wires it into the request flow, and exposes its capability for users. Users gain working document-grounded answers instead of an orphaned, unused component.</p> |
| HXC-118 | Feature | Queued | High     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|         |         |        |          | <p>Governance rule CONST-040 lists Agent Client Protocol among required capabilities, but there is no implementation of it anywhere in the codebase. Any user or integration expecting ACP connectivity currently cannot use it. The work is to design and implement real ACP support. If it proves structurally infeasible, document that with cited evidence. The platform will then either genuinely support ACP or hold a honest, evidenced position instead of an unmet claim.</p>                                                                                                                                    |
| HXC-119 | Feature | Queued | High     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|         |         |        |          | <p>Two categories of tests, memory and end-to-end automation, skip some of their cases by default because they require a live server or special environment flags not set in normal runs. In practice these areas are largely unverified even though the tests appear to exist. The work provides a documented, repeatable way to run them against real</p>                                                                                                                                                                                                                                                                |
| HXC-122 | Task    | Queued | Medium   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| ATM ID  | Type | Status | Severity | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------|------|--------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         |      |        |          | <p>infrastructure so they actually execute the code and prove the behavior. Memory-based testing of automation behavior then becomes more genuinely tested rather than merely simulated or scaffolded.</p> <p>One automated quality-assurance work item is a QA bank that drives real server workflows. The QA bank has a documented goal that it cannot mint the authentication token needed to finish the workflow even if it fails at the end without manual help, so it does not meet the fully-automated no-human-intervention standard. The work item provides an automated way to obtain a valid token during the time the workflow runs unattended. The QA bank then becomes fully automated and re-runnable.</p> <p>Eleven work items marked finished still appear in the open-issues document and are missing from the resolved-items document, so the two views disagree about their state and become untrustworthy. The work item regenerates the tracker document from the authoritative database so that finished items appear only in the resolved view. The human-readable trackers then accurately reflect the true state.</p> <p>Thirty-six tracked items have descriptions shorter than the minimum length needed to convey what they are about, so a reader cannot understand them without reading code. The work rewrites them into clear plain-language descriptions explaining what each item is and why it matters. Every item then becomes understandable to non-developers and stakeholders.</p> |
| HXC-124 | Bug  | Queued | Medium   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| HXC-126 | Task | Queued | Medium   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| HXC-128 | Task | Queued | Low      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| ATM ID  | Type | Status                 | Severity | Description                                                                                           |
|---------|------|------------------------|----------|-------------------------------------------------------------------------------------------------------|
| HXL-001 | Bug  | Fixed (→ Fixed.md)     | —        | HelixLLM internal/agents/tools/analysis_test.go hardcoded abs path                                    |
| HXL-002 | Bug  | Fixed (→ Fixed.md)     | —        | HelixLLM internal/gateway/middleware TOON WriteTOON return 500                                        |
| HXQ-001 | Bug  | Fixed (→ Fixed.md)     | —        | helix_ga intermittent TestPerformance flake (host-load sensitive)                                     |
| HXV-002 | Bug  | Fixed (→ Fixed.md)     | —        | LLMsVerifier verification/ pack 10 pre-existing test failures                                         |
| PAN-001 | Bug  | Fixed (→ Fixed.md)     | —        | panoptic appendString truncate multi-byte UTF-8 runes to bytes (TestResult.MarshalJSON corrupt ASCII) |
| VEN-001 | Task | Completed (→ Fixed.md) | —        | VisionEngine helix-gitlab repo missing (404) — CLOSED (→ Fixed.md)                                    |