

_status_header

HelixCode Feature Status

Revision	1
Created	2026-06-15
Last modified	2026-06-15
Status	active (population in progress)
Status summary	docs/features/Status_Summary.md
Continuation	docs/CONTINUATION.md

Authoritative, in-depth inventory of **every** HelixCode feature across all services, infrastructure, and client applications — including capabilities ported from the `cli_agents/` reference catalogue — with per-feature status across every dimension the operator mandate (2026-06-15) requires. Kept in sync via the `docs_chain` engine (§11.4.106, `submodules/docs_chain`) and the Status-doc covenant (§11.4.45 / §11.4.53 / §11.4.56 / §11.4.57 / CONST-063 / CONST-064).

Anti-bluff (CONST-035 / §11.4.83 / §11.4.107): a feature is marked video-confirmed (📺 yes) ONLY when a real recorded scenario in `/Volumes/T7/Downloads/Recordings` shows it working end-to-end with a strong real LLM and that recording has been analyzed. No false “yes”. An un-recorded or un-analyzed feature is honestly 📺 no / 📺 pending, never bluffed green.

Table of contents

- [Status dimensions \(legend\)](#)
- [Population progress](#)
- [Feature inventory](#)
- [Inventory sources](#)

Status dimensions (legend)

Each feature row carries:

Column	Meaning	Values
Area		—

Column	Meaning	Values
	service / infrastructure / application(client) / submodule	
Component	package / tool / app / submodule it lives in	—
Feature	the discrete user-or-system capability	—
Dev	implementation status	done / partial / stub / absent
Wired	reachable from a shipped flow (not dead code)	yes / no / partial
Real-use	genuinely usable by an end user	yes / no / unknown
Tests	automated coverage	unit / integ / e2e / none (combinable)
V&V	captured runtime evidence (§11.4.5/ §11.4.69)	yes(path) / no
 Video	recorded real scenario + analyzed (§11.4.83/ §11.4.107)	yes(path) / pending / no / n/a
Analysis	comprehensive recording analysis performed	yes / no
Origin	native / ported:<cli_agent>	—
Overall	rollup	confirmed / working-untaped / partial / gap

Population progress

This document is populated by background inventory subagents fanning out across the codebase (§11.4.70 subagent-driven, §11.4.103 parallel-streams). Coverage is reported honestly — confirmed rows require a real analyzed video; everything else is marked truthfully. Population is an ongoing program, NOT a one-shot claim.

Slice	Scope	Status
internal services + infra	helix_code/internal/* (72 pkgs)	inventory dispatched
cmd tools + client apps	helix_code/cmd/* (21) + applications/* (cli/tui/web/desktop/mobile)	inventory dispatched
owned submodules	submodules/* (70+)	inventory dispatched
ported cli_agents capabilities	cli_agents/* → HelixCode	inventory dispatched

Sources verified 2026-06-22: **helix_code/internal/* , helix_code/cmd/* , helix_code/applications/* , submodules/* , cli_agents/***

This document is REPO-STATE-DERIVED (per §11.4.99 the “sources” are the cross-referenced repo trees, following the docs/ARCHITECTURE.md precedent — no external service is documented here). Cross-referenced the population-progress counts against the live tree on 2026-06-22 (`ls -d <tree>/*/` counts): -

helix_code/internal/* = 72 packages — CONFIRMED (matches “72 pkgs”).

- **helix_code/cmd/* = 21 entries — CONFIRMED** (`ls helix_code/cmd/` = 21 total entries: 11 tool subdirs + 10 top-level `.go/_test.go` files; the “(21)” count is entries, not subdirs-only).

- **helix_code/applications/* = 6 dirs** (cli/tui/web/desktop/mobile families present) — consistent.

- **Negative finding (minor count drift).** `submodules/*` live count = **67** directories, not “70+” as the row states; `cli_agents/*` live count = **50** directories. These slice labels slightly overstate the live directory counts and should be reconciled to 67 / 50 on the next revision (the inventory bodies themselves enumerate the actual present components).