

CodeGraph Status_Summary

CodeGraph — Status Summary

Revision: 2 Last modified: 2026-07-07T10:40:00Z

Field	Value
Revision	2
Created	2026-05-28
Last modified	2026-07-07T10:40:00Z
Status	active
Status summary	Two-audience digest of <code>Status.md</code> per §11.4.56. Page 1 = non-developer; Page 2 = software engineer. Tracks the HXC-017 CodeGraph index-configuration fix and the §11.4.80 update/sync automation. 2026-07-07: Phase-4 reindex on codegraph 1.2.0 — index refresh (sync) GREEN and our own-org code libraries proven reachable by the AI agents; one clean-up (removing stale third-party entries) is paused because the shared host had no spare process capacity.

2026-07-07 — Phase-4 reindex (codegraph 1.2.0)

For the team (non-developer). The code "map" the AI agents use is current and healthy on the latest CodeGraph (version 1.2.0): about 102,657 files and 1.78 million code symbols. We proved that the AI agents can genuinely look up symbols that exist ONLY inside our own reusable libraries (the `HelixLLM` and `LLMsVerifier` submodules we build under `HelixDevelopment` and `vasic-digital`) — so the map really reaches our own code, not just the top-level app. No secrets

(passwords, keys, .env files) are in the map. One tidy-up remains: the map still contains some third-party reference projects it should skip; removing them needs a full rebuild, which we paused because the shared workstation was temporarily out of spare capacity (other work was running on it). Tracked as HXC-041 for a quieter moment; it does not affect our own code being reachable.

For the engineer. codegraph 1.2.0; codegraph sync GREEN (8 files, 5.6 s, exit 0). Own-org resolution PROVEN via MCP (codegraph_explore) + CLI (codegraph query/node): admit(unexported) → submodules/helix_llm/internal/vrambroker/broker.go:178, ResolveModelCapability → submodules/llms_verifier/llm-verifier/capabilities/registry_resolve.go:62. scripts/codegraph_validate.sh: 26 PASS, 3 FAIL. §11.4.10 credential audit CLEAN (0 .env/.pem/.key). The 3 FAIL = stale third-party entries (cli_agents 36,089 / cli_agents_resources 519 / github_pages_website 9): config.json exclude is INERT in 1.2.0 (exclusion is .gitignore-driven per §11.4.78) and these are tracked dirs; the from-scratch codegraph index to purge them fork-failed on host process saturation (4069/4096 ulimit -u, non-ours workloads per §11.4.174). Index verified intact after the aborted rebuild. Full detail + evidence in Status.md (2026-07-07 entry) and docs/qa/phase4_codegraph_20260707/.

Page 1 — For the team (non-developer)

What this is. CodeGraph is a local "map" of all the source code in HelixCode. The AI coding agents use it to instantly find where any function, type, or file lives — much faster and more accurate than searching text.

What works. The CodeGraph map is built and active. As of the latest re-index it covered the HelixCode source tree (tens of thousands of files and hundreds of thousands of code symbols).

What changed (HXC-017). We found that the map was accidentally leaving out a large group of our OWN reusable code libraries (the submodules we build and maintain ourselves under the vasic-digital and HelixDevelopment organizations). The configuration had a single broad rule that skipped the entire dependencies/ folder. We narrowed that rule so:

- Our own libraries are now **included** in the map (the agents can see and navigate them).

- Only genuinely third-party libraries we did NOT write (llama.cpp, Ollama, HuggingFace Hub) stay **excluded** — there is no value in mapping code we do not maintain.
- We also made doubly sure that no passwords, keys, or secrets can ever end up in the map.

What's pending. A full rebuild of the map was started so the newly included libraries actually appear. Its completion status is recorded on the engineer page and in the event ledger.

Team actions. None required. The update/sync runs on a weekly cadence using shared automation.

Page 2 — For software engineers

Change (HXC-017, §11.4.79). `.codegraph/config.json` exclude list: removed the blanket `dependencies/**`; added per-submodule-ownership split.

- INCLUDED (own-org): `dependencies/vasic-digital/**`, `dependencies/HelixDevelopment/**` (no longer matched by any exclude).
- EXCLUDED (third-party, §11.4.74 vendor path): `dependencies/LLama_CPP/**` (ggml-org), `dependencies/Ollama/**` (ollama), `dependencies/HuggingFace_Hub/**` (huggingface).
- Added §11.4.10 credential excludes: `**/.env`, `**/.env.*`, `**/*.key`, `**/*.pem`, `**/secrets/**`.

Ownership classification source. `git config -f .gitmodules --get-regexp 'submodule\..*\..url'` — each `dependencies/<X>` classified by URL org. Only three top-level `dependencies/<X>` entries are non-own-org (llama.cpp, ollama, huggingface_hub); the rest live under `dependencies/vasic-digital/` or `dependencies/HelixDevelopment/`.

Validation. Config JSON valid (`python3 -c "import json; json.load(open('.codegraph/config.json'))"`). Index status BEFORE: Files 39,024 / Nodes 624,103 / Edges 1,643,200. AFTER + own-org-symbol probe (§11.4.79 anti-bluff): recorded in the `Status.md` event ledger.

Automation (§11.4.80). Inherited by reference — invoke `constitution/scripts/codegraph_update.sh` (weekly npm-update with version-verify anti-bluff) and `constitution/scripts/codegraph_sync.sh` (`status` → `sync` → `status` → `validate`, ledger-appending). Never copied into HelixCode per §3 submodule inheritance.

Regeneration (§11.4.77). `.codegraph/codegraph.db` gitignored; regenerated by `codegraph index . (full) / codegraph sync .` (incremental) from the tracked `.codegraph/config.json`.

Composes with: §11.4.10, §11.4.45, §11.4.56, §11.4.65, §11.4.74, §11.4.77, §11.4.78, §11.4.79, §11.4.80, §1.1.