

2026-06-10-impl-batch6-D7-review

SP5-D7-part-2 — Independent Code Review (§11.4.142 / §11.4.125)

Revision	1
Created	2026-06-10
Last modified	2026-06-10
Status	active
Reviewer	Independent code-review subagent
Scope	Uncommitted SP5-D7-part-2 change (helix_code go.mod/go.sum + internal/agentbridge)

Table of contents

- [Verdict](#)
- [Change under review](#)
- [Verification results](#)
- [Findings](#)
- [Honesty assessment \(D-7 genuinely closed?\)](#)
- [Ordered must-fix](#)
- [Evidence summary](#)

Verdict

GO-WITH-FIXES — the change is real, correct, builds clean, the agentbridge proves a genuine cross-module HTTP round-trip, and no dep-bump regression was introduced. The one must-fix is a scope/quiescence hygiene item (§11.4.84): an UNRELATED uncommitted change exists inside `submodules/helix_agent` that must NOT be swept into the same commit as the `helix_code go.mod/agentbridge` change. The technical change itself is clean; the verdict is GO-WITH-FIXES only to guard the commit boundary.

Change under review

- `helix_code/go.mod`: + `require dev.helix.agent v0.0.0-...+replace dev.helix.agent => ../submodules/helix_agent`. MVS-driven transitive bumps: `pgx` 5.7.6→5.9.2, `lib/pq` 1.10.9→1.12.3, `go-redis` 9.17.2→9.18.0, `otel otlptracehttp/stdouttrace` 1.30→1.40, `x-crypto` 0.49→0.52 / `x-net` 0.52→0.54 / `x-text` 0.36→0.37 / `x-sys` 0.43→0.45 / `x-term` 0.41→0.43, `fatih/color` 1.18→1.19, `golang-jwt/v5` 5.2.1→5.3.1, plus indirects (`go-colorable`, `segmentio/asm`, `go.uber.org/atomic` added, `multierr` 1.10→1.11).
- `helix_code/go.sum`: matching checksum updates.
- New `helix_code/internal/agentbridge/{bridge.go,bridge_test.go}`: `VerifierBridge` wraps the real

dev.helix.agent/pkg/sdk/go/verifier.Client; the test round-trips VerifyModel against an httptest server.

Verification results

All commands run read-only against the working tree (no edit/commit/push).

1. **Build stability (load-bearing) — PASS.** cd helix_code && go build ./... → BUILD_EXIT=0. Only benign macOS ld: warning: ignoring duplicate libraries: '-lobjc' on the three Fyne/cgo applications/* targets. **gin stayed** v1.12.0 (go list -m github.com/gin-gonic/gin → v1.12.0). go mod verify → all modules verified. **No dependency conflict:** go mod tidy is a NO-OP — go.mod and go.sum are byte-identical before/after (GOMOD_CLEAN / GOSUM_CLEAN), proving the replace-driven MVS resolution is already minimal and consistent.
2. **agentbridge real round-trip — PASS (deterministic).** go test ./internal/agentbridge/... -v -count=1 → --- PASS:
TestVerifierBridge_RealRoundTrip; -count=3 → ok (stable, no flake).
Cross-module import PROVEN: go list -deps ./internal/agentbridge | grep dev.helix.agent → dev.helix.agent/pkg/sdk/go/verifier. The round-trip is GENUINELY HTTP, not a mock-only assertion: the real SDK's VerifyModel (submodules/helix_agent/pkg/sdk/go/verifier/client.go:74) calls doRequest(... "POST", "/api/v1/verifier/verify" ...) which at client.go:363 builds http.NewRequestWithContext and at line 373 executes c.httpClient.Do(req) against the test's httptest.NewServer. The test asserts on the wire: method POST, path /api/v1/verifier/verify, Authorization: Bearer test-key-123, the JSON-decoded request body, AND the decoded agentverifier.VerificationResult type — real cross-module type interchange. The httptest fixture is allowed for a unit test (the SDK client itself is not mocked).
3. **No regression — PASS (vs known-good).** Broad go test ./internal/... ./cmd/... -count=1: **144 ok, 1 FAIL package** (internal/cognee). The 3 failing subtests — TestProbeAMDGPU_ParsesRocmSmiJSON, TestProbeAMDGPU_HandlesMultiCard, TestProbeAppleGPU_HandlesWhitespaceVariants — fail with the probe subprocess returning signal: killed → -1 honest sentinel under heavy parallel load. **Proven to be the documented cognee GPU-probe load-flake, NOT a dep-bump regression:** rerun in isolation go test ./internal/cognee/ -run '...' -count=1 -p 1 → ok 0.753s. This is the exact caveat behind recent commit 43521764 fix(cognee): HXC-064 — AMD-GPU parser tests load-robust. The failure surface touches os/exec of rocm-smi/ioreg under load — zero overlap with the bumped deps (pgx/redis/otel/crypto/net/text/jwt). Baseline was 141 ok; this run is 144 ok (agentbridge among the 3 net-new green), with only the pre-existing flake.
4. **Scope — PASS for helix_code; FINDING for submodule.** git diff --stat shows ONLY helix_code/go.mod + helix_code/go.sum changed; new untracked tree is helix_code/internal/agentbridge/ only. submodules/helix_agent is **NOT modified by this change** at the parent-pointer level: git submodule status shows clean prefix (recorded SHA 7c89410c == HEAD). No secret is logged anywhere

in the new code (the test's `test-key-123` is a fixture token, asserted but never a real credential). HOWEVER — see Finding F1 — the `helix_agent` working tree DOES carry an unrelated uncommitted change (`M internal/clis/agents/claude_code/claude_code.go + new claude_code_pin_test.go`, mtimes 16:32–16:33, a separate D-11/D-12 stream), which must not be co-committed.

5. **Honesty** — **PASS**. D-7 is genuinely closed; the `agentbridge` is NOT a token import (see below).

Findings

F1 (must-fix, §11.4.84 quiescence / CONST-051) — unrelated in-flight change inside the submodule. `submodules/helix_agent` has uncommitted work in a DIFFERENT area (`internal/clis/agents/claude_code/`), part of a separate CLI-dispatch stream, not part of SP5-D7-part-2. Because the parent shows `submodules/helix_agent` as a dir-level untracked marker, a careless `git add -A` at the parent OR an `git add -A` inside the submodule could sweep this unrelated change into the D-7 commit. The D-7 commit MUST stage ONLY `helix_code/go.mod`, `helix_code/go.sum`, and `helix_code/internal/agentbridge/`. The submodule change is its own separate commit in its own repo. (No technical defect in the D-7 code — this is a commit-boundary guard.)

F2 (nit, non-blocking) — baseUrl field is stored but unused.

`VerifierBridge.baseUrl` (`bridge.go:27,46`) is set in the constructor but never read (the SDK client owns the effective base URL). Harmless; either drop it or add an accessor. Not a blocker.

F3 (informational, NOT introduced here) — clis is module-internal, blocks the SP4 seam as currently shaped. The `HelixAgent` CLI-dispatch code lives at `submodules/helix_agent/internal/clis/...`, i.e. under `internal/`, so it is NOT importable cross-module from `dev.helix.code`. The `agentbridge` correctly imports only the public `pkg/sdk/go/verifier`. Confirmed no illegal cross-module internal import from `helix_code` (`grep dev.helix.agent/internal helix_code/` → empty — would not compile anyway). **This means the SP4 CLI AgentProvider cannot build on a clis import as-is**; it needs either (a) a public SDK facade exported from `helix_agent` under `pkg/` (the `verifier-bridge` pattern, extended to CLI dispatch), or (b) the `clis` surface promoted out of `internal/`. The subagent flagged this correctly. The SP2 plan doc references `internal/clis/aider/repo_map.go` for the tree-sitter migration but does NOT explicitly document the “clis-is-internal blocks SP4 provider” constraint — recommend recording it in the SP4 plan / CONTINUATION so it is not re-discovered. This is a forward-looking design note, not a defect in D-7.

Honesty assessment (D-7 genuinely closed?)

Genuinely closed — real import proven, not a token import. The bridge constructs the real `agentverifier.NewClient` and the test drives a real `httptest` HTTP server through the real SDK's `http.Client.Do`, asserting the wire request AND the decoded `VerificationResult` type. `go list -deps` proves the cross-module edge is in the real build graph, not a blank `_import`. The `replace => ../submodules/helix_agent` directive resolves and compiles the whole module. This satisfies the SP5-D7 goal: prove `dev.helix.code` can consume a real `dev.helix.agent` type end-to-end. The CONST-036/037 rationale (route verifier access through the single-source-of-truth SDK rather than duplicate a client) is sound and documented in the package comment.

The one honesty caveat the subagent correctly surfaced (F3) is NOT hidden: it is a forward limitation on the SP4 provider, not a D-7 bluff. D-7's scope was the bridge seam, which is real and working.

Ordered must-fix

1. **(blocking) Commit boundary:** stage and commit ONLY `helix_code/go.mod`, `helix_code/go.sum`, `helix_code/internal/agentbridge/{bridge.go, bridge_test.go}`. Do NOT co-commit the unrelated submodules/`helix_agent/internal/clis/agents/claude_code/` change (F1). Verify with `git diff --staged --stat` before commit per §11.4.84.
2. **(recommended, non-blocking) Document the F3 constraint** in the SP4 plan / `docs/CONTINUATION.md`: `clis` is module-internal; SP4 `CLIAgentProvider` needs a public `pkg/` facade from `helix_agent` (or promotion of `clis` out of `internal/`) — do not assume a direct `clis` import.
3. **(optional nit) F2:** drop or expose the unused `VerifierBridge.baseURL` field.

Evidence summary

- `go build ./...` → **BUILD_EXIT=0** (only benign `-lobjc` warnings).
- `gin` → `github.com/gin-gonic/gin v1.12.0` (unchanged).
- `go mod tidy` → **no-op** (`go.mod/go.sum` byte-identical; no dep conflict). `go mod verify` → all modules verified.
- `go test ./internal/agentbridge/...` `-count=1 -v` → **PASS**; `-count=3` → **PASS** (deterministic). Cross-module dep: `dev.helix.agent/pkg/sdk/go/verifier` present in `go list -deps`. Real HTTP via `httpClient.Do` at `client.go:373`.
- Broad sweep `go test ./internal/... ./cmd/...` `-count=1` → **144 ok / 1 FAIL** (`internal/cognee`). The 3 `cognee` subtest failures are the documented GPU-probe load-flake (`signal: killed` → `-1 sentinel`), confirmed by isolation rerun `-p 1` → **ok 0.753s. No NEW failure attributable to the dep bumps.**
- Scope: only `helix_code/{go.mod, go.sum, internal/agentbridge}` touched; submodules/`helix_agent` parent pointer clean (recorded == HEAD `7c89410c`); no secret logged.

VERDICT: GO-WITH-FIXES. Sweep: **144 ok / 1 FAIL** (`cognee` GPU-probe load-flake only, pre-existing, passes in isolation; no dep-bump regression). `gin` confirmed **v1.12.0**. `agentbridge` proves a REAL cross-module HTTP round-trip (`dev.helix.agent/pkg/sdk/go/verifier`, real `httpClient.Do`); D-7 genuinely closed. Single blocking must-fix is the commit-boundary guard (F1) to keep the unrelated `helix_agent clis` change out of this commit.