

# Helix OTA “Session Resumption (canonical, always-current)

| Field          | Value                                                                                                                                                                                                                                                                                    |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Revision       | 2                                                                                                                                                                                                                                                                                        |
| Last modified  | 2026-06-10T12:00:00Z                                                                                                                                                                                                                                                                     |
| Status         | active “ the “§11.4.131 single canonical out-of-the-box session-resumption file                                                                                                                                                                                                          |
| Standard path  | docs/RESUMPTION.md (this file “ the fixed project-declared “§11.4.131 entry point; do not move without a “§11.4.66 operator decision)                                                                                                                                                    |
| Status summary | Point any fresh session at THIS file. It carries a SHORT one-line resume + a FULL block, the read-first handoff docs, exact live-state anchors, current PHASE + NEXT + terminal goal, and the binding constraints. Moment-valid for HEAD a839220 (2026-06-10) + this docs commit on top. |

## SHORT “ paste this first sentence into a fresh session

Read docs/research/main\_specs/CONTINUATION.md first, run `git fetch --all --prune`, then continue the Helix OTA autonomous loop toward the next validated-and-published version tag “ current PHASE is “œemulator-driven device testing (Tier-1 in progress)“œ; HEAD is a839220 (+ this docs commit) on main pushed to all 4 upstreams.

## FULL “ detailed resumption block

### 0. Read FIRST (in order)

1. docs/research/main\_specs/CONTINUATION.md “ the live work-state handoff (DONE / NEXT / locked decisions). **This is the primary handoff doc.**
2. .remember/remember.md “ present but currently empty; no extra state there.
3. docs/design/EMULATED\_DEVICE\_TESTING.md “ the tiered emulator-testing plan (Tier-1/2/3) now in flight.
4. Then run: `git fetch --all --prune` and reconcile HEAD. .@{u} before any edit (“§11.4.37 fetch-before-edit).

### 1. Exact live-state anchors (moment-valid 2026-06-10)

- **HEAD commit:** a839220 “ test(qa): autonomous e2e + security + HelixQA for telemetry filters & pagination (on main; this docs commit lands on top).

- **Just-shipped this session (on main, pushed all 4 upstreams):**
  - 50ef5c6 â€” feat(api): per-device telemetry filters + group/members pagination (OpenAPI synced, redocly-clean).
  - b0b8ee2 â€” chore(dashboard): sync API client to new pagination/filter params (dashboard client lockstep).
  - 7dc3334 â€” feat(emulator): Tier-1 Go OTA device-emulator + resilience (server/internal/deviceemu + cmd/ota-device-emu; surfaced the telemetry deployment\_id protocol gap).
  - fa571b8 â€” test(dashboard): comprehensive UI testing system (Vitest 43 + Playwright 17 + ally).
  - a839220 â€” test(qa): autonomous e2e (50/50) + security (39/39) + HelixQA bank.
  - containers submodule advanced to 845ad45 â€” feat(emulator): ota-device-emu runtime image + on-demand boot recipe (pushed to its github origin); parent gitlink bumped in this commit.
- **Branch:** main. All work merges to main; commit + push fan out to all upstreams.
- **Upstreams (4):** github (git@github.com:HelixDevelopment/helix\_ota.git, also origin fetch), gitlab (git@gitlab.com:helixdevelopment1/helix\_ota.git), gitflic (git@gitflic.ru:helixdevelopment/helix\_ota.git), gitverse (git@gitverse.ru:helixdevelopment/helix\_ota.git). origin push fans out to all four.
- **No in-flight background PIDs / detached pushes known at handoff time** â€” verify with `git status + check qa-results/push_failures/` per Â§11.4.88 before assuming clean.
- **Container runtime on this host:** podman (the pgx integration + dev stack boot via the containers submodule on podman). **No host QEMU / no AVD / no nested KVM on this Apple-Silicon host** â€” see binding constraints.

## 2. Current PHASE + immediate NEXT + terminal goal

- **PHASE:** Emulator-driven device testing â€” **Tier-1 in progress** (a podman container running a Go ota-device-emulator that speaks the real ota-protocol to the control plane). See docs/design/EMULATED\_DEVICE\_TESTING.md.
- **Immediate NEXT (priority order):**
  1. Tier-1 emulator: stand up the podman ota-device-emulator exercising register â†’ update-check â†’ telemetry â†’ delta â†’ rollout â†’ recall against a live control plane, capturing real evidence under docs/qa/<run-id>/.
  2. Remaining NEXT-wave items (hardware/ingest-gated): device-side TUF (gomobile-go-tuf/v2 â€” gated on real RK3588 .so/JNI measurement); device payload-apply integration (DeltaApplyDecision â†’ update\_engine, needs a real device); row-4 richer telemetry fields (duration\_ms/bytes\_transferred â€” blocked on UNVERIFIED ingest).
- **Terminal goal (loop stop condition A, Â§11.4.126):** a new fully-validated-and-verified version (tag) created AND published across all owned submodules + main repo to all 4 upstreams.

## 3. Binding constraints (do not violate)

- **Anti-bluff covenant Â§11.4** â€” every PASS carries positive captured evidence; metadata-only / config-only / absence-of-error / grep-without-runtime PASS forbidden. Tests AND HelixQA Challenges bound equally.

- **Absolute no-force-push** §11.4.113 “force-push (--force, --force-with-lease, +<ref>) is STRICTLY forbidden on every repo/submodule. Integrate via fetch â†’ merge-onto-latest-main â†’ fast-forward push.
- **podman-only on this host** “use the containers submodule (vasic-digital/containers, §11.4.76) for any containerized workload; never host-direct emulator/adb/qemu (§11.4.109 guard).
- **Tier-2 Android A/B is host-gated** “real update\_engine A/B + AVB/dm-verity auto-rollback needs Cuttlefish on a Linux + nested-KVM box; the Apple-Silicon applehv host cannot run it. NOT structurally impossible (§11.4.112) “host/hardware-gated only.
- **Exact naming/versions:** Go module github.com/HelixDevelopment/helix\_ota/server; submodules under submodules/; constitution submodule at constitution/. Toolchain: Go 1.26.2, Gradle 9.5 + Kotlin 2.3.20 (AGP 8.5.2 + plain kotlin.android builds; Kotlin MPP does NOT). No LaTeX/drawio/plantuml/graphviz/docker on host; PDF export needs a LaTeX engine (not installed).
- **Commit/push discipline** §2.1 + §11.4.88 “commit + push to ALL 4 upstreams; pushes may run detached.

## How a fresh session resumes from this file alone

Given only this file’s path, a new agent: reads §0 handoff docs, runs `git fetch --all`, confirms HEAD against §1, picks up the §2 PHASE/NEXT, and works under the §3 constraints toward the terminal goal “zero additional context required.