

Dashboard OpenDesign vendoring — COMPLETION evidence

Revision: 2 **Last modified:** 2026-07-09T23:10:00Z **Scope:** dashboard/ (React 18 + Vite) — repoint remaining inline hex to the vendored OpenDesign semantic `var(--token)s` and prove the affected screens render correctly in BOTH light and dark via the §11.4.170 host-render harness. **Authority:** Helix Constitution §11.4.170 (device-independent host-rendered UI visual proof), §11.4.107(10) (self-validated golden-good/golden-bad analyzer), §11.4.6 (no-guessing), §11.4.162 (OpenDesign tokens).

1. Hex inventory — before → after (§11.4.6)

Raw `grep #[0-9a-f]{3,8}` under `dashboard/src` (excluding `src/styles/tokens.css` and `*.test.*`) reported **58** matches before this round. That 58 splits into:

- **22** trailing DOC-COMMENT hex in `src/components/ui.tsx` (e.g. `// #fff`) that *document* the token → hex mapping — not live style values. Left as-is (they are the mapping reference this round followed).
- **36** LIVE inline-hex style values across **8** files (the brief named 4; a hex grep found 4 more — `DeploymentsScreen`, `FleetScreen`, `GroupsScreen`, `OverviewScreen` — and all were repointed too).

Live inline-hex per file

File	before (live)	after (live)	note
src/components/AppShell.tsx	9 lines / 10 values	9 lines / 10 values	KEPT — justified fixed

File	before (live)	after (live)	note
			brand chrome
src/screens/ AuditScreen.tsx	5	0	repointed
src/screens/ DeploymentsScreen.tsx	10	0	repointed
src/screens/ FleetScreen.tsx	6	0	repointed
src/screens/ GroupsScreen.tsx	2	0	repointed
src/screens/ OverviewScreen.tsx	1	0	repointed
src/screens/ ReleasesScreen.tsx	2	0	repointed
src/screens/ ArtifactUploadScreen.tsx	1	0	repointed
screens total	27	0	—

After: **0 live inline-hex in any screen/component style value except the 9 justified AppShell brand-chrome lines** — each annotated with a `// brand chrome` (fixed both themes) comment. Verification command:

```
grep -rnE '#[0-9a-f]{3,8}' src --include='*.tsx' --include='*.ts' \
  | grep -v tokens.css | grep -viE '\.test\.|/test/' | sed -E
's://.*$::' \
  | grep -cE '#[0-9a-f]{3,8}'
# → 9    (all AppShell brand-chrome value lines; screens = 0)
```

2. Token mapping applied (following `ui.tsx` conventions + `tokens.css`)

inline hex	usage	→ token
#6b7280	muted / secondary text	<code>var(--muted)</code>
#374151	heading / subhead fg	<code>var(--fg)</code>

inline hex	usage	→ token
#eef1f5	table-row / section divider (1px solid)	var(--border)
#cbd2dc	input / control border	var(--border)
#f3f4f6	<select> background	var(--surface-warm)
#eff6ff	current-phase row highlight (accent tint)	color-mix(in oklab, var(--accent), transparent 92%)
#854d0e	warn text	var(--warn)
#166534	success text	var(--success)

3. Honest boundary — kept brand chrome + pending contrast fix (§11.4.6)

- **AppShell header = intentional fixed dark-navy brand chrome** (documented in AppShell.tsx, plan §2.3 step 4 — least visual churn). It is a self-contained dark bar that stays the SAME in both themes; tokenizing its inner tones to `var(--fg)/var(--surface)` would make dark text invisible on the dark bar in LIGHT mode. Kept hex: #0f172a (bar bg), #fff/#cbd5e1/#94a3b8 (text), #1e293b (active tab), #334155 (control borders). Only the header's bottom border is a token (`var(--border)`) so the chrome ↔ body seam inverts subtly. This is a per-hex decision, not a blanket skip.
- **Pending token-VALUE contrast fix (NOT this round):** a parallel WCAG audit found dark `--danger` (#7f1d1d = 2.00:1, fails 3:1) and light `--warn` (#eab308 = 1.92:1) under-contrast. Fixing those is a coordinated re-vendor of `tokens.css` values, out of scope here. This round only repoints hex → token; `DeploymentsScreen(--warn)`, `ArtifactUpload/UI` badges (`--danger`, `--warn`, `--success`) now reference the semantic tokens and will **inherit the pending contrast fix automatically** once the token values are re-vended — the repointing is correct regardless of the token's eventual value.
- **--success as a TEXT role is also under-contrast (added per E-review):** the `DeploymentsScreen.tsx` success text #166534 (~6.5:1 on white) → `var(--success)` = #16a34a (~3.1:1 on white — fails 4.5:1 for 13px text in LIGHT mode). The repoint is semantically correct (success role) but newly regresses that element's text contrast, so the coordinated re-vendor **MUST** cover `--success` used as text (a distinct text-tone, or darken the token), not only `--danger/--warn`. Same class as the #854d0e → `--warn` case. Tracked with the WCAG

re-vendor (docs/research/
opendesign_token_contrast_audit_20260709/CONTRAST.md).

4. §11.4.170 host-render proof (both themes, device- + backend-independent)

New harness (dashboard scope only): `hostrender/harness.html` + `hostrender/harness-main.tsx` (mounts the REAL screens in the REAL AuthProvider + Router with a stubbed `window.fetch` + stubbed login — no Go backend, no device; component-render stub permitted §11.4.27) and `hostrender/screens.hostrender.spec.ts` (dual oracle, self-validated per §11.4.107(10)). The pre-existing `login.hostrender.spec.ts` continues to pass unchanged.

Per-screen × {light,dark} verdicts

Screens proven: **AuditScreen, ReleaseList, ArtifactUploadScreen, AppShell frame**. Each × {light, dark} passes four oracles: 1. **golden-good** — committed toHaveScreenshot baseline matches on a fresh run (baselines in `hostrender/screens.hostrender.spec.ts-snapshots/`). 2. **image-diff analyzer self-validated** (§11.4.107(10)) — good ↔ good ≈ 0 px (ratio 0.000), good ↔ mutated large (ratio ≈ 0.50) → SELF-VALIDATED: analyzer passes golden-good AND flags golden-bad. 3. **committed baseline REJECTS a mutated render** — golden read from disk + compared explicitly (update-safe) → rejects (difs differ or diff > 1%). 4. **DOM-bounds + rendered-text LAYOUT oracle self-validated** — real render has every required label, no degenerate/H-clipped/overlapping box; the SAME oracle detects a mutated render (hidden heading → missing-label + injected giant element → overlap).

light ↔ dark distinctness (dark is a genuine re-theme, not a recolor no-op)

screen	light ↔ dark pixel ratio	verdict
appshell	0.904	DISTINCT
audit	0.947	DISTINCT
artifact-upload	0.967	DISTINCT
releases	0.972	DISTINCT

Captured artifacts (this directory)

- `*-{light,dark}-actual.png` — the actual host-rendered pixels per screen×theme.
- `layout-oracle-good-*.json / layout-oracle-bad-*.json` — oracle verdicts.
- `image-diff-selfcheck-*.json` — golden-good/golden-bad analyzer self-check.
- `baseline-rejects-mutated-*.json` — committed-golden rejection proof.
- `light-vs-dark-distinctness-*.json` — dark-is-distinct proof.
- `diff-bad-*.png` — the mutated renders the analyzer flags.

5. Regression gate (§11.4.170 step 5)

gate	command	result
build	<code>npm run build</code>	exit 0 (tsc clean × 2, vite build ✓ 48 modules)
unit/component	<code>npm run test:run</code>	107 passed (12 files)
host-render	<code>npm run e2e:hostrender</code>	45 passed (9 login + 36 new; all screens both themes; oracles self-validated)

6. Files changed (dashboard scope only)

Repointed: `AppShell.tsx` (annotated brand chrome), `AuditScreen.tsx`, `DeploymentsScreen.tsx`, `FleetScreen.tsx`, `GroupsScreen.tsx`, `OverviewScreen.tsx`, `ReleasesScreen.tsx`, `ArtifactUploadScreen.tsx`.
Added: `hostrender/harness.html`, `hostrender/harness-main.tsx`, `hostrender/screens.hostrender.spec.ts` + 8 committed golden PNGs under `hostrender/screens.hostrender.spec.ts-snapshots/`, and this evidence directory. No files touched outside `dashboard/` + `docs/qa/20260709-dashboard-vendoring-complete/`.