

OpenDesign UI-Surface Adoption Audit — Helix OTA

Revision: 1 **Last modified:** 2026-07-09T17:39:01Z **Scope:** Every user-facing UI surface in the `helix_ota` repository (submodules included) + its OpenDesign / `design-systems/helix-ota/tokens.css` adoption status. **Method:** Static inspection only (`find / grep` over the working tree). Per §11.4.162 / §11.4.170 this catalogues *adoption status*; it does **not** prove any surface renders correctly — that is the per-surface §11.4.170 host-render proof, out of scope here. **Author authority:** §11.4.6 (no guessing) — every verdict below cites the exact file/line evidence it was derived from. Values not observed are marked UNKNOWN:.

1. Token source of truth

`design-systems/helix-ota/tokens.css` is the canonical brand token package (authored against the OpenDesign `TOKEN_SCHEMA`; provenance header lines 1–31 of that file trace every color to `clients/ota-manager/src/index.css`). Its siblings: `DESIGN.md`, `manifest.json`, `tailwind-v4.css`. Adoption = a surface consumes these tokens (CSS `var(--...)` bindings vendored from this file, or a per-stack equivalent), not hardcoded colors.

2. Per-surface inventory

#	Surface	Path	Stack	Platform(s)
1	OTA Manager (desktop client + /manager SPA)	<code>clients/ota-manager/</code>	React 19 + TanStack + Radix + Tailwind, Tauri v2 (Rust)	Desktop (Tauri targets: "all" → macOS/ Win/Linux) + web (served

#	Surface	Path	Stack	Platform(s)
				by server at / manager)
2	OTA Operator Dashboard	dashboard/	React 18 SPA + react- router 6 (inline- style + ui.tsx primitives)	Web (SPA over /api/v1)
3	OTA Control- Plane server	server/	Go / Gin	Server binary
4	OTA Android agent	submodules/ota-android-agent/	Kotlin (Android system library, JVM core)	Android (system- image, RK3588/

#	Surface	Path	Stack	Platform(s)
				Orange Pi 5 Max)
5	OTA update-engine bridge	submodules/ota-update-engine-bridge/	Kotlin (Android library + JVM core)	Android (system-image)
6	HelixQA docs website	submodules/helixqa/website/	VitePress	Web (docs site)
7	LLM Verifier (separate product) — web	submodules/llms_verifier/llm-verifier/web/	Angular	Web
8	LLM Verifier — desktop	submodules/llms_verifier/llm-verifier/desktop/{tauri,electron}/	Tauri + Electron	Desktop
9	LLM Verifier — mobile	submodules/llms_verifier/llm-verifier/mobile/{react-native,flutter,aurora_os,harmony_os}/	React Native / Flutter / Kotlin	Mobile

#	Surface	Path	Stack	Platform(s)
			(Aurora/ Harmony)	
10	Manager- UI e2e harness	tests/e2e/manager-ui/	Playwright	Test harness
11	Go CLIs	cmd/workable-items/, cmd/build-stats/, tools/device_claim/, tools/ helixqa_runner/	Go (stdout CLI)	CLI

Excluded (third-party vendored, not Helix OTA surfaces)

submodules/helixqa/tools/opensource/** vendors a large third-party tree with its own frontends — appium, midscene, chroma, perfetto, signoz, skyvern, mem0, ui-tars-desktop, stagehand, etc. (~200 package.json under that path). These are upstream tools, **not** Helix OTA user-facing surfaces, and are excluded from OpenDesign adoption scope (§11.4.28 owned-submodule discipline does not extend to their vendored third-party subtrees). helix_track/ (config.json only) and helix_code/ (launcher scripts only) contain no UI.

3. Design-token bridge gap per non-adopted surface

- **Dashboard (#2, PARTIAL → the real work):** tokens are already vendored and wired (main.tsx, theme.ts, ui.tsx); what remains is *mechanical* — 58 inline hex literals in AppShell.tsx (nav/sidebar chrome) and three screen table stylesheets still bypass the tokens. EXISTS: token file + 29 repointed refs in ui.tsx. MISSING: the same repoint across AppShell.tsx + Audit/ Releases/ArtifactUpload screens. No new bridge needed — same CSS-var mechanism.
- **Android agents (#4, #5):** EXISTS: nothing (fully headless — no Activity, no Compose, no res/). MISSING: everything, but only *conditionally* — there is no UI to theme today. A CSS tokens.css is not consumable by Compose; a future on-device UI would need a generated Kotlin Color.kt/Theme.kt derived from the same brand tokens plus §11.4.170 host-render (Roborazzi/Paparazzi) proof. Until a UI ships, there is nothing to vendor.
- **HelixQA website (#6) / LLM Verifier (#7–9):** own products/tooling with their own design; each would need its stack-native token

bridge (VitePress theme; Angular/Tauri/Electron/RN theming) — out of OTA-brand scope unless the operator pulls them in.

4. Next vendoring targets — priority list

1. **dashboard/ — finish PARTIAL → ADOPTED (HIGH).** Repoint the 58 remaining inline hex in `AppShell.tsx` + `AuditScreen.tsx` + `ReleasesScreen.tsx` + `ArtifactUploadScreen.tsx` to the already-vendored `var(--token)` set. Only in-flight OTA-brand surface not fully on tokens. §11.4.170 host-render exists (`docs/qa/20260709-dashboard-hostrender/`) and will re-validate the repoint.
2. **Android on-device UI token bridge — DEFERRED / conditional (LOW).** No target exists until an Activity/Compose surface is introduced in `ota-android-agent`. If/when it is, build a Kotlin token bridge (not a CSS import) + host-render proof.
3. **Out-of-scope products (HelixQA website, LLM Verifier) — not queued.** Bring in only on explicit operator direction; each is a separate product/tooling surface.

Honest boundary (§11.4.6): The two primary OTA-brand shipped surfaces are `ota-manager` (ADOPTED) and `dashboard` (PARTIAL). The server has no independent UI. The two Android modules ship no UI at all today. So the *entire remaining OTA-brand vendoring surface* is item #1 above (the dashboard repoint). This audit did not render or diff any pixels — correctness proof per surface is §11.4.170's job.

Sources verified

Files inspected on 2026-07-09 (working tree, no network):

- `.gitmodules` (submodule roster)
- `design-systems/helix-ota/` (`tokens.css` header lines 1–31, `tailwind-v4.css`, `DESIGN.md`, `manifest.json` — presence)
- `clients/ota-manager/package.json`, `clients/ota-manager/src/index.css` (line 2), `clients/ota-manager/src/styles/opendesign-tokens.css` (line 2), `clients/ota-manager/src-tauri/tauri.conf.json` (`productName/targets`), `ota-manager src/ tree + hex grep` (0 matches)
- `dashboard/package.json`, `dashboard/src/main.tsx` (line 6), `dashboard/src/styles/tokens.css` (line 2), `dashboard/src/theme.ts`, `dashboard/src/components/ui.tsx` (lines 151–153; 29 `var(--)` refs), `hex grep` across `dashboard/src` (58 matches; sample lines cited)

- `server/internal/api/embed.go (full)`, `server/internal/api/manager-dist/index.html (<title>)`
- `submodules/ota-android-agent/ .kt tree + Compose/Color grep (0)`, `android/src/main/AndroidManifest.xml`
- `submodules/ota-update-engine-bridge/ .kt tree + Compose grep (0)`, `android/src/main/AndroidManifest.xml`
- `submodules/helixqa/website/package.json`
- `submodules/llms_verifier/llm-verifier/{web,desktop/tauri,desktop/electron,mobile/react-native,mobile/aurora_os}/(package.json / build.gradle.kts / Cargo.toml presence)`
- `tests/e2e/manager-ui/package.json`, `cmd/*/main.go`, `tools/device_claim/`, `tools/helixqa_runner/`, `helix_track/`, `helix_code/ (structure)`