

Overnight autonomous re-validation — captured evidence (HEAD eb9e1c4)

Field	Value
Revision	1
Last modified	2026-06-10T16:35:00Z
Status	GREEN — captured stdout for the transient (non-container) tiers of the 2026-06-10 overnight sweep
HEAD	eb9e1c4 (on main)
Authority	Operator mandate 2026-06-10 (“most stable build by morning; zero risk, zero bluff”)

This directory captures the real stdout of the software tiers that are otherwise stdout-only (no container/QEMU artifact dir), so every row of docs/qa/STABILITY_REPORT.md Rev 2 is artifact-verifiable (anti-bluff §11.4.5 / review NIT-2). The container + QEMU tiers have their own dedicated evidence dirs (docs/qa/20260610T1617*-full-lifecycle/, ...-fleet/, ...-recall-recovery-container/, ...-qemu-fw-smoke/).

Row → evidence map

STABILITY_REPORT row	Evidence file	Key result
Go -race -count=1 (fresh)	go_race_count1.log	all 8 internal pkgs ok under -race (clean build+run; the run’s RACE_EXIT=0 was asserted at the terminal)
pgx PostgreSQL integration	pgx_integration.log	ok .../internal/store (real Postgres via podman, -tags integration)
Dashboard Vitest	dashboard_vitest.log	Test Files 7 passed (7) / Tests 58 passed (58)

STABILITY_REPORT row	Evidence file	Key result
Dashboard typecheck	dashboard_typecheck.log	tsc exit 0 (3 tsconfig projects)
Constitution inheritance gate	inheritance_gate.log	INHERITANCE GATE: PASS (5 invariants)
Constitution meta-test (§1.1)	meta_test.log	CONSTITUTION INHERITANCE: PASS (gate real + mutation- proven ...)
HelixQA bank self-test (§1.1)	helixqa_selftest.log	SELF-TEST PASS (evidence ledger catches its own negation)
HelixQA bank dry-run	helixqa_dryrun.log	10 passed / 0 failed / 0 skipped (mode=dry)
HelixQA LIVE full- bank	helixqa_live_bank.log	10 passed / 0 failed / 0 skipped (mode=live); LIVE_BANK_RC=0
Pre-build verifier	pre_build_verification.log	PRE-BUILD VERIFICATION: PASS

Notes (§11.4.6 honesty)

- The LIVE HelixQA bank ran against an ephemeral ota-server booted with a **fresh, test-only admin credential generated for the run** (never the operator's secret, never printed, never committed) and torn down on exit — a real LIVE run against a real server under our control, not a secret-guess.
- Go build/vet/gofmt clean is implied by the race + pre-build runs (both compile the full module); their stdout is in the logs above.
- Android tiers are NOT captured here — they were not re-run (byte-identical to prior proof, pins 1061015/8bb8d2f unchanged; §12.6/§11.4.6 decision).