

Helix Thready — Figma Import Kit

Disposition (2026-07-22)

Catalogue

Materialization path A — Figma MCP (`use_figma` Plugin API)

Materialization path B — manual import

Provenance (no bluff)

Open items

Rev	Date	Author	Change
1	2026-07-22	swarm (design · figma)	Initial kit: complete token set as Figma Variables JSON (light+dark), 8-page file-plan blueprint for “Thready — Design Library”, two materialization paths (MCP / manual); actual Figma file creation tracked as <code>[OPEN: THREADY-DES-FIG-01]</code>
2	2026-07-22	swarm (design · figma)	Disposition after the platform pivot (Constitution §11.4.220): the kit’s blueprint was executed against PenPot (7 files, tokens 71/74, screens light+dark — evidence <code>../exports/penpot/verification/</code>); <code>FIG-01</code> re-scoped to the <i>optional, operator-triggered</i> Figma-cloud import; <code>FIG-03</code> closed (<code>../screens/mobile/channels.html</code> now exists)
3	2026-07-22	swarm (design · decisions)	Operator ruling supersedes the Rev 2 re-scope: <code>[CLOSED: THREADY-DES-FIG-01]</code> — wontfix , the Figma path is dropped entirely; PenPot is the sole design platform; the kit stays as archived blueprint proof (blueprint proven via PenPot). <code>[CLOSED: THREADY-DES-FIG-02]</code> closes with it (was conditioned on <code>FIG-01</code>)

The bridge that was designed to materialize the Thready design system as a Figma library file — now **archived**. Per [Constitution §11.4.220] the primary materialization lives in **PenPot** and is **done** (see **Disposition**); by operator ruling (2026-07-22) the Figma path is **dropped entirely** ([CLOSED: THREADY-DES-FIG-01] — wontfix) and this kit stays on disk as the **archived blueprint proof** — the blueprint it specifies was proven via the PenPot execution. It packs the canonical tokens (`../opendesign/tokens.css`) into Figma’s Variables format and specifies, page by page, the Figma file that would have been built from the existing library and screen artifacts.

Honest status: no Figma file exists — and none will be created. By operator ruling (2026-07-22) the Figma path is **dropped entirely** ([CLOSED: THREADY-DES-FIG-01] — wontfix, superseding the same-day re-scope; see **Open items**); **PenPot is the sole design platform**. The kit’s blueprint **has been executed, against PenPot** (evidence: `../exports/penpot/verification/`), so this directory remains as the **archived blueprint proof**. Nothing in this directory claims a Figma artifact exists. (The hi-fi-frames intent of [OPEN: THREADY-DES-09] is carried by the PenPot materialization; its disposition is owned by the design index.)

Disposition (2026-07-22)

Constitution §11.4.220 (*open-first design tooling*, User mandate 2026-07-22) makes **self-hosted PenPot the primary design platform**, consumed only via the dedicated PenPot submodule (working name `vasic-digital/PenPot`); proprietary tools — Figma included — are **optional import/export targets, never source of truth**, and design sources live in-repo in open formats.

The blueprint this kit specifies has been executed — against PenPot, not Figma. On the local instance (`http://localhost:9001`), project “**Helix Thready**”, the 8-page plan transposed essentially 1:1 into **7 PenPot files**

[VERIFIED — `../exports/penpot/verification/rpc-verification.json`, `verifiedAt 2026-07-22T15:42:41`] :

Kit blueprint	PenPot materialization	Evidence (<code>rpc-verification.json</code>)
Page 1 Cover + Page 2 Foundations	01 Foundations — cover folded in (<code>logo-full</code> , <code>logo-mark</code> , <code>footer-slogan</code> , launcher icons are top-level there)	324 objects; <code>topLevel</code> list
Variables layer (<code>figma-variables.json</code>)	PenPot token sets <code>thready-light</code> / <code>thready-dark</code> / <code>thready-structure</code> + themes <code>Thready/Light</code> · <code>Thready/Dark</code> , imported from the token-bridge — 71 of 74 (PenPot's token model has no <code>duration</code> / <code>cubicBezier</code> types; motion durations + easing are carried as annotations instead)	token sets 19 + 19 + 33
Page 3 Components (14 sets, variant axes)	02 Components — <code>components-sheet</code> + <code>library/components</code> light/dark imported as editable vectors; native PenPot component sets pending rebuild (variant axes not yet re-modeled as components)	973 objects
Page 4 Screens · Web (14 × 1440w)	03 Screens — Web: 14 screens × light/dark	28 frames / 28 images
Page 5 Screens · Mobile (8 × 390w)	04 Screens — Mobile: 11 screens × light/dark (incl. <code>mobile/channels</code> and <code>mobile/notifications</code>)	22 frames / 22 images
Page 6 Screens · Desktop + TUI	05 Screens — Desktop + TUI	4 frames / 4 images
Page 7 Platform overrides	06 Platform Overrides (<code>web-portal-ia</code> , <code>mobile-navigation</code> , <code>tui-navigation</code> , <code>white-label-cascade</code>)	590 objects
Page 8 Prototype wiring	07 Prototypes (<code>prototype-hub/web-index</code> light/dark; interactive wiring pending)	2 frames / 2 images

The kit's SVG sources were imported as **editable vectors** and the PNG screen renders as **underlays** (60 image objects across the 7 files `[VERIFIED — rpc-verification.json objectCountsByType]`); browser **hydration is complete** — per-file screenshots `hydrate-01...07.png` and `hydration-log.jsonl` sit next to the RPC evidence in `../exports/penpot/verification/` .

Consequences for this kit:

- **FIG-01 re-scoped** (*superseded the same day — closed **wontfix** by operator ruling; see [Open items](#)*): the blueprint itself is already proven; the optional import is dropped, and the kit is retained as archived blueprint proof.
- **figma-variables.json** remains valid, unchanged, for that optional Figma path — it is Figma-specific by design and unaffected by the pivot.
- **FIG-03 closed:** `mobile/channels-list` gained its mid-fi HTML source.
- Nothing below was retro-fitted to pretend it targeted PenPot: the plan reads as written (Figma vocabulary intact) and doubles as the specification the PenPot build followed — the transposition record lives in the plan's own disposition note.

Catalogue

File	What it is	How to use
<code>figma-variables.json</code>	The complete token set as Figma Variables: collection <code>Thready / Color</code> (16 variables × Light/Dark modes, incl. <code>ds-heart</code> as a <code>VARIABLE_ALIAS</code> → <code>accent</code>) + collection <code>Thready / Structure</code> (25 FLOAT variables: spacing 4–48, radius sm/md/lg/pill, type sizes 12–64, leadings, motion 150/200, container-max 1200). Shape: Figma Variables REST API bulk-change payload with temporary ids; per-variable <code>scopes</code>, <code>description</code> (carrying the verbatim hex + provenance) and <code>codeSyntax.WEB</code>. Every hex is verbatim from <code>tokens.css</code>; floats are hex/255 — nothing invented	Strip the documentation keys (<code>jq 'del(._meta) \ walk(if type == "object" then del(._hex) else . end)'</code>), then POST to <code>/v1/files/{key}/variables</code> (Enterprise token required) or replay 1:1 through the Plugin API (<code>figma.variables.*</code>) — step 3 of the file plan's build order
<code>figma-file-plan.md</code>	The page-by-page blueprint of the “Thready — Design Library” file: Cover · Foundations (variables, type ramp in Space Grotesk / Hanken Grotesk / JetBrains Mono, color roles light+dark, elevation, motion) · 14 component sets with variant axes · Screens Web (14 × 1440w) / Mobile (8 × 390w, Android+iOS chrome variants) / Desktop + TUI (1 + 5 mono 80-col) · Platform overrides (6 boards) · Prototype wiring (4 ux-flows journeys) — plus the build order & Plugin-API execution notes (fonts preflight with <code>listAvailableFontsAsync</code>, Inter fallback flagged never silent, one page per <code>use_figma</code> call). Proven blueprint — executed against PenPot; its top disposition note records the transposition	Read top-to-bottom before building; execute §11 build order strictly; check off §12 acceptance
<code>README.md</code> (this file)	Catalogue + the two materialization paths + the PenPot disposition	Start here

Materialization path A — Figma MCP (`use_figma` Plugin API)

(Archived — dropped by operator ruling 2026-07-22, `[CLOSED: THREADY-DES-FIG-01]` wontfix; retained as blueprint documentation only.) Requires **OAuth** to Figma (the Figma MCP server's `authenticate` flow) and a seat that can run plugin code.

1. Authenticate the Figma MCP server (OAuth) and create the empty file `Thready — Design Library`.
2. Drive the Plugin API through `use_figma`, executing `figma-file-plan.md` §11 in order: fonts preflight → variables (replay `figma-variables.json` via `figma.variables.createVariableCollection` / `createVariable` / `setValueForMode` / `createVariableAlias`) → text+effect styles → components → screens → overrides → prototype reactions. **One page per `use_figma` call.**
3. Run the acceptance checklist (file-plan §12), record the build in the revision tables, and note that `THREADY-DES-FIG-01` is closed (wontfix) — executing this archived path would be a new operator decision, not a reopening recorded here.

Materialization path B — manual import

(Archived — dropped by operator ruling 2026-07-22, `[CLOSED: THREADY-DES-FIG-01]` wontfix; retained as blueprint documentation only.) No plugin execution; a designer with any Figma plan.

1. Create the file `Thready — Design Library` with the 8 pages named in the file plan.
2. **Components:** drag `../library/components-sheet.svg` into the Components page — it is a valid standalone SVG with grouped, named layers, so it imports as structured vectors (light panel + dark panel). Use it as the tracing/reference base and rebuild the 14 component sets per file-plan §5, binding to variables as you go.
3. **Variables:** Figma's UI has **no built-in JSON variables import** — use either the REST bulk endpoint (`POST /v1/files/{key}/variables`, Enterprise token) with the stripped JSON, or a variables-import plugin that accepts the collection/mode/variable structure, or enter the 41 variables by hand from the JSON (the `description` fields carry the verbatim hex values — no hex ever needs to be re-derived). That path decision was `THREADY-DES-FIG-02` — closed with `FIG-01`, wontfix.
4. Continue with screens/overrides/wiring per the file plan; the same acceptance checklist applies.

Provenance (no bluff)

- Every color/number in the kit traces to `../opendesign/tokens.css` `[VERIFIED]`; contrast claims (accent 6.03:1 light / 13.56:1 dark, brand 1.47:1 decorative only) come from `../opendesign/DESIGN.md` §2 measurements.
- Component axes and counts trace to `../library/README.md` (14 groups, ~38 components, ~118 state cells — the file plan reconciles its 108 static variant cells against that number honestly, §5).

- Screen frames trace 1:1 to the artifacts under `../screens/{web,mobile,desktop,tui}/mobile/channels-list`, non-artifact-backed at Rev 1, is now covered by `../screens/mobile/channels.html` (`[CLOSED: THREADY-DES-FIG-03]`); the notifications flag `[OPEN: THREADY-DES-15]` stays as inherited.
- Deliberately **not** in the variables payload (documented in the JSON `_meta` and file-plan §2): CSS-only constructs — B-slot aliases, `color-mix()` hover/elevation/focus formulas, easing curve, section rhythm/gutters, font families, tracking.
- The PenPot execution evidence is first-party RPC output plus hydration screenshots: `../exports/penpot/verification/rpc-verification.json` (`[VERIFIED – read for this revision]`).

Open items

- `[CLOSED: THREADY-DES-FIG-01]` — **closed wontfix by operator ruling, 2026-07-22**, superseding the same-day re-scope (Rev 2; the re-scope history is preserved in the revision table): the **Figma path is dropped entirely — PenPot is the sole design platform** (`[CONSTITUTION §11.4.220]`). Rationale: the kit's blueprint was already **proven via the PenPot materialization** (`../exports/penpot/verification/`), so a Figma-cloud import adds nothing and would re-introduce a proprietary dependency. The `figma/` kit remains on disk as the **archived blueprint proof**; nothing claims a Figma artifact exists or will be created.
 - `[CLOSED: THREADY-DES-FIG-02]` — **closed with FIG-01** (2026-07-22): the variables-import mechanism question was conditioned on `FIG-01`'s optional import being exercised, which is now wontfix — moot. `figma-variables.json` stays archived with the kit.
 - `[CLOSED: THREADY-DES-FIG-03]` — mid-fi HTML source for `mobile/channels-list` now exists: `../screens/mobile/channels.html` (artifact Rev 1, added in the mobile catalogue Rev 2, 2026-07-22; re-verified present on disk for this revision). The corresponding `mobile/channels` frame is materialized light + dark in PenPot file *04 Screens — Mobile* (`[VERIFIED – ../exports/penpot/verification/rpc-verification.json topLevel]`).
 - Inherited: `[OPEN: THREADY-DES-02]` (PenPot/Lottie bridges — the PenPot half is materially advanced by the §11.4.220 pivot; disposition owned by the index), `[OPEN: THREADY-DES-04]` (Cyrillic subsets), `[OPEN: THREADY-DES-09]` (hi-fi frames — intent now carried by the PenPot materialization; disposition owned by the index), `[OPEN: THREADY-DES-11/12]` (component API names / upstream split), `[OPEN: THREADY-DES-13]` (PenPot's role — ruled by Constitution §11.4.220; disposition owned by the index).
-

Made with love ♥ by Helix Development.