

Helix Thready — Design & UX Area (Index)

Table of contents

Scope

Files in this area

Rendered design package (on disk)

Upstream / Downstream dependencies

Area dependency map

Sources of truth

Verified vs. assumption ledger

Gap-register items owned by this area

Workable-items registry

Open items

Core area items (`THREADY-DES-01...-17`)

Design library (`THREADY-DES-LIB-*`) — library/

Web screens (`THREADY-DES-SCR-*`) — screens/web/

Mobile screens (`THREADY-DES-SCR-MOB-*`) — screens/mobile/

TUI screens (`THREADY-DES-TUI-*`) — screens/tui/

Marketing site (`THREADY-DES-MKT-*`) — screens/marketing/

OpenDesign contract (`THREADY-DES-OD-*`) — opendesign/

Figma kit (`THREADY-DES-FIG-*`) — figma/ — archived; family fully closed

Motion package (`THREADY-MOT-*`) — motion/

Platform customization (`THREADY-DES-PLAT-*`) — platforms/

Conventions applied

Rev	Date	Author	Change
1	2026-07-21	swarm (design)	Initial complete draft: design system, brand assets, theming, wireframes, UX flows, component library, prototypes
2	2026-07-21	swarm (design · review)	Second-pass review: fixed cross-link anchors (numbered to match target ToCs), noted <code>account_branding</code> reconciliation with canonical <code>accounts.branding</code> JSONB, tracked <code>challenges</code> scenario bank + delegated-branding open items
3	2026-07-22	swarm (design · Pass 3)	Depth pass to implementation-ready: re-verified all <code>design_system</code> token/component/adaptor names at source (<code>gh vasic-digital/design_system</code>); deepened wireframes (per-screen validation/state tables, CLI flags/exit-codes, verified TUI keymap + Lipgloss bindings from <code>helix_track/llms_verifier/.../tui</code> , per-platform mobile map); expanded UX flows (+messenger sign-in, +reprocess diagrams); completed component per-platform variant matrix + 6 more contracts + state-lifecycle diagram; finalized brand-assets geometry + concrete platform manifests + slogan-placement matrix; added shipped-theme precedents. 4 new diagrams.
4	2026-07-22	swarm (design · critic pass)	Completeness/consistency pass: made the index the canonical registry — completed the <code>Open items</code> list (was 4 of 14; now all <code>THREADY-DES-01...-14</code>) and added the <code>Workable-items registry</code> (was scattered across files; now consolidated with

Rev	Date	Author	Change
			owning gap + file). Brought <code>prototypes.md</code> to area depth (Pass 3): corrected the unverified “first-party Figma plugin” claim to an assumption + source-confirmed Figma-Variables fallback; added the interactive-prototype traceability matrix + prototype runtime-evidence gate.
5	2026-07-22	swarm (design · figma)	Added the figma/ import kit to the catalogue: the canonical token set as Figma Variables JSON (<code>Thready / Color</code> Light+Dark incl. <code>ds-heart</code> alias + <code>Thready / Structure</code>), the 8-page <code>figma-file-plan.md</code> blueprint of the “Thready — Design Library” file, and the two materialization paths (Figma MCP <code>use_figma</code> Plugin API with OAuth vs manual <code>components-sheet.svg</code> + variables import). No Figma file exists yet — its creation is tracked as <code>[OPEN: THREADY-DES-FIG-01]</code> in the kit.
6	2026-07-22	swarm (design · package critic)	Wired the rendered/executable design package into this registry: the <code>opendesign/</code> OpenDesign brand contract + <code>tokens.css</code> , the <code>screens/</code> rendered HTML surfaces (web incl. interactive <code>index.html</code> , mobile, desktop, TUI, marketing), the <code>library/</code> living component page, the <code>motion/</code> Lottie set, and the <code>exports/</code> PNG/PDF/PenPot/ Figma-IR bundle — see the new Rendered design package section. Package sign-off recorded in <code>DESIGN_PACKAGE_REPORT.md</code> .
6	2026-07-22	swarm (design · index)	Consolidation after the multi-agent design expansion: subdirectory catalogue

Rev	Date	Author	Change
			completed — Files in this area now lists every subdirectory (<code>library/</code> , <code>motion/</code> , <code>opendesign/</code> , <code>screens/</code> {<code>web</code>,<code>mobile</code>,<code>desktop</code>,<code>tui</code>,<code>marketing</code>} / , <code>assets/</code> , <code>diagrams/</code> , <code>exports/</code>) alongside the 7 area docs and the <code>figma/</code> kit — and the canonical open-items registry rebuilt: re-verified against the tree by <code>grep (OPEN: THREADY-...)</code> and expanded from <code>THREADY-DES-01...-14</code> to all 41 registered IDs across nine families (<code>-15...-17</code> , <code>-LIB-01...04</code> , <code>-SCR-01...04</code> , <code>-SCR-MOB-01...03</code> , <code>-TUI-01/02</code> , <code>-MKT-01/02</code> , <code>-OD-01...03</code> , <code>-FIG-01...03</code> , <code>THREADY-MOT-01...03</code>). <code>THREADY-DES-OD-03</code> (link <code>opendesign/</code> from this index) is closed by this very change; <code>THREADY-MOT-03</code> recorded in its narrowed (2026-07-22) state per <code>motion.md</code> §8.
7	2026-07-22	swarm (design · platforms)	Added the platforms/ per-platform customization specs closing the adversarial-review finding (“adequate-but-scattered Android/iOS, THIN HarmonyOS/ Aurora, MISSING typography substitution”): <code>typography-substitution.md</code> (bundling feasibility, honest fallback stacks, TUI monospace-only reality, Cyrillic discipline, dynamic-type mapping of the token ramp), dedicated <code>harmonyos.md</code> + <code>aurora.md</code> design contracts (both clients remain skeletons <code>[GAP: 8.5]</code>), and <code>react-token-rebind.md</code> (remediation contract for <code>THREADY-DES-LIB-01</code> / <code>[GAP: 8.6]</code>). Registry

Rev	Date	Author	Change
			extended with the new THREADY-DES-PLAT-01...-08 family (41 → 49 registered IDs, ten families).
8	2026-07-22	swarm (design · index)	PenPot materialization evidence registered (Constitution §11.4.220 pivot): the <code>exports/</code> catalogue row now carries the <code>exports/penpot/</code> verification bundles — <code>verification/</code> (7 hydrate screenshots + <code>rpc-verification.json</code> + <code>hydration-log.jsonl</code>), <code>verification/prototypes/</code> (6 screenshots + <code>rpc-interactions.json</code>; click-through navigation PROVEN via before/after view-mode captures — 15 interactions across files 03+04, flows <code>web-primary/</code> <code>mobile-primary</code>, reprocess honestly unwirable), <code>verification-independent/</code>, <code>import-manifest.json</code>, <code>flow-map.json</code>, the proven <code>tokens.penpot-import.json</code>, <code>png-derived/</code>. Registry deltas: THREADY-DES-FIG-01 re-scoped (optional operator-triggered Figma-cloud import; blueprint proven via PenPot), THREADY-DES-FIG-03 closed (<code>screens/mobile/channels.html</code> + PenPot file 04 frames), THREADY-DES-02 advanced (PenPot half exercised 2026-07-22: 71/74 via the natively generated projection), THREADY-DES-LIB-04 summary aligned to its narrowed state, THREADY-DES-13 annotated (§11.4.220 ruling). <code>tokens-bridge/</code> catalogue row corrected to eight targets (<code>generated/penpot/tokens.penpot-import.json</code>;

Rev	Date	Author	Change
			<code>web/tokens.json</code> = pure DTCG, not the PenPot import file; <code>--check</code> 40/40). Totals re-verified by grep: 49 IDs — 46 open / 3 closed.
9	2026-07-22	swarm (design · index)	Decision-propagation + delivery pass (operator rulings 2026-07-22, each verified at its owning file): 6 more IDs closed — <code>THREADY-DES-03</code> (heart stays accent green, brand-assets rev 3), <code>THREADY-DES-08</code> (desktop v1 = wrapped web only; the desktop mocks are the v2 contract — wireframes rev 5 / desktop README rev 2), <code>THREADY-DES-MKT-01</code> (3-page baseline approved, no self-host claim — marketing README rev 2), <code>THREADY-DES-FIG-01</code> (wontfix — Figma path dropped entirely, kit archived as blueprint proof — figma README rev 3), <code>THREADY-DES-FIG-02</code> (moot with <code>FIG-01</code>), <code>THREADY-DES-LIB-02</code> (Option B: Compose-Multiplatform-only + thin SwiftUI host — helix-shims-findings rev 2 §5/§6). 4 narrowed / re-scoped: <code>THREADY-DES-PLAT-01</code> (bundle all three faces on all platforms; remaining = per-face OFL verification — typography-substitution rev 2), <code>THREADY-DES-SCR-MOB-03</code> (WhatsApp roadmap-committed; remaining = the <code>WA_*</code> source contract — mobile README rev 3), <code>THREADY-DES-LIB-01</code> (React re-bind executed + merged to main in <code>UI-Components-React</code> per operator ruling — 13 components, 262/262 tests; remaining = the state-completeness re-audit; rebind

Rev	Date	Author	Change
			doc rev 1 predates the merge, lag noted), <code>THREADY-DES-LIB-03</code> (inspection delivered; remaining = the ArkTS/Aurora client platform decision). New artifact registered: <code>platforms/helix-shims-findings.md</code> — first actual <code>helix_shims</code> inspection: no ArkTS/Aurora code, no design/token surface <code>[VERIFIED]</code>. <code>THREADY-DES-MKT-02</code> delivery registered (privacy/terms/imprint page designs + <code>seo.md</code> — marketing README rev 3). <code>figma/</code> + <code>exports/</code> catalogue rows re-framed post-wontfix; twins-freshness note added (full-tree regeneration 2026-07-22, final wave 16:31 — 36 md × 2 fresh twins). Totals re-verified by grep: 49 IDs — 40 open / 9 closed.

This is the canonical entry point for the **Design & UX** documentation of Helix Thready. It specifies the design system (derived from **OpenDesign** and the shared in-house `vasic-digital/design_system`), the **Thready** brand theme derived from `assets/Logo.png`, the launcher-icon and slogan brand assets, per-account theming / white-labeling, wireframes for every client surface, the key UX journeys, the reusable component library, and the interactive / non-interactive prototype plans. Beyond the specification documents, the area now also carries its **concrete artifacts** — the living design library, the screen-design sets for every surface (web, mobile, desktop, TUI, marketing), the motion package, the OpenDesign brand contract, the archived Figma import kit (blueprint proof), the icon-export masters + tooling, and the rendered export package — all catalogued in [Files in this area](#). All authors follow [../CONVENTIONS.md](#).

Table of contents

- Scope
- Files in this area
- Rendered design package (on disk)
- Upstream / Downstream dependencies
- Area dependency map
- Sources of truth
- Verified vs. assumption ledger
- Gap-register items owned by this area

- Workable-items registry
- Open items
- Conventions applied

Scope

The Design & UX area covers, per the operator request (\$Design, \$Frontends, \$Branding) and the decision matrix `[CONSTITUTION §11.4.162/190]`:

1. The **design system** derived from OpenDesign (`nexu-io/open-design`) and the shared `basic-digital/design_system` (helix-green base), with a Thready theme derived from `Logo.png`, **light + dark**, and per-platform variants (Angular/CSS, React, KMP/Compose, Flutter/Qt, TUI/Lipgloss).
2. The **brand assets** spec — a launcher icon with **no letters** that incorporates the Helix spiral element, light/dark, vector + all OS export sizes; and the footer slogan “**Made with ♥ by Helix Development**”.
3. **Theming / white-labeling** per account (Root-configurable colors, logo, slogan).
4. **Wireframes** (Markdown + Mermaid) for the Web portal, CLI/TUI, and mobile.
5. **UX flow diagrams** for the key journeys: add channel, process post, search, manage account.
6. The **reusable component library**.
7. **Prototype plans** — interactive + non-interactive (Figma + PenPot + Lottie exports).

The area is **Phase 3 (Client Applications)** in the four-phase plan, and — per the operator’s **Web + CLI first** decision `[OPERATOR]` — the Angular 19 web portal and the CLI/TUI surfaces are specified to implementation depth first; Desktop (Tauri), and the four mobile platforms are specified to design depth with their scaffold gaps tracked.

Files in this area

File	Purpose
design-system.md	Token architecture (core + Thready theme), platform fan-out, typography, spacing, motion, a11y contract, visual-regression testing
brand-assets.md	Launcher icon spec (spiral/Helix element, no letters), light/dark, vector + OS export size matrix; Helix Development org logo; the “Made with ♥” footer slogan
theming.md	Light/dark resolution (3 sanctioned mechanisms), per-account white-labeling model, DDL for <code>account_branding</code> , runtime CSS-var injection, brand-on-generated-documents
wireframes.md	Screen inventory + wireframes for Web portal, CLI/TUI, and mobile, each as Mermaid + prose
ux-flows.md	The four key journeys as flow/sequence diagrams with states, errors, and event hooks
component-library.md	The <code>.ds-*</code> component catalogue, per-platform adapters, props/anatomy/states, and the build-order backlog
prototypes.md	Figma authoring plan, interactive vs. non-interactive prototypes, transition/motion spec, and the export pipeline (Figma/PenPot/PDF/PNG/SVG/Lottie)
figma/	Figma import kit — ARCHIVED (blueprint proof): <code>figma-variables.json</code> (the full token set as Figma Variables — <code>Thready / Color</code> <code>Light+Dark</code> + <code>Thready / Structure</code>), <code>figma-file-plan.md</code> (8-page blueprint of the “Thready — Design Library” file). The blueprint is proven — executed against PenPot per <code>[CONSTITUTION §11.4.220]</code> (evidence <code>exports/penpot/verification/</code>); by operator ruling (2026-07-22, kit Rev 3) the Figma path is dropped entirely — <code>[CLOSED: THREADY-DES-FIG-01]</code> wontfix (superseding the same-day re-scope) and <code>[CLOSED: THREADY-DES-FIG-02]</code> with it. No Figma file exists and none will be created ; the kit stays on disk as the archived blueprint proof (executing it again would be a new operator decision, not a reopening)
library/	Design library artifacts: <code>components.html</code> (the living component library — 14 groups, ~38 components, ~118 state cells, each auditable in light + dark), <code>components-sheet.svg</code> (importable one-sheet overview), <code>platform-map.md</code> (36 components × 8 platforms reusability matrix with per-cell VERIFIED / PROPOSED / ASSUMED markers)
motion/	Motion package (Lottie catalogue): six hand-authored vector Lottie animations + five static reduced-motion fallback SVGs, <code>motion.md</code> (motion spec + honest validation record), <code>motion-manifest.json</code> (runtime manifest v2 with per-animation <code>reducedMotionFallback</code>), self-contained <code>preview.html</code> (vendored lottie-web, zero network)

File	Purpose
opendesign/	OpenDesign brand contract: <code>DESIGN.md</code> (the Thready contract in the verified 9-section OpenDesign schema, Lens A/B compliant), <code>tokens.css</code> (its machine-readable twin — compiled CSS custom properties, light + dark, per the OpenDesign token schema), <code>TOOLING.md</code> (honest tooling capability check: daemon/CLI probes, headless-vs-operator matrix, exact Figma import flow)
platforms/	Per-platform customization specs (deviation contracts, complementing <code>library/platform-map.md</code> which maps components and <code>screens/*/README.md</code> which carry per-screen chrome): <code>typography-substitution.md</code> (per-platform font strategy — bundling decided 2026-07-22: all three brand faces on all platforms, fallback stacks re-labelled runtime-failure-only; Cyrillic discipline, dynamic-type mapping), <code>harmonyos.md</code> + <code>aurora.md</code> (dedicated ArkTS / Qt-Silica design contracts; clients are skeletons <code>[GAP: 8.5]</code>), <code>react-token-rebind.md</code> (remediation contract for <code>THREADY-DES-LIB-01</code> / <code>[GAP: 8.6]</code> — executed + merged to main in UI-Components-React per operator ruling 2026-07-22: 13 components rebound, 262/262 tests; the contract doc's rev 1 wording predates the merge, lag noted), and <code>helix-shims-findings.md</code> (first actual <code>vasic-digital/helix_shims</code> inspection, HEAD <code>a33e902f...</code>: a tunnel-lifecycle FFI layer — no ArkTS/Aurora code and no design/token surface of any kind <code>[VERIFIED]</code>; + the \$6 SwiftUI decision memo whose Option-B ruling closed <code>THREADY-DES-LIB-02</code>); mints <code>THREADY-DES-PLAT-01...-08</code> (<code>-01</code> narrowed 2026-07-22: remaining = per-face OFL verification)
tokens-bridge/	Token-bridge codegen (the generator design-system \$7 / platform-map \$6 referenced but which did not exist): <code>generate.mjs</code> (no-deps Node) parses <code>opendesign/tokens.css</code> — the single source — and deterministically emits the eight per-platform bindings, each <code>GENERATED — DO NOT EDIT</code> with the source sha256 (one deliberate exception — the PenPot target, README \$9): W3C DTCG <code>web/tokens.json</code> (the pure W3C DTCG canonical — NOT the PenPot import file: its top-level <code>\$description</code> flips PenPot 2.17 into single-set mode <code>[VERIFIED 2026-07-22]</code>, README \$9), PenPot 2.17 import projection <code>generated/penpot/tokens.penpot-import.json</code> (multi-set + <code>\$themes</code>, byte-identical to the file that actually imported; 71/74 land — <code>duration</code> / <code>cubicBezier</code> silently dropped by PenPot 2.17), Compose <code>ThreadyColors.kt</code>, SwiftUI <code>ThreadyTokens.swift</code>, ArkTS <code>thready_tokens.ets</code>, QML <code>ThreadyTokens.qml</code> singleton, Lipgloss <code>thready_palette.go</code> (locked to <code>screens/tui/lipgloss-theme.md</code> \$2 incl. its ASSUMED ANSI picks; <code>go vet</code> / <code>go build</code> verified), Flutter <code>thready_tokens.dart</code>; <code>--check</code> is the CI drift gate (byte-diff + hex round-trip + PenPot quirk guards — 40/40 PASS 2026-07-22). Bindings are delivery-ready contracts — consumer-repo

File	Purpose
	wiring stays open (<code>[OPEN: THREADY-DES-LIB-04]</code> narrowed: generator DONE, wiring OPEN)
screens/web/	Web portal screen designs: 13 self-contained OpenDesign-style HTML screens + the interactive prototype shell (<code>index.html</code>) walking the four ux-flows journeys; per-screen state contracts, light + dark, realistic Thready data
screens/mobile/	Mobile screen designs: 11 device-framed 390×844 artifacts (Android/iOS chrome toggle, HarmonyOS/Aurora port notes) covering every node of the wireframes §6 IA, plus the derived notifications centre (<code>[OPEN: THREADY-DES-15]</code>)
screens/desktop/	Desktop (Tauri 2) shell design: <code>desktop-shell.html</code> (per-OS title bar, menus, tray/notification/file-drop mocks) + the desktop-differences catalogue; scope decided (operator ruling 2026-07-22, <code>[CLOSED: THREADY-DES-08]</code>): v1 ships the wrapped web UI only — the tray/notification/file-drop mocks are the v2 contract (desktop README rev 2)
screens/tui/	TUI screen designs: <code>tui-screens.html</code> (ten 80-column Bubble Tea/Lipgloss terminal mockups covering the full wireframes §5 state machine, Login through Skills) + <code>lipgloss-theme.md</code> (normative token → <code>lipgloss.Color</code> mapping, truecolor → ANSI-256 → ANSI-16)
screens/marketing/	Marketing site (Angular 22) designs: the 3 approved pages (<code>landing</code> / <code>features</code> / <code>download</code> — baseline approved 2026-07-22, <code>[CLOSED: THREADY-DES-MKT-01]</code> , no self-host claim) + the rev-3 legal/SEO delivery: <code>privacy.html</code> / <code>terms.html</code> / <code>imprint.html</code> structural page designs (every legal paragraph an <code>[OPERATOR — legal counsel text required]</code> placeholder — no legal fact invented) and <code>seo.md</code> (per-page meta/OG/Twitter, doc-backed JSON-LD <code>SoftwareApplication</code> , sitemap/robots templates, en/ru/sr-Cyrl canonical+hreflang); full claims-traceability register (rows 1–28); <code>[OPEN: THREADY-DES-MKT-02]</code> stays open, actively-scoped — counsel text, entity details, operator SEO slots, the analytics decision, the store-listing footprint
assets/	Brand asset masters + export tooling: the 7 SVG masters (<code>launcher-icon</code> + <code>-light</code> / <code>-dark</code> / <code>-mono</code> , <code>logo-mark</code> , <code>logo-full</code> , <code>footer-slogan</code>), <code>icon-export-matrix.md</code> (exact per-platform pixel/format matrix, all OS surfaces) and <code>generate-raster.sh</code> (its 1:1 implementation — verified live run, 83 real rasters)
diagrams/	Mermaid sources (<code>.mmd</code>) + rendered SVGs for the area's diagrams — 17 source/render pairs (area map, token fan-out, journey flows, IA/navigation, export pipelines, component lifecycle) per <code>[CONVENTIONS §4]</code>
exports/	

File	Purpose
	Design export package (capstone): screen PNG renders light + dark at 2× (49 on disk), the 54-page <code>design-book.pdf</code>, and the PenPot + Figma hand-off bundles (editable vectors, screen rasters, genuine <code>.od-figma.json</code> IR captures, <code>IMPORT.md</code> guides), built by <code>scripts/</code> (<code>render-cdp.mjs</code> / <code>build-book.mjs</code> / <code>capture-figma.mjs</code>). Rendered before the marketing / +4-mobile / TUI-expansion wave — regeneration is a downstream Docs Chain pass. PenPot materialization evidence (2026-07-22, \$11.4.220): <code>exports/penpot/</code> additionally carries <code>verification/</code> (7 <code>hydrate-01...07.png</code> screenshots + <code>rpc-verification.json</code> + <code>hydration-log.jsonl</code>), <code>verification/prototypes/</code> (6 screenshots + <code>rpc-interactions.json</code> — click-through prototype navigation PROVEN via before/after view-mode captures), <code>verification-independent/</code> (independent RPC snapshots <code>files.json</code> / <code>snapshots.jsonl</code> + dashboard/file screenshots), <code>import-manifest.json</code>, <code>flow-map.json</code>, the proven <code>tokens.penpot-import.json</code> (operator-derived; generated twin in <code>tokens-bridge/generated/penpot/</code>), and <code>png-derived/</code>. Interactions: 15 wired across files <i>03 Screens — Web</i> (12) + <i>04 Screens — Mobile</i> (3), 2 named flows (<code>web-primary</code>, <code>mobile-primary</code>); the reprocess journey is honestly unwirable at board level (single-screen self-loop — recorded in <code>flow-map.json</code>, not wired). Figma half archived (2026-07-22): since the <code>[CLOSED: THREADY-DES-FIG-01]</code> wontfix ruling the Figma hand-off bundle (<code>.od-figma.json</code> IR captures + <code>IMPORT.md</code>) is archived evidence, not a pending hand-off — retained on disk unchanged; <code>exports/README.md</code> (rev prior) predates the ruling, lag noted

Rendered design package (on disk)

Beyond the specification `.md` documents above, the area ships a **rendered, executable design package** — the concrete deliverables the operator mandates require. The full audit and sign-off is in **DESIGN_PACKAGE_REPORT.md**; this table is the at-a-glance manifest (counts **VERIFIED** on disk 2026-07-22).

Deliverable	Where	Count / form (VERIFIED)
OpenDesign brand contract	<code>opendesign/</code>	<code>DESIGN.md</code> (9-section contract) + <code>tokens.css</code> (light + dark) + <code>TOOLING.md</code>
Rendered screens	<code>screens/</code>	30 self-contained HTML — web 13 + interactive <code>index.html</code> , mobile 11, desktop 1, TUI 1, marketing 3
Interactive prototype	<code>screens/web/index.html</code>	Journey-walking shell embedding the live screens (0 broken sibling links)
Living component library	<code>library/</code>	<code>components.html</code> (all states × light/dark) + <code>components-sheet.svg</code> + <code>platform-map.md</code> (×8 platforms)
Motion (Lottie)	<code>motion/</code>	6 Lottie <code>.json</code> (all parse, bodymovin v5.7.4) + 5 static fallbacks + <code>preview.html</code> (vendored, zero-network)
Brand assets + tooling	<code>assets/</code>	7 SVG masters (launcher icon: 0 letters , helix element; footer slogan) + export matrix + <code>generate-raster.sh</code>
Diagrams	<code>diagrams/</code>	17 <code>.mmd</code> + rendered <code>.svg</code> pairs
Export bundle	<code>exports/</code>	49 PNG (light+dark, 2×) · <code>design-book.pdf</code> (54 pp) · PenPot (16 SVG + 22 PNG) · Figma 28 genuine <code>.od-figma.json</code> IR (11 291 nodes) · PenPot materialization verification (<code>exports/penpot/verification*</code> — hydrate + prototype + independent RPC evidence; 15 wired interactions, 2 flows)

Non-interactive prototype = the PNG render set + the PDF design book + the PenPot/Figma hand-off bundles under `exports/`. **PenPot is the sole design platform** [\[CONSTITUTION §11.4.220\]](#); since the 2026-07-22 wontfix ruling ([\[CLOSED: THREADY-DES-FIG-01\]](#)) the **Figma bundle is archived evidence, not a pending hand-off**. PenPot hand-off remains **operator-only** (no PenPot token in this environment) — see the report's operator-action list.

Twin freshness [\[CONSTITUTION §11.4.65\]](#): the area's `.html` / `.pdf` twins were fully regenerated 2026-07-22 (final wave 16:31); verified on disk at rev 9: every one of the area's 36 `.md` files carries both twins fresher than its source (72 twin files; this index's own twins regenerated by the rev-9 pass itself).

Upstream / Downstream dependencies

Upstream (this area consumes / must not contradict):


- `docs/private/research/mvp/helix_thready_research_request_final.md` — decision matrix (`design system source = OpenDesign`, `Frontend = Angular 19/22 on design_system`, `Desktop = Tauri 2`, `Mobile = native+KMP`, `TUI = Bubble Tea + Lipgloss`), operator decisions (Web+CLI first, aggressive SLO), Q17–Q20, Q26, §8.3 white-labeling.
- `docs/private/research/mvp/helix_thready_subsystem_gaps_and_improvements.md` — the design-arm gaps (`design_system` foundation, `helix_design` / `helix_ui` scaffolds, KMP UI scaffolds, VisualRegression family no-CI). Every one is addressed below or tracked.

- In-house **vasic-digital/design_system** — the real token/component/adaptor source (read at source via `gh` ; interfaces reproduced verbatim where load-bearing).
- **nexu-io/open-design** — the design-system generation daemon `[CONSTITUTION §11.4.162]`.
- `../architecture/index.md` — entities (accounts, channels, posts, assets, processing state) and event model that the screens and flows visualize.
- `../api/index.md` — the REST `/v1` + WebSocket/SSE contract every screen binds to; UX flows reference specific endpoints/events.

Downstream (consumes this area):

- `../user-guides/index.md` — screenshots, illustrations and the component vocabulary used in manuals and tutorials.
- `../testing/index.md` — UI/UX test types, visual-regression banks, a11y gates derive from the component states and flow acceptance criteria specified here.
- The implementation repos (Angular web/desktop clients, native mobile clients, TUI) consume the tokens, components and flows verbatim.

Area dependency map



Rendered PNG/SVG exported via Docs Chain (§11.4.65). Source: `diagrams/design-area-map.mmd`.

Explanation (for readers/models that cannot see the diagram). OpenDesign is the upstream source of truth for the whole area; it (and the shared `design_system` extracted from it) feeds `design-system.md`, which defines the token architecture. From the design system three siblings branch: `theming.md` (light/dark + per-account white-labeling), `brand-assets.md` (the launcher icon and the “Made with ♥” slogan), and `component-library.md` (the reusable `.ds-*` components). Theming and the component library together feed `wireframes.md` (the concrete screens for Web, CLI/TUI and Mobile). Wireframes feed `ux-flows.md` (the four key journeys) and, together with the brand assets, feed `prototypes.md` (the Figma/PenPot/Lottie deliverables). The dotted edges show the cross-area couplings: the API area supplies the endpoints and events that the wireframes render and the flows drive; the architecture area supplies the entities the flows manipulate; and downstream, the design system and the prototype exports are consumed by the user-guides area.

Sources of truth

Source	Used for	Confidence
<code>vasic-digital/design_system</code> (<code>tokens/</code> , <code>components/</code> , <code>docs/THEMES.md</code>)	Real token values, <code>.ds-*</code> components, Angular <code>ThemeService</code> / <code>I18nService</code> / <code>FooterComponent</code> , WCAG evidence	VERIFIED (read at source via <code>gh</code>)
<code>assets/Logo.png</code>	Thready brand mark + theme derivation, launcher-icon element	VERIFIED (inspected)
<code>helix_track/web_client/open-design.config.json</code>	Product-client OpenDesign config precedent (<code>primary #BCE63B</code> , <code>secondary #7AA590</code>)	VERIFIED (local clone)
<code>nexu-io/open-design</code> (<code>apps/daemon/src/brands/engine/export.ts</code> , README)	OpenDesign export surface (tokens.json / theme.json / CSS / PPTX / PDF); release 0.13.0	VERIFIED (read at source)
Decision matrix §0.2, Q17–Q20, Q26; §8.3	Framework choices, design-tool choices, white-labeling	AUTHORITATIVE

Verified vs. assumption ledger

- **VERIFIED:** The `design_system` token names, exact hex values, `.ds-*` component classes, and the Angular adapters (`ThemeService`, `I18nService`, `ThemeToggleComponent`, `LanguagePickerComponent`, `FooterComponent`, `DS_CONFIG` / `DS_LOCALES` / `DS_DICTIONARY`) are reproduced from source — **re-verified at source via `gh` in Pass 3**. The helix-green brand `#B6E376`,

light accent `#446E12` (6.03:1 on white), and dark accent `#B6E376` (13.56:1 on `#020817`) are measured, not invented; the two sibling shipped themes (`vasic-red` accent 6.47/7.23, `helix-ota-blue`) are likewise measured. The footer heart is tinted with the verified `--accent-ink` token via the localized `footer.made` / `ally.love` / `footer.by` keys. The **TUI** Bubble Tea/Lipgloss pattern and its keymap are verified against real source (`helix_track/llms_verifier/.../tui`).

- **ASSUMPTION** / **[DEFAULT — adjustable]**: The exact launcher-icon geometry (now pinned to a numeric spec in `brand-assets §3.1` but pending the OpenDesign authoring pass), motion durations beyond the two shipped tokens, the Thready composite public API names, and every wireframe layout are proposed defaults pending operator/team review. (The **Thready secondary teal** is no longer an assumption — it is now the eyedrop-captured `#ABDDC9`, see `THREADY-DES-01` below.)
- **SCAFFOLD (do not claim it works)**: `helix_design` (non-web design arm) and `helix_ui` (Flutter) are scaffolds; `UI-Components-KMP` and the KMP fleet have no CI/publish; the VisualRegression family has no CI. These are tracked below and in the relevant files.

Gap/Register items owned by this area

Each is addressed with a design plan and/or a tracked workable item in the linked file.

Gap (register id)	Status	Where addressed
<code>[GAP: 8.1 design_system]</code> foundation, web-only, needs Thready theme + npm publish	FOUNDATION	<code>design-system.md</code> , <code>theming.md</code> , <code>brand-assets.md</code>
<code>[GAP: 8.2 helix_design]</code> non-web token packages don't exist (Flutter/Qt/CSS)	SCAFFOLD	<code>design-system.md</code>
<code>[GAP: 8.3 helix_ui]</code> Flutter UI scaffold; cannot target HarmonyOS/Aurora	SCAFFOLD	<code>design-system.md</code> , <code>component-library.md</code>
<code>[GAP: 8.4 UI-Components-KMP]</code> KMP UI scaffold, no CI/publish	SCAFFOLD	<code>component-library.md</code>
<code>[GAP: 8.5 helix_shims / HarmonyOS+Aurora clients]</code> native clients skeleton	SCAFFOLD	<code>wireframes.md</code> , <code>component-library.md</code>
<code>[GAP: 8.6 TS libs / helix_track_cli]</code> re-audit before adoption	SCAFFOLD/ FLAGGED	<code>component-library.md</code>
<code>[GAP: 9.3 VisualRegression family]</code> Panoptic/ScreenDiff/ReplayBuffer no CI + Thready <code>challenges</code> banks	FOUNDATION	<code>design-system.md</code> , <code>component-library.md</code>
<code>[GAP: 7.3 Security-KMP]</code> mobile secure storage stub (gates mobile release)	SCAFFOLD	<code>wireframes.md</code> (release gate note)

Workable-items registry

The concrete build/hardening tasks this area defines, consolidated (they were previously only inline in each file). Each closes one or more gap-register items and is ordered by the **Web + CLI first** priority

[**OPERATOR**]. IDs are stable and referenced verbatim by the owning files.

Workable item	What it delivers	Closes	Defined in
THREADY-DES-DS-01	Add <code>tokens/themes/thready.css</code> + Thready <code>DS_CONFIG</code> upstream; publish <code>@vasic-digital/design-system</code> to npm; mature the standalone package	[GAP: 8.1]	design-system \$9, theming \$11, brand-assets \$11
THREADY-DES-WEB-01	Angular composite set (\$5) on the published primitives (git dep until npm)	[GAP: 8.1]	component-library \$10
THREADY-DES-TUI-01	Lipgloss component styles from the token export (verified pattern)	— (pattern verified)	component-library \$10
THREADY-DES-VR-01	CI for the visual-regression family (<code>ScreenDiff</code> / <code>VisualRegression</code> / <code>ReplayBuffer</code>) + wire the themexstate bank	[GAP: 9.3] (half 1)	design-system \$9, component-library \$10, prototypes \$11
THREADY-DES-CHAL-01	Thready UI/UX Challenges scenario banks (mandated test type)	[GAP: 9.3] (half 2)	design-system \$9, component-library \$9
THREADY-DES-KMP-01	<code>UI-Components-KMP</code> CI + Maven publish + token-bridge codegen	[GAP: 8.4]	design-system \$9, component-library \$10
THREADY-DES-FLUT-01 / -QT-01	<code>helix_design</code> per-platform token packages (Flutter, Qt/Aurora); native ArkTS/Qt via <code>helix_shims</code>	[GAP: 8.2/8.3/8.5]	design-system \$9, component-library \$10
THREADY-DES-REACT-01	<code>UI-Components-React</code> re-audit + adoption — the token re-bind is executed + merged to main (operator ruling 2026-07-22: 13 components re-bound per the <code>react-token-rebind.md</code> contract, 262/262 tests); remaining = the <code>LIB-01</code> state-completeness re-audit; adoption itself stays “only if a React surface is needed”	[GAP: 8.6]	component-library \$10, platforms/react-token-rebind.md
THREADY-DES-EXPORT-01	Build/validate the PenPot + Lottie export bridges (not native OpenDesign targets)	[OPEN: THREADY-DES-02]	prototypes \$11

Open items

The full, canonical open-item registry for this area — **49 registered IDs** across ten families: the core `THREADY-DES-01...-17` plus the per-directory families minted by the artifact waves (`-LIB` , `-SCR` , `-SCR-MOB` , `-TUI` , `-MKT` , `-OD` , `-FIG` , `-PLAT` , and `THREADY-MOT`). Each is tracked in its owning file; this registry is the single place to see them all and their state. Re-verified against the tree on 2026-07-22 (rev 9) by grepping `OPEN: THREADY-...` / `CLOSED: THREADY-...` over `design/` : every ID below exists at its owning file, and no ID exists in the tree that is absent below (49 unique IDs both ways). Closure state is authoritative **per owning file**; non-owning files may still carry pre-ruling `[OPEN: ...]` markers for newly-closed IDs (revision-history rows and `figma-file-plan.md` 's verbatim blueprint markers are historical by design; genuinely stale: `design-system.md` / `assets/icon-export-matrix.md` / `screens/web/README.md` for `DES-03` , `DESIGN_PACKAGE_REPORT.md` for `DES-08` , `library/platform-map.md` §6 + `tokens-bridge/README.md` for the `LIB` family — owner passes pending, noted per row). **State summary: 40 open (narrowed / re-scoped: `THREADY-MOT-03` , `THREADY-DES-LIB-01` , `THREADY-DES-LIB-03` , `THREADY-DES-LIB-04` , `THREADY-DES-PLAT-01` , `THREADY-DES-SCR-MOB-03` ; `THREADY-DES-02` advanced, `THREADY-DES-MKT-02` actively-scoped), 9 closed (`THREADY-DES-01` , `THREADY-DES-03` , `THREADY-DES-08` , `THREADY-DES-OD-03` , `THREADY-DES-FIG-01` wontfix, `THREADY-DES-FIG-02` , `THREADY-DES-FIG-03` , `THREADY-DES-MKT-01` , `THREADY-DES-LIB-02`).**

Core area items (THREADY-DES-01...-17)

ID	State	Summary	Owning file(s)
THREADY-DES-01	CLOSED	--brand-2 teal captured via formal Logo.png eyedrop (#ABDDC9 light / #B7EBD6 dark), replacing the #7AA590 stand-in	design-system §3.2, brand-assets §11
THREADY-DES-02	OPEN (advanced 2026-07-22)	PenPot + Lottie are not native OpenDesign export targets — bridges must be built (THREADY-DES-EXPORT-01). The PenPot half was exercised 2026-07-22: tokens imported into PenPot 2.17 via the natively generated projection tokens-bridge/generated/penpot/tokens.penpot-import.json — 71/74 land (PenPot 2.17 silently drops duration / cubicBezier). Remaining: re-validation on future PenPot versions (+ retiring the operator-derived exports/penpot/tokens.penpot-import.json in favour of the generated target) and the Lottie / illustration half	tokens-bridge §8/§9, prototypes.md, design-system §10
THREADY-DES-03	CLOSED (2026-07-22)	Heart-glyph color decided (operator ruling): stays --ds-heart: var(--accent) — accent green, AA-legible in both modes, white-label-safe (a rebranded Account's validated accent re-tints the heart; a hard-coded love-red would sit outside the override contract and risk reading as --danger); the classic love-red alternative is dropped. Recorded in brand-assets rev 3 (§8/§11); design-system.md §3.2/ §10, assets/icon-export-matrix.md and screens/	brand-assets §8, design-system §3.2

ID	State	Summary	Owning file(s)
		web/README.md still carry the pre-ruling [OPEN] marker — staleness noted, owner pass pending	
THREADY-DES-04	OPEN	Verify Cyrillic subsets of the three variable faces for ru / sr-Cyrl	design-system §4 , component-library §11 , prototypes §11
THREADY-DES-05	OPEN [RESEARCH]	Aurora density buckets (86/108/128/172/250) must be verified against current Aurora OS packaging docs	brand-assets §5.1
THREADY-DES-06	OPEN	Whether Account Admins (tier 2), not only Root, may edit their own Account branding	theming §11 , ux-flows §5
THREADY-DES-07	OPEN	Advanced neutral-surface override (beyond accent) needs a full AA re-validation matrix before exposure	theming §11
THREADY-DES-08	CLOSED (2026-07-22)	Decided (operator ruling): desktop (Tauri) v1 ships the wrapped web UI only — tray, native notifications and file-drop are designed-but-deferred; the screens/desktop/ mocks are the v2 contract , not v1 scope (wireframes rev 5 §7, desktop README rev 2; DESIGN_PACKAGE_REPORT.md still carries the pre-ruling marker — staleness noted)	wireframes §7 , screens/desktop/README
THREADY-DES-09	OPEN	High-fidelity Figma frames for every wireframe screen (produced in prototypes; wireframes are the structural contract)	wireframes §7 , prototypes.md
THREADY-DES-10	OPEN	Finalize endpoint/event names with the API area (UX-flow names are [DEFAULT — adjustable])	ux-flows §7
THREADY-DES-11	OPEN		component-library §11

ID	State	Summary	Owning file(s)
		Finalize Thready composite public API names with the web implementation team	
THREADY-DES-12	OPEN	Decide which composites are generic enough to contribute upstream to <code>design_system</code> vs. keep in Thready	component-library §11
THREADY-DES-13	OPEN (ruled — annotation registry-only)	Decide PenPot's role: mirror of Figma (portability only) vs. a co-equal editing surface — ruled by Constitution §11.4.220 : self-hosted PenPot is the primary design platform (consumed via the PenPot submodule); Figma is an optional import/export target, never source of truth. The owning file prototypes §11 predates the ruling and does not yet cite §11.4.220 — annotation kept here only; the prototypes.md update is a Docs-Chain/owner pass (staleness noted)	prototypes §11
THREADY-DES-14	OPEN	Branding model reconciliation (storage and contract) with the canonical database + API areas	theming §5/§7/§11 , below
THREADY-DES-15	OPEN	Mobile notifications centre : confirm whether mobile ships a dedicated notifications surface (+ push delivery preferences) — the wireframes §6 IA has none; <code>notifications.html</code> is a derived proposal over the verified event contract	screens/mobile/README §4
THREADY-DES-16	OPEN	Local media-file ingest (desktop file-drop case 2): decide whether a local upload path into the Asset Service exists at all; no	screens/desktop/README §3.4/§4

ID	State	Summary	Owning file(s)
		upload UI is designed until it does	
THREASY-DES-17	OPEN	ANSI degradation decisions for the TUI palette: pinned <code>CompleteColor</code> vs automatic, border-glyph color, optional light-terminal adaptive palette	screens/tui/README §4, lipgloss-theme §8

Design library (`THREADY-DES-LIB-*`) — library/

ID	State	Summary	Owning file(s)
THREADY-DES-LIB-01	OPEN (<i>narrowed</i> 2026-07-22)	React re-audit (<code>[GAP: 8.6]</code>) — the styling half is done : the <code>react-token-rebind.md</code> contract was executed in <code>UI-Components-React</code> and merged to main per operator ruling 2026-07-22 (13 components re-bound to the token vars, 262/262 tests; executed status referenced by <code>helix-shims-findings §5/§6</code>). Remaining: the state-completeness re-audit (rebind contract §3 criterion 5 — confirm each of the 13 files implements the library's hover/focus/disabled/loading/error states) before any React surface consumes the package. The rebind doc (rev 1) and <code>platform-map §6</code> predate the merge — owning-file lag noted	<code>platforms/react-token-rebind.md §3</code> , <code>platform-map §6</code>
THREADY-DES-LIB-02	CLOSED (2026-07-22)	iOS host decided (operator ruling): Option B — Compose-Multiplatform-only with a thin SwiftUI host shell , per the <code>helix-shims-findings §6</code> decision memo (in-house thin-Swift-host precedent: <code>helix_shims</code> <code>apple/ios-spike</code> ; iOS idiom deviations accepted as documented). No dedicated SwiftUI package will be built ; the generated <code>ThreadyTokens.swift</code> contract stays on the shelf as labeled. Remaining engineering dependency (not this item): the <code>UI-Components-KMP</code> Yole→Thready retheme	<code>helix-shims-findings §5/§6</code> , <code>platform-map §6</code>

ID	State	Summary	Owning file(s)
		consuming <code>ThreadyColors.kt</code> . platform-map §6 + <code>tokens-bridge/</code> <code>README.md</code> markers predate the ruling — lag noted	
THREADY-DES-LIB-03	<code>OPEN</code> (narrowed 2026-07-22)	Inspection half delivered: <code>helix-shims-findings.md</code> records the first actual <code>helix_shims</code> inspection (HEAD <code>a33e902f...</code> , 2026-07-22) — a tunnel-lifecycle FFI layer (<code>flutter_rust_bridge</code> / JNI / C-ABI) with no ArkTS/ Aurora code and no design/token surface of any kind [<code>VERIFIED —</code> <code>grep sweep + full tree</code> <code>walk</code>] ; tokens will never flow <i>through</i> it, so the ArkTS/Qt token path is independent of the shim contracts. Remaining, narrowed: the actual ArkTS/Aurora client platform decision (whether/when native HarmonyOS + Aurora clients exist to consume the contract-only token bindings); the AR/QT shim halves are [<code>BUILD-NEW</code>] , owned by the client program. platform-map §6's “not inspected” wording predates the findings — lag noted	helix-shims-findings §5, platform-map §6
THREADY-DES-LIB-04	<code>OPEN</code> (narrowed 2026-07-22)	Token-bridge codegen: generator DONE — <code>tokens-bridge/</code> exists in-repo and emits all eight targets with the <code>--check</code> drift gate (40/40); consumer	tokens-bridge §6, platform-map §6, component-library §10

ID	State	Summary	Owning file(s)
		wiring OPEN — nothing consumes the bindings yet (THREADY-DES-KMP-01 / -FLUT-01 / -TUI-01; compiler verification of the structural-only targets lands with the wiring). platform-map §6’s “does not exist yet” wording predates the generator	

Web screens (`THREADY-DES-SCR-*`) — `screens/web/`

ID	State	Summary	Owning file(s)
THREADY-DES-SCR-01	OPEN	Billing pricing: plan tiers beyond “Pro”, unit prices, included quotas and grace-period policy are undefined; <code>billing.html</code> ships the layout contract with placeholder amounts	<code>screens/web/README §6</code>
THREADY-DES-SCR-02	OPEN	Research doc versioning: diff/history between successive research generations after a reprocess is unspecified; the viewer shows latest + a “stale” state only	<code>screens/web/README §6</code>
THREADY-DES-SCR-03	OPEN	Events retention: history depth / queryable window for the events monitor beyond the live tail is unspecified	<code>screens/web/README §6</code>
THREADY-DES-SCR-04	OPEN	Forgot-password flow: referenced by wireframes §3.2 but never specified; <code>login.html</code> links it with an inline note, no fake flow is designed	<code>screens/web/README §6</code>

Mobile screens (`THREADY-DES-SCR-MOB-*`) — `screens/mobile/`

ID	State	Summary	Owning file(s)
THREADY-DES-SCR-MOB-01	<code>OPEN</code>	Unread “N new” pills on Channels rows are a <code>[DEFAULT — adjustable]</code> proposal (derived from <code>post.received</code>); confirm whether mobile shows unread counts at all, and the reset rule	<code>screens/mobile/README</code> §4
THREADY-DES-SCR-MOB-02	<code>OPEN</code>	Media viewer Share / Save-to-device : no ground-truth export path exists (§3.8 “re-download” is server-side); both actions specified disabled until product resolves it — coupled to <code>THREADY-DES-16</code>	<code>screens/mobile/README</code> §4
THREADY-DES-SCR-MOB-03	<code>OPEN</code> (re-scoped 2026-07-22)	WhatsApp as a third Add-Channel source — decided: roadmap-committed (operator ruling; mobile README rev 3). No longer a question of <i>whether</i> : the WhatsApp adapter is a committed roadmap item; the tile in <code>add-channel.html</code> stays disabled until the adapter exists (WhatsApp remains absent from the verified source set — <code>TG_*</code> / <code>MAX_*</code> only). Remaining under this ID: design the <code>WA_*</code> source contract (env-contract shape mirroring <code>TG_*</code> / <code>MAX_*</code> , wizard states, auth flow) so the tile can light up when the adapter lands	<code>screens/mobile/README</code> §4

TUI screens (`THREADY-DES-TUI-*`) — `screens/tui/`

ID	State	Summary	Owning file(s)
THREADY-DES-TUI-01	OPEN	Inline asset preview (screen 9): terminal image rendering is protocol-dependent (kitty / iTerm2 / sixel); decide pixels-where-possible vs. metadata + open/stream everywhere — mockup ships the honest metadata-only stub	<code>screens/tui/README</code> §4
THREADY-DES-TUI-02	OPEN	TUI sign-in method (screen 6): ground truth pins the scoped-token path (<code>THREADY_TOKEN</code> / keychain); confirm whether the proposed interactive device-code frame ships or the TUI stays token-only	<code>screens/tui/README</code> §4

Marketing site (**THREADY-DES-MKT-***) — screens/marketing/

ID	State	Summary	Owning file(s)
THREADY-DES-MKT-01	CLOSED (2026-07-22)	Final marketing IA / copy sign-off — approved (operator ruling): the 3-page baseline (landing / features / download), its IA and its copy are the approved MVP marketing design ; the self-host question resolves with it — the approved baseline makes no self-host claim . Ordinary copy iteration stays possible; the sign-off is no longer pending (marketing README rev 2, \$7)	screens/marketing/README \$7
THREADY-DES-MKT-02	OPEN (actively-scoped 2026-07-22)	SEO / analytics / legal pages scope — design delivered, text is counsel's (marketing README rev 3): privacy.html / terms.html / imprint.html structural page designs + seo.md (per-page meta/OG/Twitter, doc-backed JSON-LD, sitemap/robots, hreflang) landed — no legal fact invented. Remaining: counsel text (every legal paragraph is an [OPERATOR — legal counsel text required] block), legal entity details , final locale URLs + the operator SEO slots (origin, og:locale, social handles, JSON-LD org URL), the analytics decision (adoption or deliberate absence), and the store-listing legal footprint	screens/marketing/README \$7, seo.md

OpenDesign contract (`THREADY-DES-OD-*`) — `opendesign/`

ID	State	Summary	Owning file(s)
THREADY-DES-OD-01	OPEN	On vendoring into <code>opendesign/design-systems/thready/</code> : register the C-extension tokens (<code>--brand</code> , <code>--brand-2</code> , <code>--brand-ink</code> , <code>--border-strong</code> , <code>--ds-heart</code> , <code>--theme-id</code>) in <code>BRAND_EXTENSIONS["thready"]</code> + author the v1 <code>manifest.json</code>	TOOLING \$7
THREADY-DES-OD-02	OPEN	Dark-mode blocks in <code>tokens.css</code> exceed the single-mode bundled precedent; confirm the 0.14.1 guard accepts the extra selectors, or split light/dark via the derive pipeline	TOOLING \$7
THREADY-DES-OD-03	CLOSED	Link <code>opendesign/</code> from this index — closed by this revision (rev 6) : <code>opendesign/</code> (<code>DESIGN.md</code> · <code>tokens.css</code> · <code>TOOLING.md</code>) now appears in Files in this area	TOOLING \$7

Figma kit (`THREADY-DES-FIG-*`) — figma/ — archived; family fully closed

ID	State	Summary	Owning file(s)
THREADY-DES-FIG-01	CLOSED (wontfix 2026-07-22)	Figma path dropped entirely (operator ruling, superseding the same-day re-scope — the re-scope history is preserved in the kit's revision table): PenPot is the sole design platform [CONSTITUTION §11.4.220] ; no Figma file exists and none will be created. The kit's blueprint was already proven via the PenPot materialization (evidence <code>exports/penpot/verification/</code>), so <code>figma/</code> stays on disk as the archived blueprint proof (kit Rev 3). Executing the archived path would be a new operator decision, not a reopening	figma/README
THREADY-DES-FIG-02	CLOSED (2026-07-22)	Variables import mechanism (Enterprise REST bulk endpoint vs. Plugin-API replay vs. import plugin) — moot: closes with FIG-01 wontfix, since it was conditioned entirely on FIG-01's optional import being exercised	figma/README
THREADY-DES-FIG-03	CLOSED	<code>mobile/channels-list</code> mid-fi HTML source now exists: <code>screens/mobile/channels.html</code> (mobile catalogue Rev 2, 2026-07-22; re-verified on disk); the <code>mobile/channels</code> frame is materialized light + dark in PenPot file <i>04 Screens — Mobile</i> [VERIFIED — <code>exports/penpot/verification/rpc-verification.json</code>]. (<code>figma-file-plan.md</code>)	figma/README

ID	State	Summary	Owning file(s)
		keeps its verbatim in-body [OPEN: ...] blueprint markers by design — closure is recorded in the kit's Rev 2 disposition)	

Motion package (`THREADY-MOT-*`) — `motion/`

ID	State	Summary	Owning file(s)
THREADY-MOT-01	OPEN	Verify all six Lottie files in <code>lottie-compose</code> and <code>lottie-ios</code> before mobile ships them (only <code>lottie-web</code> /jsdom + headless Chromium are verified)	<code>motion.md</code> §8
THREADY-MOT-02	OPEN	Light-theme strategy: load-time color remap vs. shipping generated <code>-light</code> variants; wire the white-label remap into the branding-editor preview	<code>motion.md</code> §8
THREADY-MOT-03	OPEN (narrowed 2026-07-22)	Asset half closed — the five static <code>reducedMotionFallback</code> SVGs are delivered, keyframe-derived, manifest v2-named. Remaining, narrowed: (a) independent design review / pixel A-B of the statics against the frozen Lottie frames on a physical display; (b) the <code>empty-channels.svg</code> fallback — blocked on the <code>THREADY-DES-02</code> illustration-grade set, delivered with it	<code>motion.md</code> §8

Platform customization (`THREADY-DES-PLAT-*`) — platforms/

ID	State	Summary	Owning file(s)
THREADY-DES-PLAT-01	OPEN (narrowed 2026-07-22)	Font bundling — decided (operator ruling; typography-substitution rev 2): bundle all three brand faces on all platforms (Android/iOS/HarmonyOS/Aurora); the §3 fallback stacks are re-labelled runtime-failure fallbacks only , no longer the shipping default. Remaining scope: per-face license/redistribution (OFL) verification before any bundle ships (the variable-vs-static-instances choice is an implementation detail of the decided bundling, not part of this item)	platforms/typography-substitution §7
THREADY-DES-PLAT-02	OPEN	Fallback-stack Cyrillic (ru / sr-Cyrl) coverage verification per OS face (Roboto, SF Pro, HarmonyOS Sans, Aurora system default) — companion to the inherited THREADY-DES-04 (brand-face subsets, still open)	platforms/typography-substitution §7
THREADY-DES-PLAT-03	OPEN	ArkUI API verification of every derived HarmonyOS mapping (Navigation/Tabs, bindSheet , WaterFlow , AVSession , promptAction , font.registerFont , Barrier-Free attributes, safe areas, back-at-tab-root rule) against the SDK/HIG + the helix_shims contract	platforms/harmonyos §11
THREADY-DES-PLAT-04	OPEN	HarmonyOS motion runtime : no Lottie player is named in ground truth (motion §6 lists web/	platforms/harmonyos §11

ID	State	Summary	Owning file(s)
		compose/ios only); verify <code>@ohos/lottie</code> or commit to the ArkUI-animation + poster-frame floor	
THREADY-DES-PLAT-05	OPEN	Silica/Qt API verification of every derived Aurora mapping (PageStack, pulley, remorse timer, <code>SilicaListView</code> / <code>SilicaGridView</code> / <code>SearchField</code> , Qt Multimedia, ambience-read API, <code>Theme</code> units, screen-reader maturity, hardware back key)	<code>platforms/aurora</code> §10
THREADY-DES-PLAT-06	OPEN	Aurora motion runtime: no Lottie player named in ground truth; evaluate rlottie-based QML players vs. the Qt-native animation + poster-frame floor	<code>platforms/aurora</code> §10
THREADY-DES-PLAT-07	OPEN	Ambience-vs-token policy: ratify the proposed arbitration (tokens win for load-bearing UI + semantics; ambience tints decorative layers only; explicit theme choice wins) with AA evidence over real ambiances	<code>platforms/aurora</code> §10
THREADY-DES-PLAT-08	OPEN	Dynamic-type clamp matrix: per platform, the maximum OS font scale and evidence every screen survives 200 % scale against the token ramp without truncating load-bearing text	<code>platforms/typography-substitution</code> §7

Detail on the two highest-impact opens:

- `[CLOSED: THREADY-DES-01]` Formal eyedrop mean of `assets/Logo.png` captured (pixel-mean per the `design_system` provenance rule §11.4.6): the Thready secondary/teal `--brand-2` = `#ABDDC9` (light, mean of n=618,886 mint-region pixels) / `#B7EBD6` (dark, median), replacing the provisional `#7AA590` stand-in. The green-region eyedrop (`#BAE448` , n≈1.06M) corroborates the documented

helix-green base, validating the method. Re-confirm with the design-system's own eyedrop tool at integration. Method: **design-system §3.2**.

- **[OPEN: THREADY-DES-14]** Branding model reconciliation (storage **and** contract). **Storage:** the authoritative database area models branding as `accounts.branding JSONB ( {colors, logo_url, slogan} )`, while `theming.md §5` proposes a normalized, AA-audited `account_branding` table — reconcile with `../database/index.md`. **Contract:** `api/openapi.yaml` already defines `setBranding` with a minimal `Branding ( primary_color/logo_asset_id/slogan )`, while `theming.md §7` proposes an expanded contract (typed light/dark accents
 - **422** AA gate) — merge into `../api/index.md`, do not maintain in parallel. The design area MUST NOT diverge from the canonical schema/contract.

Conventions applied

Every file in this area carries the mandatory metadata header, a revision-history table, a ToC, inline provenance tags (`[CONSTITUTION $x]` , `[IN-HOUSE: module]` , `[RESEARCH]` , `[OPERATOR]` , `[DEFAULT — adjustable]` , `[BUILD-NEW]` , `[GAP: id]` , `[OPEN: id]`), and — for every Mermaid diagram — a multi-paragraph prose explanation plus a sibling `diagrams/<name>.mmd` source `[CONVENTIONS §4]` . Code examples are given in CSS / TypeScript / Go / SQL / YAML.

Made with love ♥ by Helix Development.