

Helix Thready — Design Library

Catalogue

Coverage

Provenance (no bluff)

Open items

Rev	Date	Author	Change
1	2026-07-22	swarm (design)	Initial library: living component page (all states, light+dark), overview SVG sheet, 8-platform reusability matrix
2	2026-07-22	swarm (design · review-fixes)	Consistency fixes from the adversarial platform review: explicit reconciliation of the “~38 distinct components” count with the 36×8 matrix (names the merged/excluded exhibits and the two matrix-only rows; $38 - 2 - 1 - 1 + 2 = 36$); added the Marker vocabulary note mapping VERIFIED/PROPOSED/ASSUMED ↔ [VERIFIED] / [RESEARCH] / [GAP: id] for cross-file audits

The **reusable design-library artifact** for Helix Thready: a self-contained, living rendering of every component in every state on the Thready theme, plus an importable overview sheet and the cross-platform reusability matrix. It *instantiates* the specs in `component-library.md`, `design-system.md` and `theming.md` — it never contradicts them.

Catalogue

File	What it is	How to use
<code>components.html</code>	The living component library — every component × state × light/dark, realistic Thready content, zero external requests (no CDNs; fonts fall back to the system stack unless the design-system faces are installed)	Open in any browser. Toggle Theme: system → light → dark (top right; stamps <code>data-theme</code> , persists to <code>localStorage['thready-theme']</code>). Anchor per group: <code>#buttons #inputs #cards #tables #badges-chips #navigation #dialogs #toasts-alerts #progress #avatars #empty-states #skeletons #pagination #tooltips</code>
<code>components-sheet.svg</code>	One-sheet overview of the core set, light panel + dark panel, hard-coded theme literals	Valid standalone SVG — import into PenPot / Figma (grouped, named layers) or view in a browser
<code>platform-map.md</code>	Reusability matrix: 36 components × 8 platforms (Angular <code>.ds-*</code> → React → Compose → Flutter → SwiftUI → ArkTS → Qt → TUI/Lipgloss) with per-cell VERIFIED / PROPOSED / ASSUMED markers and per-component customization notes	Read before implementing any component on any platform

Coverage

- **14 component groups**, ~38 distinct components, **75 rendered exhibits**, ≈ **118 component-state cells** — each auditable in **both** themes via the toggle (≈ 236 rendered states total).
- **Reconciliation with the 36×8 matrix** (`platform-map.md §3`): the ~38 distinct components collapse to **36** matrix rows because three exhibits counted here have no dedicated row — the **secondary** and **ghost** button variants share the single “Button primary/secondary/ghost” row, the **toast** shares the single “Toast / alert” row with the alert, and the **thread-row** card exhibit has no row of its own (it is a Thready composite of the Card + Badge + Hashtag-chip rows, specced in `component-library.md §6.1`) — while the matrix conversely adds two rows that are not distinct exhibits: “Button loading/disabled” (a state pairing) and “Field (label/hint/error)” (a wrapper contract). Net: $38 - 2 - 1 - 1 + 2 = 36$.
- Buttons: 4 variants (primary / secondary / ghost / destructive) × 5 states (default / hover / focus-visible / disabled / loading) = 20 cells.
- Inputs: 6 controls (text / select / checkbox / radio / switch / date) × 4 states (default+hint / focus / error+hint / disabled) = 24 cells.
- Plus: cards (incl. `thready-stat` KPI + thread-row), a **live** sortable + paginated table, semantic badges, hashtag chips (direct vs. AI-indirect), processing-state chips (pending / processing / done / failed+retry /

retrying), topbar / sidebar / tabs / breadcrumbs, static + live `<dialog>` modals, alerts + live toasts, determinate / indeterminate / failed progress, ring spinners + the **helix-motif spinner**, avatars (sizes / presence / group), empty + error states, skeleton loaders, pagination, and CSS-only tooltips (hover **and** focus).

- Interactive behaviors are real, not mocked: theme cycling, column sorting (`aria-sort`), table paging, `showModal()` dialog, auto-dismissing toast (pauses on hover). All motion honors `prefers-reduced-motion`.

Provenance (no bluff)

- **VERIFIED** (reproduced verbatim; re-checked at source via `gh` on 2026-07-22): the token architecture and the shipped `.ds-*` set — `.ds-container/.ds-section`, `.ds-btn` (`--primary/--secondary/--ghost`), `.ds-card` (`--raised`), `.ds-input`, `.ds-link`, `.ds-nav` (`--links/--link`), `.ds-footer`, `.ds-badge` (`--success/--warn/--danger`), `.ds-brand-mark` — from `vasic-digital/design_system/components/css/components.css`.
- **PROPOSED** [DEFAULT — adjustable]: everything else (`.ds-btn--danger`, `.ds-select`, `.ds-check/.ds-radio/.ds-switch`, `.ds-table`, `.ds-tabs`, `.ds-breadcrumbs`, `.ds-sidebar`, `.ds-dialog`, `.ds-alert/.ds-toast`, `.ds-progress`, `.ds-spinner`, `.ds-avatar`, `.ds-empty`, `.ds-skeleton`, `.ds-pagination`, `.ds-tip`, and the `thready-*` composites). Upstream-candidate names pending [OPEN: THREADY-DES-11/12].
- Theme values are the ground-truth Thready theme: brand `#B6E376`, teal secondary `#ABDDC9` (light) / `#B7EBD6` (dark), accent `#446E12` light / `#B6E376` dark, fg `#020817` / `#F8FAFC`, neutrals `#475569` / `#94A3B8`; faces Space Grotesk / Hanken Grotesk / JetBrains Mono.
- Platform verification detail (what is real vs. scaffold per repo) lives in `platform-map.md` §2.

Marker vocabulary (cross-file equivalence). Two provenance vocabularies coexist in this design area, both implementing the same CONVENTIONS §3/§7 “no bluff” discipline. This library and its platform map (plus the Lipgloss theme material in `design-system.md` §7) use **VERIFIED** / **PROPOSED** / **ASSUMED**; the asset documents (`icon-export-matrix.md`, `brand-assets.md`) use `[VERIFIED]` / `[RESEARCH]` / `[GAP: id]`. The mapping for cross-file audits: **VERIFIED** $\approx$ `[VERIFIED]` (checked at source on a dated pass — repo content via `gh`, or platform-canonical docs); **PROPOSED** $\approx$ a `[DEFAULT — adjustable]` proposal backed by `[RESEARCH]` (a value this design area chooses and stands behind, but that must be confirmed — upstream naming or current OS docs — at integration); **ASSUMED** $\approx$ `[GAP: id]` (the consuming package/subsystem is a scaffold or was not inspected; nothing so marked may be claimed to work). `[RESEARCH]` has no exact single counterpart here: when it flags an externally sourced value pending re-verification it reads as PROPOSED; when the consumer itself is unverified it reads as ASSUMED. Neither vocabulary is being rewritten into the other — this note is the documented equivalence.

Open items

- `[OPEN: THREADY-DES-11]` / `[OPEN: THREADY-DES-12]` — inherited: final API/class names and the upstream-vs-Thready split for all PROPOSED components.
 - `[OPEN: THREADY-DES-LIB-01..04]` — React re-audit, SwiftUI package decision, `helix_shims` inspection, token-bridge codegen — see [platform-map.md](#) §6.
 - `[OPEN: THREADY-DES-04]` — inherited: Cyrillic subsets of the three variable faces; this library's font stacks fall back to system faces until verified.
-

Made with love ♥ by Helix Development.