

Helix Thready — React Token Re-bind (Remediation Contract)

1. What was found (verified, 2026-07-22)

2. Required re-bind approach

Variant → token map (normative)

3. Acceptance criteria (closes the styling half of the gap)

Rev	Date	Author	Change
1	2026-07-22	swarm (design · platforms)	Initial remediation contract for <code>THREADY-DES-LIB-01</code> / <code>[GAP: 8.6]</code> : verified finding restated, required re-bind approach (CSS custom properties, no Tailwind hex literals), variant→token map, acceptance criteria

Scope guard. This is **not** a React component spec — the component contracts live in `component-library.md` and the per-cell realizations in `platform-map.md` §3. This file is the **remediation contract** that turns the flagged `UI-Components-React` package from “files exist” into “token-bound”, i.e. the *definition of done* for the styling half of `[OPEN: THREADY-DES-LIB-01]` / `THREADY-DES-REACT-01`. Whether React is adopted at all remains “only if a React surface is needed” `[VERIFIED — design-system §7]` — this contract does not create a React surface.

1. What was found (verified, 2026-07-22)

From `platform-map` §2, second verification pass (`gh`, file contents) `[VERIFIED]`:

- `vasic-digital/UI-Components-React` ships 13 component files at HEAD (`Avatar`, `Badge`, `Button`, `Card`, `EmptyState`, `ErrorBoundary`, `Input`, `LoadingSpinner`, `Progress`, `Select`, `Switch`, `Tabs`, `Textarea`), each with a test — **file existence verified**.
- `Button.tsx` **content** inspected: variants `primary|secondary|outline|ghost|destructive`, sizes `sm|md|lg`, a `loading` spinner prop — **but `variantClasses` hard-codes a Tailwind palette** (`bg-blue-600`, gray neutrals, `focus-visible:ring-blue-500`); **no design-system token is referenced anywhere**.
- Consequence recorded there: the package is `SCAFFOLD/FLAGGED` `[GAP: 8.6]`; “the blocking work is the token bridge ..., then re-audit.”

So the failure mode is precise: the components are structurally fine but **paint the wrong product** — a blue Tailwind default instead of the Thready token palette — and are deaf to theming (light/dark re-binds, per-Account white-label) by construction, since Tailwind literal classes resolve to fixed hex at build time.

2. Required re-bind approach

Single rule: every color the package emits must resolve through a CSS custom property from the canonical token set — zero Tailwind palette literals, zero hex literals, in `src/components/`.

- **Token source:** the canonical custom properties — `tokens/core.css` + `tokens/themes/thready.css` (design-system §3), machine-readable twin in `opendesign/tokens.css`. The React package **consumes** these vars; it never redeclares values (the “generated binding, never a hand-kept copy” rule, design-system §7 — for React the “binding” is trivial: CSS vars are native to the platform).
- **Mechanism** (either satisfies this contract; pick one package-wide):
 1. **Plain CSS vars in class styles** — component classes styled with `background: var(--accent); color: var(--accent-on); box-shadow: var(--focus-ring)` etc., mirroring the shipped `.ds-btn` contract verbatim (opendesign/DESIGN.md §4 reference CSS).
 2. **Tailwind v4 @theme bridge** — Tailwind v4 theme colors declared as the token vars (the `tailwind-v4.css` route platform-map §2 names), so utilities like `bg-accent` compile to `var(--accent)`. Allowed **only** if the emitted CSS references the vars — re-baking hex defeats the purpose.
- **Dark mode & white-label come for free and must not be reimplemented:** because values live in the vars, the three sanctioned theme mechanisms (`prefers-color-scheme`, `:root[data-theme="dark"]`, `.dark` — theming §2 [VERIFIED]) and the per-Account `:root[data-account=...]` injection (theming §6) re-tint the package with **no** `dark:` color utilities and no React theme context for colors.

Variant → token map (normative)

Derived 1:1 from the shipped `.ds-btn` contract + design-system §5/§6 [VERIFIED sources; the mapping to React variant names is the contract this file adds]:

Button.tsx variant	Replace (found)	With (token binding)
primary	bg-blue-600 + white	fill var(--accent), ink var(--accent-on), hover var(--accent-hover), active var(--accent-active)
secondary	gray neutrals	fill var(--surface-warm), ink var(--fg), border var(--border)
outline	gray border/ink	transparent fill, border var(--border-strong), ink var(--fg)
ghost	gray ink	transparent fill, ink var(--accent)
destructive	(red literal)	var(--danger) fill + AA-checked ink — never the brand family [VERIFIED rule — design-system §6.2]
focus (all)	focus-visible:ring-blue-500	box-shadow: var(--focus-ring) on :focus-visible
disabled (all)	gray literals	var(--muted) ink, reduced-opacity token surface; no pointer events

Structure tokens ride along: radius `var(--radius-sm)`, body face weight 500, spacing `var(--space-*)`, motion `var(--motion-fast)` / `var(--ease-standard)` with the component-level `prefers-reduced-motion` gate (never a global `*` — the shipped `.ds-btn` pattern [VERIFIED]). The same substitution discipline applies to the other 12 components (`Badge` → semantic badge tokens; `Progress` / `LoadingSpinner` → `--accent` track / `--danger` failed; `Input` / `Textarea` / `Select` → `--border`, focus ring, `--danger` error; etc.) using their `.ds-*` / composite contracts in `component-library.md` as the source.

3. Acceptance criteria (closes the styling half of the gap)

[GAP: 8.6] / THREADY-DES-LIB-01 is closable for styling when **all** of the following hold:

- Zero literals:** no Tailwind palette classes (`bg-blue-*`, `text-gray-*`, `ring-blue-*`, ...) and no raw hex/rgb/hsl color literals under `src/components/` — enforced by a lint/grep gate in the package CI, not by review memory.
- Var resolution proven:** rendered output (computed styles) for every variant×state references the token vars; toggling `data-theme="dark"` and injecting a `data-account` white-label re-tints components **without rebuild**.
- Variant map conformance:** the §2 table verified per component against the living library (`library/components.html`) in light **and** dark.

4. **Semantic safety:** `destructive` /error styling resolves to `--danger` under every theme and white-label (the never-masked rule, theming §10.2).
5. **State completeness re-audit:** the remainder of `THREADY-DES-LIB-01` — each of the 13 files actually implements hover/focus/disabled/loading/error as the library specifies — executed component-by-component (this contract fixes *paint*; the state audit is its sibling).
6. **A11y unchanged or better:** focus ring visible via `--focus-ring`; AA contrast re-checked with the existing meter for every new pairing.
7. **Visual-regression hook:** the re-bound components enter the theme×state `ScreenDiff` / `VisualRegression` bank once CI exists `[GAP: 9.3]` — until then, criteria 1–6 are the (manually evidenced) gate.

Ownership: the build work is `THREADY-DES-REACT-01` (index `workable-items` registry); upstreaming the re-bind to `vasic-digital/UI-Components-React` follows the same upstream-contribution path as the other proposed extensions (`[OPEN: THREADY-DES-12]`). No new open item is minted here — this file *narrows* existing ones to an executable definition of done.

Made with love ♥ by Helix Development.