

Helix Thready — Design & UX Area (Index)

Table of contents

Scope

Files in this area

Rendered design package (on disk)

Upstream / Downstream dependencies

Area dependency map

Sources of truth

Verified vs. assumption ledger

Gap-register items owned by this area

Workable-items registry

Open items

Core area items (`THREADY-DES-01...-17`)

Design library (`THREADY-DES-LIB-*`) — library/

Web screens (`THREADY-DES-SCR-*`) — screens/web/

Mobile screens (`THREADY-DES-SCR-MOB-*`) — screens/mobile/

TUI screens (`THREADY-DES-TUI-*`) — screens/tui/

Marketing site (`THREADY-DES-MKT-*`) — screens/marketing/

OpenDesign contract (`THREADY-DES-OD-*`) — opendesign/

Figma kit (`THREADY-DES-FIG-*`) — figma/

Motion package (`THREADY-MOT-*`) — motion/

Conventions applied

Rev	Date	Author	Change
1	2026-07-21	swarm (design)	Initial complete draft: design system, brand assets, theming, wireframes, UX flows, component library, prototypes
2	2026-07-21	swarm (design · review)	Second-pass review: fixed cross-link anchors (numbered to match target ToCs), noted <code>account_branding</code> reconciliation with canonical <code>accounts.branding</code> JSONB, tracked <code>challenges</code> scenario bank + delegated-branding open items
3	2026-07-22	swarm (design · Pass 3)	Depth pass to implementation-ready: re-verified all <code>design_system</code> token/component/adaptor names at source (<code>gh vasic-digital/design_system</code>); deepened wireframes (per-screen validation/state tables, CLI flags/exit-codes, verified TUI keymap + Lipgloss bindings from <code>helix_track/llms_verifier/.../tui</code> , per-platform mobile map); expanded UX flows (+messenger sign-in, +reprocess diagrams); completed component per-platform variant matrix + 6 more contracts + state-lifecycle diagram; finalized brand-assets geometry + concrete platform manifests + slogan-placement matrix; added shipped-theme precedents. 4 new diagrams.
4	2026-07-22	swarm (design · critic pass)	Completeness/consistency pass: made the index the canonical registry — completed the <code>Open items</code> list (was 4 of 14; now all <code>THREADY-DES-01...-14</code>) and added the <code>Workable-items registry</code> (was scattered across files; now consolidated with

Rev	Date	Author	Change
			owning gap + file). Brought <code>prototypes.md</code> to area depth (Pass 3): corrected the unverified “first-party Figma plugin” claim to an assumption + source-confirmed Figma-Variables fallback; added the interactive-prototype traceability matrix + prototype runtime-evidence gate.
5	2026-07-22	swarm (design · figma)	Added the figma/ import kit to the catalogue: the canonical token set as Figma Variables JSON (<code>Thready / Color</code> Light+Dark incl. <code>ds-heart</code> alias + <code>Thready / Structure</code>), the 8-page <code>figma-file-plan.md</code> blueprint of the “Thready — Design Library” file, and the two materialization paths (Figma MCP <code>use_figma</code> Plugin API with OAuth vs manual <code>components-sheet.svg</code> + variables import). No Figma file exists yet — its creation is tracked as <code>[OPEN: THREADY-DES-FIG-01]</code> in the kit.
6	2026-07-22	swarm (design · package critic)	Wired the rendered/executable design package into this registry: the <code>opendesign/</code> OpenDesign brand contract + <code>tokens.css</code> , the <code>screens/</code> rendered HTML surfaces (web incl. interactive <code>index.html</code> , mobile, desktop, TUI, marketing), the <code>library/</code> living component page, the <code>motion/</code> Lottie set, and the <code>exports/</code> PNG/PDF/PenPot/ Figma-IR bundle — see the new Rendered design package section. Package sign-off recorded in <code>DESIGN_PACKAGE_REPORT.md</code> .
6	2026-07-22	swarm (design · index)	Consolidation after the multi-agent design expansion: subdirectory catalogue

Rev	Date	Author	Change
			completed — Files in this area now lists every subdirectory (<code>library/</code> , <code>motion/</code> , <code>opendesign/</code> , <code>screens/</code> {<code>web</code>,<code>mobile</code>,<code>desktop</code>,<code>tui</code>,<code>marketing</code>} / , <code>assets/</code> , <code>diagrams/</code> , <code>exports/</code>) alongside the 7 area docs and the <code>figma/</code> kit — and the canonical open-items registry rebuilt: re-verified against the tree by <code>grep (OPEN: THREADY-...)</code> and expanded from <code>THREADY-DES-01...-14</code> to all 41 registered IDs across nine families (<code>-15...-17</code> , <code>-LIB-01...04</code> , <code>-SCR-01...04</code> , <code>-SCR-MOB-01...03</code> , <code>-TUI-01/02</code> , <code>-MKT-01/02</code> , <code>-OD-01...03</code> , <code>-FIG-01...03</code> , <code>THREADY-MOT-01...03</code>). <code>THREADY-DES-OD-03</code> (link <code>opendesign/</code> from this index) is closed by this very change; <code>THREADY-MOT-03</code> recorded in its narrowed (2026-07-22) state per <code>motion.md</code> §8.

This is the canonical entry point for the **Design & UX** documentation of Helix Thready. It specifies the design system (derived from **OpenDesign** and the shared in-house `vasic-digital/design_system`), the **Thready** brand theme derived from `assets/Logo.png` , the launcher-icon and slogan brand assets, per-account theming / white-labeling, wireframes for every client surface, the key UX journeys, the reusable component library, and the interactive / non-interactive prototype plans. Beyond the specification documents, the area now also carries its **concrete artifacts** — the living design library, the screen-design sets for every surface (web, mobile, desktop, TUI, marketing), the motion package, the OpenDesign brand contract, the Figma import kit, the icon-export masters + tooling, and the rendered export package — all catalogued in `Files in this area`. All authors follow `../CONVENTIONS.md`.

Table of contents

- Scope
- Files in this area
- Rendered design package (on disk)

- Upstream / Downstream dependencies
- Area dependency map
- Sources of truth
- Verified vs. assumption ledger
- Gap-register items owned by this area
- Workable-items registry
- Open items
- Conventions applied

Scope

The Design & UX area covers, per the operator request (\$Design, \$Frontends, \$Branding) and the decision matrix [CONSTITUTION §11.4.162/190]:

1. The **design system** derived from OpenDesign (`nexu-io/open-design`) and the shared `vasic-digital/design_system` (helix-green base), with a Thready theme derived from `Logo.png` , **light + dark**, and per-platform variants (Angular/CSS, React, KMP/Compose, Flutter/Qt, TUI/Lipgloss).
2. The **brand assets** spec — a launcher icon with **no letters** that incorporates the Helix spiral element, light/dark, vector + all OS export sizes; and the footer slogan “**Made with ♥ by Helix Development**”.
3. **Theming / white-labeling** per account (Root-configurable colors, logo, slogan).
4. **Wireframes** (Markdown + Mermaid) for the Web portal, CLI/TUI, and mobile.
5. **UX flow diagrams** for the key journeys: add channel, process post, search, manage account.
6. The **reusable component library**.
7. **Prototype plans** — interactive + non-interactive (Figma + PenPot + Lottie exports).

The area is **Phase 3 (Client Applications)** in the four-phase plan, and — per the operator’s **Web + CLI first** decision [OPERATOR] — the Angular 19 web portal and the CLI/TUI surfaces are specified to implementation depth first; Desktop (Tauri), and the four mobile platforms are specified to design depth with their scaffold gaps tracked.

Files in this area

File	Purpose
design-system.md	Token architecture (core + Thready theme), platform fan-out, typography, spacing, motion, a11y contract, visual-regression testing
brand-assets.md	Launcher icon spec (spiral/Helix element, no letters), light/dark, vector + OS export size matrix; Helix Development org logo; the “Made with ♥” footer slogan
theming.md	Light/dark resolution (3 sanctioned mechanisms), per-account white-labeling model, DDL for <code>account_branding</code> , runtime CSS-var injection, brand-on-generated-documents
wireframes.md	Screen inventory + wireframes for Web portal, CLI/TUI, and mobile, each as Mermaid + prose
ux-flows.md	The four key journeys as flow/sequence diagrams with states, errors, and event hooks
component-library.md	The <code>.ds-*</code> component catalogue, per-platform adapters, props/anatomy/states, and the build-order backlog
prototypes.md	Figma authoring plan, interactive vs. non-interactive prototypes, transition/motion spec, and the export pipeline (Figma/PenPot/PDF/PNG/SVG/Lottie)
figma/	Figma import kit: <code>figma-variables.json</code> (the full token set as Figma Variables — <code>Thready / Color</code> Light+Dark + <code>Thready / Structure</code>), <code>figma-file-plan.md</code> (8-page blueprint of the “Thready — Design Library” file, executable via the Figma MCP <code>use_figma</code> Plugin API or manual import); the actual Figma file is <code>[OPEN: THREADY-DES-FIG-01]</code>
library/	Design library artifacts: <code>components.html</code> (the living component library — 14 groups, ~38 components, ~118 state cells, each auditable in light + dark), <code>components-sheet.svg</code> (importable one-sheet overview), <code>platform-map.md</code> (36 components × 8 platforms reusability matrix with per-cell VERIFIED / PROPOSED / ASSUMED markers)
motion/	Motion package (Lottie catalogue): six hand-authored vector Lottie animations + five static reduced-motion fallback SVGs, <code>motion.md</code> (motion spec + honest validation record), <code>motion-manifest.json</code> (runtime manifest v2 with per-animation <code>reducedMotionFallback</code>), self-contained <code>preview.html</code> (vendored lottie-web, zero network)
opendesign/	OpenDesign brand contract: <code>DESIGN.md</code> (the Thready contract in the verified 9-section OpenDesign schema, Lens A/B compliant), <code>tokens.css</code> (its machine-readable twin — compiled CSS custom properties, light + dark, per the OpenDesign token schema), <code>TOOLING.md</code> (honest tooling capability check: daemon/CLI probes, headless-vs-operator matrix, exact Figma import flow)

File	Purpose
screens/web/	Web portal screen designs: 13 self-contained OpenDesign-style HTML screens + the interactive prototype shell (<code>index.html</code>) walking the four ux-flows journeys; per-screen state contracts, light + dark, realistic Thready data
screens/mobile/	Mobile screen designs: 11 device-framed 390×844 artifacts (Android/iOS chrome toggle, HarmonyOS/Aurora port notes) covering every node of the wireframes §6 IA, plus the derived notifications centre (<code>[OPEN: THREADY-DES-15]</code>)
screens/desktop/	Desktop (Tauri 2) shell design: <code>desktop-shell.html</code> (per-OS title bar, menus, tray/notification/file-drop mocks) + the desktop-differences catalogue; scope beyond the wrapped web UI stays <code>[OPEN: THREADY-DES-08]</code>
screens/tui/	TUI screen designs: <code>tui-screens.html</code> (ten 80-column Bubble Tea/Lipgloss terminal mockups covering the full wireframes §5 state machine, Login through Skills) + <code>lipgloss-theme.md</code> (normative token → <code>lipgloss.Color</code> mapping, truecolor → ANSI-256 → ANSI-16)
screens/marketing/	Marketing site (Angular 22) designs: 3 pages (<code>landing</code> / <code>features</code> / <code>download</code>) built to the web-set construction pattern, with a full claims-traceability register; minimal-viable scope recorded honestly (<code>[OPEN: THREADY-DES-MKT-01/-02]</code>)
assets/	Brand asset masters + export tooling: the 7 SVG masters (<code>launcher-icon</code> + <code>-light</code> / <code>-dark</code> / <code>-mono</code> , <code>logo-mark</code> , <code>logo-full</code> , <code>footer-slogan</code>), <code>icon-export-matrix.md</code> (exact per-platform pixel/format matrix, all OS surfaces) and <code>generate-raster.sh</code> (its 1:1 implementation — verified live run, 83 real rasters)
diagrams/	Mermaid sources (<code>.mmd</code>) + rendered SVGs for the area's diagrams — 17 source/render pairs (area map, token fan-out, journey flows, IA/navigation, export pipelines, component lifecycle) per <code>[CONVENTIONS §4]</code>
exports/	Design export package (capstone): screen PNG renders light + dark at 2× (49 on disk), the 54-page <code>design-book.pdf</code> , and the PenPot + Figma hand-off bundles (editable vectors, screen rasters, genuine <code>.od-figma.json</code> IR captures, <code>IMPORT.md</code> guides), built by <code>scripts/</code> (<code>render-cdp.mjs</code> / <code>build-book.mjs</code> / <code>capture-figma.mjs</code>). Rendered before the marketing / +4-mobile / TUI-expansion wave — regeneration is a downstream Docs Chain pass

Rendered design package (on disk)

Beyond the specification `.md` documents above, the area ships a **rendered, executable design package** — the concrete deliverables the operator mandates require. The full audit and sign-off is in

DESIGN_PACKAGE_REPORT.md; this table is the at-a-glance manifest (counts **VERIFIED** on disk 2026-07-22).

Deliverable	Where	Count / form (VERIFIED)
OpenDesign brand contract	<code>opendesign/</code>	<code>DESIGN.md</code> (9-section contract) + <code>tokens.css</code> (light + dark) + <code>TOOLING.md</code>
Rendered screens	<code>screens/</code>	30 self-contained HTML — web 13 + interactive <code>index.html</code> , mobile 11, desktop 1, TUI 1, marketing 3
Interactive prototype	<code>screens/web/index.html</code>	Journey-walking shell embedding the live screens (0 broken sibling links)
Living component library	<code>library/</code>	<code>components.html</code> (all states × light/dark) + <code>components-sheet.svg</code> + <code>platform-map.md</code> (×8 platforms)
Motion (Lottie)	<code>motion/</code>	6 Lottie <code>.json</code> (all parse, bodymovin v5.7.4) + 5 static fallbacks + <code>preview.html</code> (vendored, zero-network)
Brand assets + tooling	<code>assets/</code>	7 SVG masters (launcher icon: 0 letters , helix element; footer slogan) + export matrix + <code>generate-raster.sh</code>
Diagrams	<code>diagrams/</code>	17 <code>.mmd</code> + rendered <code>.svg</code> pairs
Export bundle	<code>exports/</code>	49 PNG (light+dark, 2×) · <code>design-book.pdf</code> (54 pp) · PenPot (16 SVG + 22 PNG) · Figma 28 genuine <code>.od-figma.json</code> IR (11 291 nodes)

Non-interactive prototype = the PNG render set + the PDF design book + the PenPot/Figma hand-off bundles under `exports/`. **Cloud hand-off is operator-only** (no Figma/PenPot token in this environment; the OD Figma-import plugin pins `networkAccess:none`) — see the report’s operator-action list.

Upstream / Downstream dependencies

Upstream (this area consumes / must not contradict):


- `docs/private/research/mvp/helix_thready_research_request_final.md` — decision matrix (`design system source = OpenDesign`, `Frontend = Angular 19/22 on design_system`, `Desktop = Tauri 2`, `Mobile = native+KMP`, `TUI = Bubble Tea + Lipgloss`), operator decisions (Web+CLI first, aggressive SLO), Q17–Q20, Q26, §8.3 white-labeling.
- `docs/private/research/mvp/helix_thready_subsystem_gaps_and_improvements.md` — the design-arm gaps (`design_system` foundation, `helix_design` / `helix_ui` scaffolds, KMP UI scaffolds, VisualRegression family no-CI). Every one is addressed below or tracked.
- In-house `vasic-digital/design_system` — the real token/component/adaptor source (read at source via `gh`; interfaces reproduced verbatim where load-bearing).
- `nexu-io/open-design` — the design-system generation daemon `[CONSTITUTION §11.4.162]`.

- `../architecture/index.md` — entities (accounts, channels, posts, assets, processing state) and event model that the screens and flows visualize.
- `../api/index.md` — the REST `/v1` + WebSocket/SSE contract every screen binds to; UX flows reference specific endpoints/events.

Downstream (consumes this area):

- `../user-guides/index.md` — screenshots, illustrations and the component vocabulary used in manuals and tutorials.
- `../testing/index.md` — UI/UX test types, visual-regression banks, a11y gates derive from the component states and flow acceptance criteria specified here.
- The implementation repos (Angular web/desktop clients, native mobile clients, TUI) consume the tokens, components and flows verbatim.

Area dependency map



Rendered PNG/SVG exported via Docs Chain (\$11.4.65). Source: `diagrams/design-area-map.mmd`.

Explanation (for readers/models that cannot see the diagram). OpenDesign is the upstream source of truth for the whole area; it (and the shared `design_system` extracted from it) feeds `design-system.md`,

which defines the token architecture. From the design system three siblings branch: `theming.md` (light/dark + per-account white-labeling), `brand-assets.md` (the launcher icon and the “Made with ♥” slogan), and `component-library.md` (the reusable `.ds-*` components). Theming and the component library together feed `wireframes.md` (the concrete screens for Web, CLI/TUI and Mobile). Wireframes feed `ux-flows.md` (the four key journeys) and, together with the brand assets, feed `prototypes.md` (the Figma/PenPot/Lottie deliverables). The dotted edges show the cross-area couplings: the API area supplies the endpoints and events that the wireframes render and the flows drive; the architecture area supplies the entities the flows manipulate; and downstream, the design system and the prototype exports are consumed by the user-guides area.

Sources of truth

Source	Used for	Confidence
<code>vasic-digital/design_system (tokens/ , components/ , docs/ THEMES.md)</code>	Real token values, <code>.ds-*</code> components, Angular <code>ThemeService</code> / <code>I18nService</code> / <code>FooterComponent</code> , WCAG evidence	VERIFIED (read at source via <code>gh</code>)
<code>assets/Logo.png</code>	Thready brand mark + theme derivation, launcher-icon element	VERIFIED (inspected)
<code>helix_track/web_client/open-design.config.json</code>	Product-client OpenDesign config precedent (<code>primary #BCE63B</code> , <code>secondary #7AA590</code>)	VERIFIED (local clone)
<code>nexu-io/open-design (apps/daemon/src/brands/engine/export.ts , README)</code>	OpenDesign export surface (tokens.json / theme.json / CSS / PPTX / PDF); release 0.13.0	VERIFIED (read at source)
Decision matrix \$0.2, Q17–Q20, Q26; \$8.3	Framework choices, design-tool choices, white-labeling	AUTHORITATIVE

Verified vs. assumption ledger

- **VERIFIED:** The `design_system` token names, exact hex values, `.ds-*` component classes, and the Angular adapters (`ThemeService` , `I18nService` , `ThemeToggleComponent` , `LanguagePickerComponent` , `FooterComponent` , `DS_CONFIG` / `DS_LOCALES` / `DS_DICTIONARY`) are reproduced from source — **re-verified at source via `gh` in Pass 3**. The helix-green brand `#B6E376` , light accent `#446E12` (6.03:1 on white), and dark accent `#B6E376` (13.56:1 on `#020817`) are measured, not invented; the two sibling shipped themes (`vasic-red` accent 6.47/7.23, `helix-ota-blue`) are likewise measured. The footer heart is tinted with the verified `--accent-ink` token via the localized `footer.made` / `ally.love` / `footer.by` keys. The **TUI** Bubble Tea/Lipgloss pattern and its keymap are verified against real source (`helix_track/llms_verifier/./tui`).

- **ASSUMPTION** / **[DEFAULT — adjustable]**: The exact launcher-icon geometry (now pinned to a numeric spec in [brand-assets §3.1](#) but pending the OpenDesign authoring pass), motion durations beyond the two shipped tokens, the Thready composite public API names, and every wireframe layout are proposed defaults pending operator/team review. (The **Thready secondary teal** is no longer an assumption — it is now the eyedrop-captured [#ABDDC9](#), see [THREADY-DES-01](#) below.)
- **SCAFFOLD (do not claim it works)**: [helix_design](#) (non-web design arm) and [helix_ui](#) (Flutter) are scaffolds; [UI-Components-KMP](#) and the KMP fleet have no CI/publish; the VisualRegression family has no CI. These are tracked below and in the relevant files.

Gap/Register items owned by this area

Each is addressed with a design plan and/or a tracked workable item in the linked file.

Gap (register id)	Status	Where addressed
[GAP: 8.1 design_system] foundation, web-only, needs Thready theme + npm publish	FOUNDATION	design-system.md , theming.md , brand-assets.md
[GAP: 8.2 helix_design] non-web token packages don't exist (Flutter/Qt/CSS)	SCAFFOLD	design-system.md
[GAP: 8.3 helix_ui] Flutter UI scaffold; cannot target HarmonyOS/Aurora	SCAFFOLD	design-system.md , component-library.md
[GAP: 8.4 UI-Components-KMP] KMP UI scaffold, no CI/publish	SCAFFOLD	component-library.md
[GAP: 8.5 helix_shims / HarmonyOS+Aurora clients] native clients skeleton	SCAFFOLD	wireframes.md , component-library.md
[GAP: 8.6 TS libs / helix_track_cli] re-audit before adoption	SCAFFOLD/ FLAGGED	component-library.md
[GAP: 9.3 VisualRegression family] Panoptic/ScreenDiff/ReplayBuffer no CI + Thready challenges banks	FOUNDATION	design-system.md , component-library.md
[GAP: 7.3 Security-KMP] mobile secure storage stub (gates mobile release)	SCAFFOLD	wireframes.md (release gate note)

Workable-items registry

The concrete build/hardening tasks this area defines, consolidated (they were previously only inline in each file). Each closes one or more gap-register items and is ordered by the **Web + CLI first** priority

[\[OPERATOR\]](#). IDs are stable and referenced verbatim by the owning files.

Workable item	What it delivers	Closes	Defined in
THREADY-DES-DS-01	Add <code>tokens/themes/thready.css</code> + Thready <code>DS_CONFIG</code> upstream; publish <code>@vasic-digital/design-system</code> to npm; mature the standalone package	[GAP: 8.1]	design-system \$9, theming \$11, brand-assets \$11
THREADY-DES-WEB-01	Angular composite set (\$5) on the published primitives (git dep until npm)	[GAP: 8.1]	component-library \$10
THREADY-DES-TUI-01	Lipgloss component styles from the token export (verified pattern)	— (pattern verified)	component-library \$10
THREADY-DES-VR-01	CI for the visual-regression family (<code>ScreenDiff</code> / <code>VisualRegression</code> / <code>ReplayBuffer</code>) + wire the <code>themexstate</code> bank	[GAP: 9.3] (half 1)	design-system \$9, component-library \$10, prototypes \$11
THREADY-DES-CHAL-01	Thready UI/UX Challenges scenario banks (mandated test type)	[GAP: 9.3] (half 2)	design-system \$9, component-library \$9
THREADY-DES-KMP-01	<code>UI-Components-KMP</code> CI + Maven publish + token-bridge codegen	[GAP: 8.4]	design-system \$9, component-library \$10
THREADY-DES-FLUT-01 / -QT-01	<code>helix_design</code> per-platform token packages (Flutter, Qt/Aurora); native ArkTS/Qt via <code>helix_shims</code>	[GAP: 8.2/8.3/8.5]	design-system \$9, component-library \$10
THREADY-DES-REACT-01	<code>UI-Components-React</code> re-audit + adoption (only if a React surface is needed)	[GAP: 8.6]	component-library \$10
THREADY-DES-EXPORT-01	Build/validate the PenPot + Lottie export bridges (not native OpenDesign targets)	[OPEN: THREADY-DES-02]	prototypes \$11

Open items

The full, canonical open-item registry for this area — **41 registered IDs** across nine families: the core `THREADY-DES-01...-17` plus the per-directory families minted by the artifact waves (`-LIB` , `-SCR` , `-SCR-MOB` , `-TUI` , `-MKT` , `-OD` , `-FIG` , and `THREADY-MOT`). Each is tracked in its owning file; this registry is the single place to see them all and their state. Verified against the tree on 2026-07-22 by grepping `OPEN: THREADY-...` over `design/`: every ID below exists at its owning file, and no ID exists in the tree that is absent below. **State summary: 39 open (one narrowed), 2 closed** (`THREADY-DES-01` , `THREADY-DES-OD-03`).

Core area items (THREADY-DES-01...-17)

ID	State	Summary	Owning file(s)
THREADY-DES-01	CLOSED	--brand-2 teal captured via formal <code>Logo.png</code> eyedrop (<code>#ABDDC9</code> light / <code>#B7EBD6</code> dark), replacing the <code>#7AA590</code> stand-in	design-system §3.2, brand-assets §11
THREADY-DES-02	OPEN	PenPot + Lottie are not native OpenDesign export targets — bridges must be built (<code>THREADY-DES-EXPORT-01</code>)	prototypes.md, design-system §10
THREADY-DES-03	OPEN	Heart-glyph “proper color”: brand accent-ink (current default) vs. classic love-red	brand-assets §8, design-system §3.2
THREADY-DES-04	OPEN	Verify Cyrillic subsets of the three variable faces for ru / sr-Cyrl	design-system §4, component-library §11, prototypes §11
THREADY-DES-05	OPEN [RESEARCH]	Aurora density buckets (86/108/128/172/250) must be verified against current Aurora OS packaging docs	brand-assets §5.1
THREADY-DES-06	OPEN	Whether Account Admins (tier 2), not only Root, may edit their own Account branding	theming §11, ux-flows §5
THREADY-DES-07	OPEN	Advanced neutral-surface override (beyond accent) needs a full AA re-validation matrix before exposure	theming §11
THREADY-DES-08	OPEN	Confirm whether Desktop (Tauri) needs any native screen beyond the wrapped web UI (tray/notifications)	wireframes §7
THREADY-DES-09	OPEN	High-fidelity Figma frames for every wireframe screen (produced in prototypes; wireframes are the structural contract)	wireframes §7, prototypes.md
THREADY-DES-10	OPEN	Finalize endpoint/event names with the API area (UX-flow names are	ux-flows §7

ID	State	Summary	Owning file(s)
		[DEFAULT – adjustable])	
THREADY-DES-11	OPEN	Finalize Thready composite public API names with the web implementation team	component-library §11
THREADY-DES-12	OPEN	Decide which composites are generic enough to contribute upstream to <code>design_system</code> vs. keep in Thready	component-library §11
THREADY-DES-13	OPEN	Decide PenPot’s role: mirror of Figma (portability only) vs. a co-equal editing surface	prototypes §11
THREADY-DES-14	OPEN	Branding model reconciliation (storage and contract) with the canonical database + API areas	theming §5/§7/§11, below
THREADY-DES-15	OPEN	Mobile notifications centre : confirm whether mobile ships a dedicated notifications surface (+ push delivery preferences) — the wireframes §6 IA has none; <code>notifications.html</code> is a derived proposal over the verified event contract	screens/mobile/README §4
THREADY-DES-16	OPEN	Local media-file ingest (desktop file-drop case 2): decide whether a local upload path into the Asset Service exists at all; no upload UI is designed until it does	screens/desktop/README §3.4/§4
THREADY-DES-17	OPEN	ANSI degradation decisions for the TUI palette: pinned <code>CompleteColor</code> vs automatic, border-glyph color, optional light-terminal adaptive palette	screens/tui/README §4, lipgloss-theme §8

Design library (**THREADY-DES-LIB-***) — library/

ID	State	Summary	Owning file(s)
THREADY-DES-LIB-01	OPEN	Re-audit the React column component-by-component ([GAP: 8.6]): confirm each verified file implements the library's states before any React surface consumes it	platform-map \$6
THREADY-DES-LIB-02	OPEN	iOS host decision: KMP/Compose (current plan, SwiftUI column moot) vs. a [BUILD-NEW] SwiftUI package — none exists or is named in the decision matrix	platform-map \$6
THREADY-DES-LIB-03	OPEN	helix_shims ArkTS/Qt interface not inspected ([GAP: 8.5]); the HarmonyOS/Aurora cells need re-verification once the shim contracts exist	platform-map \$6
THREADY-DES-LIB-04	OPEN	Token-bridge codegen (CSS → Lipgloss / ThreadyColors / Flutter theme) does not exist yet; build tracked as THREADY-DES-KMP-01 / -FLUT-01 / -TUI-01	platform-map \$6, component-library \$10

Web screens (`THREADY-DES-SCR-*`) — `screens/web/`

ID	State	Summary	Owning file(s)
THREADY-DES-SCR-01	OPEN	Billing pricing: plan tiers beyond “Pro”, unit prices, included quotas and grace-period policy are undefined; <code>billing.html</code> ships the layout contract with placeholder amounts	<code>screens/web/README</code> \$6
THREADY-DES-SCR-02	OPEN	Research doc versioning: diff/history between successive research generations after a reprocess is unspecified; the viewer shows latest + a “stale” state only	<code>screens/web/README</code> \$6
THREADY-DES-SCR-03	OPEN	Events retention: history depth / queryable window for the events monitor beyond the live tail is unspecified	<code>screens/web/README</code> \$6
THREADY-DES-SCR-04	OPEN	Forgot-password flow: referenced by wireframes §3.2 but never specified; <code>login.html</code> links it with an inline note, no fake flow is designed	<code>screens/web/README</code> \$6

Mobile screens (`THREADY-DES-SCR-MOB-*`) — screens/mobile/

ID	State	Summary	Owning file(s)
THREADY-DES-SCR-MOB-01	OPEN	Unread “ N new ” pills on Channels rows are a <code>[DEFAULT – adjustable]</code> proposal (derived from <code>post.received</code>); confirm whether mobile shows unread counts at all, and the reset rule	screens/mobile/README §4
THREADY-DES-SCR-MOB-02	OPEN	Media viewer Share / Save-to-device : no ground-truth export path exists (§3.8 “re-download” is server-side); both actions specified disabled until product resolves it — coupled to <code>THREADY-DES-16</code>	screens/mobile/README §4
THREADY-DES-SCR-MOB-03	OPEN	WhatsApp as a third Add-Channel source : requested but absent from the verified source set (Telegram/Max); rendered as a disabled tile until the decision matrix adds an adapter	screens/mobile/README §4

TUI screens (`THREADY-DES-TUI-*`) — `screens/tui/`

ID	State	Summary	Owning file(s)
THREADY-DES-TUI-01	OPEN	Inline asset preview (screen 9): terminal image rendering is protocol-dependent (kitty / iTerm2 / sixel); decide pixels-where-possible vs. metadata + open/stream everywhere — mockup ships the honest metadata-only stub	<code>screens/tui/README</code> \$4
THREADY-DES-TUI-02	OPEN	TUI sign-in method (screen 6): ground truth pins the scoped-token path (<code>THREADY_TOKEN</code> / keychain); confirm whether the proposed interactive device-code frame ships or the TUI stays token-only	<code>screens/tui/README</code> \$4

Marketing site (`THREADY-DES-MKT-*`) — `screens/marketing/`

ID	State	Summary	Owning file(s)
THREADY-DES-MKT-01	OPEN	Final marketing IA / copy sign-off: page set, information architecture and every headline/body string are <code>[DEFAULT – adjustable]</code> ; explicitly includes whether any self-host claim is ever made	<code>screens/marketing/README</code> \$7
THREADY-DES-MKT-02	OPEN	SEO / analytics / legal pages scope: meta/OG/ sitemap/robots for the SSG site, analytics (or its deliberate absence), privacy/terms/imprint, store-listing legal footprint	<code>screens/marketing/README</code> \$7

OpenDesign contract (`THREADY-DES-OD-*`) — `opendesign/`

ID	State	Summary	Owning file(s)
THREADY-DES-OD-01	OPEN	On vendoring into <code>opendesign/design-systems/thready/</code> : register the C-extension tokens (<code>--brand</code> , <code>--brand-2</code> , <code>--brand-ink</code> , <code>--border-strong</code> , <code>--ds-heart</code> , <code>--theme-id</code>) in <code>BRAND_EXTENSIONS["thready"]</code> + author the v1 <code>manifest.json</code>	TOOLING \$7
THREADY-DES-OD-02	OPEN	Dark-mode blocks in <code>tokens.css</code> exceed the single-mode bundled precedent; confirm the 0.14.1 guard accepts the extra selectors, or split light/dark via the derive pipeline	TOOLING \$7
THREADY-DES-OD-03	CLOSED	Link <code>opendesign/</code> from this index — closed by this revision (rev 6) : <code>opendesign/</code> (<code>DESIGN.md</code> · <code>tokens.css</code> · <code>TOOLING.md</code>) now appears in Files in this area	TOOLING \$7

Figma kit (`THREADY-DES-FIG-*`) — **figma/**

ID	State	Summary	Owning file(s)
THREADY-DES-FIG-01	OPEN	Create the actual “Thready — Design Library” Figma file by executing the kit (path A: MCP <code>use_figma</code> Plugin API, or path B: manual import); until then no Figma artifact exists	figma/README
THREADY-DES-FIG-02	OPEN	Variables import mechanism: Enterprise REST bulk endpoint vs. Plugin-API replay vs. import plugin	figma/README
THREADY-DES-FIG-03	OPEN	<code>mobile/channels-list</code> frame lacked a mid-fi HTML source when the kit was authored (a <code>screens/mobile/channels.html</code> artifact has since landed in mobile Rev 2 — closure pending the kit’s re-verification)	figma/README

Motion package (`THREADY-MOT-*`) — `motion/`

ID	State	Summary	Owning file(s)
THREADY-MOT-01	<code>OPEN</code>	Verify all six Lottie files in <code>lottie-compose</code> and <code>lottie-ios</code> before mobile ships them (only <code>lottie-web</code> /jsdom + headless Chromium are verified)	<code>motion.md</code> §8
THREADY-MOT-02	<code>OPEN</code>	Light-theme strategy: load-time color remap vs. shipping generated <code>-light</code> variants; wire the white-label remap into the branding-editor preview	<code>motion.md</code> §8
THREADY-MOT-03	<code>OPEN</code> (<i>narrowed</i> 2026-07-22)	Asset half closed — the five static <code>reducedMotionFallback</code> SVGs are delivered, keyframe-derived, manifest v2-named. Remaining, narrowed: (a) independent design review / pixel A-B of the statics against the frozen Lottie frames on a physical display; (b) the <code>empty-channels.svg</code> fallback — blocked on the <code>THREADY-DES-02</code> illustration-grade set, delivered with it	<code>motion.md</code> §8

Detail on the two highest-impact opens:

- `[CLOSED: THREADY-DES-01]` Formal eyedrop mean of `assets/Logo.png` captured (pixel-mean per the `design_system` provenance rule §11.4.6): the Thready secondary/teal `--brand-2` = `#ABDDC9` (light, mean of n=618,886 mint-region pixels) / `#B7EBD6` (dark, median), replacing the provisional `#7AA590` stand-in. The green-region eyedrop (`#BAE448` , n≈1.06M) corroborates the documented helix-green base, validating the method. Re-confirm with the design-system's own eyedrop tool at integration. Method: `design-system` §3.2.
- `[OPEN: THREADY-DES-14]` Branding model reconciliation (storage **and** contract). **Storage:** the authoritative database area models branding as `accounts.branding JSONB ( {colors, logo_url, slogan} )`, while `theming.md` §5 proposes a normalized, AA-audited `account_branding` table — reconcile with `../database/index.md`. **Contract:** `api/openapi.yaml` already defines `setBranding`

with a minimal `Branding` (`primary_color/logo_asset_id/slogan`), while `theming.md` §7 proposes an expanded contract (typed light/dark accents

- `422` AA gate) — merge into `../api/index.md`, do not maintain in parallel. The design area MUST NOT diverge from the canonical schema/contract.

Conventions applied

Every file in this area carries the mandatory metadata header, a revision-history table, a ToC, inline provenance tags (`[CONSTITUTION $x]` , `[IN-HOUSE: module]` , `[RESEARCH]` , `[OPERATOR]` , `[DEFAULT — adjustable]` , `[BUILD-NEW]` , `[GAP: id]` , `[OPEN: id]`), and — for every Mermaid diagram — a multi-paragraph prose explanation plus a sibling `diagrams/<name>.mmd` source `[CONVENTIONS §4]` . Code examples are given in CSS / TypeScript / Go / SQL / YAML.

Made with love ♥ by Helix Development.