

Helix Thready — Marketing Site Screen Designs

Table of contents

1. Scope decision — recorded honestly

2. Verified vs. default

3. How the artifacts are built

4. Page catalogue

5. Claims-traceability register (no bluff)

6. Accessibility & theming contract

7. Open items

Rev	Date	Author	Change
1	2026-07-22	swarm (design)	Initial minimal viable marketing design: 3 pages (<code>landing</code> / <code>features</code> / <code>download</code>), self-contained OpenDesign-style HTML matching the <code>../web/</code> construction pattern; scope decision recorded honestly; mints <code>[OPEN: THREADY-DES-MKT-01]</code> and <code>[OPEN: THREADY-DES-MKT-02]</code> ; full claims-traceability register (\$5)

Table of contents

- 1. Scope decision — recorded honestly

• 2. Verified vs. default

• 3. How the artifacts are built

• 4. Page catalogue

• 5. Claims-traceability register (no bluff)

• 6. Accessibility & theming contract

• 7. Open items

1. Scope decision — recorded honestly

The **Angular 22 marketing site was named but never scoped**. The ground truth names it in exactly these places:

- `design-system.md` rev-2 entry: “clarified Angular 19 (product) vs 22 (marketing) per Q17”, and the §7 note `[Q17]`: “**Angular 22** (standalone/signals, SSR + SSG/prerender, Tailwind v4 on OpenDesign tokens) is for **marketing / public sites**. Both consume the same `@vasic-digital/design-system` tokens + `.ds-*` set.”
- `DESIGN.md` §8 per-platform table, row “Web — Angular 19 (product) / 22 (marketing)”.
- `theming.md` §2: the pre-paint head script exists precisely “to avoid a flash of the wrong theme on SSR/prerender (**Angular 22 marketing** + Tauri)”.
- `brand-assets.md` §3/§10: the wordmark/full lockup is reserved for “headers/**marketing** only”.

But **no marketing screen was ever designed**: `wireframes.md` and `ux-flows.md` cover only the product portal, and `screens/` contained only `web/`, `desktop/`, `mobile/`, `tui/`. The design-coverage audit therefore found **zero design artifacts** for the marketing app.

Decision taken here `[DEFAULT — adjustable]`: this directory establishes the **minimal viable marketing design** — three pages (home, features, download) that a public site cannot exist without — using only claims traceable to existing design/product docs. It deliberately does **not** invent pricing pages, blog, docs portal, legal pages, SEO metadata or analytics: those are minted as open items below rather than papered over `[CONVENTIONS §7 — no bluff]`:

- `[OPEN: THREADY-DES-MKT-01]` — **final marketing IA / copy sign-off** (page set, information architecture, all headlines/body copy, and whether any self-host claim is ever made).
- `[OPEN: THREADY-DES-MKT-02]` — **SEO / analytics / legal pages scope** (meta/OG/sitemap, analytics or its deliberate absence, privacy policy, terms, imprint, store-listing legal footprint).

Brand scope note. The marketing site always renders the **system-default Thready / Helix Development brand — it is never white-labeled**. Per-Account white-labeling is a product-portal concern: overrides are set per Account by the Root Admin and resolve for signed-in Account contexts (`theming.md` §1/§3); a public page has no Account context. The locked attribution footer renders here exactly as everywhere else.

2. Verified vs. default

Class	Items
[VERIFIED] (carried verbatim, never invented)	Every color/typography/spacing/radius/motion token (from <code>tokens.css</code> / design-system.md §3.1–3.2 — no new hex anywhere); the tagline “ read your threads, smarter ” (brand-assets.md §8.1, login/splash); logo-usage rules (full lockup = headers/marketing only; launcher icon letter-free; clear-space ≥ ⅓ box — brand-assets.md §3/§10); the locked footer “ <i>Made with ♥ by Helix Development</i> ” with heart accessible-name “love” (brand-assets.md §8); accent AA ratios (6.03:1 light / 13.56:1 dark); the three dark-mode mechanisms (theming.md §2); every platform status in the availability matrix (design-system.md §7 + platform-map.md §2/§5); every product-capability claim (register in §5)
[DEFAULT — adjustable] (proposed by this directory, pending <code>THREADY-DES-MKT-01</code>)	The three-page set itself; all marketing copy (headlines, card text, section order); the screenshot-slot placeholder treatment (links to live artifacts until Docs Chain captures exist); the <code>go install</code> command shape on <code>download.html</code> ; the “planned” store-channel chips; the decision to render store badges as neutral text chips until listings are real

3. How the artifacts are built

Identical construction to the **web portal set** — one `.html` per page, fully **self-contained** (no CDNs, no external CSS/fonts; system fallbacks for Space Grotesk / Hanken Grotesk / JetBrains Mono):

- **Tokens inlined, verbatim** from design-system.md §3.1 (core) + §3.2 (thready theme); `../../opendesign/tokens.css` is a **reference, not a dependency**.
- **Light + dark, three sanctioned mechanisms** (theming.md §2): `@media (prefers-color-scheme: dark)` , `:root[data-theme="dark"]` , persisted to `localStorage['thready-theme']` , with the pre-paint head script and a visible **Light/Dark/System toggle** (`aria-pressed`) on every page.
- **One brand-gradient focal element per screen, at most** (DESIGN.md §7/§9): the `landing.html` hero lockup is the only gradient focal element in the whole set; the small header spiral is a permitted brand mark; `features.html` and `download.html` add no gradient focal element (launcher icons on `download.html` are the brand assets themselves).
- **Logo rules respected**: mark + wordmark lockup (“logo-full” composition) appears only in headers/hero — marketing surfaces, exactly where brand-assets.md §10 permits it; the launcher icons on `download.html` are referenced **relatively** from `../../assets/` (`launcher-icon-light.svg` / `-dark.svg` / `-mono.svg`) and swap with the theme per brand-assets.md §4.

- **Locked footer** on every page, with the “attribution persists under any white-label” note.
- **Provenance comments** at the top of every file; each page ends with a “*Page states — design contract*” strip (states, focal-element accounting, copy contract, open items).
- **Marketing copy contract:** warm, human, understated; calm reading-oriented microcopy; **no exclamation marks** (DESIGN.md §1 voice & tone). Honesty banners (`.honesty`) render product status plainly — scaffolds are “in development”, never shipping.

4. Page catalogue

File	Purpose	Contents	Honesty devices
<code>landing.htm</code> <code>l</code>	Home	Hero lockup (mark + wordmark + tagline “read your threads, smarter”) — the gradient focal element; 4 feature cards (reading / pipeline / search / surfaces), each linking the real screen artifact; 4 screenshot slots (dashboard, search, post-detail, TUI) that link to the living designs pending Docs Chain captures; get-it CTA row (Web / Desktop / Android / iOS / HarmonyOS / Aurora / TUI) with status badges; locked footer	MVP status banner; “in development” badges; slot placeholders never fake screenshots
<code>features.ht</code> <code>ml</code>	Deeper feature grid	8 in-depth cards (channels+backfill, threads, direct/derived tags, skills/recipes, research docs, assets, live events/CLI, teams/RBAC/ white-label); per-platform availability matrix (8 rows, statuses verbatim from design-system.md §7 / platform-map.md); AI pipeline explainer (Ingest → Process → Skills → Search, with the real precedence line and event names); “How it is run” (no CDNs, operated infra, backups)	Gap tags inline (<code>[GAP: 5.1/4.1/2.6/8.x]</code>); honesty banner under the matrix; the self-host claim explicitly not made — routed to <code>[OPEN: THREADY-DES-MKT-01]</code>
<code>download.ht</code> <code>ml</code>	Get-the-app	7 platform cards with real launcher-icon SVG variants (theme-swapped, relative refs); per-card install-channel chips (real vs planned); desktop (Tauri 2, per-OS format status) and TUI (<code>go</code>	Top honesty banner (“no store listing is live, no installer published”); neutral text chips instead of trademarked store badges; every scaffold labelled with its gap ID

File	Purpose	Contents	Honesty devices
		<code>install</code> / binary, <code>[DEFAULT —</code> <code>adjustable]</code>) rows; links into <code>../</code> <code>desktop/</code> , <code>../</code> <code>mobile/</code> , <code>../tui/</code> designs	

5. Claims-traceability register (no bluff)

Every product claim made on the three pages, with its source. Marketing artifacts are **not** exempt from the documentation bar `[CONVENTIONS §7]` .

#	Claim (as marketed)	Source
1	Tagline “read your threads, smarter”	brand-assets.md §8.1 (login/splash row); DESIGN.md §1 voice & tone [VERIFIED]
2	Channels via a 5-step add-wizard with live resolve preview and visible backfill progress	../web/README.md §3 rows channels.html , thread-explorer.html (backfilling 54/128); wireframes §3.4
3	Telegram sessions designed-in; Max adapter in development (never claimed working)	../web/README.md rows settings.html (Telegram ✓ / Max sign-in) and channels.html (Max: dev-notes ⚠ auth) — [GAP: 5.1]
4	Threads keep organic reply chains; system replies separated and excluded from counts	../web/README.md row thread-explorer.html
5	Direct vs derived hashtags; “(derived)” is visible and in the accessible name, never color-only	../web/README.md rows post-detail.html , dashboard.html ; platform-map.md §4 hashtag-chip note
6	Pipeline classify → download → convert → analyze → research → reply; precedence download > convert > analyze > research > reply ; idempotent retry (“nothing is processed twice”)	../web/README.md row post-detail.html ; ../web/dashboard.html precedence caption (“retry is idempotent (single-claim — never double-processes)”)
7	Live progress over WebSocket/SSE, no polling; event names post.received · processing.progress · processing.completed · processing.failed · channel.added ; CLI thready events tail NDJSON	../web/README.md rows dashboard.html (“live WS/SSE”), events-monitor.html
8	Search: semantic / keyword / hybrid; scope posts/docs/assets; scored results; 214 ms measured vs < 500 ms target	../web/README.md row search.html
9	Degraded-embedder honesty: HashEmbedder fallback hides scores instead of inventing them	../web/README.md row search.html (“degraded HashEmbedder, scores hidden”) — [GAP: 2.1]
10	Skills/recipes: atomic → composite; recipes Research v3 / Movies v5 / Notes fallback; explicit run order, multi-pass, test-on-sample; dispatch engine is BUILD-NEW	../web/README.md row skills-manager.html — [GAP: 4.1]
11		

#	Claim (as marketed)	Source
	Research docs carry sources + pass provenance, link the source post, export .md / Docs-Chain PDF; regeneration marks the old doc stale	../web/README.md row <code>research-viewer.html</code>
12	Assets keep sha256, renditions (...-web), linked posts, Range/HLS streaming, re-download for broken links, sensitive-lock; OCR tracked as a gap	../web/README.md row <code>assets-browser.html</code> — <code>[GAP: 2.6]</code>
13	Three-tier RBAC (Root / Account Admin / Standard) + append-only audit log	../web/README.md row <code>accounts-admin.html</code>
14	Per-Account white-label (colors/logo/slogan) behind a server-enforced WCAG-AA gate (422 with measured ratio + passing suggestion); Helix attribution footer locked	theming.md §3/§10; ../web/README.md row <code>settings.html</code>
15	Web portal is the primary surface; web/CSS + Angular design-system layer is production-usable; web + CLI ship first	design-system.md §7 web row <code>[OPERATOR]</code> — <code>[GAP: 8.1]</code>
16	Desktop = Tauri 2 wrapping the same Angular UI, no separate UI work; installers not published (icon formats .icns/.ico/hicolor are prepared export targets)	design-system.md §7; brand-assets.md §5 desktop table
17	Android/iOS = KMP/Compose, in development : <code>UI-Components-KMP</code> is a utilities-only scaffold, no widgets/CI/publish, foreign-branded palette	platform-map.md §2 — <code>[GAP: 8.4]</code> ; iOS host open: <code>[OPEN: THREASY-DES-LIB-02]</code>
18	HarmonyOS (ArkTS) / Aurora (Qt) via <code>helix_shims</code> , in development ; <code>helix_design</code> verified as empty scaffold; layered HarmonyOS icon JSON prepared; Aurora density buckets unverified	platform-map.md §2; brand-assets.md §5/§5.1 — <code>[GAP: 8.2/8.3/8.5]</code> , <code>[OPEN: THREASY-DES-05]</code>
19	TUI = Go, Bubble Tea + Lipgloss, pattern verified in-house ; styled from the same tokens	platform-map.md §2 (local <code>helix_track</code> clone read); design-system.md §7
20	PWA install: manifest + maskable icons prepared	brand-assets.md §5/§5.1 (<code>manifest.webmanifest</code> + <code><head></code> block)
21	Android adaptive icon + Android 13+ monochrome layer; iOS single-size 1024 + iOS 18 dark/tinted variants; Play Store 512 icon	brand-assets.md §5/§5.1
22	No third-party CDNs; fonts self-hosted (CSP/offline posture)	design-system.md §4; DESIGN.md §3/§7
23	Operated infrastructure: single Hetzner dedicated host, three fully-separated envs (dev/sta/prod), rootless Podman; secrets runtime-load-only, never logged	../../deployment/index.md §1 <code>[OPERATOR]</code>
24	Backups: daily full + hourly DB incrementals; RPO ≈ 1 h, RTO ≈ 4 h, documented restore runbook	../../deployment/index.md §1 (Q41/Q45)

#	Claim (as marketed)	Source
25	Search backed by a pgvector semantic index	../..../deployment/index.md §2 (database area: “PostgreSQL + pgvector schema”); service inventory names (Herald, Processing Engine, Semantic Search, Event Bus) <i>ibid.</i>
26	Negative claim, deliberately made: no store listing live, no installer published, self-host offering not documented → not claimed	This directory’s scope decision (§1); absence verified against the deployment + design ground truth; routed to [OPEN: THREADY-DES-MKT-01/-02]

6. Accessibility & theming contract

Same bar as the [web set §5](#):

- WCAG 2.2 AA with the shipped tokens; **brand green is never body text** — text/interactive emphasis uses `--accent` (6.03:1 light / 13.56:1 dark, both measured); `--brand` / `--brand-2` appear only in the hero lockup, header mark and launcher-icon assets.
- Status badges: “verified/available” states tint from `--success`; “in development” is a neutral outlined chip — semantic colors are state, never decoration; `--danger` is reserved and unused on these pages (no destructive actions).
- Skip-to-content link, `:focus-visible` via `--focus-ring` everywhere, `aria-pressed` theme toggle, native `<select>` language picker (en / ru / sr-Cyrl), `aria-current="page"` nav.
- Reduced motion disables all transitions; wide tables (availability matrix) scroll inside their own container — the page never scrolls horizontally.
- Both modes verified by construction: the identical token blocks and mechanisms as the 13-screen web set, including the pre-paint script that exists for this very surface (theming.md §2).

7. Open items

- [\[OPEN: THREADY-DES-MKT-01\]](#) **Final marketing IA / copy sign-off** — page set, information architecture and every headline/body string on the three pages are `[DEFAULT — adjustable]` until the operator signs them off; explicitly includes the decision on whether any **self-host** claim is ever made (not documented today, therefore not claimed anywhere).
- [\[OPEN: THREADY-DES-MKT-02\]](#) **SEO / analytics / legal pages scope** — meta/OG/sitemap/robots strategy for the SSG/prerendered Angular 22 site, analytics (or its deliberate absence), privacy policy,

terms, imprint, and the legal footprint store listings will require. None of these pages are designed yet; nothing here pretends they are.

- Inherited, referenced in-page where relevant: [\[GAP: 2.1\]](#) HashEmbedder, [\[GAP: 2.6\]](#) OCR, [\[GAP: 4.1\]](#) dispatch engine, [\[GAP: 5.1\]](#) Max adapter, [\[GAP: 8.1–8.6\]](#) platform packages, [\[OPEN: THREADY-DES-03\]](#) heart color, [\[OPEN: THREADY-DES-05\]](#) Aurora buckets, [\[OPEN: THREADY-DES-LIB-02\]](#) iOS host path.
 - Screenshot slots on [landing.html](#) await Docs Chain captures of the web/TUI artifacts (\$11.4.65); until then they link to the living designs and are labelled as slots.
-

Made with love ♥ by Helix Development.