

Helix Thready — Web Portal Screen Designs

Table of contents

1. What this is

2. How the artifacts are built

3. Screen catalogue (files · purpose · states)

4. Interactive prototype shell

5. Accessibility & theming contract

6. Open items

Rev	Date	Author	Change
1	2026-07-22	swarm (design)	Initial full set: 13 screens + interactive prototype shell (<code>index.html</code>), each a self-contained OpenDesign-style HTML artifact with inlined Thready tokens, light+dark, per-screen state contracts, realistic Thready data

Table of contents

- 1. What this is
- 2. How the artifacts are built
- 3. Screen catalogue (files · purpose · states)
- 4. Interactive prototype shell
- 5. Accessibility & theming contract
- 6. Open items

1. What this is

The **full Web-portal screen design set** for Thready, rendered as OpenDesign-style **single-page HTML artifacts** — one `.html` per screen, each fully **self-contained** (no CDNs, no external CSS, no external fonts; system font fallbacks for Space Grotesk / Hanken Grotesk / JetBrains Mono). These are the high-fidelity realization of the structural contract in `wireframes.md` §3, driven by the journeys in `ux-flows.md`, composed from the primitives/composites in `component-library.md`, themed by `design-system.md` §3 and `theming.md`.

Open any file directly in a browser, or start from `index.html` — the interactive prototype shell that walks the ux-flows journeys across all screens.

2. How the artifacts are built

- **Tokens inlined, verbatim.** Every artifact embeds the theme-invariant core tokens (design-system.md §3.1) and the Thready brand theme (§3.2): base `#B6E376`, accents `#446E12` (light) / `#B6E376` (dark) — both AA-measured — teal secondaries `#ABDDC9` / `#B7EBD6`, fg `#020817` / `#F8FAFC`, neutrals `#475569` / `#94A3B8`. `../opendesign/tokens.css` is a **reference, not a dependency** — the artifacts never load it.
- **Light + dark, three sanctioned mechanisms** (theming.md §2): `@media (prefers-color-scheme: dark)` for system, `:root[data-theme="dark"]` for the explicit choice, persisted to `localStorage['thready-theme']`. Every screen carries a **visible Light/Dark/System toggle** (`ds-theme-toggle` contract, `aria-pressed`).
- **Shared chrome.** Every screen has the embedded logo-mark SVG header (same geometry as `../assets/logo-mark.svg`), the global search (`/` shortcut), language picker (en/ru/sr-Cyrl), account switcher, and the locked `.ds-footer` slogan “**Made with ♥ by Helix Development**” — heart in `--ds-heart = --accent` (`#446E12` light / `#B6E376` dark, `[OPEN: THREADY-DES-03]`).
- **Realistic Thready data only** — channels (`#ml-papers`, `#films`, `#nlp`, `Max: dev-notes`), posts with direct/indirect hashtags (`#Research`, `#Video` ◌ (derived), `#ToDownload`), processing states, semantic-search scores (0.94/0.91/0.88). No lorem ipsum.
- **Per-screen state contracts.** Each screen ends with a “Screen states — design contract” strip rendering (or documenting) its loading/skeleton, empty, error and screen-specific states per wireframes.md §1.1 and the component-library.md §5b lifecycle.
- **Forms** show blur/submit/server validation with hints, specific error messages, and `aria-describedby` wiring; destructive/gated actions demo their `409` / `422` behavior in-page.

3. Screen catalogue (files · purpose · states)

File	Screen (wireframes ref)	Realistic content	States shown/documentated
<code>login.html</code>	Login / MFA (§3.2)	credentials + TOTP step, session policy, Caps-Lock hint	default · validating · error (generic 401, no enumeration) · locked/ cooldown · MFA-required (Esc back) · SSO round-trip · no-account-membership empty
<code>dashboard.html</code>	Dashboard (§3.3)	stat row 128/1,204/17/42.1 TB · live WS/SSE activity · processing queue (63%/31%/ failed→retry) · recent-threads table	skeleton · empty (add first channel) · error · live-degraded (reconnect) · failed-job retry (409-guarded)
<code>channels.html</code>	Channels list + Add-Channel wizard modal (§3.4)	5 channels incl. <code>Max: dev-notes</code> <code>△ auth [GAP: 5.1]</code> ; 5-step wizard with Resolve preview (“ML Papers · public · 128 msgs”)	skeleton · empty · error · wizard: resolving (aria-busy) / 422 unresolvable / 403 private / auto-type banner (§Q32) · optimistic add (channel.added) · Max auth
<code>thread-explorer.html</code>	Channel detail / thread list (§3.5)	root + organic reply chain (↔12, expandable), system replies separated & excluded, per-post status glyphs ✓🔍🔍, indirect-tag badge	skeleton · backfilling (54/128) · empty · error · re-auth needed · paused
<code>post-detail.html</code>	Post detail / processing (§3.6)	root + tags (direct ● / indirect ○ “(derived)”) · reply log (3 system status replies) · full pipeline classify→download(63%)→convert→analyze(failed→retry)→research→reply with precedence caption · skills run table (additive dispatch) · generated assets (raw / ...-web / research.md) · Reprocess (confirm → 202; second click → 409 toast)	skeleton · pipeline-live · step-failed + idempotent retry · reprocess-409 · empty replies · error
<code>search.html</code>	Search (§3.7)	query “papers about retrieval-augmented generation”; mode semantic/keyword/ hybrid; scope posts/docs/ assets (≥1 enforced); advanced filters (type/ channel/tag/origin); scored results 0.94/0.91/0.88 → post/ doc; 214 ms vs <500 ms SLO	idle (recent) · skeleton · empty + clear-filters · timeout nudge · degraded HashEmbedder (<code>[GAP: 2.1]</code> , scores hidden) · scope-invalid

File	Screen (wireframes ref)	Realistic content	States shown/documentated
<code>asset-s-browser.html</code>	Assets (§3.8)	grid/list toggle; tiles video-web.mp4 / heat-1995.mkv (broken link) / cover.jpg (OCR ✓) / deep-work.pdf (sensitive) / nocturne-op9-2.flac / research.md; detail drawer: renditions, sha256, linked posts, stream (Range/HLS), re-download, sensitive lock	skeleton · empty · error · broken-link → re-download · sensitive/locked · streaming
<code>skill-s-manager.html</code>	Skills / Recipes (§3.9)	SVG skill graph atomic→composite→umbrella; recipes Research v3 (#Research, order research>reply, multi-pass steps), Movies v5, Notes fallback (§Q32); “test on sample post” fixture modal	skeleton · defaults-only empty · test-run preview · error · 409 version conflict — plus the <code>[GAP: 4.1]</code> BUILD-NEW dispatch-engine honesty banner
<code>research-viewer.html</code>	Generated research doc (post-detail asset; theming §9)	research.md with TOC, findings, benchmark table, sources & pass provenance (Research v3); actions: open source post, re-run (409-guarded), .md / Docs-Chain PDF export; account-brand note	skeleton · generating · stale (post reprocessed) · empty · error
<code>accounts-admin.html</code>	Admin — Accounts / Users & roles / Audit (§3.10)	three-tier RBAC explainer (Root / Account Admin / Standard); users table root@/alice@/bob@ (invited); per-Account roles; invite modal (email validation, idempotent no-op); append-only audit log	skeleton · invite-pending/resend · idempotent invite · last-Root-Admin guard (disabled + tooltip) · 403 forbidden · empty audit
<code>billing.html</code>	Billing & usage (§3.10)	plan Pro + metered 1.2M posts · 42 TB · 3,481 research runs; invoices INV-2026-005...007 (Docs-Chain PDFs)	skeleton · past-due · meter-near-cap · empty invoices · error · 403 — monetary figures are placeholders (<code>[OPEN]</code> below)
<code>settings.html</code>	Settings — Prefs / Branding white-label / Messengers (§3.11)	theme+language prefs, keyboard map; branding editor for Acme (#12A3FF/ #0D6EFD, accents #0B5ED7 6.1:1 ✓ / #7DB3FF 7.2:1 ✓) with working live AA meter	default · dirty guard · previewing · validating/ 422 + suggestion #446E12 · success (audit-logged) · sign-in await-code · missing-env 422

File	Screen (wireframes ref)	Realistic content	States shown/documented
		(WCAG math = server <code>ValidateAccent</code>), logo uploads, slogan, locked-attribution note, live preview (<code>data-account</code> scope), Save gated on AA; Telegram session ✓ / Max sign-in (interactive vs env)	
<code>event-s-monitor.html</code>	Events monitor (Live activity / <code>thready events tail</code> mirror)	live table of <code>post.received</code> · <code>processing.progress</code> · <code>processing.completed</code> · <code>processing.failed</code> · <code>channel.added</code> with JSON payloads; type/channel filters, pause/tail; CLI NDJSON card	live · reconnecting (backoff) · offline (frozen values) · paused (buffered) · empty-filtered · error (401 re-auth)
<code>index.html</code>	Interactive prototype shell	ux-flows journeys 1–4 as clickable steppers driving an inline preview of every screen + full gallery	— (shell)

4. Interactive prototype shell

`index.html` wires the four `ux-flows.md` journeys to the artifacts: **1 • Add channel** (login → dashboard → channels wizard → messenger sign-in sub-flow §2.1 → thread-explorer backfill), **2 • Process post + Reprocess** (dashboard → thread-explorer → post-detail → events-monitor → research-viewer → assets), **3 • Search** (search → post/doc), and **4 • Manage account** (accounts-admin → billing → settings branding AA gate). Each step loads the target screen into an embedded preview with prev/next stepping; the gallery links every artifact.

5. Accessibility & theming contract

- WCAG 2.2 AA with the shipped tokens: text on accent uses `--accent-on`; `--brand` / `--brand-2` are **decorative only**; `--danger` is never masked by brand color.
- `:focus-visible` shows the 3px `--focus-ring` on every interactive element; skip-to-content link; modals are native `<dialog>` (focus trap + `Esc`); toasts use `role="status"` / `role="alert"`; progress uses `role="progressbar"` + `aria-valuenow`; indirect chips carry “(derived)” in the accessible name (never color-only); reduced-motion disables all transitions/shimmer.
- The AA meter in `settings.html` implements the same sRGB relative-luminance ratio as the server gate (theming.md §10) and demos the `422 accent_below_wcag_aa` path with the measured ratio and the `#446E12` suggestion.

6. Open items

- `[OPEN: THREADY-DES-SCR-01]` **Billing pricing** — plan tiers beyond “Pro”, unit prices, included quotas and grace-period policy are not defined in the ground truth; `billing.html` ships the layout contract with placeholder amounts (—) and a visible note.
 - `[OPEN: THREADY-DES-SCR-02]` **Research doc versioning** — diff/history between successive research generations after a reprocess is unspecified; `research-viewer.html` shows latest + a “stale” state only.
 - `[OPEN: THREADY-DES-SCR-03]` **Events retention** — history depth/queryable window for the events monitor beyond the live tail is unspecified.
 - `[OPEN: THREADY-DES-SCR-04]` **Forgot-password flow** — referenced by wireframes.md §3.2 but not specified; `login.html` links it with an inline note, no fake flow is designed.
 - Inherited from ground truth (noted in-page where relevant): `[OPEN: THREADY-DES-03]` heart color (accent vs love-red — artifacts follow the current default `--ds-heart: var(--accent)`), `[OPEN: THREADY-DES-06]` Account-Admin self-branding, `[OPEN: THREADY-DES-10]` final endpoint/event names, `[OPEN: THREADY-DES-11]` composite API names; gaps `[GAP: 5.1]` Max adapter, `[GAP: 4.1]` dispatch engine, `[GAP: 2.1]` HashEmbedder, `[GAP: 2.6]` OCR, `[GAP: 6.5]` MeTube webhook are rendered as honest in-UI states/banners, never as working features.
-

Made with love ♥ by Helix Development.