

Helix VPN

Helix VPN

Go-based VPN project. Early scaffolding only — no VPN implementation exists yet.

Status

Implementation not started. The repository contains engineering-governance scaffolding (see below) but no VPN application code, protocols, tunneling logic, CLI, or configuration have been written.

Engineering governance

Helix VPN inherits the **Helix Constitution** via a Git submodule at `constitution/`.

Submodule remote: `git@github.com:HelixDevelopment/HelixConstitution.git` (branch `main`)

The constitution enforces a mandatory anti-bluff covenant and other universal engineering rules. Three parent files wire in the inheritance:

File	Role
<code>CLAUDE.md</code>	Claude Code agent rules — inherits <code>constitution/CLAUDE.md</code>
<code>AGENTS.md</code>	Agent rules — inherits <code>constitution/AGENTS.md</code>
<code>docs/guides/HELIX_VPN_CONSTITUTION.md</code>	Project constitution extending <code>constitution/Constitution.md</code>

Running the pre-build gate

A gate script checks five constitution-inheritance invariants before any build:

```
bash tests/pre_build_verification.sh
```

All five invariants must report PASS and the final line must read STATUS: PASS.

Running the anti-bluff mutation proof

To confirm the gate is discriminating (not a bluff gate that always passes):

```
bash scripts/testing/meta_test_false_positive_proof.sh
```

This mutates constitution/Constitution.md, asserts the gate fails, then restores the file from a backup and verifies byte-identical restore via SHA-256 checksum.

Setup after clone (§11.4.36)

After cloning this repository, initialise the constitution submodule and opt in to the local pre-commit enforcement gate:

```
# 1. Initialise the submodule
```

```
git submodule update --init --recursive
```

```
# 2. Opt in to the pre-commit hook (local enforcement – see §11.4.75)
```

```
bash scripts/install_git_hooks.sh
```

CI is intentionally DISABLED per Constitution §11.4.156. `.github/workflows/constitution.yml` has been renamed to `.github/workflows/constitution.yml.disabled-local-only` and is not executed by any remote runner. Enforcement is local only: the pre-commit hook (installed via `scripts/install_git_hooks.sh`) runs the gate before every commit, and `scripts/commit_all.sh` pushes to all configured upstreams (§2.1).

Session resumption

See `docs/CONTINUATION.md` for a standing session-resumption file with the current branch, submodule SHA, completed work, remaining work, and re-run commands.

Tracked-Items + Status Documents

Document	Last modified	Revision	Markdown	HTML	PDF
CONTINUATION	2026-06-26T15:10:00Z	4	md	—	—
MVP Specification	2026-06-26T12:00:00Z	4	md	html	pdf
Master Index	2026-06-26T12:00:00Z	4	md	html	pdf
Refinement Notes	2026-06-25T12:00:00Z	2	md	html	pdf
Source Coverage Ledger	2026-06-25T12:00:00Z	1	md	html	pdf
Workable-Items DB	—	—	db	—	—