

HelixVPN MVP — Consolidated Implementation Source of Truth

HelixVPN MVP — Consolidated Implementation Source of Truth

Revision: 1 **Last modified:** 2026-07-05T14:20:00Z **Status:** Draft
— Phase 1 consolidation; subordinate to docs/research/mvp/final/
SPECIFICATION.md.

What this directory is

This is the **single source of truth for HelixVPN MVP implementation guidance**. It merges the 16 top-level final/ chapters, the ~140 nano-detail docs across Volumes 0-10, and the OpenDesign system index into a numbered, navigable set.

Each section is self-contained. Use this index to jump to the area you need; each section links back to the authoritative nano-detail docs in the parent tree.

Navigation

#	Section	What it covers	Source docs
00	<u>Executive Summary</u>	One-page product, vision, differentiators, roadmap	SPECIFICATION.md, MASTER_INDEX.md
01	<u>Product Scope</u>	What it is/is not, roles, scope,	

#	Section	What it covers	Source docs
		principles, parity matrix, decisions	00-product-scope-and-principles.md, v01-product/*
02	<u>System Architecture</u>	C4 view, components, data/control-plane split, repo layout	SPECIFICATION.md §5-§6, 02-control-plane.md, 01-data-plane.md
03	<u>Data Plane</u>	Transport trait, transports, WG core, orchestrator, routing, policy, DAITA, multihop	01-data-plane.md, v02-data-plane/*
04	<u>Control Plane</u>	Go services, DDL/RLS, events, coordinator, API, reconciliation	02-control-plane.md, v03-control-plane/*
05	<u>Client Core & UI</u>	helix-core FFI, Flutter UI, platform shims, state management	03-client-core-and-ui.md, v04-client/*, v04-client/connector.md
06	<u>Security, Privacy & PKI</u>	Zero-trust, identity, PKI, no-logging, kill-switch, PQ, threat model	04-security-privacy-pki.md, v05-security/*
07	<u>Infrastructure & DevOps</u>	Repo layout, codegen, helixvpncctl, Podman/Compose/K8s, ecosystem	05-repo-layout-tooling-and-helix-ecosystem.md, v06-deploy/*
08	<u>API Contracts</u>	REST/WS/SSE, Connect-RPC, protobuf, FFI surface	02-control-plane.md §7, v03-control-plane/svc-api.md, protobuf-spec.md, v04-client/ffi-surface.md; GAP-1 precedence rule pinned in v01-product/functional-requirements.md, v03-control-plane/svc-policy.md, v04-client/helix-core-rust.md
09	<u>Testing & QA</u>	§11.4.169 test types, evidence	

#	Section	What it covers	Source docs
		model, acceptance gates, rigs	10-testing-acceptance-and-qa.md, v08-testing/*
10	<u>Design System</u>	OpenDesign, tokens, components, screens, exports	docs/design/README.md, v10-design/*
11	<u>Guides & FAQs</u>	Phase roadmap, WBS summary, operational runbooks, FAQ	06/07/08/09-phase*-wbs.md, v07-execution/*, v06-deploy/disaster-recovery.md
12	<u>Appendix: Research</u>	Cited external research per angle	11-deep-research-appendix.md, v09-research/*
99	<u>Source Coverage Ledger</u>	Source doc → implementation section mapping + residual gaps	99-source-coverage-ledger.md, this tree

How this consolidation relates to the source docs

- **Authoritative detail remains in the parent final/ tree.**
This consolidation is the navigable entry point; if a detail is missing here, read the owning nano-detail doc.
- **Cross-references use relative paths** from each implementation/NN-*/README.md back to sibling sections (../03-data-plane/README.md) and up to the parent nano-detail docs (../v02-data-plane/transport-trait.md).
- **Known gaps closed in this pass:** GAP-1 (precedence rule backported), GAP-3 (DR RTO/RPO targets/runbooks documented; measurement pending Phase-2 drill), GAP-4 (single v04-client/connector.md owning doc), GAP-5 (v08-testing/ 15 nano-detail docs authored; residual evidence-state PENDING is the honest spec-phase state), GAP-6 (DDOS/RBAC/ rate-limiting owners), RBAC ownership. The only residual seams are quantitative targets that must be measured once code is built. See docs/reviews/mvp-final/signoffs/gap-closure-summary.md.

End of master navigation index.