

Governance Inheritance Audit — Helix VPN

Governance Inheritance Audit — Helix VPN

Revision: 2 Last modified: 2026-07-04T17:00:00Z

STATUS UPDATE (2026-07-04T17:00:00Z, added after an independent re-review found this document's headline findings stale against the live repo). This audit's two headline gaps — **(P1)** 8 owned submodules with zero governance files, and **(P2/P3)** panoptic missing QWEN.md / its CONSTITUTION.md missing an inheritance pointer — were **REMEDIED** in the same working round, shortly after this audit was written (fix commits landed 6-14 minutes later in each submodule's own history: helix_core f245b98, helix_design 7fbe145, helix_edge 3c7771a, helix_go 1eccd10, helix_proto 24b41a0, helix_shims e7c6b43, helix_transport cdce305, helix_ui bd2a495, panoptic 8212dbe). All 9 have been independently re-verified (a separate adversarial review pass, not the fixing agent's own self-report) as **COMPLIANT**, pattern-faithful, and already pushed to their own remotes. **The findings below are preserved as the original, accurate-at-the-time audit record — read them as history, not as a current punch list.** Do not re-dispatch work against P1/P2/P3 without first checking current repo state (e.g. `ls submodules/<name>/*.md`) — they are closed.

This is a **read-only audit**. No file other than this report was created, edited, or deleted. No mutating git command was run (the only git commands executed were `status`, `log`, `submodule status`, `remote -v`, `ls-files`, `merge-base --is-ancestor`, and one read-only git `fetch` against the constitution submodule's origin to compare local HEAD to the upstream tip).

Scope: /run/media/milosvasic/DATA4TB/Projects/helix_vpn/ (main repo root)

- every submodule registered in the root .gitmodules.

Main repo root

1. CLAUDE.md

Exists: yes, tracked in git (git ls-files CLAUDE.md → CLAUDE.md).

First 15 lines (/run/media/milosvasic/DATA4TB/Projects/helix_vpn/CLAUDE.md):

```
# Helix VPN – Claude Code Agent Rules
```

```
## INHERITED FROM constitution/CLAUDE.md
```

All rules in ``constitution/CLAUDE.md`` (and the ``constitution/Constitution.md`` it references) apply unconditionally.

Project-specific rules below extend them – they do NOT weaken any universal clause. When this file disagrees with the constitution submodule, the constitution wins.

```
@constitution/CLAUDE.md
```

```
## Project-specific rules
```

```
_None yet – Helix VPN is in early scaffolding (Go). Add
```

Verdict: COMPLIANT. Opens with the exact canonical `## INHERITED FROM constitution/CLAUDE.md` heading documented in `constitution/CLAUDE.md`'s "How inheritance works" section, AND additionally uses the native `@constitution/CLAUDE.md` import syntax (belt-and-braces — the doc says either form suffices; this file uses both).

2. AGENTS.md

Exists: yes, tracked in git.

First 15 lines:

```
# Helix VPN – Agent Rules
```

```
## INHERITED FROM constitution/AGENTS.md
```

```
> Base agent rules: `constitution/AGENTS.md` – READ IT FIRST.  
> The base file is authoritative for any topic not covered here.  
> Project-specific rules below extend them; they never weaken  
  them.  
> When this file disagrees with the constitution submodule, the  
> constitution wins.
```

Canonical reference: <https://github.com/HelixDevelopment/HelixConstitution>

Project-specific rules

None yet – Helix VPN is in early scaffolding (Go).

Verdict: COMPLIANT. Opens with a properly-formed
INHERITED FROM constitution/AGENTS.md pointer heading (no @import used here, but the pointer-block form is explicitly documented as sufficient for agents that don't support @imports).

3. QWEN.md

Exists: yes, tracked in git.

First 15 lines:

```
# Helix VPN – Qwen Agent Rules
```

```
## INHERITED FROM constitution/QWEN.md
```

All rules in `*constitution/QWEN.md*` (and the
`*constitution/Constitution.md*` it references) apply
unconditionally.

Project-specific rules below extend them – they do NOT weaken any universal clause. When this file disagrees with the constitution submodule, the constitution wins.

```
@constitution/QWEN.md
```

Project-specific rules

_None yet – Helix VPN is in early scaffolding (Go). Add
project-specific rules below as the codebase grows. Universal
status

must be earned: anything that would apply to ≥ 3 unrelated projects belongs in the constitution submodule, not here._

Verdict: COMPLIANT. Same pattern as CLAUDE.md (pointer heading + @import).

Note (out of the requested checklist, but observed while auditing the root directory): the root also carries a GEMINI.md (tracked, INHERITED FROM constitution/GEMINI.md, same pattern) — consistent with constitution §11.4.157 ("GEMINI.md maintained in lockstep with CLAUDE.md / AGENTS.md / QWEN.md"). Not part of the requested 3-file check but confirms the fleet pattern is applied consistently at the root.

4. Project-level Constitution.md

Exists: `no. ls /run/media/milosvasic/DATA4TB/Projects/helix_vpn/Constitution.md` → "No such file or directory". Only `constitution/Constitution.md` (inside the submodule) exists.

Is this a gap? No — verified directly against `constitution/CLAUDE.md`'s own text rather than assuming it:

- The "How inheritance works" section (lines 85–102 of `constitution/CLAUDE.md`) only mandates a pointer at the top of the consuming project's root **CLAUDE.md**; it says nothing about a project-level `Constitution.md` being required.
- §11.4.35 ("Canonical-root inheritance clarity") is explicit: *"The consuming project's repository-root files (<project-root>/CLAUDE.md, <project-root>/AGENTS.md, **optionally** <project-root>/Constitution.md or equivalent) are consumer extensions."* — `Constitution.md` at the project root is called out as **optional**, not mandatory.

Verdict: absence of a root-level `Constitution.md` is fine per the constitution's own stated rule; not a finding.

5. constitution/ submodule status

- `.gitmodules` entry confirmed:

```
[submodule "constitution"]
  path = constitution
  url = git@github.com:HelixDevelopment/HelixConstitution.git
  branch = main
```

- `constitution/.git` is a **file** (not a directory) containing `gitdir: ../../.git/modules/constitution` — confirms this is a real git submodule checkout, not a plain copied directory.
- Pinned commit (`git submodule status`):

```
e6504c273c8b352fdb180449c9f057704cf85671 constitution
(helixcode-v1.1.0-39-ge6504c2)
```

No leading `+/-` in the status line → the checked-out commit matches exactly what the superproject's index records (no local submodule drift).

- `git -C constitution log --oneline -1`:

```
e6504c2 feat(multitrack): PWU-4 – auto-fallback transcript-
monitor (rate-limit detection -> orchestrator fallback)
```

- After a read-only `git -C constitution fetch --quiet origin main`, `git -C constitution log --oneline -1 origin/main`:

e6504c2 feat(multitrack): PWU-4 – auto-fallback transcript-monitor (rate-limit detection -> orchestrator fallback)

- **Same hash** (e6504c2) on both local HEAD and origin/main. Confirmed additionally with `git -C constitution merge-base --is-ancestor HEAD origin/main` → exit 0 ("HEAD is ancestor of origin/main (or equal)").

Verdict: COMPLIANT / UP TO DATE. The constitution submodule is a real submodule, cleanly pinned, and its checked-out commit is identical to the HelixDevelopment/HelixConstitution.git main branch tip at audit time (2026-07-04). constitution carries 5 configured remotes (origin, github, gitlab, gitflic, gitverse — multi-upstream per constitution §2.1), all resolving to the same canonical content.

Aside (repo-state observation, not a governance-file finding): the top-level `git status` shows `submodules/helix_qa` as modified (m). This is **not** related to `helix_qa`'s own `CLAUDE.md/AGENTS.md/QWEN.md` — it is because 8 of `helix_qa`'s own nested third-party tool submodules (`tools/opensource/appium`, `chroma`, `docling`, `midscene`, `perpetto`, `signoz`, `skyvern`, `stagehand`) have locally-checked-out commits that differ from what `helix_qa`'s own git index records. Flagged here only for completeness/precision; it is outside this audit's governance-file scope.

Owned submodules

Authoritative submodule list from `.gitmodules` (`git config --file .gitmodules --get-regexp path`), 19 entries under `submodules/` (plus `constitution` itself, audited separately above):

`challenges`, `containers`, `docs_chain`, `helix_qa`, `panoptic`, `doc_processor`, `llm_orchestrator`, `llm_provider`, `llms_verifier`, `security`, `vision_engine`, `helix_core`, `helix_edge`, `helix_proto`, `helix_ui`, `helix_design`, `helix_go`, `helix_transport`, `helix_shims`

Ownership was confirmed for every entry via `git -C <path> remote -v` (not assumed from the URL in `.gitmodules` alone). All 19 resolve to `origin` (and, for several, mirror remotes) under the `vasic-digital` or `HelixDevelopment` GitHub orgs — both are on the constitution's owned-org list (`vasic-digital`, `HelixDevelopment`, `red-elf`, `ATMOSphere1234321`, `Bear-Suite`, `BoatOS123456`, `Helix-Flow`, `Helix-Track`, `Server-Factory`). No top-level entry under `submodules/` resolves to a third-party org.

Submodule	CLAUDE.md	AGENTS.md	QWEN.md	
-----------	-----------	-----------	---------	--

Submodule	CLAUDE.md	AGENTS.md	QWEN.md	
submodules/ challenges (vasic- digital/ challenges.git)	present, ## INHERITED FROM constitution/CLAUDE.md pointer	present, same pattern	present, ## INHERITED FROM the Helix Constitution pointer	1 C 1 C 1
submodules/ containers (vasic- digital/ Containers.git)	present, proper pointer	present, proper pointer	present, proper pointer	1 1 1
submodules/ doc_processor (HelixDevelopment/ DocProcessor.git)	present, proper pointer	present, proper pointer	present, proper pointer	1 1 1
submodules/ docs_chain (vasic- digital/ docs_chain.git)	present, ## INHERITED FROM Helix Constitution pointer (decoupled find_constitution.sh-based wording, per §11.4.28(B))	present, same pattern	present, pointer via "Read CLAUDE.md — it is mandatory" + explicit ## INHERITED FROM constitution/ CLAUDE.md sub-heading	1 1 1
submodules/helix_qa (HelixDevelopment/ helixqa.git)	present, proper pointer	present, proper pointer	present, pointer via "Read CLAUDE.md — it is mandatory" (deliberately no @import)	1 1 1
submodules/ llm_orchestrator (HelixDevelopment/ LLMOrchestrator.git)	present, proper pointer	present, proper pointer	present, proper pointer (+ §11.4.44- style revision header table)	1 1 1

Submodule	CLAUDE.md	AGENTS.md	QWEN.md	
submodules/ llm_provider (HelixDevelopment/ LLMProvider.git)	present, proper pointer (managed HTML- comment-delimited block + a second legacy pointer heading further down — redundant but not broken)	present, same dual- pointer pattern	present, proper pointer (+ revision header table)	
submodules/ llms_verifier (vasic-digital/ LLMsVerifier.git)	present, proper pointer (large file, ~290KB)	present, proper pointer	present, proper pointer	
submodules/panoptic (vasic-digital/ Panoptic.git)	present, proper pointer	present, proper pointer	ABSENT	
submodules/security (vasic-digital/ Security.git)	present, proper pointer	present, proper pointer	present, proper pointer	
submodules/ vision_engine (HelixDevelopment/ VisionEngine.git)	present, proper pointer	present, proper pointer	present, proper pointer (+ revision header table)	
submodules/ helix_core (vasic- digital/ helix_core.git)	ABSENT	ABSENT	ABSENT	
	ABSENT	ABSENT	ABSENT	

Submodule	CLAUDE.md	AGENTS.md	QWEN.md	
submodules/ helix_design (vasic- digital/ helix_design.git)				
submodules/ helix_edge (vasic- digital/ helix_edge.git)	ABSENT	ABSENT	ABSENT	A
submodules/helix_go (vasic-digital/ helix_go.git)	ABSENT	ABSENT	ABSENT	A
submodules/ helix_proto (vasic- digital/ helix_proto.git)	ABSENT	ABSENT	ABSENT	A
submodules/ helix_shims (vasic- digital/ helix_shims.git)	ABSENT	ABSENT	ABSENT	A
submodules/ helix_transport (vasic-digital/ helix_transport.git)	ABSENT	ABSENT	ABSENT	A
submodules/helix_ui (vasic-digital/ helix_ui.git)	ABSENT	ABSENT	ABSENT	A

Verdict tally: 10 COMPLIANT (fully, all 4 files present + correct)
+ 1 COMPLIANT-with-gaps (panoptic) + 8 MISSING-
GOVERNANCE-FILES + 0 NESTED-CHAIN-VIOLATION = 19
owned submodules audited.

**The 8 MISSING-GOVERNANCE-FILES submodules, verified
by full directory listing**

Each of these 8 directories was fully listed (ls -la), not just
grepped, to make sure no lowercase/renamed governance file was
missed. Full contents in every case:

.env.example .git .gitignore README.md upstreams/

(helix_core additionally has Cargo.toml, Cargo.lock, crates/,
scripts/ — it has actual Rust scaffolding; the other 7 are pure
placeholders with only the 4 files above.) None contains a

CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md, or Constitution.md/
CONSTITUTION.md in any case-variant. These are genuinely-empty-of-
governance directories, not a search miss.

Nested .gitmodules — helix_qa

submodules/helix_qa/.gitmodules registers 27 nested submodules,
every one under tools/opensource/ or tools/test-apps/. Remote org
for each (from the .gitmodules URL, cross-checked — none of
these orgs appear on the constitution's owned-org list):

Path	URL org
tools/opensource/scrcpy	Genymobile
tools/opensource/allure2	allure-framework
tools/opensource/leakcanary	square
tools/opensource/docker-android	budtmo
tools/opensource/appium	appium
tools/opensource/midscene	web-infra-dev
tools/opensource/mem0	mem0ai
tools/opensource/moondream	vikhyat
tools/opensource/ui-tars	bytedance
tools/opensource/perfetto	google
tools/opensource/chroma	chroma-core
tools/opensource/shortest	antiwork
tools/opensource/marker	VikParuchuri
tools/opensource/kiwi-tcms	kiwitcms
tools/opensource/testdriverai	testdriverai
tools/opensource/stagehand	browserbase
tools/opensource/unstructured	Unstructured-IO
tools/opensource/redroid	remote-android
tools/opensource/signoz	SigNoz
tools/opensource/docling	DS4SD
tools/opensource/llama-index	run-llama
tools/opensource/appcrawler	nicetester
tools/test-apps/rest-demo	nicehash
tools/opensource/browser-use	browser-use
tools/opensource/skyvern	Skyvern-AI
tools/opensource/anthropic-quickstarts	anthropics
tools/opensource/ui-tars-desktop	bytedance

Verdict: no §11.4.28(C) violation. All 27 orgs (Genymobile, allure-framework, square, budtmo, appium, web-infra-dev, mem0ai, vikhyat, bytedance, google, chroma-core, antiwork, VikParuchuri, kiwitcms, testdriverai, browserbase, Unstructured-I0, remote-android, SigNoz, DS4SD, run-llama, nicetester, nicehash, browser-use, Skyvern-AI, anthropics) are genuine third-party upstream projects, none of them on the constitution's owned-org list (vasic-digital, HelixDevelopment, red-elf, ATMOSphere1234321, Bear-Suite, Boat0S123456, Helix-Flow, Helix-Track, Server-Factory). §11.4.28(C) forbids an owned submodule from nesting a submodule that points at *another owned-org repo*; vendoring third-party tools this way is the explicitly-exempted case ("Third-party submodules exempt").

No other owned submodule (of the 19) carries its own .gitmodules file.

Third-party / vendored submodules (exempt)

These are helix_qa's own nested submodules — one level down from the main repo's .gitmodules, registered in submodules/helix_qa/.gitmodules. Not owned-by-us; no CLAUDE.md/AGENTS.md inheritance expected or checked in depth per the constitution's own org-ownership test.

- submodules/helix_qa/tools/opensource/scrcpy (Genymobile/scrcpy)
- submodules/helix_qa/tools/opensource/allure2 (allure-framework/allure2)
- submodules/helix_qa/tools/opensource/leakcanary (square/leakcanary)
- submodules/helix_qa/tools/opensource/docker-android (budtmo/docker-android)
- submodules/helix_qa/tools/opensource/appium (appium/appium)
- submodules/helix_qa/tools/opensource/midscene (web-infra-dev/midscene)
- submodules/helix_qa/tools/opensource/mem0 (mem0ai/mem0)
- submodules/helix_qa/tools/opensource/moondream (vikhyat/moondream)
- submodules/helix_qa/tools/opensource/ui-tars (bytedance/UI-TARS)
- submodules/helix_qa/tools/opensource/perfetto (google/perfetto)
- submodules/helix_qa/tools/opensource/chroma (chroma-core/chroma)
- submodules/helix_qa/tools/opensource/shortest (antiwork/shortest)
- submodules/helix_qa/tools/opensource/marker (VikParuchuri/marker)

- submodules/helix_qa/tools/opensource/kiwi-tcms (kiwitcms/Kiwi)
- submodules/helix_qa/tools/opensource/testdriverai (testdriverai/testdriverai)
- submodules/helix_qa/tools/opensource/stagehand (browserbase/stagehand)
- submodules/helix_qa/tools/opensource/unstructured (Unstructured-IO/unstructured)
- submodules/helix_qa/tools/opensource/redroid (remote-android/redroid-doc)
- submodules/helix_qa/tools/opensource/signoz (SigNoz/signoz)
- submodules/helix_qa/tools/opensource/docling (DS4SD/docling)
- submodules/helix_qa/tools/opensource/llama-index (run-llama/llama_index)
- submodules/helix_qa/tools/opensource/appcrawler (nicetester/AppCrawler)
- submodules/helix_qa/tools/test-apps/rest-demo (nicehash/rest-clients-demo)
- submodules/helix_qa/tools/opensource/browser-use (browser-use/browser-use)
- submodules/helix_qa/tools/opensource/skyvern (Skyvern-AI/skyvern)
- submodules/helix_qa/tools/opensource/anthropic-quickstarts (anthropics/anthropic-quickstarts)
- submodules/helix_qa/tools/opensource/ui-tars-desktop (bytedance/UI-TARS-desktop)

(27 total.)

Findings summary

Prioritized, precise, and mechanical — ready for someone else to action. Nothing below was fixed as part of this audit.

P1 — Missing governance files (8 owned submodules, zero governance)

The following 8 owned submodules (all vasic-digital org) have **no** CLAUDE.md, AGENTS.md, QWEN.md, GEMINI.md, or Constitution.md/ CONSTITUTION.md at their root — confirmed by full directory listing, not just a filename grep:

- submodules/helix_core/
- submodules/helix_design/
- submodules/helix_edge/
- submodules/helix_go/
- submodules/helix_proto/
- submodules/helix_shims/
- submodules/helix_transport/

- submodules/helix_ui/

Each of these currently contains only .env.example, .gitignore, README.md, and an upstreams/ directory (helix_core additionally has Rust scaffolding: Cargo.toml, Cargo.lock, crates/, scripts/). None of them inherits the constitution's anti-bluff/testing covenant at all — an agent working inside any of these 8 directories today has zero constitutional context unless it happens to already know to look at the main repo's constitution/.

Mechanical fix (not performed here): add CLAUDE.md + AGENTS.md + QWEN.md (+ optionally GEMINI.md/CONSTITUTION.md) to each of the 8 paths above, following the exact pattern already used by the 11 compliant sibling submodules (e.g. copy the pointer-heading structure from submodules/security/CLAUDE.md — a small, clean example — adapting only the module name/description text). Per §11.4.28(B)/(C), these must use the decoupled find_constitution.sh-based pointer wording (e.g. `## INHERITED FROM the Helix Constitution / ## INHERITED FROM Helix Constitution`), **not** a literal constitution/CLAUDE.md path or a nested .gitmodules entry for a constitution submodule.

P2 — submodules/panoptic: missing QWEN.md

Every other compliant owned submodule (10 of 11) ships a QWEN.md. submodules/panoptic/ does not have one (confirmed: `ls -la submodules/panoptic/ | grep -i qwen → no match; git -C submodules/panoptic ls-files QWEN.md → empty`). This is a fleet-consistency gap, not a hard "MISSING-GOVERNANCE-FILES" classification (its CLAUDE.md and AGENTS.md are both present and properly pointer-headed).

Mechanical fix (not performed here): add submodules/panoptic/QWEN.md following the same pattern as submodules/security/QWEN.md or submodules/challenges/QWEN.md.

P3 — submodules/panoptic: CONSTITUTION.md has no inheritance pointer

submodules/panoptic/CONSTITUTION.md (1212 lines) opens with # Panoptic – Constitution and a "Mission" section, with **no** ## INHERITED FROM heading anywhere near the top. A repo-wide `grep -n "INHERITED FROM" submodules/panoptic/CONSTITUTION.md` only matches lines 391 and 399 — and those are quoted excerpts describing §11.4.35's rule text itself (i.e. the document is discussing the inheritance-pointer requirement in prose, as part of what reads like an embedded copy of constitution content), not an actual pointer heading declaring this file's own inheritance. Every

other owned submodule's CONSTITUTION.md (10 of 11) opens with an explicit `## INHERITED FROM constitution/Constitution.md` or `## INHERITED FROM Helix Constitution` heading in the first ~10 lines.

Note: per §11.4.35, a project-level Constitution.md is **optional** in the first place, so this is a lower-severity finding than P1/P2 — but since panoptic chose to ship one, and 10/11 siblings' equivalent files DO carry a proper pointer, the inconsistency is worth flagging for whoever next touches panoptic's governance docs.

Mechanical fix (not performed here): add a pointer heading at the top of submodules/panoptic/CONSTITUTION.md, matching the pattern in e.g. submodules/security/CONSTITUTION.md or submodules/vision_engine/CONSTITUTION.md.

P4 — Minor: stale "Lava" cross-reference in several submodules' pointer boilerplate

The pointer-heading boilerplate in submodules/challenges/CLAUDE.md, submodules/containers/CLAUDE.md, submodules/doc_processor/CLAUDE.md, submodules/helix_qa/CLAUDE.md, and submodules/security/CLAUDE.md (and their respective AGENTS.md/CONSTITUTION.md siblings) all contain the identical sentence: *"See parent root CLAUDE.md §6.AD for the Lava-specific incorporation context (29th §6.L cycle, 2026-05-14)..."* — this references a project named "Lava" and a §6.AD section. Helix VPN's own root CLAUDE.md (read in full above) has no §6.AD section — it is a 3-rule, ~20-line file with no numbered-section scheme at all. This reads as leftover boilerplate copied from a different consuming project (a "Lava" project) that was not adapted when reused for Helix VPN.

This does **not** break the inheritance mechanism — the actual pointer (`## INHERITED FROM constitution/CLAUDE.md` / `## INHERITED FROM the Helix Constitution`) is present and correct in every one of these files; only this one cross-reference sentence is stale/inapplicable to Helix VPN. Flagged for accuracy; not a structural governance defect.

Mechanical fix (not performed here): either remove the "Lava"/§6.AD sentence from the 5 affected submodules' pointer blocks, or confirm with the operator whether it should instead point at something in Helix VPN's own root CLAUDE.md (currently there is nothing to point at).

P5 — Ambiguity to flag explicitly (not resolved here)

submodules/llm_provider/CLAUDE.md and AGENTS.md each contain **two** inheritance-pointer blocks in sequence: a `<!-- BEGIN constitution-inheritance pointer (managed) -->` / `<!-- END ... -->` HTML-comment-delimited block, immediately followed by a second,

differently- worded ## INHERITED FROM constitution/CLAUDE.md heading with its own "Module" title line. Both say the same thing (inherit unconditionally, this module's rules extend but never weaken), so this is not a conflict — but it is unclear from reading the file alone whether the first ("managed") block is machine-generated/kept-in-sync by some tool and the second is legacy content that should have been removed when the managed block was introduced, or vice versa. **This ambiguity is not resolved in this audit** — resolving it would require knowing which tooling (if any) owns the "managed" block, which is outside a read-only file inspection. Flagged so whoever next edits llm_provider's governance files can decide whether to de-duplicate.

Top-line tally

- **COMPLIANT:** 10 (challenges, containers, doc_processor, docs_chain, helix_qa, llm_orchestrator, llm_provider, llms_verifier, security, vision_engine)
- **COMPLIANT-with-flagged-gaps:** 1 (panoptic — missing QWEN.md, CONSTITUTION.md lacks a pointer; still counts as COMPLIANT under the literal verdict definition since CLAUDE.md+AGENTS.md are present and correct and there is no nested own-org chain)
- **MISSING-GOVERNANCE-FILES:** 8 (helix_core, helix_design, helix_edge, helix_go, helix_proto, helix_shims, helix_transport, helix_ui)
- **NESTED-CHAIN-VIOLATION:** 0
- **THIRD-PARTY-EXEMPT:** 27 (all nested one level down, inside submodules/helix_qa/.gitmodules)

Main repo root: CLAUDE.md/AGENTS.md/QWEN.md (and GEMINI.md) all COMPLIANT; no root Constitution.md (confirmed optional per §11.4.35); constitution/ submodule COMPLIANT and byte-for-byte at the HelixDevelopment/HelixConstitution.git main tip (e6504c2) at audit time.