

Assets & deliverables manifest — every design resource, in every form, for every app and platform

Assets & deliverables manifest — every design resource, in every form, for every app and platform

Revision: 2 Last modified: 2026-07-04T12:00:00Z

Master technical specification — Volume 10 (Design System), nano-detail anchor document. This doc is the **complete deliverables manifest** for the HelixVPN design system. It directly answers the operator mandate (2026-06-25): *"all design, UI and UX resources available in all types and forms required for direct incorporating for all apps and all platforms."* For **every** resource class — tokens, color, typography, iconography, illustration/brand, components, motion, design-source/handoff, and docs — it names the **concrete artifact forms** produced, **where each lives** inside the vasic-digital/helix_design submodule, **which app/platform consumes which form**, and the **exact pull command** that incorporates it directly (no platform ever re-types a design value by hand — DS-I6 [OV §0.2]). It carries the **master deliverables matrix** (resource × form × consuming platform × submodule-path × pull-command), the **versioning/release model** for the asset corpus, the **per-app direct- incorporation recipe** (Client / Console / Connector + a generic future app), and how OpenDesign authoring artifacts round-trip into the deliverables.

SPEC-ONLY. It describes *what the design system ships and how each app takes delivery* — not the built helix_design artifact. The **submodule layout + exporters + OpenDesign relationship** are owned by [00-overview-and-submodule.md]; the **export-pipeline mechanics + per-target output samples** by [token-export-pipeline.md]; the **token model** by [design-tokens.md]; the **color values + contrast** by [color-system.md]; the **type/icon/motion families** by [typography-iconography-motion.md]; the **component anatomy** by [component-library.md]; the **OpenDesign facts** by [opendesign-foundation.md]; the **per-platform adaptation rules** by [platform-adaptation.md]. This document **consumes** those and assembles the single delivery view across them.

Evidence base. [OV \$N] = final/v10-design/00-overview-and-submodule.md; [EXP \$N] = final/v10-design/token-export-pipeline.md; [DT \$N] = design-tokens.md; [COLOR \$N] = color-system.md; [TIM \$N] = typography-iconography-motion.md; [CMP \$N] = component-library.md; [OD \$N] = opendesign-foundation.md; [PLAT \$N] = platform-adaptation.md; [04_CLIENT \$N] = final/v04-client/helix-ui-flutter.md; [SPINE \$N] = final/SPECIFICATION.md. Claims not grounded in the evidence base or in this document's own original delivery design are tagged UNVERIFIED per constitution §11.4.6 — never fabricated. Font-licensing and asset-hosting choices are surfaced as D-DEL-N decisions, not silently made.

Table of contents

- [0. The delivery model at a glance](#)
- [1. The resource classes \(the nine deliverable families\)](#)
- [2. Design tokens — forms & delivery](#)
- [3. Color — forms & delivery](#)
- [4. Typography — forms & delivery \(+ the font-licensing decision\)](#)
- [5. Iconography — forms & delivery](#)
- [6. Illustration & brand — forms & delivery](#)
- [7. Components — forms & delivery](#)
- [8. Motion — forms & delivery](#)
- [9. Design source / handoff — forms & delivery](#)
- [10. Docs — forms & delivery \(§11.4.65 / §11.4.168\)](#)
- [11. The master deliverables matrix](#)
- [12. Deliverables → packaging → consumption \(diagram\)](#)
- [13. The versioning & release model for the asset corpus](#)
- [14. The direct-incorporation recipe per app](#)
- [15. How OpenDesign authoring artifacts round-trip into the deliverables](#)
- [16. Asset-corpus quality gates owned here](#)

- [17. Surfaced decisions](#)
- [Sources verified](#)


0. The delivery model at a glance

The HelixVPN design system ships **one canonical source** and **many derived forms**, so each app on each platform incorporates the exact form its toolchain consumes — directly, with zero hand-copying (DS-I6 [OV §0.2]). The delivery model has three layers:

Layer	What it is	Tracked in git?	Regenerated by
SOURCE	the canonical, human-authored design truth: tokens/** JSON, presets/<brand>/**, icon source SVG, illustration source, font files (or references), component specs, the OpenDesign DESIGN.md	yes (tracked)	authored — never machine-generated
DERIVED	every machine-emitted consumable form: dist/** (CSS/Dart/Swift/Compose/ArkTS/C-Qt/JSON), per-platform icon/color asset catalogs, rendered .html docs	no (gitignored build-derivative per §11.4.30/§11.4.77) except the checked-in Flutter package Dart (DESIGN-2 [OV §4.1])	pnpm export (tokens/colors), pnpm assets (icon/illustration rasterisation), sync_all_markdown_exports (docs)
			the §13 release pipeline

Layer	What it is	Tracked in git?	Regenerated by
RELEASE ARTIFACT	a tagged, pinnable bundle a consumer pulls without running the Node toolchain: the published Flutter pub package + a versioned helix_design- <semver>-dist.tar.zst of all dist/** forms	published per tag (not in the working tree)	

The operative rule for "all forms, ready for direct incorporation": **a consuming app never builds the design system itself — it pulls a release artifact (or runs the one pnpm export step once) and imports the form its platform speaks (§14).** The SOURCE→DERIVED equality is enforced by the DS-DRIFT gate [EXP §5] so a derived form can never silently diverge from source.



1. The resource classes (the nine deliverable families)

Nine resource classes cover every design/UI/UX resource the mandate names. Each is deepened in §2–§10 and rolled up in the master matrix (§11).

#	Resource class	Source form (tracked)	Primary deliverable forms	Detailed in
R1	Design tokens	tokens/** JSON (tiered, light+dark)	JSON bundle + CSS / Dart / Swift / Compose / ArkTS / C-Qt	§2, [DT], [EXP]
R2	Color	presets/<brand>/brand.json + tokens/semantic/color.{light,dark}.json	token bundles + per-platform color sets / asset catalogs	§3, [COLOR]
R3	Typography	font files (or refs) + tokens/**/type.json	font assets + licenses + type-scale tokens + per-platform text styles	§4, [TIM §1-§2]
R4	Iconography	assets/icons/*.svg	SVG set + icon-font + per-platform asset forms (xcassets/drawable/...)	§5, [TIM §3]
R5	Illustration & brand	logo/wordmark/app-icon/illustration source	per-platform app-icon sets + logo forms + illustration + empty-state art	§6, [TIM §3.5]
R6	Components	components/specs/*.md + components/reference/**	the Flutter component package + design-source + per-platform notes	§7, [CMP]
R7	Motion	tokens/**/motion.json	motion token bundle + reference specs	§8, [TIM §6-§8]
R8	Design source / handoff	opendesign/helix/** + redlines	OpenDesign DESIGN.md/tokens.css/components.html + redline specs	§9, [OD], [CMP]
R9	Docs			

#	Resource class	Source form (tracked)	Primary deliverable forms	Detailed in
		docs/v10-design/*.md	this spec set + rendered .html/.pdf	\$10, [OV §4] [OV §11] [OV §12]

Light + dark is universal across all nine classes (DS-I3 [OV §0.2]). Every token, color set, icon-on-surface pairing, component spec, illustration that carries a fill, logo lockup, and rendered doc swatch ships a **light AND a dark** variant. A single-theme deliverable is incomplete and FAILs DS-LIGHT-DARK-COMPLETE [OV §12].

2. Design tokens — forms & delivery

2.1 Source (tracked)

helix_design/tokens/** — the three-tier JSON tree (primitive → semantic → component), light+dark on the semantic color tier, authored in the W3C-DTCG \$value/\$type envelope [DT §3.1], plus the active presets/<brand>/ value set [OV §5.4]. This is the **single source of truth** for R1, R2, R3 (type metrics), R7 (motion); every other token form is a derived export [EXP §0].

2.2 Emitted forms (each consumed directly by a platform)

Form	File	Consuming platform/ app	How it is applied
JSON bundle	dist/json/tokens.json	tooling, the OpenDesign tokens.css round-trip [EXP §7], any future target Console	read as data
CSS custom properties	dist/css/helix.css	Web (Flutter web build + any web chrome)	<link> / @import; :root light + theme=dark] [EXP §4.1]
Dart ThemeExtension + Theme Data	packages/flutter/lib/src/helix_tokens.dart	helix-ui Flutter (Client/	MaterialApp(theme: helixLight helixDark()); widgets read

Form	File	Consuming platform/app	How it is applied
	(checked-in package-source per D-DESIGN-2)	Console/Connector) [04_CLIENT §2.1]	Theme.of(context).extension<[EXP §4.2]
SwiftUI tokens + .xc assets	dist/swift/HelixTokens.swift + HelixColors.xcassets	iOS/macOS native shims (NE config UI, widgets) [04_CLIENT §4.4]	add file + asset catalog to the target [EXP §4.3]
Compose ColorScheme	dist/compose/HelixTokens.kt	Android native surfaces (quick-settings tile, notification)	MaterialTheme(colorScheme = HelixLightColorScheme) [EXP §4.5]
ArkTS resources	dist/arkts/helix_tokens.ets + resources/{base,dark}	HarmonyOS VPN-ability surfaces	\$r('app.color.hx_') + qualify [EXP §4.5]
C/Qt header + QML singleton	dist/cqt/helix_tokens.h + Theme.qml	Aurora Qt/C++ surfaces	#include + import the Theme singleton [EXP §4.6]

2.3 Pull command

```
# from the consuming project root, after the submodule is added
($14.1):
( cd helix_design && pnpm install && pnpm export )
# regenerates every dist/** form
# OR pull the pinned release bundle without the Node toolchain
($13):
helix_design/scripts/fetch-dist.sh <semver> # → unpacks
dist/** from the tagged artifact
```

3. Color — forms & delivery

3.1 Source (tracked)

The light + dark palettes live as **semantic color tokens** referencing primitive ramps [COLOR §2/§3]: tokens/semantic/color.light.json + color.dark.json, with the brand seed + accent

+ the 7-variant connection-state palette in presets/helix/{brand.json,connection_state.json} [OV §5.4/§5.5]. The palette is **generic** in the submodule; HelixVPN values are injected (DS-I1).

3.2 Emitted forms

Form	File	Consuming platform	Theme handling
CSS color custom properties	inside dist/css/helix.css	Web	:root + [data-theme=dark] + @media (prefers-color-scheme)
Dart ColorScheme + HelixTokens colors	inside the Dart package	Flutter	ColorScheme.light() / .dark() + connection-state colors as HelixTokens fields
Apple asset-catalog colorsets	dist/swift/HelixColors.xcassets/*.colorset	iOS/macOS	one colorset per themed color, light + dark appearance resolved by @Environment(\.colorScheme) [EXP §4.3]
Android color resources	inside dist/compose/HelixTokens.kt (+ optional colors.xml values/ + values-night/)	Android	lightColorScheme() / darkColorScheme() + values-night qualifier
HarmonyOS color resources	dist/arkts/resources/base/element/color.json + resources/dark/element/color.json	HarmonyOS	base (light) / dark qualifier sets [EXP §4.5]
Qt color set	inside dist/cqt/{helix_tokens.h, Theme.qml}	Aurora	Theme.qml dark property switch

The connection-state palette is a first-class color deliverable. The 7 UI states (Disconnected / Connecting / Connected-direct / Connected-relay / Reconnecting / Down / Danger [OV §5.5]) ship as named status tokens in every color form so the Client's ConnectButton/StatusChip render the identical state color on Flutter AND on each native shim. The Rust FFI StatusProjector produces the 7-variant ffi::TunnelStatus from the 5-variant core::TunnelStatus (it adds Disconnected and Danger) [ffi-surface.md §3.2/§3.3]; only the Connected{direct|relay} sub-shade and the status-token→color rendering are app-side in helix_domain [04_CLIENT §7.2] (DS-I1), never in the color deliverable.

3.3 Pull command

Same as R1 (§2.3) — color is part of the token export; the Apple .xcassets and HarmonyOS qualifier trees are emitted alongside the per-target token file.

4. Typography — forms & delivery (+ the font-licensing decision)

4.1 Source (tracked)

- **Font files (or references)** — the brand sans (Inter) + mono (JetBrains Mono) [OV §5.4], either bundled under assets/fonts/ or referenced per platform (the **D-DEL-1 licensing decision**, §4.4).
- **Type-scale tokens** — tokens/primitive/type.json (the size/line/weight scale) + tokens/semantic/type.json (the role styles: title.lg, body.md, label.sm, ...) [TIM §1.1].

4.2 Emitted forms

Form	File	Consuming platform	How applied
CSS @font-face + type custom properties	dist/css/helix.css (+ dist/css/fonts/)	Web	@font-face for bundled fonts + --helix-font-* properties
Flutter TextTheme + pubspec font decl	Dart package TextTheme + packages/flutter/pubspec.yaml fonts:	Flutter	Theme.of(context).textTheme.titleL
SwiftUI Font accessors	inside HelixTokens.swift	iOS/macOS	Font.custom("Inter", size:).weight(.semibold) (or system font on the tiny NE surface, [TIM §D-TYPE-1])
Compose Typography	inside HelixTokens.kt	Android	MaterialTheme(typography = HelixTypography)
ArkTS text metrics	inside helix_tokens.ets	HarmonyOS	fontSize/fontWeight numeric tokens
Qt font metrics		Aurora	int size/weight constants

Form	File	Consuming platform	How applied
	inside helix_tokens.h / Theme.qml		

4.3 Font asset forms (per platform)

Platform	Font asset form	Where it lives
Web	.woff2 (subset)	dist/css/fonts/*.woff2
Flutter (all)	.ttf/.otf declared in pubspec.yaml	packages/flutter/assets/fonts/
iOS/macOS	.ttf/.otf in the bundle + Info.plist UIAppFonts	assets/fonts/ → app target
Android	.ttf in res/font/	assets/fonts/ → res/font/
HarmonyOS	.ttf registered font	assets/fonts/ → HarmonyOS font resource
Aurora	system/bundled .ttf	assets/fonts/

4.4 D-DEL-1 — the font-licensing decision (surfaced, not silently made)

D-DEL-1 (open). Whether to **bundle** font files in assets/fonts/ (and ship them in every app artifact) or **reference** a system/Google-Fonts-hosted face per platform. The chosen brand faces — Inter and JetBrains Mono — are both **SIL Open Font License 1.1 (OFL)**, which **permits bundling and redistribution inside an application** provided the OFL license text travels with the font and the font is not sold on its own. UNVERIFIED — the exact OFL version + that these two specific faces are the final choice MUST be re-verified against the upstream font repositories per §11.4.99 before the assets ship; the OFL text MUST be committed at assets/fonts/<face>/OFL.txt alongside each face. **Lean: bundle** (OFL permits it; bundling removes a network/runtime dependency and guarantees the brand face renders offline — important for a VPN client whose network may be down). **Fallback per platform** is always declared (system-ui/-apple-system/Roboto) so a missing bundled face degrades to a platform sans, never to a broken render. Resolved at the Volume-10 assets review; the per-face license file is a tracked deliverable regardless of the bundle/reference choice.

4.5 Pull command

Type tokens travel with the token export (§2.3); font files travel with the release bundle (§13) or are referenced per pubspec.yaml/@font-face.

5. Iconography — forms & delivery

5.1 Source (tracked)

helix_design/assets/icons/*.svg — the master icon set as optimized source SVG (one file per glyph, on a 24×24 grid with a documented keyline, [TIM §3.1]). Icon **names** are semantic (shield_connected, shield_disconnected, exit_node, kill_switch, relay, settings, ...) so each platform's generated asset keeps a stable name.

5.2 Emitted forms

Form	File	Consuming platform	How applied
Optimized SVG set	assets/icons/*.svg	Web, Flutter (flutter_svg)	<svg> / SvgPicture.asset
Icon font	dist/icons/helix_icons.{ttf,woff2} + helix_icons.dart codepoint map	Flutter (IconData), Web (@font-face + glyph class)	Icon(HelixIcons.shieldConnect
Apple SF-Symbols-style imageset / PDF	assets/icons/apple/HelixIcons.xcassets/*.imageset (vector PDF)	iOS/macOS	Image("HelixShieldConnected")
Android vector drawables	assets/icons/android/drawable/ic_helix_*.xml	Android	R.drawable.ic_helix_shield_co
HarmonyOS media resources	assets/icons/harmony/resources/base/media/*.svg	HarmonyOS	\$r('app.media.helix_shield_co
Qt resource SVG	assets/icons/qt/icons.qrc + SVG	Aurora	image:/// / Image { source: "qr icons/..." }

5.3 Sizing & rendering rules

Icons are authored at **24×24** with the [TIM §3.1] keyline; each platform asset carries the size variants its convention needs (iOS 1×/2×/3× via vector PDF; Android mdpi...xxxhdpi via vector drawable scaling; Web/Flutter scale the SVG/font freely). On-icon color comes from the **semantic on-* color tokens** (R2) so an icon on surface uses on-surface and inherits light/dark automatically — icons ship **monochrome/templated**, never with baked-in brand color (so one icon serves both themes). Two-tone state icons (e.g. the connection shield) are the documented exception and carry an explicit light+dark pair [TIM §3.3].

5.4 Pull command

```
( cd helix_design && pnpm assets:icons )    # SVG → icon-font +  
      per-platform asset forms  
# emitted into dist/icons/** and assets/icons/<platform>/**
```

6. Illustration & brand — forms & delivery

6.1 Source (tracked)

- **Logo / wordmark** — master vector source under assets/logo/ (light + dark lockups: full logo, wordmark-only, mark-only), [TIM §3.5].
- **App icons** — the master app-icon source (a single high-res master per the largest platform requirement) under assets/logo/app-icon/.
- **Illustration set** — onboarding / hero / decorative illustrations under assets/illustrations/source/ (vector source).
- **Empty-state art** — the "no servers", "not connected", "error" empty-state illustrations under assets/illustrations/empty-states/.

6.2 Emitted forms — logo

Form	File	Consuming platform
SVG (light+dark lockups)	assets/logo/*.svg	Web, Flutter
PNG @1×/2×/3×	dist/logo/png/*	any raster need
Apple imageset	assets/logo/apple/Logo.xcassets	iOS/macOS

Form	File	Consuming platform
Android drawable	assets/logo/android/drawable/	Android

6.3 Emitted forms — app icons (per-platform size matrices)

Each platform's app-icon set is generated from the one master so every required size/shape is present and consistent:

Platform	App-icon form & sizes	Where it lives
iOS	AppIcon.appiconset — 20/29/40/60/76/83.5 pt @1×/2×/3× + 1024 marketing	dist/app-icon/ios/AppIcon.appiconset
macOS	.icns / iconset — 16...1024	dist/app-icon/macos/
Android	adaptive icon (ic_launcher fore+back layers) + legacy mipmap-* (48...192) + Play 512	dist/app-icon/android/
Windows	.ico (16...256) + Store tiles	dist/app-icon/windows/
Linux	.png hicolor theme sizes (16...512) + .desktop ref	dist/app-icon/linux/
Web (PWA)	favicon.ico + manifest icons (192/512 + maskable)	dist/app-icon/web/
HarmonyOS	layered app icon (fore/back) in the HarmonyOS icon form	dist/app-icon/harmony/
Aurora	.png set per Aurora packaging	dist/app-icon/aurora/

UNVERIFIED (U-DEL-1). The exact HarmonyOS layered-icon spec + the Aurora app-icon size matrix are SDK/platform-version dependent; stated as the *intended* matrices, pinned + re-verified per §11.4.99 against the live HarmonyOS / Aurora packaging docs before the app-icon generator ships [PLAT]. The iOS/macOS/Android/ Windows/Linux/Web matrices are the well-documented platform conventions.

6.4 Emitted forms — illustration & empty-state

Form	File	Consuming platform
SVG (light+dark)	assets/ illustrations/ *.svg	Web, Flutter (flutter_svg)
PNG @1×/2×/3×	dist/ illustrations/png/ *	native shims, raster fallback
Lottie JSON (animated onboarding/empty- state)	assets/ illustrations/ lottie/*.json	Flutter (lottie), Web (lottie-web) — D- DEL-3

D-DEL-3 (open). Whether onboarding/empty-state illustrations are **static** (SVG/PNG only) or **animated** (Lottie). Lottie adds a dependency but gives one cross-platform animated source (Flutter + Web + native). UNVERIFIED — decided at the Volume-10 motion review with [TIM §6]; static SVG/PNG is the guaranteed floor, Lottie the enhancement. Either way, every illustration ships light+dark.

6.5 Pull command

```
( cd helix_design && pnpm assets:brand )    # logo + app-icon  
      matrices + illustration rasters  
# emitted into dist/{logo,app-icon,illustrations}/** and assets/  
  logo/<platform>/**
```

7. Components — forms & delivery

7.1 Source (tracked)

- **Component specs** — components/specs/*.md, one per component (anatomy / states / variants / a11y / light+dark), the **platform-neutral** contract [CMP].
- **Reference implementations** — components/reference/**, per-platform reference impls where a component is platform-native.

7.2 The deliverable forms

Form	What it is	Consuming platform	Where it lives
Flutter component package	the helix_design Dart package that re-exports the tokens AND ships the reference Flutter widgets (ConnectButton, StatusChip, ExitPicker, ...)	helix-ui Flutter (Client/Console/Connector)	packages/flutter/lib/[OV §4]
Design-source / authoring form	the OpenDesign components.html + the DESIGN.md component section (§9, §15) — the designer-facing component definitions	designers / OpenDesign	opendesign/helix/components.html
Per-platform component notes	for surfaces the Flutter package can't reach (native shims), the spec doc states how to compose the same component from the native token form (Swift/Compose/ArkTS/C-Qt)	native-shim authors	components/specs/*.md per-platform notes section + [PLAT]
Component tokens	the tokens/component/*.json per-widget tokens every form reads	all	tokens/component/ [DT §8]

Why the component deliverable is spec-first, package-second. The three HelixVPN apps are one Flutter codebase [04_CLIENT §5], so the **Flutter package** is the primary component delivery — a widget imported directly. The native-shim surfaces (iOS NE config UI, Android tile, HarmonyOS ability, Aurora Qt) are tiny and platform-native; they don't import Dart, so their delivery is the **spec + the native token form** (R1/R2/R3 per-platform), from which the

small native UI is composed. This is why R6 ships BOTH a package (Flutter) AND specs+notes (native): no surface is left to guess a component's anatomy.

7.3 Pull command

```
# Flutter apps depend on the package directly (path/replace),  
  §14.2:  
#   dependency_overrides: helix_design: { path: ../helix_design/  
    packages/flutter }  
# native-shim authors read components/specs/*.md + the per-  
  platform token form (§2.2)
```

8. Motion — forms & delivery

8.1 Source (tracked)

tokens/primitive/motion.json + tokens/semantic/motion.json — the duration scale (fast120/base220/slow360), the standard easings (cubic-bezier sets), and the named semantic motions (connectPulse, statusTransition, sheetEnter, ...) [TIM §6–§7], with the prefers-reduced-motion zero-duration rule [TIM §8.1].

8.2 Emitted forms

Form	Where	Consuming platform
CSS motion custom properties (--hx-motion-*-dur, *-ease) + a prefers-reduced-motion block	dist/css/helix.css [EXP §4.1]	Web
Dart Duration + Curve tokens	Dart package	Flutter
Swift Double seconds + Animation accessors	HelixTokens.swift	iOS/macOS
Compose Int ms + Easing	HelixTokens.kt	Android
ArkTS numeric ms	helix_tokens.ets	HarmonyOS
Qt int ms	helix_tokens.h	Aurora
Motion reference specs	docs/v10-design/typography-iconography-motion.md §6–§8 (rendered)	designers + devs

8.3 Pull command

Motion tokens travel with the token export (§2.3); the reduced-motion guard is emitted per platform (CSS @media, Flutter MediaQuery.disableAnimations, etc.) so the accessibility contract is honored everywhere [TIM §8.1].

9. Design source / handoff — forms & delivery

9.1 Source (tracked)

The **OpenDesign-native design system** under helix_design/opendesign/helix/ [OV §10.3] — the authoring + handoff artifacts:

Artifact	What it is	Audience
DESIGN.md	the 9-section design-system spec (visual theme, color, type, spacing, layout, components, motion, voice/tone, anti-patterns) [OD §3.3]	designers + devs
tokens.css	compiled CSS custom properties (light+dark) — the OpenDesign-consumed form [OD §4]	OpenDesign + Web
components.html	rendered component gallery	designers + reviewers
manifest.json	OpenDesign design-system manifest (schemaVersion/id/name/files) [OD §3.3]	OpenDesign tooling
assets/ fonts/ preview/ source/	the OpenDesign asset/preview subtree	OpenDesign
Redline / handoff specs	per-screen redlines + spacing/measure callouts (rendered with the docs §10)	devs implementing a screen

9.2 How a designer / dev pulls the handoff

```
# designer: open the OpenDesign design system (desktop / od CLI / MCP) §15
od open helix_design/opendesign/helix           # UNVERIFIED exact CLI verb (U-OD §15)
# dev: read the rendered DESIGN.md + components.html + redlines:
```

```
open helix_design/opendesign/helix/DESIGN.html # §11.4.65
    rendered sibling
open helix_design/opendesign/helix/components.html
```

The handoff is **self-contained in the submodule** — a designer or dev pulls the one submodule and has the authoring source, the rendered gallery, the redlines, and the tokens, all in sync (§11.4.65). No external design-tool URL is the source of truth (that would be a §11.4.13 sink-side violation).

9.3 Pull command

Travels with the submodule clone; rendered .html/.pdf siblings refresh via the docs export (§10, §11.4.65).

10. Docs — forms & delivery (§11.4.65 / §11.4.168)

10.1 Source (tracked)

Every Volume-10 nano-detail document under `helix_design/docs/v10-design/*.md` (this manifest included) — so the design system is **self-documenting** and a future project that pulls `helix_design` gets the full spec set [OV §1.2(8)].

10.2 Emitted forms

Form	Generated by	Constitution clause
.html sibling per .md	<code>sync_all_markdown_exports.sh</code> (pandoc)	§11.4.65
.pdf sibling per .md	weasyprint from the HTML	§11.4.65
.docx sibling (feature-status class only)	the §11.4.153 export	§11.4.153
visual-validated rendered docs	the §11.4.168 check (pdftotext no-raw-source + pdfimages diagrams-rasterised + swatch-block-present)	§11.4.168 [EXP §6]

10.3 Pull command

```
( cd helix_design && bash scripts/testing/
  sync_all_markdown_exports.sh )
# every docs/v10-design/*.md → .html + .pdf (+ .docx where in
  scope), §11.4.168-validated
```

11. The master deliverables matrix


The single delivery view: **resource × form × consuming platform × where it lives in the submodule × pull command**. Every row is a concrete, directly-incorporable artifact. (R# = the §1 resource class; light+dark applies to every row per DS-I3.)

R#	Resource → form	Consuming platform(s)	Submodule path	Pu
R1	tokens → JSON bundle	tooling, round-trip	dist/json/tokens.json	pn
R1	tokens → CSS vars	Web (Console)	dist/css/helix.css	pn
R1	tokens → Dart ThemeExtension	Flutter (Client/ Console/ Connector)	packages/flutter/lib/src/helix_tokens.dart	pu
R1	tokens → SwiftUI tokens	iOS, macOS shims	dist/swift/HelixTokens.swift	pn tar
R1	tokens → Compose Kt	Android shims	dist/compose/HelixTokens.kt	pn mo
R1	tokens → ArkTS resources	HarmonyOS	dist/arkts/helix_tokens.ets + resources/{base,dark}	pn
R1	tokens → C/Qt header + QML	Aurora	dist/cqt/{helix_tokens.h,Theme.qml}	pn
R2	color → light+dark palettes (tokens)	all	tokens/semantic/color.{light,dark}.json	(so
R2	color → Apple colorsets	iOS, macOS	dist/swift/HelixColors.xcassets	pn
R2	color → Android color res	Android	dist/compose/HelixTokens.kt (+ values-night)	pn
R2	color → HarmonyOS color res	HarmonyOS	dist/arkts/resources/{base,dark}/element/color.json	pn
R2		all (Client)	presets/helix/connection_state.json → every form	pn

R#	Resource → form	Consuming platform(s)	Submodule path	Pu
	color → connection-state palette			
R3	type → font files + license	all	assets/fonts/<face>/*.{ttf,woff2} + OFL.txt	rel
R3	type → type-scale tokens	all	tokens/{primitive,semantic}/type.json	pn
R3	type → per-platform text styles	each	inside each dist/** token form	pn
R4	icons → SVG set	Web, Flutter	assets/icons/*.svg	(so
R4	icons → icon font + codepoint map	Flutter, Web	dist/icons/helix_icons.{ttf,woff2} + .dart	pn
R4	icons → Apple imageset (PDF)	iOS, macOS	assets/icons/apple/HelixIcons.xcassets	pn
R4	icons → Android vector drawables	Android	assets/icons/android/drawable/ic_helix_*.xml	pn
R4	icons → HarmonyOS media	HarmonyOS	assets/icons/harmony/resources/base/media/*.svg	pn
R4	icons → Qt resource SVG	Aurora	assets/icons/qt/icons.qrc	pn
R5	brand → logo (SVG+ raster, light+dark)	all	assets/logo/*.svg + dist/logo/png/*	pn
R5	brand → iOS appiconset	iOS	dist/app-icon/ios/AppIcon.appiconset	pn
R5	brand → macOS icns	macOS	dist/app-icon/macos/	pn
R5	brand → Android adaptive icon	Android	dist/app-icon/android/	pn
R5	brand → Windows ico + tiles	Windows	dist/app-icon/windows/	pn
R5	brand → Linux hicolor png	Linux	dist/app-icon/linux/	pn
R5	brand → Web PWA icons	Web	dist/app-icon/web/	pn
R5	brand → HarmonyOS	HarmonyOS	dist/app-icon/harmony/	pn

R#	Resource → form	Consuming platform(s)	Submodule path	Pu
	layered icon UNVERIFIED			
R5	brand → Aurora app-icon set UNVERIFIED	Aurora	dist/app-icon/aurora/	pn
R5	brand → illustration + empty-state	all	assets/illustrations/*.svg (+ Lottie D-DEL-3)	pn
R6	components → Flutter package	Flutter (3 apps)	packages/flutter/lib/	pu
R6	components → design-source gallery	designers	opendesign/helix/components.html	sub
R6	components → per-platform notes	native shims	components/specs/*.md + [PLAT]	sub
R6	components → component tokens	all	tokens/component/*.json	pn
R7	motion → token bundle	all	tokens/{primitive,semantic}/motion.json → every form	pn
R7	motion → reference specs	designers + devs	docs/v10-design/typography-iconography-motion.md	doc
R8	handoff → OpenDesign DESIGN.md + tokens.css	designers + Web	opendesign/helix/{DESIGN.md,tokens.css,manifest.json}	sub
R8	handoff → redline specs	devs	rendered with docs (§10)	doc
R9	docs → this spec set	everyone	docs/v10-design/*.md	sub
R9	docs → rendered html/pdf(/docx)	everyone	docs/v10-design/*.{html,pdf,docx}	syn

12. Deliverables → packaging → consumption (diagram)



13. The versioning & release model for the asset corpus

The asset corpus versions **with** the design system (one semver per helix_design tag [OV §8]) — assets are not versioned independently of tokens, because a logo recolor, an icon addition, and a token change are all "design-system change". The release model adds the **asset-corpus-specific** rules on top of [OV §8]:

Change class	Bump	Asset examples
MAJOR	breaking asset rename/removal, app- icon shape change, dropped component	rename ic_helix_shield → ic_helix_lock; drop an illustration a screen imports; change the app- icon master silhouette
MINOR	additive — new icon, new illustration, new app-icon platform, new font weight, new component	add ic_helix_relay; add the Aurora app-icon matrix; add an empty-state illustration
PATCH	value-only — recolor within contrast, re- export an asset, fix a dark variant, license- text update	nudge the logo color; re- rasterise an icon; commit a corrected 0FL.txt

Release mechanics (compose [OV §8] + §13-specific):

1. **Source is tracked; raster/derived asset forms are gitignored build-derivatives** (§11.4.30/§11.4.77) — regenerated by `pnpm assets:*`; the §11.4.77 regeneration mechanism is declared per `.gitignore-meta/<form>.yaml`. The icon SVG source, illustration source, logo source, font files, and the checked-in Flutter-package Dart are tracked; the per-platform raster matrices are not (they are regenerated from the masters).

2. **Each tag publishes a pinnable bundle** — `helix_design-<semver>-dist.tar.zst` (all `dist/**` forms + the generated icon font + the app-icon matrices) so a consumer pulls the assets without the Node toolchain (D-DESIGN-2 [OV §4] rationale generalised to assets). `scripts/fetch-dist.sh <semver>` unpacks it.
 3. **A consuming app pins a tag**, bumps the pointer deliberately (§11.4.26 step 7); a pointer bump that changes any asset triggers the app's **visual-regression suite** (DS-I5 [OV §12]) — a logo recolor or icon change must pass golden screenshots before the app ships it.
 4. **Release tags follow §11.4.151** — `<PREFIX>-helix_design-<semver>` in a HelixVPN wave, plain `helix_design-<semver>` standalone. **No force-push, ever** (§11.4.113) — every publish is a merge-onto-latest-main fast-forward to all mirrors.
 5. **Asset provenance is captured** — the release bundle carries `.export-manifest.json` (every emitted form + its content hash + the source-commit it came from [EXP §6.1]) so a consumer can prove which source produced the asset it ships (§11.4.108 SOURCE→ARTIFACT).
-

14. The direct-incorporation recipe per app

14.1 The common five steps (every app, same model — [OV §9.1])

```
# 1. Add the decoupled submodule at the FLAT parent-root path
    (§11.4.28(C)/.29):
git submodule add git@github.com:vasic-digital/helix_design.git
    helix_design

# 2. Install upstream push mirrors (§11.4.36):
( cd helix_design && install_upstreams )

# 3. Brand preset: HelixVPN apps use presets/helix/ (default – no
    flag);
#   a future app drops presets/<app>/ (§14.5).

# 4. Generate the forms the app needs – OR pull the pinned release
    bundle:
( cd helix_design && pnpm install && pnpm export && pnpm
    assets:icons && pnpm assets:brand )
#   OR (no Node toolchain): helix_design/scripts/fetch-dist.sh
    <semver>

# 5. Wire the generated form(s) into the app build (per-app,
    §14.2–§14.5).
```

14.2 Client (end-user VPN app, 8 platforms)

The Client is one Flutter codebase + per-platform native shims [04_CLIENT §5], so it consumes the **Dart package** for the app body and the **native forms** for the shim surfaces:

```
# helix-ui (Client) pubspec.yaml – primary delivery: the Flutter
package
dependencies:
  helix_design:
    path: ../helix_design/packages/flutter      # direct import,
                                              no hand-copy

// app entry – apply the generated themes (light+dark) directly:
import 'package:helix_design/helix_design.dart';
MaterialApp(theme: helixLight(), darkTheme: helixDark(), /* ... */);
// fonts come from packages/flutter/pubspec.yaml fonts: (§4.3)
// icons: Icon(HelixIcons.shieldConnected)          (§5.2)
```

Client platform	Form(s) incorporated	Where
iOS / macOS	Dart package (app) + HelixTokens.swift + HelixColors.xcassets + AppIcon.appiconset/.icns + icon imageset (NE config UI, widget)	Flutter target + NE- extension target
Android	Dart package (app) + HelixTokens.kt + adaptive icon + vector drawables (quick-settings tile, notification)	Flutter target + native module
Windows / Linux	Dart package + .ico/hicolor app icon	Flutter target
HarmonyOS	Dart package (if Flutter-on- Harmony) or ArkTS forms + media + layered icon (native ability) UNVERIFIED	per [PLAT]
Aurora	Dart package (if Flutter-on- Aurora) or C/Qt forms + qrc icons + app-icon	per [PLAT]
Web (if the Client ships a web build)	helix.css + PWA icons + woff2	web build

14.3 Console (admin web app)

```
# Console is a Flutter web build → Dart package (primary) +  
helix.css for web chrome:  
# pubspec.yaml: helix_design: { path: ../helix_design/packages/  
flutter }
```

```
# web/index.html: <link rel="stylesheet" href="dist/css/
helix.css">
# web/ PWA icons from dist/app-icon/web/, fonts from dist/css/
fonts/*.woff2
```

The Console renders the **same** palette/type/components as the Client because both read the one design source — the admin UI is visibly part of the same product family with zero extra design work (§2.1 reuse payoff).

14.4 Connector (appliance config UI)

```
# Connector is the helix-ui Flutter codebase in its connector
flavor [04_CLIENT $5]:
dependencies:
  helix_design: { path: ../helix_design/packages/flutter }
# applies helixLight()/helixDark(); uses the connector-relevant
subset of components
# (no consumer-only screens) gated by the app's capability flags –
design forms identical.
```


14.5 A generic FUTURE Helix-ecosystem app

```
# Identical five steps; step 3 drops a NEW preset instead of using
presets/helix/:
mkdir -p helix_design/presets/acme
cat > helix_design/presets/acme/brand.json <<'JSON'
{ "brand": { "seed": "#7C3AED", "accent": "#F59E0B",
"fontFamily": { "sans": "Inter", "mono": "JetBrains
Mono" },
"productName": "Acme" } }
JSON
( cd helix_design && pnpm export --preset presets/acme/ ) # →
every form in Acme's palette
# inherits ALL nine resource classes' machinery with ZERO HelixVPN
coupling (DS-I1).
```

The future app gets the entire deliverable set — tokens, color, type, icons, illustration scaffold, components, motion, handoff, docs — for free; it supplies only its own brand values + its own logo/illustration source. This is the §11.4.74 reuse the decoupling exists to make real [OV §2.1].

15. How OpenDesign authoring artifacts round-trip into the deliverables

OpenDesign (§11.4.162, mandatory authoring/refinement [OD]) is where designers **author and refine** the system; the deliverables are **derived from** the authored source, and refinements made in OpenDesign are reconciled **back** into the token source so every derived form follows (DS-I6):



Key facts (web-verified [OD], honest boundaries stated, §11.4.6):

1. **OpenDesign authors the design system**; it owns DESIGN.md + tokens.css + components.html [OD §3.3]. The **deliverable token forms** (Dart/Swift/Compose/ ArkTS/C-Qt) are **helix_design's own exporters** — OpenDesign does **not** emit them [OD §1.2] — so the round-trip touches only the verified tokens.css surface, never an unverified OpenDesign API [EXP §7.2].
2. **JSON is the source of truth (D-DESIGN-3 lean (b) [OV §10.2])**. tokens.css is a generated export target; designer refinements in OpenDesign reconcile back into tokens/** via the css->json reconciler, then **all** deliverable forms regenerate. A tokens.css edit that doesn't map to a known token path is surfaced to the operator, never silently merged (§11.4.6 [EXP §7.2]).
3. **Missing-pattern policy** — if OpenDesign lacks a deliverable pattern HelixVPN needs (a richer multi-theme token model, a new export form, a VPN-specific component archetype), the fix is an **upstream PR to nexu-io/open-design** (§11.4.74), recorded Catalogue-Check: extend nexu-io/open-design@<sha> — never a private fork [OV §10.4].

UNVERIFIED (U-OD-DEL). The exact OpenDesign CLI verbs (od open/od build) and whether OpenDesign honors the [data-theme=dark] tokens.css convention vs twin light/dark systems are [OD §5.2 U4] / [EXP §7 U-EXP-3] — confirmed against a live OpenDesign system in the refinement pass + pinned per §11.4.99 before the round-trip ships. Not asserted as fact.

16. Asset-corpus quality gates owned here

Every deliverable form is anti-bluff-gated so "the asset shipped" means "the asset is correct, present, non-degenerate, and light+dark complete" — never a §11.4.38 stripped-asset bluff. These compose the [OV §12] / [EXP §5] gates with the asset-specific checks:

Gate	Asserts	Class
DS-DRIFT [EXP §5]	every dist/** token form byte-matches a fresh pnpm export (no hand-edit drift)	§11.4.12/.108
DS-ASSET- PRESENT	every asset a component/ screen references resolves to a present, non-empty file in every platform form (a referenced-but-missing icon FAILs)	§11.4.38 installable-asset evidence
DS-ASSET- NON- DEGENERATE	each emitted raster/icon is non-blank (non-zero pixels, correct dimensions per the platform matrix)	§11.4.38 + §11.4.107(10) self-validated analyzer
DS-APP-ICON- MATRIX- COMPLETE	every platform's app-icon set has every required size/shape (no missing iOS size, no missing Android density)	§11.4.110 build- readiness
DS-LIGHT- DARK- COMPLETE [OV §12]	every themed token, color set, two-tone icon, illustration fill, logo lockup, and component spec defines BOTH light and dark	§11.4.162
DS-FONT- LICENSE- PRESENT	every bundled font face has its committed OFL.txt (or the per-platform reference is documented)	§11.4.10/.99 (D- DEL-1)
DS-CONTRAST [OV §12]	every on-X / X color pair clears WCAG AA in light AND dark	a11y (static, captured- evidence)
DS-EXPORTED- DOC-VISUAL [EXP §6]	the rendered docs show no raw Mermaid/diagram source as body text + every swatch/ diagram rasterised	§11.4.168

Honest boundary (DS-I7 [OV §0.2]): these gates prove the **deliverables'** internal correctness + visual integrity + completeness. They do **not** prove a consuming app's feature

works — that is the app's functional/UI-driven testing (Volumes 4/8). A green deliverable set is necessary, not sufficient, for a shipped UI.

17. Surfaced decisions

ID	Decision	Lean	Resolves at
D-DEL-1	Font licensing/distribution: bundle font files (OFL permits) vs reference system/Google fonts per platform	bundle (OFL-licensed Inter + JetBrains Mono; commit OFL.txt; per-platform fallback always declared); exact OFL version + final face choice UNVERIFIED until §11.4.99 re-verify	Volume-10 assets review
D-DEL-2	Asset hosting: ship raster matrices as gitignored build-derivatives (regenerated from masters) + a per-tag release bundle vs commit every raster	gitignore rasters + publish helix_design-<semver>-dist.tar.zst; track only masters + checked-in Flutter Dart (D-DESIGN-2)	Volume-10 review + §11.4.30 audit
D-DEL-3	Illustration form: static SVG/PNG only vs animated Lottie	static is the floor; Lottie the enhancement (one animated cross-platform source); decided with [TIM §6]	Volume-10 motion review
D-DEL-4	Icon delivery: icon-font + per-platform asset forms (this doc) vs SVG-only everywhere	icon-font for Flutter/Web (perf) + native asset forms for shims; SVG source is canonical	Volume-10 review
U-DEL-1 UNVERIFIED	Exact HarmonyOS layered-icon spec	stated as intended matrices; pinned + re-verified per	per [PLAT]

ID	Decision	Lean	Resolves at
	+ Aurora app-icon size matrix	§11.4.99 before the app-icon generator ships	
U-OD-DEL UNVERIFIED	OpenDesign CLI verbs + dark-mode tokens.css convention for the round-trip	confirmed against a live OpenDesign system + pinned per §11.4.99	refinement pass

Sources verified

- **The delivery model, the nine resource classes, the per-resource form sets, the master deliverables matrix (§11), the deliverables→packaging→consumption diagram (§12), the versioning/release model for the asset corpus (§13), the per-app direct-incorporation recipes (§14), and the asset-corpus gates (§16) — NO external source needed — original HelixVPN design work**, layered on each platform's documented asset conventions (Apple asset catalogs / .appiconset / .icns; Android adaptive icons + vector drawables + values-night; Windows .ico/Store tiles; Linux hicolor theme; Web PWA manifest icons + @font-face/ woff2; Flutter pubspec fonts + flutter_svg + icon-font; HarmonyOS resource qualifiers; Qt .qrc/QML) and the W3C-DTCG token + Style-Dictionary-class export pattern. The conventions are each framework's documented norms; the *delivery manifest* assembling them is HelixVPN's own design.
- **The submodule layout, the dist/**-is-a-build-derivative + checked-in Flutter-Dart (D-DESIGN-2) rule, the exporter set, the 8-platform target list, the OpenDesign relationship, and the verified fact that OpenDesign does NOT emit Dart/Swift/Compose/ArkTS/C-Qt** — final/v10-design/00-overview-and-submodule.md §0/§4/§6/§8/§9/§10/§12 + final/v10-design/token-export-pipeline.md §0/§4/§5/§6/§7 + final/v10-design/opendesign-foundation.md §0/§1.2/§3.3/§4/§5.2 (siblings, this wave, read **2026-06-25**). The "OpenDesign authors the system / helix_design owns the polyglot distribution" split + the round-trip mechanics are grounded there (web-verified 2026-06-25), not assumed.
- **The token model, color hexes, type metrics, icon grid, motion scale, connection- state palette, and component anatomy referenced in the form tables** — design-tokens.md, color-system.md, typography-iconography-motion.md, component-library.md, platform-adaptation.md (siblings, this wave) + final/v04-client/helix-ui-flutter.md (the helix_design Flutter package, the 5-variant core::TunnelStatus (wire) → 7-variant

ffi::TunnelStatus (Dart-facing), the native-shim languages, the one-codebase/3-flavor app model) + final/SPECIFICATION.md (roles Client/Console/Connector, 8 platforms), this repo, read **2026-06-25**.

- **Font-license fact** — Inter and JetBrains Mono are distributed under the **SIL Open Font License 1.1**, which permits bundling/redistribution inside an application with the OFL text included and the font not sold standalone. This is the well-established OFL term; the exact OFL version + that these two faces are the final choice is **D-DEL-1 UNVERIFIED**, re-verified against the upstream font repositories per §11.4.99 before the assets ship — not asserted as a settled fact.
- **Constitution clauses** §11.4.6 (no-guessing), §11.4.10 (credentials/licenses), §11.4.12 (auto-generated docs sync), §11.4.26 (submodule pointer-bump), §11.4.28 (equal-codebase + decoupling + flat layout), §11.4.29 (snake_case), §11.4.30/§11.4.77 (no versioned build derivatives + regeneration mechanism), §11.4.38 (installable-asset evidence), §11.4.65 (universal Markdown export), §11.4.74 (catalogue-first / extend upstream), §11.4.99 (latest-source verification), §11.4.107(10) (self-validated analyzer), §11.4.108 (SOURCE→ARTIFACT equality), §11.4.110 (build-readiness), §11.4.113 (no force-push), §11.4.151 (release-prefix naming), §11.4.162 (OpenDesign UI design-system mandate), §11.4.168 (exported-doc visual validation) — constitution submodule text embedded in this repo's constitution/CLAUDE.md, accessed **2026-06-25**.
- Items explicitly marked UNVERIFIED (D-DEL-1 exact OFL version/face choice, U-DEL-1 HarmonyOS/Aurora icon matrices, U-OD-DEL OpenDesign CLI/dark-mode convention, D-DEL-3 Lottie) are pending their named §11.4.99 verification pass per §11.4.6 — not asserted as fact.